THE JOURNAL OF PHYSIOLOGY



1995 ANNUAL INDEX

Volumes 482 – 489

A publication of The Physiological Society

THE JOURNAL OF PHYSIOLOGY

Volumes 482 – 489 1995

Annual Author and Subject Indexes

to Volumes 482 – 489

(January – December 1995)

CONTENTS

Author index: Papers	1
Author index: Proceedings	31
Subject index	91

An electronic ten year index for *The Journal of Physiology* and a six year index for *Proceedings* may be searched over the Internet at http://physiology.cup.cam.ac.uk/ using a World-Wide Web browser.

CAMBRIDGE UNIVERSITY PRESS

Cover illustration composed from various *Journal of Physiology* covers published during 1995.

The Journal of Physiology

The Journal of Physiology (ISSN 0022 3751) is published semi-monthly for The Physiological Society by Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK and 40 West 20th Street, New York, NY 10011-4211, USA.

Eight volumes (490–497) of three issues will be published in 1996 at regular intervals, along with five issues of *Proceedings* published in March, May, June, September and November and an additional index volume in March. Each issue is bound in laminated soft covers. The 1996 annual subscription price (which includes postage, but excludes VAT) is £996·00 net (US $1864·00 in the USA, Canada and Mexico). Copies of the journal for subscribers in the USA, Canada and Mexico are sent by air to New York. Individual issues may be purchased at £35·00 (US $63·00 in the USA, Canada and Mexico), plus postage. Orders, which must be accompanied by payment, may be placed with a bookseller or directly with the publisher. POSTMASTER: send address changes in USA, Canada and Mexico to *The Journal of Physiology*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573-9864. Second class postage paid at New York, NY, and at additional mailing offices. EU subscribers (outside the UK) who are not registered for VAT should add VAT at their country's rate. VAT registered subscribers should provide their VAT registration number. Japanese prices for institutions (including ASP delivery) are available from Kinokuniya Company Ltd, PO Box 55, Chitose, Tokyo 156, Japan.

Back Volumes

Volumes 1–253 (1878–1975) are available from Wm Dawson and Sons Ltd, Cannon House, Folkestone, Kent CT19 5EE, UK.

Volumes 382–473 (1987–1994) at £70 ($130) net each, are available from the publisher.

Volumes 474–489 (1994–1995) are available from the publisher at £125 ($252) net each.

Volumes 61–120, 168–169, 180, 181, 184 and 210 were published in four parts.

Indexes

Cumulative indexes to the following volumes are available from Wm Dawson and Sons Ltd:

Volumes 61–100 (1947), 101–115 (1952), 116–134 (1957), 135–154 (1961), 155–175 (1965), 176–199 (1969), 200–224 (1973), 225–244 (published as part 3 of Vol. 253, 1975).

Cumulative indexes to the following volumes are available from the publisher:

245–285 (1979), 286–321 (1981), 322–357 (1984), 358–394 (1987), 395–431 (1991) and 432–473 (1993) at £55 ($120) net.

Copying

This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of $7·50. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0022–3751/96 $7·50 + 0·00.

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, UK
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Physiological Society 1996

JPHYA INDEX 1–160 (1996)

ISSN 0022 3751

Typeset by The Physiological Society

Printed in Great Britain by the University Press, Cambridge

Author Index: Papers

The Journal of Physiology
Volumes 482 – 489

(January – December 1995)

AAGAARD T. *see* BANGSBO J., AAGAARD T., OLSEN M., KIENS B., TURCOTTE L. P. & RICHTER E. A. **488**, 219, 1995

AALKJÆR C.

AALKJÆR C. & LOMBARD J. H. Effect of hypoxia on force, intracellular pH and Ca^{2+} concentration in rat cerebral and mesenteric small arteries **482**, 409, 1995

ABDULLAH N. *see* TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. **488**, 709, 1995

ADAMS D.J. *see* KATNIK C. & ADAMS D. J. **485**, 595, 1995

ADAMS L. *see* WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A. **482**, 713, 1995

see CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. **488**, 77, 1995

see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

ADHIKARI A. *see* SARKAR S. N., ADHIKARI A. & SIKDAR S. K. **488**, 633, 1995

AGGELOPOULOS N.C.

AGGELOPOULOS N. C., DUKE C. & EDGLEY S. A. Non-uniform conduction time in the olivocerebellar pathway in the anaesthetized cat **486**, 763, 1995

AGUADO-VELASCO C. *see* KIM D., SLADEK C. D., AGUADO-VELASCO C. & MATHIASEN J. R. **484**, 643, 1995

AITKEN P.G. *see* CHEBABO S. R., HESTER M. A., JING J., AITKEN P. G. & SOMJEN G. G. **487**, 685, 1995

AKAIKE N. *see* EBIHARA S., SHIRATO K., HARATA N. & AKAIKE N. **484**, 77, 1995

see NABEKURA J., UENO S., OGAWA T. & AKAIKE N. **489**, 519, 1995

AL-ANI M.

AL-ANI M., POWELL L., WEST J., TOWNEND J. & COOTE J. H. Exercise and diving, two conflicting stimuli influencing cardiac vagal tone in man **489**, 603, 1995

ALFORD S. *see* SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C. **482**, 511, 1995

AL-HABOUBI H.A.

AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. The influence of hypoxia on transvascular leakage in the isolated rat heart: quantitative and ultrastructural studies **482**, 157, 1995

AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. Erratum: *Journal of Physiology* **482**, 157–166 (1995) **485**, 875, 1995

ALLARD B.

ALLARD B., LAZDUNSKI M. & ROUGIER O. Activation of ATP-dependent K^+ channels by metabolic poisoning in adult mouse skeletal muscle: role of intracellular Mg^{2+} and pH **485**, 283, 1995

ALLEN D.G.

ALLEN D. G. & WESTERBLAD H. The effects of caffeine on intracellular calcium, force and the rate of relaxation of mouse skeletal muscle **487**, 331, 1995

see BALNAVE C. D. & ALLEN D. G. **488**, 25, 1995

AL-ZUBAIDY Z. *see* GREER J. J., CARTER J. E. & AL-ZUBAIDY Z. **485**, 845, 1995

AMORIM P. *see* FRIED E., AMORIM P., CHAMBERS G., COTTRELL J. E. & KASS I. S. **489**, 557, 1995

ANAND A. *see* RAJ H., SINGH V. K., ANAND A. & PAINTAL A. S. **482**, 235, 1995

ANDERSON D.F. *see* FABER J. J. & ANDERSON D. F. **487**, 159, 1995

ANDERSON J.W.

ANDERSON J. W., JIRSCH J. D. & FEDIDA D. Cation regulation of anion current activated by cell swelling in two types of human epithelial cancer cells **483**, 549, 1995

ANDERSON L.C.

ANDERSON L. C., GARRETT J. R., ZHANG X., PROCTOR G. B. & SHORI D. K. Differential secretion of proteins by rat submandibular acini and granular ducts on graded autonomic nerve stimulations **485**, 503, 1995

ANDREASEN M.

ANDREASEN M. & LAMBERT J. D. C. Regenerative properties of pyramidal cell dendrites in area CA1 of the rat hippocampus **483**, 421, 1995

ANDREOSE J.S.

ANDREOSE J. S., FUMAGALLI G. & LØMO T. Number of junctional acetylcholine receptors: control by neural and muscular influences in the rat **483**, 397, 1995

ANGEL M.J. *see* GUERTIN P., ANGEL M. J., PERREAULT M.-C. & MCCREA D. A. **487**, 197, 1995

see PERREAULT M.-C., ANGEL M. J., GUERTIN P. & MCCREA D. A. **487**, 211, 1995

ANVARI M.

ANVARI M., DENT J. & JAMIESON G. G. Mechanics of pulsatile transpyloric flow in the pig **488**, 193, 1995

ANVARI M., YU P., DENT J. & JAMIESON G. G. Role of antral intramural neural pathways in control of gastric emptying in the pig **488**, 203, 1995

APKON M.

APKON M. & BORON W. F. Extracellular and intracellular alkalinization and the constriction of rat cerebral arterioles **484**, 743, 1995

APPS R.

APPS R., HARTELL N. A. & ARMSTRONG D. M. Step phase-related excitability changes in spino-olivocerebellar paths to the c_1 and c_2 zones in cat cerebellum **483**, 687, 1995

ARAMAKI T. *see* KOUMI S-I., SATO R. & ARAMAKI T. **487**, 379, 1995

ARCANGELI A.

ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E. A novel inward-rectifying K^+ current with a cell-cycle dependence governs the resting potential of mammalian neuroblastoma cells **489**, 455, 1995

ARELLANO R.O.

ARELLANO R. O., WOODWARD R. M. & MILEDI R. A monovalent cationic conductance that is blocked by extracellular divalent cations in *Xenopus* oocytes **484**, 593, 1995

ARELLANO R. O. & MILEDI R. Functional role of follicular cells in the generation of osmolarity-dependent Cl^- currents in *Xenopus* follicles **488**, 351, 1995

ARMSTRONG D.M. *see* APPS R., HARTELL N. A. & ARMSTRONG D. M. **483**, 687, 1995

ARMSTRONG W.E. *see* STERN J. E. & ARMSTRONG W. E. **488**, 701, 1995

ARNDT J.O. *see* HOLTHUSEN H. & ARNDT J. O. **487**, 253, 1995

ARNER A. *see* ÖSTERMAN Å. & ARNER A. **484**, 369, 1995

ARNOLD P.D. *see* BARCLAY C. J., ARNOLD P. D. & GIBBS C. L. **488**, 741, 1995

ARREOLA J.

ARREOLA J., MELVIN J. E. & BEGENISICH T. Volume-activated chloride channels in rat parotid acinar cells **484**, 677, 1995

ARTALEJO A.R. *see* LÓPEZ M. G., ARTALEJO A. R., GARCÍA A. G., NEHER E. & GARCÍA-SANCHO J. **482**, 15, 1995

ASHBY P.

ASHBY P., LANG A. E., LOZANO A. M. & DOSTROVSKY J. O. Motor effects of stimulating the human cerebellar thalamus **489**, 287, 1995

ASHCROFT F.M. *see* PROKS P. & ASHCROFT F. M. **487**, 465, 1995

ASHFORD M.L.J. *see* LEE K., ROWE I. C. M. & ASHFORD M. L. J. **488**, 319, 1995

ASHMORE J.F. *see* TUNSTALL M. J., GALE J. E. & ASHMORE J. F. **485**, 739, 1995

ASP S.

ASP S., DAUGAARD J. R. & RICHTER E. A. Eccentric exercise decreases glucose transporter GLUT4 protein in human skeletal muscle **482**, 705, 1995

ATCHISON W.D. *see* SMITH D. O., CONKLIN M. W., JENSEN P. J. & ATCHISON W. D. **487**, 115, 1995

AUERBACH A. *see* ZHANG Y., CHEN J. & AUERBACH A. **486**, 189, 1995

AUSTIN C.

AUSTIN C. & WRAY S. The effects of extracellular pH and calcium change on force and intracellular calcium in rat vascular smooth muscle **488**, 281, 1995

AYMARD C.

AYMARD C., CHIA L., KATZ R., LAFITTE C. & PÉNICAUD A. Reciprocal inhibition between wrist flexors and extensors in man: a new set of interneurones? **487**, 221, 1995

BACCINO F.M. *see* MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D. **484**, 557, 1995

BADER C.R. *see* KRAUSE R. M., HAMANN M., BADER C. R., LIU J.-H., BAROFFIO A. & BERNHEIM L. **489**, 779, 1995

see HAMANN M., CHAMOIN M. C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C. R. & TERNAUX J. P. **489**, 791, 1995

BAGNI M.A.

BAGNI M. A., CECCHI G., COLOMO F. & GARZELLA P. Absence of mechanical evidence for attached weakly binding cross-bridges in frog relaxed muscle fibres **482**, 391, 1995

BAILEY P.D. *see* LISTER N., SYKES A. P., BAILEY P. D., BOYD C. A. R. & BRONK J. R. **484**, 173, 1995

BAKER S.N.

BAKER S. N., OLIVIER E. & LEMON R. N. Task-related variation in corticospinal output evoked by transcranial magnetic stimulation in the macaque monkey **488**, 795, 1995

BAKHRAMOV A.

BAKHRAMOV A. Effects of high-energy phosphates on carbachol-evoked cationic current in single smooth muscle cells from guinea-pig ileum **485**, 659, 1995

BALKE C.W. *see SHACKLOCK P.S., WIER W.G. & BALKE C.W.* **487**, 601, 1995

BAŁKOWIEC A.

BAŁKOWIEC A., KUKUŁA K. & SZULCZYK P. Functional classification of afferent phrenic nerve fibres and diaphragmatic receptors in cats **483**, 759, 1995

BALLANYI K. *see TRAPP S. & BALLANYI K.* **487**, 37, 1995

BALLEGAARD M. *see NIELSEN J., PETERSEN N. & BALLEGAARD M.* **484**, 791, 1995

BALNAVE C.D.

BALNAVE C.D. & ALLEN D.G. Intracellular calcium and force in single mouse muscle fibres following repeated contractions with stretch **488**, 25, 1995

BAL T.

BAL T., VON KROSIGK M. & MCCORMICK D.A. Synaptic and membrane mechanisms underlying synchronized oscillations in the ferret lateral geniculate nucleus *in vitro* **483**, 641, 1995

BAL T., VON KROSIGK M. & MCCORMICK D.A. Role of the ferret perigeniculate nucleus in the generation of synchronized oscillations *in vitro* **483**, 665, 1995

BANGSBO J.

BANGSBO J., AAGAARD T., OLSEN M., KIENS B., TURCOTTE L.P. & RICHTER E.A. Lactate and H^+ uptake in inactive muscles during intense exercise in man **488**, 219, 1995

BARBARA J.-G.

BARBARA J.-G. & TAKEDA K. Voltage-dependent currents and modulation of calcium channel expression in zona fasciculata cells from rat adrenal gland **488**, 609, 1995

BARCLAY C.J.

BARCLAY C.J., ARNOLD P.D. & GIBBS C.L. Fatigue and heat production in repeated contractions of mouse skeletal muscle **488**, 741, 1995

BARENDS J.P.F. *see POTMA E.J., STIENEN G.J.M., BARENDS J.P.F. & ELZINGA G.* **483**, 811, 1995

BARKER J.L. *see SERAFINI R., VALEYEV A.Y., BARKER J.L. & POULTER M.O.* **488**, 371, 1995

BARNES P.J. *see FOX A.J., BARNES P.J. & DRAY A.* **482**, 179, 1995

see WARD J.K., BARNES P.J., TADJKARIMI S., YACOUB M.H. & BELVISI M.G. **483**, 525, 1995

BARNES-DAVIES M.

BARNES-DAVIES M. & FORSYTHE I.D. Pre- and postsynaptic glutamate receptors at a giant excitatory synapse in rat auditory brainstem slices **488**, 387, 1995

BAROFFIO A. *see KRAUSE R.M., HAMANN M., BADER C.R., LIU J.-H., BAROFFIO A. & BERNHEIM L.* **489**, 779, 1995

see HAMANN M., CHAMOIN M.C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C.R. & TERNAUX J.P. **489**, 791, 1995

BARÓ I.

BARÓ I. & EISNER D.A. Factors controlling changes in intracellular Ca^{2+} concentration produced by noradrenaline in rat mesenteric artery smooth muscle cells **482**, 247, 1995

BARRETT E.F. *see DAVID G., MODNEY B., SCAPPATICCI K.A., BARRETT J.N. & BARRETT E.F.* **489**, 141, 1995

BARRETT J.N. *see DAVID G., MODNEY B., SCAPPATICCI K.A., BARRETT J.N. & BARRETT E.F.* **489**, 141, 1995

BARRIGA C. *see FORNER M.A., BARRIGA C., RODRIGUEZ A.B. & ORTEGA E.* **488**, 789, 1995

BARRÈS C. *see ZHANG Z.-Q., BARRÈS C. & JULIEN C.* **482**, 435, 1995

BASCOM D.A. *see CLEMENT I.D., PANDIT J.J., BASCOM D.A., DORRINGTON K.L., O'CONNOR D.F. & ROBBINS P.A.* **485**, 561, 1995

BAUER C. *see EHMKE H., JUST A., ECKARDT K.-U., PERSSON P.B., BAUER C. & KIRCHHEIM H.R.* **488**, 181, 1995

BAUX G. *see FOSSIER P., LAMBEAU G., LAZDUNSKI M. & BAUX G.* **489**, 29, 1995

BAWA P. *see OLIVIER E., BAWA P. & LEMON R.N.* **485**, 257, 1995

BAYLISS D.A.

BAYLISS D.A., UMEMIYA M. & BERGER A.J. Inhibition of N- and P-type calcium currents and the after-hyperpolarization in rat motoneurones by serotonin **485**, 635, 1995

see VIANA F., BAYLISS D.A. & BERGER A.J. **486**, 745, 1995

BAYLOR D.A. *see TAYLOR W.R. & BAYLOR D.A.* **483**, 567, 1995

BEAR C.E. *see MORIN X.K., BOND T.D., LOO T.W., CLARKE D.M. & BEAR C.E.* **486**, 707, 1995

BEAUGÉ L. *see DIPOLO R. & BEAUGÉ L.* **487**, 57, 1995

BECCHETTI A. *see ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E.* **489**, 455, 1995

BEELEN A.

BEELEN A., SARGEANT A.J., JONES D.A. & DE RUITER C.J. Fatigue and recovery of voluntary and electrically elicited dynamic force in humans **484**, 227, 1995

see VAN INGEN SCHENAU G.J., DORSSERS W.M.M., WELTER T.G., BEELEN A., DE GROOT G. & JACOBS R. **484**, 247, 1995

BEER M.E. *see KEEP R.F., ENNIS S.R., BEER M.E. & BETZ A.L.* **488**, 439, 1995

BEESON D. *see NEWLAND C.F., BEESON D., VINCENT A. & NEWSOM-DAVIS J.* **489**, 767, 1995

BEGENISICH T. *see ARREOLA J., MELVIN J.E. & BEGENISICH T.* **484**, 677, 1995

BELLINGHAM M.C. *see SCHMIDT C., BELLINGHAM M.C. & RICHTER D.W.* **483**, 769, 1995

BELOUSOV A.B.

BELOUSOV A.B., GODFRAIND J.-M. & KRNJEVIĆ K. Internal Ca^{2+} stores involved in anoxic responses of rat hippocampal neurons **486**, 547, 1995

BELVISI M.G. *see WARD J.K., BARNES P.J., TADJKARIMI S., YACOUB M.H. & BELVISI M.G.* **483**, 525, 1995

BEN-ARI Y. *see MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P.* **482**, 567, 1995

see LEINEKUGEL X., TSEEB V., BEN-ARI Y. & BREGESTOVSKI P. **487**, 319, 1995

BENNET L. *see GIUSSANI D.A., MOORE P.J., BENNET L., SPENCER J.A.D. & HANSON M.A.* **486**, 249, 1995

see CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M.A. **488**, 515, 1995

BENNETT M.R. *see HAKIM M.A., HIROOKA Y., COLEMAN M.J., BENNETT M.R. & DAMPNEY R.A.L.* **482**, 401, 1995

see KARUNANITHI S., PHIPPS M.C., ROBINSON J. & BENNETT M.R. **489**, 171, 1995

see BRAIN K.L. & BENNETT M.R. **489**, 637, 1995

BENSON C.A.

BENSON C.A. & WINTOUR E.M. The effect of bilateral fetal adrenalectomy on fluid balance in the ovine fetus **489**, 235, 1995

BENVENISTE M.

BENVENISTE M. & MAYER M.L. Trapping of glutamate and glycine during open channel block of rat hippocampal neuron NMDA receptors by 9-aminoacridine **483**, 367, 1995

BERG D.K. *see ZHANG Z.-W. & BERG D.K.* **487**, 395, 1995

BERGER A.J. *see BAYLISS D.A., UMEMIYA M. & BERGER A.J.* **485**, 635, 1995

see VIANA F., BAYLISS D.A. & BERGER A.J. **486**, 745, 1995

BERJUKOW S. *see WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S.* **486**, 131, 1995

BERKENBOSCH A. *see TEPPEMA L., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.* **488**, 767, 1995

see DAHAN A., BERKENBOSCH A., DEGOEDE J., VAN DEN ELSEN M., OLIEVIER I. & VAN KLEEF J. **488**, 803, 1995

BERLIN J.R. *see SPENCER C.I. & BERLIN J.R.* **488**, 267, 1995

BERNHARDT I. *see CULLIFORD S.J., BERNHARDT I. & ELLORY J.C.* **489**, 755, 1995

BERNHEIM L. *see KRAUSE R.M., HAMANN M., BADER C.R., LIU J.-H., BAROFFIO A. & BERNHEIM L.* **489**, 779, 1995

see HAMANN M., CHAMOIN M.C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C.R. & TERNAUX J.P. **489**, 791, 1995

BERROW N.S.

BERROW N.S., CAMPBELL V., FITZGERALD E.M., BRICKLEY K. & DOLPHIN A.C. Antisense depletion of β-subunits modulates the biophysical and pharmacological properties of neuronal calcium channels **482**, 481, 1995

see CAMPBELL V., BERROW N.S., FITZGERALD E.M., BRICKLEY K. & DOLPHIN A.C. **485**, 365, 1995

BERTHOZ A. *see OLIVIER E., GRANTYN A., KITAMA T. & BERTHOZ A.* **482**, 455, 1995

BETZ A.L. *see KEEP R.F., ENNIS S.R., BEER M.E. & BETZ A.L.* **488**, 439, 1995

BETZ H. *see LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H.* **483**, 613, 1995

BHAVE S.V. *see WAKADE A.R., PRZYWARA D.A., BHAVE S.V., MASHALKAR V. & WAKADE T.D.* **488**, 587, 1995

BHIMANI M. *see* PATE E., BHIMANI M., FRANKS-SKIBA K. & COOKE R. **486**, 689, 1995

BIALEK S.

BIALEK S., JOSEPH D. P. & MILLER S. S. The delayed basolateral membrane hyperpolarization of the bovine retinal pigment epithelium: mechanism of generation **484**, 53, 1995

BIANCHI L. *see* ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E. **489**, 455, 1995

BIANCHI R.

BIANCHI R. & WONG R. K. S. Excitatory synaptic potentials dependent on metabotropic glutamate receptor activation in guinea-pig hippocampal pyramidal cells **487**, 663, 1995

BILLOCK V.A. *see* KOTULAK J. C., MORSE S. E. & BILLOCK V. A. **482**, 697, 1995

BINGHAM M.J.

BINGHAM M. J., BURCHELL A. & MCARDLE H. J. Identification of an ATP-dependent copper transport system in endoplasmic reticulum vesicles isolated from rat liver **482**, 583, 1995

BISCHOFBERGER J.

BISCHOFBERGER J. & SCHILD D. Different spatial patterns of $[Ca^{2+}]$ increase caused N- and L-type Ca^{2+} channel activation in frog olfactory bulb neurones **487**, 305, 1995

BISCHOFF A.M. *see* LALLEY P. M., BISCHOFF A. M., SCHWARZACHER S. W. & RICHTER D. W. **487**, 653, 1995

BISSONNETTE J.M.

BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J. GABAergic and glutamatergic effects on behaviour in fetal sheep **487**, 677, 1995

BJUR R.A. *see* HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S. **489**, 841, 1995

BLANK P.S. *see* DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G. **486**, 1, 1995

BLAUSTEIN M.P. *see* FONTANA G., ROGOWSKI R. S. & BLAUSTEIN M. P. **485**, 349, 1995

BOGDANIS G.C.

BOGDANIS G. C., NEVILL M. E., BOOBIS L. H., LAKOMY H. K. A. & NEVILL A. M. Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man **482**, 467, 1995

BOLTON T.B. *see* ZHOLOS A. V. & BOLTON T. B. **486**, 67, 1995

BOND T.D. *see* MORIN X. K., BOND T. D., LOO T. W., CLARKE D. M. & BEAR C. E. **486**, 707, 1995

BONELLI G. *see* MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D. **484**, 557, 1995

BONGIOVANNI L.G. *see* HAGBARTH K.-E., NORDIN M. & BONGIOVANNI L. G. **482**, 215, 1995

see HAGBARTH K.-E., BONGIOVANNI L. G. & NORDIN M. **485**, 865, 1995

BONHAM A.C. *see* ZHANG Z. & BONHAM A. C. **484**, 189, 1995

BOOBIS L. *see* TSINTZAS O.-K., WILLIAMS C., BOOBIS L. & GREENHAFF P. **489**, 243, 1995

BOOBIS L.H. *see* BOGDANIS G. C., NEVILL M. E., BOOBIS L. H., LAKOMY H. K. A. & NEVILL A. M. **482**, 467, 1995

BORON W.F. *see* APKON M. & BORON W. F. **484**, 743, 1995

BORST J.G.G.

BORST J. G. G., HELMCHEN F. & SAKMANN B. Pre- and postsynaptic whole-cell recordings in the medial nucleus of the trapezoid body of the rat **489**, 825, 1995

BOUDINOT E. *see* MORIN-SURUN M. P., BOUDINOT E., SCHÄFER T. & DENAVIT-SAUBIÉ M. **485**, 203, 1995

BOULANT J.A. *see* GRIFFIN J. D. & BOULANT J. A. **488**, 407, 1995

BOURQUE C.W. *see* KIRKPATRICK K. & BOURQUE C. W. **482**, 373, 1995

see FISHER T. E. & BOURQUE C. W. **486**, 571, 1995

see FISHER T. E. & BOURQUE C. W. **489**, 383, 1995

see RICHARD D. & BOURQUE C. W. **489**, 567, 1995

see HIRUMA H. & BOURQUE C. W. **489**, 805, 1995

BOUSKILA Y.

BOUSKILA Y. & DUDEK F. E. A rapidly activating type of outward rectifier K^+ current and A-current in rat suprachiasmatic nucleus neurones **488**, 339, 1995

BOYD C.A.R. *see* LISTER N., SYKES A. P., BAILEY P. D., BOYD C. A. R. & BRONK J. R. **484**, 173, 1995

BOYETT M.R. *see* WHITE E., BOYETT M. R. & ORCHARD C. H. **482**, 93, 1995

see HARRISON S. M. & BOYETT M. R. **482**, 555, 1995

see SHUI Z., BOYETT M. R., ZANG W.-J., HAGA T. & KAMEYAMA K. **487**, 359, 1995

BRADING A.F. *see* BRIDGEWATER M., CUNNANE T. C. & BRADING A. F. **485**, 145, 1995

BRAIN K.L.

BRAIN K. L. & BENNETT M. R. Calcium in the nerve terminals of chick ciliary ganglia during facilitation, augmentation and potentiation **489**, 637, 1995

BRANDTS B. *see* BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L. **489**, 701, 1995

BRAUN A.P.

BRAUN A. P. & SCHULMAN H. A non-selective cation current activated via the multifunctional Ca^{2+}–calmodulin-dependent protein kinase in human epithelial cells **488**, 37, 1995

BRAYDEN J.E. *see* MURPHY M. E. & BRAYDEN J. E. **486**, 47, 1995

see MURPHY M. E. & BRAYDEN J. E. **489**, 723, 1995

BREGESTOVSKI P. *see* MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P. **482**, 567, 1995

see LEINEKUGEL X., TSEEB V., BEN-ARI Y. & BREGESTOVSKI P. **487**, 319, 1995

BRICKLEY K. *see* BERROW N. S., CAMPBELL V., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. **482**, 481, 1995

see CAMPBELL V., BERROW N. S., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. **485**, 365, 1995

BRIDGEWATER M.

BRIDGEWATER M., CUNNANE T. C. & BRADING A. F. Characteristic features of inhibitory junction potentials evoked by single stimuli in the guinea-pig isolated taenia caeci **485**, 145, 1995

BROCK J.A.

BROCK J. A. & CUNNANE T. C. Effects of Ca^{2+} and K^+ channel blockers on nerve impulses recorded from guinea-pig postganglionic sympathetic nerve terminals **489**, 389, 1995

BRONK J.R. *see* LISTER N., SYKES A. P., BAILEY P. D., BOYD C. A. R. & BRONK J. R. **484**, 173, 1995

BRONSTEIN A. *see* ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M. **489**, 911, 1995

BRONSTEIN A.M. *see* KANAYA T., GRESTY M. A., BRONSTEIN A. M., BUCKWELL D. & DAY B. **489**, 895, 1995

BROOKS S.V.

BROOKS S. V., ZERBA E. & FAULKNER J. A. Injury to muscle fibres after single stretches of passive and maximally stimulated muscles in mice **488**, 459, 1995

BROWN D.A. *see* HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. **482**, 317, 1995

BROWNE A.K. *see* WINGARD C. J., BROWNE A. K. & MURPHY R. A. **488**, 729, 1995

BROWN P. *see* DIMALINE R., MILLER S.-M., EVANS D., NOBLE P.-J., BROWN P. & POAT J. A. **488**, 493, 1995

BROWN T.E. *see* TAYLOR J. A., HALLIWILL J. R., BROWN T. E., HAYANO J. & ECKBERG D. L. **483**, 289, 1995

BRUNSSON I.

BRUNSSON I., FAHRENKRUG J., JODAL M., SJÖQVIST A. & LUNDGREN O. Substance P effects on blood flow, fluid transport and vasoactive intestinal polypeptide release in the feline small intestine **483**, 727, 1995

BRUTON J.D.

BRUTON J. D., LÄNNERGREN J. & WESTERBLAD H. Mechano-sensitive linkage in excitation–contraction coupling in frog skeletal muscle **484**, 737, 1995

BUCKWELL D. *see* KANAYA T., GRESTY M. A., BRONSTEIN A. M., BUCKWELL D. & DAY B. **489**, 895, 1995

BULATKO A.K.

BULATKO A. K. & GREEFF N. G. Functional availability of sodium channels modulated by cytosolic free Ca^{2+} in cultured mammalian neurons (N1E-115) **484**, 307, 1995

BÜNEMANN M.

BÜNEMANN M. & POTT L. Down-regulation of A_1 adenosine receptors coupled to muscarinic K^+ current in cultured guinea-pig atrial myocytes **482**, 81, 1995

BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L. Activation of muscarinic K^+ current in guinea-pig atrial myocytes by sphingosine-1-phosphate **489**, 701, 1995

BURCHELL A. *see* BINGHAM M. J., BURCHELL A. & MCARDLE H. J. **482**, 583, 1995

BURDYGA TH. V.

BURDYGA TH. V., TAGGART M. J. & WRAY S. Major difference between rat and guinea-pig ureter in the ability of agonists and caffeine to release Ca^{2+} and influence force **489**, 327, 1995

BURKE D. *see WILSON L. R., GANDEVIA S. C. & BURKE D.* **488**, 833, 1995

BURNASHEV N.

BURNASHEV N., ZHOU Z., NEHER E. & SAKMANN B. Fractional calcium currents through recombinant GluR channels of the NMDA, AMPA and kainate receptor subtypes **485**, 403, 1995

see KOH D.-S., BURNASHEV N. & JONAS P. **486**, 305, 1995

BURNSTOCK G. *see RALEVIC V., HOYLE C. H. V. & BURNSTOCK G.* **483**, 703, 1995

see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G. **487**, 773, 1995

BUTLER J. E.

BUTLER J. E., MCKENZIE D. K., CRAWFORD M. R. & GANDEVIA S. C. Role of airway receptors in the reflex responses of human inspiratory muscles to airway occlusion **487**, 273, 1995

BYRON K. L.

BYRON K. L. & TAYLOR C. W. Vasopressin stimulation of Ca^{2+} mobilization, two bivalent cation entry pathways and Ca^{2+} efflux in A7r5 rat smooth muscle cells **485**, 455, 1995

CAFARELLI E. *see ROTHMULLER C. & CAFARELLI E.* **485**, 857, 1995

CALDWELL J. H. *see LUPA M. T., KRZEMIEN D. M., SCHALLER K. L. & CALDWELL J. H.* **483**, 109, 1995

CALFORD M. B. *see ROSA M. G. P., SCHMID L. M. & CALFORD M. B.* **482**, 589, 1995

CALLEWAERT G. *see PAPP Z., SIPIDO K. R., CALLEWAERT G. & CARMELIET E.* **483**, 319, 1995

CAMPBELL D. L. *see RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C.* **485**, 59, 1995

see RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C. **489**, 709, 1995

CAMPBELL J. D. *see KOH S. D., CAMPBELL J. D., CARL A. & SANDERS K. M.* **489**, 735, 1995

CAMPBELL J. N. *see TREEDE R.-D., MEYER R. A., RAJA S. N. & CAMPBELL J. N.* **483**, 747, 1995

see TILLMAN D.-B., TREEDE R.-D., MEYER R. A. & CAMPBELL J. N. **485**, 753, 1995

see TILLMAN D.-B., TREEDE R.-D., MEYER R. A. & CAMPBELL J. N. **485**, 767, 1995

CAMPBELL K. P. *see DE WAARD M. & CAMPBELL K. P.* **485**, 619, 1995

CAMPBELL L. W. *see JESTER J. M., CAMPBELL L. W. & SEJNOWSKI T. J.* **484**, 689, 1995

CAMPBELL R. J. *see JASMIN B. J., CAMPBELL R. J. & MICHEL R. N.* **484**, 155, 1995

CAMPBELL V. *see BERROW N. S., CAMPBELL V., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C.* **482**, 481, 1995

CAMPBELL V., BERROW N. S., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. Inhibition of the interaction of G protein G_o with calcium channels by the calcium channel β-subunit in rat neurones **485**, 365, 1995

CANELLA R. *see SACCHI O., ROSSI M. L. & CANELLA R.* **483**, 15, 1995

CARABELLI V. *see MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D.* **484**, 557, 1995

CARETTA A. *see MUCIGNAT-CARETTA C., CARETTA A. & CAVAGGIONI A.* **486**, 517, 1995

CAREW M. A.

CAREW M. A. & MASON W. T. Control of Ca^{2+} entry into rat lactotrophs by thyrotrophin-releasing hormone **486**, 349, 1995

CARL A.

CARL A. Multiple components of delayed rectifier K^+ current in canine colonic smooth muscle **484**, 339, 1995

see KOH S. D., CAMPBELL J. D., CARL A. & SANDERS K. M. **489**, 735, 1995

CARMELIET E. *see PAPP Z., SIPIDO K. R., CALLEWAERT G. & CARMELIET E.* **483**, 319, 1995

see SIPIDO K. R., CARMELIET E. & PAPPANO A. **489**, 1, 1995

CARTER J. E. *see GREER J. J., CARTER J. E. & AL-ZUBAIDY Z.* **485**, 845, 1995

CASABURI R.

CASABURI R., STRINGER W. W. & SINGER E. Comparison of arterial potassium and ventilatory dynamics during sinusoidal work rate variation in man **485**, 571, 1995

CASE R. M. *see SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C.* **487**, 185, 1995

CASEY A.

CASEY A., SHORT A. H., HULTMAN E. & GREENHAFF P. L. Glycogen resynthesis in human muscle fibre types following exercise-induced glycogen depletion **483**, 265, 1995

CASTELLINO R. C. *see RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C.* **485**, 59, 1995

see RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C. **489**, 709, 1995

CATARSI S.

CATARSI S., CHING S., MERZ D. C. & DRAPEAU P. Tyrosine phosphorylation during synapse formation between identified leech neurons **485**, 775, 1995

CAVAGGIONI A. *see MUCIGNAT-CARETTA C., CARETTA A. & CAVAGGIONI A.* **486**, 517, 1995

CAZIN L. *see SCHOENMAKERS TH. J. M., VAUDRY H. & CAZIN L.* **489**, 419, 1995

see MEI Y. A., LOUISET E., VAUDRY H. & CAZIN L. **489**, 431, 1995

CECCHI G. *see BAGNI M. A., CECCHI G., COLOMO F. & GARZELLA P.* **482**, 391, 1995

CERVERO F. *see LAIRD J. M. A., GARCIA DE LA RUBIA P. & CERVERO F.* **489**, 545, 1995

CESARE P. *see SOBREVIA L., CESARE P., YUDILEVICH D. L. & MANN G. E.* **489**, 183, 1995

CHAD J. E. *see PHENNA S., JANE S. D. & CHAD J. E.* **486**, 149, 1995

CHAMBERS G. *see FRIED E., AMORIM P., CHAMBERS G., COTTRELL J. E. & KASS I. S.* **489**, 557, 1995

CHAMOIN M. C. *see HAMANN M., CHAMOIN M. C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C. R. & TERNAUX J. P.* **489**, 791, 1995

CHAMPAGNAT J. *see FORTIN G., KATO F., LUMSDEN A. & CHAMPAGNAT J.* **486**, 735, 1995

CHANG C. C. *see HONG S. J. & CHANG C. C.* **482**, 283, 1995

CHANG F. *see YU H., CHANG F. & COHEN I. S.* **485**, 469, 1995

CHANG T.-M. *see SHIMIZU K., LI P., LEE K. Y., CHANG T.-M. & CHEY W. Y.* **488**, 501, 1995

CHAN R. *see REFSHAUGE K. M., CHAN R., TAYLOR J. L. & MCCLOSKEY D. I.* **488**, 231, 1995

CHAPARRO A. *see STROMEYER C. F. III, KRONAUER R. E., RYU A., CHAPARRO A. & ESKEW R. T. JR* **485**, 221, 1995

CHARTON G. *see MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P.* **482**, 567, 1995

CHAU A. *see KOOS B. J., CHAU A. & OGUNYEMI D.* **488**, 761, 1995

CHEBABO S. R.

CHEBABO S. R., HESTER M. A., JING J., AITKEN P. G. & SOMJEN G. G. Interstitial space, electrical resistance and ion concentrations during hypotonia of rat hippocampal slices **487**, 685, 1995

CHEN C.

CHEN C. & SCHOFIELD G. G. Nitric oxide donors enhanced Ca^{2+} currents and blocked noradrenaline-induced Ca^{2+} current inhibition in rat sympathetic neurons **482**, 521, 1995

CHEN C.-Y. *see DICARLO S. E., PATIL R. D., COLLINS H. L. & CHEN C.-Y.* **485**, 817, 1995

CHEN E. *see TAYLOR W. R., CHEN E. & COPENHAGEN D. R.* **486**, 207, 1995

CHEN J. *see ZHANG Y., CHEN J. & AUERBACH A.* **486**, 189, 1995

CHEN L.

CHEN L., GU Y. & HUANG L.-Y. M. The opioid peptide dynorphin directly blocks NMDA receptor channels in the rat **482**, 575, 1995

CHEN Q. X.

CHEN Q. X. & WONG R. K. S. Suppression of $GABA_A$ receptor responses by NMDA application in hippocampal neurones acutely isolated from the adult guinea-pig **482**, 353, 1995

CHEN W. *see HUI C. S. & CHEN W.* **489**, 511, 1995

CHEN X.-L. *see REMBOLD C. M., VAN RIPER D. A. & CHEN X.-L.* **488**, 549, 1995

CHERKI-VAKIL R.

CHERKI-VAKIL R., GINSBURG S. & MEIRI H. The difference in shape of spontaneous and uniquantal evoked synaptic potentials in frog muscle **482**, 641, 1995

CHERKSEY B. D. *see KATZ E., FERRO P. A., CHERKSEY B. D., SUGIMORI M., LLINÁS R. & UCHITEL O. D.* **486**, 695, 1995

CHERNY V. V. *see DECOURSEY T. E. & CHERNY V. V.* **489**, 299, 1995

CHERUBINI E. *see STRATA F., SCIANCALEPORE M. & CHERUBINI E.* **489**, 115, 1995

CHEY W. Y. *see SHIMIZU K., LI P., LEE K. Y., CHANG T.-M. & CHEY W. Y.* **488**, 501, 1995

CHIA L. *see AYMARD C., CHIA L., KATZ R., LAFITTE C. & PÉNICAUD A.* **487**, 221, 1995

CHIAMVIMONVAT N.

CHIAMVIMONVAT N., KARGACIN M. E., CLARK R. B. & DUFF H. J. Effects of intracellular calcium on sodium current density in cultured neonatal rat cardiac myocytes **483**, 307, 1995

CHING S. *see CATARSI S., CHING S., MERZ D. C. & DRAPEAU P.* **485**, 775, 1995

CHOI J. *see YAO Y., CHOI J. & PARKER I.* **482**, 533, 1995

CHOWDHURY J.U. *see TSUGENO M., HUANG S.-M., PANG Y.-W., CHOWDHURY J. U. & TOMITA T.* **485**, 493, 1995

CHOW R.H.

CHOW R. H., LUND P.-E., LÖSER S., PANTEN U. & GYLFE E. Coincidence of early glucose-induced depolarization with lowering of cytoplasmic Ca^{2+} in mouse pancreatic β-cells **485**, 607, 1995

CHRAÏBI A. *see GUINAMARD R., CHRAÏBI A. & TEULON J.* **485**, 97, 1995

CHRISTENSEN K.L. *see FENGER-GRON J., MULVANY M. J. & CHRISTENSEN K. L.* **488**, 753, 1995

CHRIST F.

CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K. Investigating the origin of cyclic changes in limb volume using mercury-in-silastic strain gauge plethysmography in man **487**, 259, 1995

CINNIGER J.C. *see VILLAZ M., CINNIGER J. C. & MOODY W. J.* **488**, 689, 1995

CLARKE D.M. *see MORIN X. K., BOND T. D., LOO T. W., CLARKE D. M. & BEAR C. E.* **486**, 707, 1995

CLARK K.A.

CLARK K. A. & COLLINGRIDGE G. L. Synaptic potentiation of dual-component excitatory postsynaptic currents in the rat hippocampus **482**, 39, 1995

CLARK M.G. *see GIRARDIER L., CLARK M. G. & SEYDOUX J.* **488**, 779, 1995

CLARK R.B. *see CHIAMVIMONVAT N., KARGACIN M. E., CLARK R. B. & DUFF H. J.* **483**, 307, 1995

CLEMENT I.D.

CLEMENT I. D., PANDIT J. J., BASCOM D. A., DORRINGTON K. L., O'CONNOR D. F. & ROBBINS P. A. An assessment of central–peripheral ventilatory chemoreflex interaction using acid and bicarbonate infusions in humans **485**, 561, 1995

CLEMENTS D.K. *see WARNER A., CLEMENTS D. K., PARIKH S., EVANS W. H. & DEHAAN R. L.* **488**, 721, 1995

COCEANI F. *see WANG Y., COE Y., TOYODA O. & COCEANI F.* **482**, 421, 1995

COE Y. *see WANG Y., COE Y., TOYODA O. & COCEANI F.* **482**, 421, 1995

COHEN I.S. *see YU H., CHANG F. & COHEN I. S.* **485**, 469, 1995

COLEMAN H.A. *see PARKINGTON H. C., TONTA M. A., COLEMAN H. A. & TARE M.* **484**, 469, 1995

COLEMAN M.J. *see HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L.* **482**, 401, 1995

COLLEDGE W.H. *see CUTHBERT A. W., HALSTEAD J., RATCLIFF R., COLLEDGE W. H. & EVANS M. J.* **482**, 449, 1995

COLLINGRIDGE G.L. *see CLARK K. A. & COLLINGRIDGE G. L.* **482**, 39, 1995

COLLING S.B. *see TRAUB R. D., COLLING S. B. & JEFFERYS J. G. R.* **489**, 127, 1995

COLLINS H.L. *see DICARLO S. E., PATIL R. D., COLLINS H. L. & CHEN C.-Y.* **485**, 817, 1995

COLOMO F. *see BAGNI M. A., CECCHI G., COLOMO F. & GARZELLA P.* **482**, 391, 1995

COLONNA R. *see DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G.* **486**, 1, 1995

COLQUHOUN D. *see CONNOLLY J. G., GIBB A. J. & COLQUHOUN D.* **484**, 87, 1995

COMER M.B. *see RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C.* **485**, 59, 1995

CONKLIN M.W. *see SMITH D. O., CONKLIN M. W., JENSEN P. J. & ATCHISON W. D.* **487**, 115, 1995

CONLON P.D. *see STEVENS W. H. M., CONLON P. D. & O'BYRNE P. M.* **486**, 257, 1995

CONNOLLY J.G.

CONNOLLY J. G., GIBB A. J. & COLQUHOUN D. Heterogeneity of neuronal nicotinic acetylcholine receptors in thin slices of rat medial habenula **484**, 87, 1995

CONWAY B.A.

CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R. Synchronization between motor cortex and spinal motoneuronal pool during the performance of a maintained motor task in man **489**, 917, 1996

COOK D.I. *see DINUDOM A., KOMWATANA P., YOUNG J. A. & COOK D. I.* **487**, 549, 1995

COOKE R. *see PATE E., BHIMANI M., FRANKS-SKIBA K. & COOKE R.* **486**, 689, 1995

COOTE J.H. *see LEWIS D. I. & COOTE J. H.* **486**, 483, 1995

see AL-ANI M., POWELL L., WEST J., TOWNEND J. & COOTE J. H. **489**, 603, 1995

COPENHAGEN D.R. *see TAYLOR W. R., CHEN E. & COPENHAGEN D. R.* **486**, 207, 1995

see DIAMOND J. S. & COPENHAGEN D. R. **487**, 711, 1995

CORFIELD D.R.

CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. Evidence for limbic system activation during CO_2-stimulated breathing in man **488**, 77, 1995

see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

CORNA S.

CORNA S., GRASSO M., NARDONE A. & SCHIEPPATI M. Selective depression of medium-latency leg and foot muscle responses to stretch by an α_2-agonist in humans **484**, 803, 1995

see ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M. **489**, 911, 1995

CORONNELLO M. *see ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E.* **489**, 455, 1995

COSTA A.-M.N.

COSTA A.-M. N., SPENCE K. T., PLATA-SALAMÁN C. R. & FFRENCH-MULLEN J. M. H. Residual Ca^{2+} channel current modulation by megestrol acetate via a G-protein α_S-subunit in rat hypothalamic neurones **487**, 291, 1995

COTTRELL J.E. *see FRIED E., AMORIM P., CHAMBERS G., COTTRELL J. E. & KASS I. S.* **489**, 557, 1995

CRAWFORD M.R. *see BUTLER J. E., MCKENZIE D. K., CRAWFORD M. R. & GANDEVIA S. C.* **487**, 273, 1995

CROWE C.

CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M. A. The effects of anaemia on heart, placenta and body weight, and blood pressure in fetal and neonatal rats **488**, 515, 1995

CULL-CANDY S.G. *see KANEDA M., FARRANT M. & CULL-CANDY S. G.* **485**, 419, 1995

see KAMBOJ S. K., SWANSON G. T. & CULL-CANDY S. G. **486**, 297, 1995

CULLIFORD S.J.

CULLIFORD S. J., BERNHARDT I. & ELLORY J. C. Activation of a novel organic solute transporter in mammalian red blood cells **489**, 755, 1995

CUNNANE T.C. *see BRIDGEWATER M., CUNNANE T. C. & BRADING A. F.* **485**, 145, 1995

see BROCK J. A. & CUNNANE T. C. **489**, 389, 1995

CUNNINGHAM J.R. *see NEAL M. J. & CUNNINGHAM J. R.* **482**, 363, 1995

CURRIE K.P.M.

CURRIE K. P. M., WOOTTON J. F. & SCOTT R. H. Activation of Ca^{2+}-dependent Cl^- currents in cultured rat sensory neurones by flash photolysis of DM-nitrophen **482**, 291, 1995

CUTHBERT A.W.

CUTHBERT A. W., HALSTEAD J., RATCLIFF R., COLLEDGE W. H. & EVANS M. J. The genetic advantage hypothesis in cystic fibrosis heterozygotes: a murine study **482**, 449, 1995

DAHAN A.

DAHAN A., BERKENBOSCH A., DEGOLDE J., VAN DEN ELSEN M., OLIEVIER I. & VAN KLEEF J. Influence of hypoxic duration and posthypoxic inspired O_2 concentration on short term potentiation of breathing in humans **488**, 803, 1995

DALE N. *see WALL M. J. & DALE N.* **487**, 557, 1995

DALE N. Kinetic characterization of the voltage-gated currents possessed by *Xenopus* embryo spinal neurons **489**, 473, 1995

DALE N. Experimentally derived model for the locomotor pattern generator in the *Xenopus* embryo **489**, 489, 1995

DAMPNEY R.A.L. *see HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L.* **482**, 401, 1995

DANDEKAR P. *see CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M. A.* **488**, 515, 1995

D'ANGELO E.

D'ANGELO E., DE FILIPPI G., ROSSI P. & TAGLIETTI V. Synaptic excitation of individual rat cerebellar granule cells *in situ*: evidence for the role of NMDA receptors **484**, 397, 1995

DART C.
DART C. & STANDEN N. B. Activation of ATP-dependent K^+ channels by hypoxia in smooth muscle cells isolated from the pig coronary artery **483**, 29, 1995

DASCAL N. *see SHISTIK E., IVANINA T., PURI T., HOSEY M. & DASCAL N.* **489**, 55, 1995

DASCALU A.
DASCALU A., ORON Y., NEVO Z. & KORENSTEIN R. Hyperosmotic modulation of the cytosolic calcium concentration in a rat osteoblast-like cell line **486**, 97, 1995

DAUGAARD J.R. *see ASP S., DAUGAARD J. R. & RICHTER E. A.* **482**, 705, 1995

DAVID G.
DAVID G., MODNEY B., SCAPPATICCI K. A., BARRETT J. N. & BARRETT E. F. Electrical and morphological factors influencing the depolarizing after-potential in rat and lizard myelinated axons **489**, 141, 1995

DAWID-MILNER M.S. *see SILVA-CARVALHO L., DAWID-MILNER M. S. & SPYER K. M.* **487**, 727, 1995
DAWID-MILNER M. S., SILVA-CARVALHO L., GOLDSMITH G. E. & SPYER K. M. Hypothalamic modulation of laryngeal reflexes in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 739, 1995
see SILVA-CARVALHO L., DAWID-MILNER M. S., GOLDSMITH G. E. & SPYER K. M. **487**, 751, 1995

DAY B. *see KANAYA T., GRESTY M. A., BRONSTEIN A. M., BUCKWELL D. & DAY B.* **489**, 895, 1995

DAY B.L. *see TAYLOR J. L., FOGEL W., DAY B. L. & ROTHWELL J. C.* **488**, 821, 1995

DE BURGH DALY M. *see WARD J., DE BURGH DALY M. & WOOD L. M.* **489**, 857, 1995

DECAVEL C. *see LI Z., DECAVEL C. & HATTON G. I.* **488**, 601, 1995

DECETY J. *see WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A.* **482**, 713, 1995

DECOURSEY T.E.
DECOURSEY T. E. & CHERNY V. V. Voltage-activated proton currents in membrane patches of rat alveolar epithelial cells **489**, 299, 1995

DE FILIPPI G. *see D'ANGELO E., DE FILIPPI G., ROSSI P. & TAGLIETTI V.* **484**, 397, 1995

DEGOEDE J. *see TEPPEMA L., BERKENBOSCH A., DEGOEDE J. & OLIEVIER C.* **488**, 767, 1995
see DAHAN A., BERKENBOSCH A., DEGOEDE J., VAN DEN ELSEN M., OLIEVIER I. & VAN KLEEF J. **488**, 803, 1995

DE GROOT G. *see VAN INGEN SCHENAU G. J., DORSSERS W. M. M., WELTER T. G., BEELEN A., DE GROOT G. & JACOBS R.* **484**, 247, 1995

DE HAAN A. *see KERNELL D., LIND A., VAN DIEMEN A. B. J. P. & DE HAAN A.* **484**, 139, 1995

DEHAAN R.L. *see WARNER A., CLEMENTS D. K., PARIKH S., EVANS W. H. & DEHAAN R. L.* **488**, 721, 1995

DEITMER J.W.
DEITMER J. W. & SCHNEIDER H.-P. Voltage-dependent clamp of intracellular pH of identified leech glial cells **485**, 157, 1995

DELLES C.
DELLES C., HALLER T. & DIETL P. A highly calcium-selective cation current activated by intracellular calcium release in MDCK cells **486**, 557, 1995

DENAVIT-SAUBIÉ M. *see MORIN-SURUN M. P., BOUDINOT E., SCHÄFER T. & DENAVIT-SAUBIÉ M.* **485**, 203, 1995

DENT J. *see ANVARI M., DENT J. & JAMIESON G. G.* **488**, 193, 1995
see ANVARI M., YU P., DENT J. & JAMIESON G. G. **488**, 203, 1995

DE RUITER C.J. *see BEELEN A., SARGEANT A. J., JONES D. A. & DE RUITER C. J.* **484**, 227, 1995

DE SERRES S.J.
DE SERRES S. J., YANG J. F. & PATRICK S. K. Mechanism for reflex reversal during walking in human tibialis anterior muscle revealed by single motor unit recording **488**, 249, 1995

DE SMET P. *see NILIUS B., SEHRER J., DE SMET P., VAN DRIESSCHE W. & DROOGMANS G.* **487**, 367, 1995

DEUCHARS S.A.
DEUCHARS S. A., MORRISON S. F. & GILBEY M. P. Medullary-evoked EPSPs in neonatal rat sympathetic preganglionic neurones *in vitro* **487**, 453, 1995

DE WAARD M.
DE WAARD M. & CAMPBELL K. P. Subunit regulation of the neuronal α_{1A} Ca^{2+} channel expressed in *Xenopus* oocytes **485**, 619, 1995

DHINGRA K. *see CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M. A.* **488**, 515, 1995

DIAMOND J.S.
DIAMOND J. S. & COPENHAGEN D. R. The relationship between light-evoked synaptic excitation and spiking behaviour of salamander retinal ganglion cells **487**, 711, 1995

DÍAZ M.E. *see TRAFFORD A. W., DÍAZ M. E., O'NEILL S. C. & EISNER D. A.* **488**, 577, 1995

DICARLO S.E.
DICARLO S. E., PATIL R. D., COLLINS H. L. & CHEN C.-Y. Local modulation of adrenergic responses in the hindlimb vasculature of the intact conscious rat **485**, 817, 1995

DICHIARA T.J.
DICHIARA T. J. & REINHART P. H. Distinct effects of Ca^{2+} and voltage on the activation and deactivation of cloned Ca^{2+}-activated K^+ channels **489**, 403, 1995

DIETL P. *see DELLES C., HALLER T. & DIETL P.* **486**, 557, 1995

DIETZ N.M. *see DYKE C. K., PROCTOR D. N., DIETZ N. M. & JOYNER M. J.* **488**, 259, 1995

DI LISA F.
DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G. Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition **486**, 1, 1995

DIMALINE R.
DIMALINE R., MILLER S.-M., EVANS D., NOBLE P.-J., BROWN P. & POAT J. A. Expression of immediate early genes in rat gastric myenteric neurones: a physiological response to feeding **488**, 493, 1995

DINGLEDINE R. *see KNEISLER T. B. & DINGLEDINE R.* **487**, 125, 1995

DINUDOM A.
DINUDOM A., KOMWATANA P., YOUNG J. A. & COOK D. I. Control of the amiloride-sensitive Na^+ current in mouse salivary ducts by intracellular anions is mediated by a G protein **487**, 549, 1995

DIPOLO R.
DIPOLO R. & BEAUGÉ L. Phosphoarginine stimulation of Na^+–Ca^{2+} exchange in squid axons – a new pathway for metabolic regulation? **487**, 57, 1995

DISTASI C. *see MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D.* **484**, 557, 1995

DOBROWOLSKI L.
DOBROWOLSKI L., KOMPANOWSKA-JEZIERSKA E. & SADOWSKI J. Modulation of renal medullary ionic hypertonicity by prostaglandins: data from tissue admittance studies in the rat **485**, 827, 1995

DODD J. *see HEATH M. J. S., LINTS T. J., LEE C. J. & DODD J.* **486**, 139, 1995

ĐOGAŠ Z.
ĐOGAŠ Z., STUTH E. A. E., HOPP F. A., MCCRIMMON D. R. & ZUPERKU E. J. NMDA receptor-mediated transmission of carotid body chemoreceptor input to expiratory bulbospinal neurones in dogs **487**, 639, 1995

DOLPHIN A.C. *see BERROW N. S., CAMPBELL V., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C.* **482**, 481, 1995
see PEARSON H. A., SUTTON K. G., SCOTT R. H. & DOLPHIN A. C. **482**, 493, 1995
see CAMPBELL V., BERROW N. S., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. **485**, 365, 1995

DONALDSON L.F.
DONALDSON L. F., MCQUEEN D. S. & SECKL J. R. Neuropeptide gene expression and capsaicin-sensitive primary afferents: maintenance and spread of adjuvant arthritis in the rat **486**, 473, 1995

DONICOVA V. *see TOMORI Z., FUNG M.-L., DONIC V., DONICOVA V. & ST JOHN W. M.* **485**, 551, 1995

DONIC V. *see TOMORI Z., FUNG M.-L., DONIC V., DONICOVA V. & ST JOHN W. M.* **485**, 551, 1995

DONNELLY D.F.
DONNELLY D. F. Modulation of glomus cell membrane currents of intact rat carotid body **489**, 677, 1995

DORRINGTON K.L. *see CLEMENT I. D., PANDIT J. J., BASCOM D. A., DORRINGTON K. L., O'CONNOR D. F. & ROBBINS P. A.* **485**, 561, 1995

DORSSERS W.M.M. *see VAN INGEN SCHENAU G. J., DORSSERS W. M. M., WELTER T. G., BEELEN A., DE GROOT G. & JACOBS R.* **484**, 247, 1995

DOSTROVSKY J.O. *see ASHBY P., LANG A. E., LOZANO A. M. & DOSTROVSKY J. O.* **489**, 287, 1995

DOWNING-PARK J. *see GORDON S. E., DOWNING-PARK J. & ZIMMERMAN A. L.* **486**, 533, 1995

DRAPEAU P. *see CATARSI S., CHING S., MERZ D. C. & DRAPEAU P.* **485**, 775, 1995

Dray A. *see Fox A. J., Barnes P. J. & Dray A.* **482**, 179, 1995

Droogmans G. *see Nilius B., Sehrer J., De Smet P., Van Driessche W. & Droogmans G.* **487**, 367, 1995

Dryer S.E. *see Raucher S. & Dryer S. E.* **486**, 605, 1995

Duchen M.R. *see Pearce R. J. & Duchen M. R.* **483**, 407, 1995

Ducreux C.
Ducreux C. & Puizillout J. J. A-current modifies the spike of C-type neurones in the rabbit nodose ganglion **486**, 439, 1995

Dudek F.E. *see Bouskila Y. & Dudek F. E.* **488**, 339, 1995

Duff H.J. *see Chiamvimonvat N., Kargacin M. E., Clark R. B. & Duff H. J.* **483**, 307, 1995

Duke C. *see Aggelopoulos N. C., Duke C. & Edgley S. A.* **486**, 763, 1995

Duncan G. *see Riach R. A., Duncan G., Williams M. R. & Webb S. F.* **486**, 273, 1995

Dun N.J. *see Wu S. Y., Miyazaki T. & Dun N. J.* **483**, 385, 1995
see Xi-Moy S. X. & Dun N. J. **486**, 15, 1995

Duszyk M.
Duszyk M., Liu D., Kamosinska B., French A. S. & Man S. F. P. Characterization and regulation of a chloride channel from bovine tracheal epithelium **489**, 81, 1995

Dyball R.E.J. *see McKenzie D. N., Leng G. & Dyball R. E. J.* **485**, 485, 1995

Dyke C.K.
Dyke C. K., Proctor D. N., Dietz N. M. & Joyner M. J. Role of nitric oxide in exercise hyperaemia during prolonged rhythmic handgripping in humans **488**, 259, 1995

Ebihara S.
Ebihara S., Shirato K., Harata N. & Akaike N. Gramicidin-perforated patch recording: GABA response in mammalian neurones with intact intracellular chloride **484**, 77, 1995

Eckardt K.-U. *see Ehmke H., Just A., Eckardt K.-U., Persson P. B., Bauer C. & Kirchheim H. R.* **488**, 181, 1995

Eckberg D.L. *see Taylor J. A., Halliwill J. R., Brown T. E., Havano J. & Eckberg D. L.* **483**, 289, 1995

Eddlestone G.T. *see Ribalet B. & Eddlestone G. T.* **485**, 73, 1995

Edgley S.A. *see Aggelopoulos N. C., Duke C. & Edgley S. A.* **486**, 763, 1995

Edin B.B.
Edin B. B. & Johansson N. Skin strain patterns provide kinaesthetic information to the human central nervous system **487**, 243, 1995

Edwards F.R.
Edwards F. R., Hirst G. D. S., Klemm M. F. & Steele P. A. Different types of ganglion cell in the cardiac plexus of guinea-pigs **486**, 453, 1995

Egorova A. *see Higashida H., Robbins J., Egorova A., Noda M., Taketo M., Ishizaka N., Takasawa S., Okamoto H. & Brown D. A.* **482**, 317, 1995

Eguibar J.R. *see Quevedo J., Eguibar J. R., Jiménez I. & Rudomin P.* **482**, 623, 1995

Ehara T. *see Iyadomi I., Hirahara K. & Ehara T.* **489**, 95, 1995

Ehmke H.
Ehmke H., Just A., Eckardt K.-U., Persson P. B., Bauer C. & Kirchheim H. R. Modulation of erythropoietin formation by changes in blood volume in conscious dogs **488**, 181, 1995
see Just A., Wagner C. D., Ehmke H., Kirchheim H. R. & Persson P. B. **489**, 215, 1995

Eismann E. *see Sesti F., Eismann E., Kaupp U. B., Nizzari M. & Torre V.* **487**, 17, 1995

Eisner D.A. *see Baró I. & Eisner D. A.* **482**, 247, 1995
see Negretti N., Varro A. & Eisner D. A. **486**, 581, 1995
see Trafford A. W., Díaz M. E., O'Neill S. C. & Eisner D. A. **488**, 577, 1995
see Trafford A. W., Lipp P., O'Neill S. C., Niggli E. & Eisner D. A. **489**, 319, 1995

El Haj A.J. *see Publicover S. J., Preston M. R. & El Haj A. J.* **489**, 649, 1995

Ellory J.C. *see Culliford S. J., Bernhardt I. & Ellory J. C.* **489**, 755, 1995

Elsässer H.P. *see Sweiry J. H., Sastre J., Viña J., Elsässer H. P. & Mann G. E.* **485**, 167, 1995

Elzinga G. *see Stienen G. J. M., Zaremba R. & Elzinga G.* **482**, 109, 1995
see Potma E. J., Stienen G. J. M., Barends J. P. F. & Elzinga G. **483**, 811, 1995

Empson R.M.
Empson R. M. & Heinemann U. The perforant path projection to hippocampal area CA1 in the rat hippocampal–entorhinal cortex combined slice **484**, 707, 1995

Endlich K.
Endlich K., Massfelder T., Helwig J. J. & Steinhausen M. Vascular effects of parathyroid hormone and parathyroid hormone-related protein in the split hydronephrotic rat kidney **483**, 481, 1995

Endoh M. *see Morita H., Kimura J. & Endoh M.* **483**, 119, 1995

Endo M. *see Kasai Y., Tsutsumi O., Taketani Y., Endo M. & Iino M.* **486**, 373, 1995
see Ikemoto T., Iino M. & Endo M. **487**, 573, 1995

Ennis S.R. *see Keep R. F., Ennis S. R., Beer M. E. & Betz A. L.* **488**, 439, 1995

Ernsberger U.
Ernsberger U. & Spitzer N. C. Convertible modes of inactivation of potassium channels in *Xenopus* myocytes differentiating *in vitro* **484**, 313, 1995

Erskine L.
Erskine L. & McCaig C. D. The effects of lyotropic anions on electric field-induced guidance of cultured frog nerves **486**, 229, 1995

e Silva M.J.M.
e Silva M. J. M. & Lewis D. L. L- and N-type Ca^{2+} channels in adult rat carotid body chemoreceptor type I cells **489**, 689, 1995

Eskew R.T. Jr *see Stromeyer C. F. III, Kronauer R. E., Ryu A., Chaparro A. & Eskew R. T. Jr* **485**, 221, 1995

Euzet S.
Euzet S., Lelièvre-Pégorier M. & Merlet-Bénichou C. Maturation of rat renal phosphate transport: effect of triiodothyronine **488**, 449, 1995

Evans D. *see Dimaline R., Miller S.-M., Evans D., Noble P.-J., Brown P. & Poat J. A.* **488**, 493, 1995

Evans M.J. *see Cuthbert A. W., Halstead J., Ratcliff R., Colledge W. H. & Evans M. J.* **482**, 449, 1995

Evans W.H. *see Warner A., Clements D. K., Parikh S., Evans W. H. & DeHaan R. L.* **488**, 721, 1995

Faber J.J.
Faber J. J. & Anderson D. F. Concentrations of Na^+ and Cl^- in transplacental ultrafiltrate in sheep **487**, 159, 1995

Fagius J. *see Nordin M. & Fagius J.* **489**, 885, 1995

Fahlke C.
Fahlke C. & Rüdel R. Chloride currents across the membrane of mammalian skeletal muscle fibres **484**, 355, 1995

Fahlke Ch. *see Mitrović N., George A. L. Jr, Lerche H., Wagner S., Fahlke Ch. & Lehmann-Horn F.* **487**, 107, 1995

Fahrenkrug J. *see Brunsson I., Fahrenkrug J., Jodal M., Sjöqvist A. & Lundgren O.* **483**, 727, 1995

Faravelli L. *see Arcangeli A., Bianchi L., Becchetti A., Faravelli L., Coronnello M., Mini E., Olivotto M. & Wanke E.* **489**, 455, 1995

Farmer S.F. *see Conway B. A., Halliday D. M., Farmer S. F., Shahani U., Maas P., Weir A. I. & Rosenberg J. R.* **489**, 917, 1996

Farrant M. *see Kaneda M., Farrant M. & Cull-Candy S. G.* **485**, 419, 1995

Faucher L.D. *see Pearce R. A., Grunder S. D. & Faucher L. D.* **484**, 425, 1995

Faulkner J.A. *see Brooks S. V., Zerba E. & Faulkner J. A.* **488**, 459, 1995

Favre H. *see Féraille E., Rousselot M., Rajerison R. & Favre H.* **488**, 171, 1995

Fedida D. *see Anderson J. W., Jirsch J. D. & Fedida D.* **483**, 549, 1995

Feldmeyer D.
Feldmeyer D., Zöllner P., Pohl B. & Melzer W. Calcium current reactivation after flash photolysis of nifedipine in skeletal muscle fibres of the frog **487**, 51, 1995

Fenger-Gron J.
Fenger-Gron J., Mulvany M. J. & Christensen K. L. Mesenteric blood pressure profile of conscious, freely moving rats **488**, 753, 1995

Feng J. *see Li G.-R., Feng J., Shrier A. & Nattel S.* **484**, 629, 1995

Féraille E.
Féraille E., Rousselot M., Rajerison R. & Favre H. Effect of insulin on Na^+,K^+-ATPase in rat collecting duct **488**, 171, 1995

Ferrier G.R.
Ferrier G. R. & Howlett S. E. Contractions in guinea-pig ventricular myocytes triggered by a calcium-release mechanism separate from Na^+ and L-currents **484**, 107, 1995

FERRO P.A. *see* KATZ E., FERRO P. A., CHERKSEY B. D., SUGIMORI M., LLINÁS R. & UCHITEL O. D. **486**, 695, 1995

FFRENCH-MULLEN J.M.H. *see* COSTA A.-M. N., SPENCE K. T., PLATA-SALAMÁN C. R. & FFRENCH-MULLEN J. M. H. **487**, 291, 1995

FIELD L.J. *see* MCDONALD K. S., FIELD L. J., PARMACEK M. S., SOONPAA M., LEIDEN J. M. & MOSS R. L. **483**, 131, 1995

FILIPPOVA N. *see* MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P. **482**, 567, 1995

FINK G.R. *see* CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. **488**, 77, 1995

FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. Hyperpnoea during and immediately after exercise in man: evidence of motor cortical involvement **489**, 663, 1995

FISCHER H.

FISCHER H., ILLEK B. & MACHEN T. E. The actin filament disrupter cytochalasin D activates the recombinant cystic fibrosis transmembrane conductance regulator Cl^- channel in mouse 3T3 fibroblasts **489**, 745, 1995

FISHER T.E.

FISHER T. E. & BOURQUE C. W. Voltage-gated calcium currents in the magnocellular neurosecretory cells of the rat supraoptic nucleus **486**, 571, 1995

FISHER T. E. & BOURQUE C. W. Distinct ω-agatoxin-sensitive calcium currents in somata and axon terminals of rat supraoptic neurones **489**, 383, 1995

FITZGERALD E.M. *see* BERROW N. S., CAMPBELL V., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. **482**, 481, 1995

see CAMPBELL V., BERROW N. S., FITZGERALD E. M., BRICKLEY K. & DOLPHIN A. C. **485**, 365, 1995

FITZPATRICK R.C. *see* REFSHAUGE K. M. & FITZPATRICK R. C. **488**, 243, 1995

FLEIG A.

FLEIG A. & PENNER R. Excessive repolarization-dependent calcium currents induced by strong depolarizations in rat skeletal myoballs **489**, 41, 1995

FOGEL W. *see* TAYLOR J. L., FOGEL W., DAY B. L. & ROTHWELL J. C. **488**, 821, 1995

FONTAINE B. *see* SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F. **483**, 299, 1995

FONTANA G.

FONTANA G., ROGOWSKI R. S. & BLAUSTEIN M. P. Kinetic properties of the sodium–calcium exchanger in rat brain synaptosomes **485**, 349, 1995

FORESTIER C. *see* VIVAUDOU M. & FORESTIER C. **486**, 629, 1995

FORNER M.A.

FORNER M. A., BARRIGA C., RODRIGUEZ A. B. & ORTEGA E. A study of the role of corticosterone as a mediator in exercise-induced stimulation of murine macrophage phagocytosis **488**, 789, 1995

FORSYTHE I.D. *see* BARNES-DAVIES M. & FORSYTHE I. D. **488**, 387, 1995

FORTIN G.

FORTIN G., KATO F., LUMSDEN A. & CHAMPAGNAT J. Rhythm generation in the segmented hindbrain of chick embryos **486**, 735, 1995

FORT P. *see* KHATEB A., FORT P., SERAFIN M., JONES B. E. & MÜHLETHALER M. **487**, 623, 1995

FOSSIER P.

FOSSIER P., LAMBEAU G., LAZDUNSKI M. & BAUX G. Inhibition of ACh release at an *Aplysia* synapse by neurotoxic phospholipases A_2: specific receptors and mechanisms of action **489**, 29, 1995

FOWDEN A.L.

FOWDEN A. L. & SILVER M. The effects of thyroid hormones on oxygen and glucose metabolism in the sheep fetus during late gestation **482**, 203, 1995

FOX A.J.

FOX A. J., BARNES P. J. & DRAY A. Stimulation of guinea-pig tracheal afferent fibres by non-isosmotic and low-chloride stimuli and the effect of frusemide **482**, 179, 1995

FOX M. *see* CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M. A. **488**, 515, 1995

FRACKOWIAK R.S.J. *see* CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. **488**, 77, 1995

FRACKOWIAK R.S.J. *see* FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

FRANKS-SKIBA K. *see* PATE E., BHIMANI M., FRANKS-SKIBA K. & COOKE R. **486**, 689, 1995

FRENCH A.S. *see* DUSZYK M., LIU D., KAMOSINSKA B., FRENCH A. S. & MAN S. F. P. **489**, 81, 1995

FRIEBEL M.

FRIEBEL M., KLOTZ K. F., LEY K., GAEHTGENS P. & PRIES A. R. Flow-dependent regulation of arteriolar diameter in skeletal muscle *in situ*: role of endothelium-derived relaxing factor and prostanoids **483**, 715, 1995

FRIED E.

FRIED E., AMORIM P., CHAMBERS G., COTTRELL J. E. & KASS I. S. The importance of sodium for anoxic transmission damage in rat hippocampal slices: mechanisms of protection by lidocaine **489**, 557, 1995

FRYER M.W.

FRYER M. W., OWEN V. J., LAMB G. D. & STEPHENSON D. G. Effects of creatine phosphate and P_i on Ca^{2+} movements and tension development in rat skinned skeletal muscle fibres **482**, 123, 1995

FUKUI M. *see* MIYAGI Y., KOBAYASHI S., NISHIMURA J., FUKUI M. & KANAIDE H. **484**, 123, 1995

FUMAGALLI G. *see* ANDREOSE J. S., FUMAGALLI G. & LØMO T. **483**, 397, 1995

FUNG M.-L. *see* TOMORI Z., FUNG M.-L., DONIC V., DONICOVA V. & ST JOHN W. M. **485**, 551, 1995

FUNG M.-L. & ST JOHN W. M. The functional expression of a pontine pneumotaxic centre in neonatal rats **489**, 579, 1995

FUNKE K.

FUNKE K. & WÖRGÖTTER F. Temporal structure in the light response of relay cells in the dorsal lateral geniculate nucleus of the cat **485**, 715, 1995

FURUKAWA T. *see* SUGIHARA I. & FURUKAWA T. **489**, 443, 1995

FU W.-M.

FU W.-M., LIOU J., LEE Y. & LIOU H. Potentiation of neurotransmitter release by activation of presynaptic glutamate receptors at developing neuromuscular synapses of *Xenopus* **489**, 813, 1995

GAEHTGENS P. *see* FRIEBEL M., KLOTZ K. F., LEY K., GAEHTGENS P. & PRIES A. R. **483**, 715, 1995

GALE J.E. *see* TUNSTALL M. J., GALE J. E. & ASHMORE J. F. **485**, 739, 1995

GAMBASSI G. *see* DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G. **486**, 1, 1995

GAMBLE J. *see* CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K. **487**, 259, 1995

GANDEVIA S.C. *see* HERBERT R. D. & GANDEVIA S. C. **484**, 523, 1995

see BUTLER J. E., MCKENZIE D. K., CRAWFORD M. R. & GANDEVIA S. C. **487**, 273, 1995

see WILSON L. R., GANDEVIA S. C. & BURKE D. **488**, 833, 1995

GANITKEVICH V. YA.

GANITKEVICH V. YA. & ISENBERG G. Efficacy of peak Ca^{2+} currents (I_{Ca}) as trigger of sarcoplasmic reticulum Ca^{2+} release in myocytes from the guinea-pig coronary artery **484**, 287, 1995

GARASCHUK O. *see* KANO M., GARASCHUK O., VERKHRATSKY A. & KONNERTH A. **487**, 1, 1995

GARCÍA A.G. *see* LÓPEZ M. G., ARTALEJO A. R., GARCÍA A. G., NEHER E. & GARCÍA-SANCHO J. **482**, 15, 1995

see MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G. **486**, 427, 1995

GARCIA DE LA RUBIA P. *see* LAIRD J. M. A., GARCIA DE LA RUBIA P. & CERVERO F. **489**, 545, 1995

GARCÍA J.

GARCÍA J. & SCHNEIDER M. F. Suppression of calcium release by calcium or procaine in voltage clamped rat skeletal muscle fibres **485**, 437, 1995

GARCÍA-SANCHO J. *see* LÓPEZ M. G., ARTALEJO A. R., GARCÍA A. G., NEHER E. & GARCÍA-SANCHO J. **482**, 15, 1995

GARRETT J.R. *see* ANDERSON L. C., GARRETT J. R., ZHANG X., PROCTOR G. B. & SHORI D. K. **485**, 503, 1995

GARTSIDE I.B. *see* CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K. **487**, 259, 1995

GARZELLA P. *see* BAGNI M. A., CECCHI G., COLOMO F. & GARZELLA P. **482**, 391, 1995

GEIGER J.R.P. *see* KOH D.-S., GEIGER J. R. P., JONAS P. & SAKMANN B. **485**, 383, 1995

GEORGE A.L. JR *see* MITROVIĆ N., GEORGE A. L. JR, LERCHE H., WAGNER S., FAHLKE CH. & LEHMANN-HORN F. **487**, 107, 1995

GERSCHENFELD H.M. *see* GOLOWASCH J., PAUPARDIN-TRITSCH D. & GERSCHENFELD H. M. **485**, 21, 1995

GIBB A.J. *see* CONNOLLY J. G., GIBB A. J. & COLQUHOUN D. **484**, 87, 1995

GIBBS C.L. *see* BARCLAY C. J., ARNOLD P. D. & GIBBS C. L. **488**, 741, 1995

GIBBS J.

GIBBS J., HARRISON L. M. & STEPHENS J. A. Organization of inputs to motoneurone pools in man **485**, 245, 1995

GIBBS J., HARRISON L. M. & STEPHENS J. A. Cutaneomuscular reflexes recorded from the lower limb in man during different tasks **487**, 237, 1995

GIBSON K. J.

GIBSON K. J. & LUMBERS E. R. Extracellular volume and blood volume in chronically catheterized fetal sheep **485**, 835, 1995

GILBERT R. J. *see PAYDARFAR D., GILBERT R. J., POPPEL C. S. & NASSAB P. F.* **483**, 273, 1995

GILBEY M. P. *see DEUCHARS S. A., MORRISON S. F. & GILBEY M. P.* **487**, 453, 1995

GILES W. *see SHIMONI Y., SEVERSON D. & GILES W.* **488**, 673, 1995

GINGRICH K. J.

GINGRICH K. J., ROBERTS W. A. & KASS R. S. Dependence of the $GABA_A$ receptor gating kinetics on the α-subunit isoform: implications for structure–function relations and synaptic transmission **489**, 529, 1995

GINSBURG S. *see CHERKI-VAKIL R., GINSBURG S. & MEIRI H.* **482**, 641, 1995

GIRARDIER L.

GIRARDIER L., CLARK M. G. & SEYDOUX J. Thermogenesis associated with spontaneous activity: an important component of thermoregulatory needs in rats **488**, 779, 1995

GIUSSANI D. A.

GIUSSANI D. A., MOORE P. J., BENNET L., SPENCER J. A. D. & HANSON M. A. α_1- and α_2-adrenoreceptor actions of phentolamine and prazosin on breathing movements in fetal sheep *in utero* **486**, 249, 1995

GLITSCH H. G.

GLITSCH H. G. & TAPPE A. Change of Na^+ pump current reversal potential in sheep cardiac Purkinje cells with varying free energy of ATP hydrolysis **484**, 605, 1995

see HERMANS A. N., GLITSCH H. G. & VERDONCK F. **484**, 617, 1995

GLOSSMANN H. *see WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S.* **486**, 131, 1995

GODFRAIND J.-M. *see BELOUSOV A. B., GODFRAIND J.-M. & KRNJEVIĆ K.* **486**, 547, 1995

GOLDSMITH G. E. *see DAWID-MILNER M. S., SILVA-CARVALHO L., GOLDSMITH G. E. & SPYER K. M.* **487**, 739, 1995

see SILVA-CARVALHO L., DAWID-MILNER M. S., GOLDSMITH G. E. & SPYER K. M. **487**, 751, 1995

GOLDSTEIN P. A. *see KYROZIS A., GOLDSTEIN P. A., HEATH M. J. S. & MACDERMOTT A. B.* **485**, 373, 1995

GOLOWASCH J.

GOLOWASCH J., PAUPARDIN-TRITSCH D. & GERSCHENFELD H. M. Enhancement by muscarinic agonists of a high voltage-activated Ca^{2+} current via phosphorylation in a snail neuron **485**, 21, 1995

GOMIS A. *see SÁNCHEZ-ANDRÉS J. V., GOMIS A. & VALDEOLMILLOS M.* **486**, 223, 1995

GONG M. C.

GONG M. C., KINTER M. T., SOMLYO A. V. & SOMLYO A. P. Arachidonic acid and diacylglycerol release associated with inhibition of myosin light chain dephosphorylation in rabbit smooth muscle **486**, 113, 1995

GONZÁLEZ A. *see SHIROKOVA N., GONZÁLEZ A., MA J., SHIROKOV R. & RÍOS E.* **486**, 385, 1995

GORDON S. E.

GORDON S. E., DOWNING-PARK J. & ZIMMERMAN A. L. Modulation of the cGMP-gated ion channel in frog rods by calmodulin and an endogenous inhibitory factor **486**, 533, 1995

GOSLING M.

GOSLING M., SMITH J. W. & POYNER D. R. Characterization of a volume-sensitive chloride current in osteoblast-like (ROS 17/2.8) cells **485**, 671, 1995

GOSS-SAMPSON M. A. *see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G.* **487**, 773, 1995

GRABNER M. *see WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S.* **486**, 131, 1995

GRAIER W. F.

GRAIER W. F., SIMECEK S. & STUREK M. Cytochrome P450 monooxygenase-regulated signalling of Ca^{2+} entry in human and bovine endothelial cells **482**, 259, 1995

GRANTYN A. *see OLIVIER E., GRANTYN A., KITAMA T. & BERTHOZ A.* **482**, 455, 1995

GRASSO M. *see CORNA S., GRASSO M., NARDONE A. & SCHIEPPATI M.* **484**, 803, 1995

GREEFF N. G. *see BULATKO A. K. & GREEFF N. G.* **484**, 307, 1995

GREENHAFF P. *see TSINTZAS O.-K., WILLIAMS C., BOOBIS L. & GREENHAFF P.* **489**, 243, 1995

GREENHAFF P. L. *see CASEY A., SHORT A. H., HULTMAN E. & GREENHAFF P. L.* **483**, 265, 1995

GREEN R. *see WAREING M., WILSON R. W., KIBBLE J. D. & GREEN R.* **488**, 153, 1995

GREER J. J.

GREER J. J., CARTER J. E. & AL-ZUBAIDY Z. Opioid depression of respiration in neonatal rats **485**, 845, 1995

GRESTY M. *see ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M.* **489**, 911, 1995

GRESTY M. A. *see KANAYA T., GRESTY M. A., BRONSTEIN A. M., BUCKWELL D. & DAY B.* **489**, 895, 1995

GREWE W.

GREWE W., JÄNIG W. & KÜMMEL H. Effects of hypothalamic thermal stimuli on sympathetic neurones innervating skin and skeletal muscle of the cat hindlimb **488**, 139, 1995

GRIFFIN J. D.

GRIFFIN J. D. & BOULANT J. A. Temperature effects on membrane potential and input resistance in rat hypothalamic neurones **488**, 407, 1995

GRILL S. E.

GRILL S. E. & HALLETT M. Velocity sensitivity of human muscle spindle afferents and slowly adapting type II cutaneous mechanoreceptors **489**, 593, 1995

GRUDT T. J.

GRUDT T. J., WILLIAMS J. T. & TRAVAGLI R. A. Inhibition by 5-hydroxytryptamine and noradrenaline in substantia gelatinosa of guinea-pig spinal trigeminal nucleus **485**, 113, 1995

GRUNDER S. D. *see PEARCE R. A., GRUNDER S. D. & FAUCHER L. D.* **484**, 425, 1995

GUERTIN P.

GUERTIN P., ANGEL M. J., PERREAULT M.-C. & MCCREA D. A. Ankle extensor group I afferents excite extensors throughout the hindlimb during fictive locomotion in the cat **487**, 197, 1995

see PERREAULT M.-C., ANGEL M. J., GUERTIN P. & MCCREA D. A. **487**, 211, 1995

GUEVARA-GUZMAN R. *see ONAKA T., LUCKMAN S. M., GUEVARA-GUZMAN R., UETA Y., KENDRICK K. & LENG G.* **482**, 69, 1995

GUINAMARD R.

GUINAMARD R., CHRAÏBI A. & TEULON J. A small-conductance Cl^- channel in the mouse thick ascending limb that is activated by ATP and protein kinase A **485**, 97, 1995

GUO J.

GUO J., ONO K. & NOMA A. A sustained inward current activated at the diastolic potential range in rabbit sino-atrial node cells **483**, 1, 1995

GUTFREUND Y.

GUTFREUND Y., YAROM Y. & SEGEV I. Subthreshold oscillations and resonant frequency in guinea-pig cortical neurons: physiology and modelling **483**, 621, 1995

GU Y. *see CHEN L., GU Y. & HUANG L.-Y. M.* **482**, 575, 1995

GUYON A.

GUYON A. & LERESCHE N. Modulation by different $GABA_B$ receptor types of voltage-activated calcium currents in rat thalamocortical neurones **485**, 29, 1995

GUZ A. *see WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A.* **482**, 713, 1995

see CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. **488**, 77, 1995

see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

GYLFE E. *see CHOW R. H., LUND P.-E., LÖSER S., PANTEN U. & GYLFE E.* **485**, 607, 1995

HAGA T. *see SHUI Z., BOYETT M. R., ZANG W.-J., HAGA T. & KAMEYAMA K.* **487**, 359, 1995

HAGBARTH K.-E.

HAGBARTH K.-E., NORDIN M. & BONGIOVANNI L. G. After-effects on stiffness and stretch reflexes of human finger flexor muscles attributed to muscle thixotropy **482**, 215, 1995

HAGBARTH K.-E., BONGIOVANNI L. G. & NORDIN M. Reduced servo-control of fatigued human finger extensor and flexor muscles **485**, 865, 1995

HAKIM M.A.

HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L. Evidence for a critical role of nitric oxide in the tonic excitation of rabbit renal sympathetic preganglionic neurones **482**, 401, 1995

HALL A.C.

HALL A. C. Volume-sensitive taurine transport in bovine articular chondrocytes **484**, 755, 1995

HALLER T. *see DELLES C., HALLER T. & DIETL P.* **486**, 557, 1995

HALLETT M. *see GRILL S. E. & HALLETT M.* **489**, 593, 1995

HALLIDAY D.M. *see CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R.* **489**, 917, 1996

HALLIWELL J.V.

HALLIWELL J. V. & HORNE A. L. Membrane properties of the granule cells of the islands of Calleja of the rat studied *in vitro* **487**, 421, 1995

HALLIWILL J.R. *see TAYLOR J. A., HALLIWILL J. R., BROWN T. E., HAYANO J. & ECKBERG D. L.* **483**, 289, 1995

HALL K.E.

HALL K. E., SIMA A. A. F. & WILEY J. W. Voltage-dependent calcium currents are enhanced in dorsal root ganglion neurones from the Bio Bred/Worchester diabetic rat **486**, 313, 1995

HALL S.K.

HALL S. K., ZHANG J. & LIEBERMAN M. Cyclic AMP prevents activation of a swelling-induced chloride-sensitive conductance in chick heart cells **488**, 359, 1995

HALSTEAD J. *see CUTHBERT A. W., HALSTEAD J., RATCLIFF R., COLLEDGE W. H. & EVANS M. J.* **482**, 449, 1995

HAMAKAWA N. *see YADA T., HAMAKAWA N. & YAEKURA K.* **488**, 13, 1995

HAMANN M. *see KRAUSE R. M., HAMANN M., BADER C. R., LIU J.-H., BAROFFIO A. & BERNHEIM L.* **489**, 779, 1995

HAMANN M., CHAMOIN M. C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C. R. & TERNAUX J. P. Synthesis and release of an acylcholine-like compound by human myoblasts and myotubes **489**, 791, 1995

HANSFORD R.G. *see DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G.* **486**, 1, 1995

HANSON M.A. *see GIUSSANI D. A., MOORE P. J., BENNET L., SPENCER J. A. D. & HANSON M. A.* **486**, 249, 1995

see CROWE C., DANDEKAR P., FOX M., DHINGRA K., BENNET L. & HANSON M. A. **488**, 515, 1995

HARASZTOSI Cs. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI Cs., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* **483**, 299, 1995

HARATA N. *see EBIHARA S., SHIRATO K., HARATA N. & AKAIKE N.* **484**, 77, 1995

HARIK S.I.

HARIK S. I., HRITZ M. A. & LAMANNA J. C. Hypoxia-induced brain angiogenesis in the adult rat **485**, 525, 1995

HARRISON L.M. *see GIBBS J., HARRISON L. M. & STEPHENS J. A.* **485**, 245, 1995

see GIBBS J., HARRISON L. M. & STEPHENS J. A. **487**, 237, 1995

HARRISON S.M.

HARRISON S. M. & BOYETT M. R. The role of the Na^+–Ca^{2+} exchanger in the rate-dependent increase in contraction in guinea-pig ventricular myocytes **482**, 555, 1995

HARTELL N.A. *see APPS R., HARTELL N. A. & ARMSTRONG D. M.* **483**, 687, 1995

HARTMANN J.

HARTMANN J., SCEPEK S. & LINDAU M. Regulation of granule size in human and horse eosinophils by number of fusion events among unit granules **483**, 201, 1995

HARTY H.R. *see CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A.* **488**, 77, 1995

HASHIMOTO M.

HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S. The effects of age on the release of adenine nucleosides and nucleotides from rat caudal artery **489**, 841, 1995

HATEM S.N. *see SHAM J. S. K., HATEM S. N. & MORAD M.* **488**, 623, 1995

HATTON G.I. *see LI Z., DECAVEL C. & HATTON G. I.* **488**, 601, 1995

HATTORI K. *see HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S.* **489**, 841, 1995

HAUGH-SCHEIDT L.

HAUGH-SCHEIDT L., MALCHOW R. P. & RIPPS H. GABA transport and calcium dynamics in horizontal cells from the skate retina **488**, 565, 1995

HAYANO J. *see TAYLOR J. A., HALLIWILL J. R., BROWN T. E., HAYANO J. & ECKBERG D. L.* **483**, 289, 1995

HAYSTEAD C.M.M. *see NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V.* **487**, 283, 1995

HAYSTEAD T.A.J. *see NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V.* **487**, 283, 1995

HEATH M.J.S. *see KYROZIS A., GOLDSTEIN P. A., HEATH M. J. S. & MACDERMOTT A. B.* **485**, 373, 1995

HEATH M. J. S., LINTS T. J., LEE C. J. & DODD J. Functional expression of the tachykinin NK_1 receptor by floor plate cells in the embryonic rat spinal cord and brainstem **486**, 139, 1995

HEINEMANN Á *see WACHTER C., HEINEMANN Á, JOCIČ M. & HOLZER P.* **486**, 505, 1995

HEINEMANN S.H. *see SCHLIEF T. & HEINEMANN S. H.* **486**, 123, 1995

HEINEMANN U. *see EMPSON R. M. & HEINEMANN U.* **484**, 707, 1995

HELMCHEN F. *see SCHILLER J., HELMCHEN F. & SAKMANN B.* **487**, 583, 1995

see BORST J. G. G., HELMCHEN F. & SAKMANN B. **489**, 825, 1995

HELM P.J. *see MARKRAM H., HELM P. J. & SAKMANN B.* **485**, 1, 1995

HELWIG J.J. *see ENDLICH K., MASSFELDER T., HELWIG J. J. & STEINHAUSEN M.* **483**, 481, 1995

HERBERT R.D.

HERBERT R. D. & GANDEVIA S. C. Changes in pennation with joint angle and muscle torque: *in vivo* measurements in human brachialis muscle **484**, 523, 1995

HERBISON A.E. *see VOISIN D. L., HERBISON A. E. & POULAIN D. A.* **483**, 211, 1995

see VOISIN D. L., HERBISON A. E. & POULAIN D. A. **485**, 873, 1995

HERING S. *see WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S.* **486**, 131, 1995

HERMANS A.N.

HERMANS A. N., GLITSCH H. G. & VERDONCK F. The antagonistic effect of K_o^+ and dihydro-ouabain on the Na^+ pump current of single rat and guinea-pig cardiac cells **484**, 617, 1995

HERRERA A.A. *see NAGAYA N. & HERRERA A. A.* **483**, 141, 1995

HERRINGTON J.

HERRINGTON J., SOLARO C. R., NEELY A. & LINGLE C. J. The suppression of Ca^{2+}- and voltage-dependent K^+ current during mAChR activation in rat adrenal chromaffin cells **485**, 297, 1995

HERZIG S. *see WIECHEN K., YUE D. T. & HERZIG S.* **484**, 583, 1995

HESTER M.A. *see CHEBABO S. R., HESTER M. A., JING J., AITKEN P. G. & SOMJEN G. G.* **487**, 685, 1995

HIDA W. *see OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K.* **486**, 495, 1995

see MIZUSAWA A., OGAWA H., KIKUCHI Y., HIDA W. & SHIRATO K. **489**, 877, 1995

HIGASHIDA H.

HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. Nicotinamide–adenine dinucleotide regulates muscarinic receptor-coupled K^+ (M) channels in rodent NG108-15 cells **482**, 317, 1995

HIRAHARA K. *see IYADOMI I., HIRAHARA K. & EHARA T.* **489**, 95, 1995

HIRAOKA M. *see KAWANO S., HIRAYAMA Y. & HIRAOKA M.* **486**, 593, 1995

HIRAYAMA Y. *see KAWANO S., HIRAYAMA Y. & HIRAOKA M.* **486**, 593, 1995

HIROOKA Y. *see HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L.* **482**, 401, 1995

HIRSCH J.A.

HIRSCH J. A. Synaptic integration in layer IV of the ferret striate cortex **483**, 183, 1995

HIRSH J.K. *see SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C.* **482**, 511, 1995

HIRST G.D.S. *see EDWARDS F. R., HIRST G. D. S., KLEMM M. F. & STEELE P. A.* **486**, 453, 1995

HIRUMA H.

HIRUMA H. & BOURQUE C. W. P_2 purinoceptor-mediated depolarization of rat supraoptic neurosecretory cells *in vitro* **489**, 805, 1995

HOHIMER A.R. *see BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J.* **487**, 677, 1995

HOLTHUSEN H.

HOLTHUSEN H. & ARNDT J. O. Nitric oxide evokes pain at nociceptors of the paravascular tissue and veins in humans **487**, 253, 1995

HOLZER P. *see WACHTER C., HEINEMANN Á, JOCIČ M. & HOLZER P.* **486**, 505, 1995

HONG S.J.
HONG S. J. & CHANG C. C. Inhibition of acetylcholine release from mouse motor nerve by a P-type calcium channel blocker, ω-agatoxin IVA **482**, 283, 1995

HOPP F.A. *see ĐOGAŠ Z., STUTH E. A. E., HOPP F. A., MCCRIMMON D. R. & ZUPERKU E. J.* **487**, 639, 1995

HORNE A.L. *see HALLIWELL J. V. & HORNE A. L.* **487**, 421, 1995

HORN N.M.
HORN N. M., THOMAS A. L. & TOMPKINS J. D. The effect of histidine and cysteine on zinc influx into rat and human erythrocytes **489**, 73, 1995

HOSEY M. *see SHISTIK E., IVANINA T., PURI T., HOSEY M. & DASCAL N.* **489**, 55, 1995

HOSHINO T. *see YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K.* **486**, 177, 1995

HOSONO T. *see ZHANG Y.-H., YANASE-FUJIWARA M., HOSONO T. & KANOSUE K.* **485**, 195, 1995

HOUK J.C. *see MILLER L. E. & HOUK J. C.* **488**, 533, 1995

HOWLETT S.E. *see FERRIER G. R. & HOWLETT S. E.* **484**, 107, 1995

HOYA A.
HOYA A. & VENOSA R. A. Characteristics of Na^+–Ca^{2+} exchange in frog skeletal muscle **486**, 615, 1995

HOYLE C.H.V. *see RALEVIC V., HOYLE C. H. V. & BURNSTOCK G.* **483**, 703, 1995
HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G. Effects of vitamin E deficiency on autonomic neuroeffector mechanisms in the rat caecum, vas deferens and urinary bladder **487**, 773, 1995

HRITZ M.A. *see HARIK S. I., HRITZ M. A. & LAMANNA J. C.* **485**, 525, 1995

HUANG L.-Y.M. *see CHEN L., GU Y. & HUANG L.-Y. M.* **482**, 575, 1995

HUANG S.-M. *see TSUGENO M., HUANG S.-M., PANG Y.-W., CHOWDHURY J. U. & TOMITA T.* **485**, 493, 1995

HUA S.-Y. *see YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K.* **486**, 177, 1995

HU B.
HU B. Cellular basis of temporal synaptic signalling: an *in vitro* electrophysiological study in rat auditory thalamus **483**, 167, 1995
see NISSEN R., HU B. & RENAUD L. P. **484**, 415, 1995

HUBER J. *see RIDDELL J. S., JANKOWSKA E. & HUBER J.* **483**, 443, 1995

HUI C.S.
HUI C. S. & CHEN W. Differential suppression of charge movement components by gluconate in cut twitch fibres of *Rana temporaria* **489**, 511, 1995

HULTMAN E. *see CASEY A., SHORT A. H., HULTMAN E. & GREENHAFF P. L.* **483**, 265, 1995

HUMPHREY P.P.A. *see KHAKH B. S., HUMPHREY P. P. A. & SURPRENANT A.* **484**, 385, 1995

HUNTER M. *see ROBSON L., TARRAN R. & HUNTER M.* **486**, 715, 1995

HUNT J.M. *see SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C.* **482**, 511, 1995

IINO M. *see KASAI Y., TSUTSUMI O., TAKETANI Y., ENDO M. & IINO M.* **486**, 373, 1995
see IKEMOTO T., IINO M. & ENDO M. **487**, 573, 1995

IIZUKA K. *see NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V.* **487**, 283, 1995

IKEDA S.R.
IKEDA S. R. & KORN S. J. Influence of permeating ions on potassium channel block by external tetraethylammonium **486**, 267, 1995
see ZHU Y., ZBORAN E. L. & IKEDA S. R. **489**, 363, 1995

IKEHARA A. *see MATSUO R., IKEHARA A., NOKUBI T. & MORIMOTO T.* **483**, 239, 1995

IKEMOTO T.
IKEMOTO T., IINO M. & ENDO M. Enhancing effect of calmodulin on Ca^{2+}-induced Ca^{2+} release in the sarcoplasmic reticulum of rabbit skeletal muscle fibres **487**, 573, 1995

ILLEK B. *see FISCHER H., ILLEK B. & MACHEN T. E.* **489**, 745, 1995

ILLES P. *see NIEBER K., SEVCIK J. & ILLES P.* **486**, 33, 1995

ILUNDÁIN A.A. *see PERAL M. J. & ILUNDÁIN A. A.* **484**, 165, 1995

INENAGA K. *see NAGATOMO T., INENAGA K. & YAMASHITA H.* **485**, 87, 1995

INNES J.A. *see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A.* **489**, 663, 1995

INOUE K. *see NAKAZAWA K., INOUE K., WATANO T., KOIZUMI S. & INOUE K.* **484**, 447, 1995
see NAKAZAWA K., INOUE K., WATANO T., KOIZUMI S. & INOUE K. **484**, 447, 1995

INOUE R. *see JING L., INOUE R., TASHIRO K., TAKAHASHI S. & ITO Y.* **483**, 225, 1995
see TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. **488**, 709, 1995

INUI K.
INUI K., NOMURA J., MURASE S. & NOSAKA S. Facilitation of the arterial baroreflex by the preoptic area in anaesthetized rats **488**, 521, 1995

IRINTCHEV A. *see WERNIG A., IRINTCHEV A. & LANGE G.* **484**, 493, 1995

ISENBERG G. *see WELLNER M.-C. & ISENBERG G.* **482**, 143, 1995
see GANITKEVICH V. YA. & ISENBERG G. **484**, 287, 1995
see SCHIEFER A., MEISSNER G. & ISENBERG G. **489**, 337, 1995
see SHMIGOL A., VERKHRATSKY A. & ISENBERG G. **489**, 627, 1995

ISHIZAKA N. *see HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A.* **482**, 317, 1995

ITO H. *see MANABE K., ITO H., MATSUDA H. & NOMA A.* **484**, 25, 1995
see MANABE K., ITO H., MATSUDA H., NOMA A. & SHIBATA Y. **484**, 41, 1995

ITO Y. *see JING L., INOUE R., TASHIRO K., TAKAHASHI S. & ITO Y.* **483**, 225, 1995
see TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. **488**, 709, 1995
ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M. Neck muscle responses to abrupt free fall of the head: comparison of normal with labyrinthine-defective human subjects **489**, 911, 1995

IVANINA T. *see SHISTIK E., IVANINA T., PURI T., HOSEY M. & DASCAL N.* **489**, 55, 1995

IVANOFF A.Y.
IVANOFF A. Y. & SMITH P. A. In vivo activity of B- and C-neurones in the paravertebral sympathetic ganglia of the bullfrog **485**, 797, 1995

IYADOMI I.
IYADOMI I., HIRAHARA K. & EHARA T. α-Adrenergic inhibition of the β-adrenoceptor-dependent chloride current in guinea-pig ventricular myocytes **489**, 95, 1995

IZUMI H. *see KARITA K. & IZUMI H.* **482**, 679, 1995

JACKSON M.B. *see ZHANG S. J. & JACKSON M. B.* **483**, 583, 1995
JACKSON M. B. & ZHANG S. J. Action potential propagation and propagation block by GABA in rat posterior pituitary nerve terminals **483**, 597, 1995

JACOBS R. *see VAN INGEN SCHENAU G. J., DORSSERS W. M. M., WELTER T. G., BEELEN A., DE GROOT G. & JACOBS R.* **484**, 247, 1995

JAKOBS K.H. *see BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L.* **489**, 701, 1995

JAMES C.
JAMES C., SACCO P. & JONES D. A. Loss of power during fatigue of human leg muscles **484**, 237, 1995

JAMIESON G.G. *see ANVARI M., DENT J. & JAMIESON G. G.* **488**, 193, 1995
see ANVARI M., YU P., DENT J. & JAMIESON G. G. **488**, 203, 1995

JANE S.D. *see PHENNA S., JANE S. D. & CHAD J. E.* **486**, 149, 1995

JÄNIG W. *see GREWE W., JÄNIG W. & KÜMMEL H.* **488**, 139, 1995

JANKOWSKA E. *see RIDDELL J. S., JANKOWSKA E. & HUBER J.* **483**, 443, 1995
JANKOWSKA E. & RIDDELL J. S. Interneurones mediating presynaptic inhibition of group II muscle afferents in the cat spinal cord **483**, 461, 1995

JASMIN B.J.
JASMIN B. J., CAMPBELL R. J. & MICHEL R. N. Nerve-dependent regulation of succinate dehydrogenase in junctional and extrajunctional compartments of rat muscle fibres **484**, 155, 1995

JEFFERYS J.G.R. *see WHITTINGTON M. A., TRAUB R. D. & JEFFERYS J. G. R.* **486**, 723, 1995
see TRAUB R. D., COLLING S. B. & JEFFERYS J. G. R. **489**, 127, 1995

JENSEN P.J. *see SMITH D. O., CONKLIN M. W., JENSEN P. J. & ATCHISON W. D.* **487**, 115, 1995

JESTER J.M.
JESTER J. M., CAMPBELL L. W. & SEJNOWSKI T. J. Associative EPSP–spike potentiation induced by pairing orthodromic and antidromic stimulation in rat hippocampal slices **484**, 689, 1995

JIANG Q.B.
JIANG Q. B. & WAKERLEY J. B. Analysis of bursting responses of oxytocin neurones in the rat in late pregnancy, lactation and after weaning **486**, 237, 1995

JIMÉNEZ I. *see QUEVEDO J., EGUIBAR J. R., JIMÉNEZ I. & RUDOMIN P.* **482**, 623, 1995

JING J. *see CHEBABO S. R., HESTER M. A., JING J., AITKEN P. G. & SOMJEN G. G.* **487**, 685, 1995

JING L.

JING L., INOUE R., TASHIRO K., TAKAHASHI S. & ITO Y. Role of nitric oxide in non-adrenergic, non-cholinergic relaxation and modulation of excitatory neuroeffector transmission in the cat airway **483**, 225, 1995

see TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. **488**, 709, 1995

JIRSCH J.D. *see ANDERSON J. W., JIRSCH J. D. & FEDIDA D.* **483**, 549, 1995

JOCIČ M. *see WACHTER C., HEINEMANN Á, JOCIČ M. & HOLZER P.* **486**, 505, 1995

JODAL M. *see BRUNSSON I., FAHRENKRUG J., JODAL M., SJÖQVIST A. & LUNDGREN O.* **483**, 727, 1995

JOHANSSON N. *see EDIN B. B. & JOHANSSON N.* **487**, 243, 1995

JOHNS E.J. *see NEYLON M., MARSHALL J. M. & JOHNS E. J.* **487**, 497, 1995

JOHNSTON D. *see MAGEE J. C. & JOHNSTON D.* **487**, 67, 1995

JONAS P. *see SPRUSTON N., JONAS P. & SAKMANN B.* **482**, 325, 1995

see KOH D.-S., GEIGER J. R. P., JONAS P. & SAKMANN B. **485**, 383, 1995

see KOH D.-S., BURNASHEV N. & JONAS P. **486**, 305, 1995

JONES B.E. *see KHATEB A., FORT P., SERAFIN M., JONES B. E. & MÜHLETHALER M.* **487**, 623, 1995

JONES D.A. *see BEELEN A., SARGEANT A. J., JONES D. A. & DE RUITER C. J.* **484**, 227, 1995

see JAMES C., SACCO P. & JONES D. A. **484**, 237, 1995

see NEWHAM D. J., JONES D. A., TURNER D. L. & MCINTYRE D. **488**, 815, 1995

JONES G.J.

JONES G. J. Light adaptation and the rising phase of the flash photocurrent of salamander retinal rods **487**, 441, 1995

JONES J.F.X.

JONES J. F. X., WANG Y. & JORDAN D. Heart rate responses to selective stimulation of cardiac vagal C fibres in anaesthetized cats, rats and rabbits **489**, 203, 1995

JONES T. *see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A.* **489**, 663, 1995

JORDAN D. *see JONES J. F. X., WANG Y. & JORDAN D.* **489**, 203, 1995

JOSEPH D.P. *see BIALEK S., JOSEPH D. P. & MILLER S. S.* **484**, 53, 1995

JOYNER M.J. *see DYKE C. K., PROCTOR D. N., DIETZ N. M. & JOYNER M. J.* **488**, 259, 1995

JULIEN C. *see ZHANG Z.-Q., BARRÈS C. & JULIEN C.* **482**, 435, 1995

JUNANKAR P.R. *see LAMB G. D., JUNANKAR P. R. & STEPHENSON D. G.* **489**, 349, 1995

JURKAT-ROTT K. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI Cs., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* **483**, 299, 1995

JUST A. *see EHMKE H., JUST A., ECKARDT K.-U., PERSSON P. B., BAUER C. & KIRCHHEIM H. R.* **488**, 181, 1995

JUST A., WAGNER C. D., EHMKE H., KIRCHHEIM H. R. & PERSSON P. B. On the origin of low-frequency blood pressure variability in the conscious dog **489**, 215, 1995

KAJITA H.

KAJITA H., MORISHIMA S., SHIRAKATA Y., KOTERA T., UEDA S., OKUMA M. & OKADA Y. A mini Cl^- channel sensitive to external pH in the basolateral membrane of guinea-pig parietal cells **488**, 57, 1995

KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. A maxi Cl^- channel coupled to endothelin B receptors in the basolateral membrane of guinea-pig parietal cells **488**, 65, 1995

KAKUDA N. *see VALLBO Å. B., OLAUSSON H., WESSBERG J. & KAKUDA N.* **483**, 783, 1995

KAMBOJ S.K.

KAMBOJ S. K., SWANSON G. T. & CULL-CANDY S. G. Intracellular spermine confers rectification on rat calcium-permeable AMPA and kainate receptors **486**, 297, 1995

KAMEYAMA K. *see SHUI Z., BOYETT M. R., ZANG W.-J., HAGA T. & KAMEYAMA K.* **487**, 359, 1995

KAMOSINSKA B. *see DUSZYK M., LIU D., KAMOSINSKA B., FRENCH A. S. & MAN S. F. P.* **489**, 81, 1995

KANAIDE H. *see MIYAGI Y., KOBAYASHI S., NISHIMURA J., FUKUI M. & KANAIDE H.* **484**, 123, 1995

KANAYA T.

KANAYA T., GRESTY M. A., BRONSTEIN A. M., BUCKWELL D. & DAY B. Control of the head in response to tilt of the body in normal and labyrinthine-defective human subjects **489**, 895, 1995

KANDA M. *see SONG W.-J., OKAWA K., KANDA M. & MURAKAMI F.* **488**, 419, 1995

KANEDA M.

KANEDA M., FARRANT M. & CULL-CANDY S. G. Whole-cell and single-channel currents activated by GABA and glycine in granule cells of the rat cerebellum **485**, 419, 1995

KANO M.

KANO M., GARASCHUK O., VERKHRATSKY A. & KONNERTH A. Ryanodine receptor-mediated intracellular calcium release in rat cerebellar Purkinje neurones **487**, 1, 1995

KANOSUE K. *see ZHANG Y.-H., YANASE-FUJIWARA M., HOSONO T. & KANOSUE K.* **485**, 195, 1995

KARGACIN M.E. *see CHIAMVIMONVAT N., KARGACIN M. E., CLARK R. B. & DUFF H. J.* **483**, 307, 1995

KARITA K.

KARITA K. & IZUMI H. Effect of baseline vascular tone on vasomotor responses in cat lip **482**, 679, 1995

KARUNANITHI S.

KARUNANITHI S., PHIPPS M. C., ROBINSON J. & BENNETT M. R. Statistics of quantal secretion during long trains of sympathetic nerve impulses in mouse vas deferens **489**, 171, 1995

KASAI Y.

KASAI Y., TSUTSUMI O., TAKETANI Y., ENDO M. & IINO M. Stretch-induced enhancement of contractions in uterine smooth muscle of rats **486**, 373, 1995

KASS I.S. *see FRIED E., AMORIM P., CHAMBERS G., COTTRELL J. E. & KASS I. S.* **489**, 557, 1995

KASS R.S. *see GINGRICH K. J., ROBERTS W. A. & KASS R. S.* **489**, 529, 1995

KATNIK C.

KATNIK C. & ADAMS D. J. An ATP-sensitive potassium conductance in rabbit arterial endothelial cells **485**, 595, 1995

KATO F. *see FORTIN G., KATO F., LUMSDEN A. & CHAMPAGNAT J.* **486**, 735, 1995

KATZ E.

KATZ E., FERRO P. A., CHERKSEY B. D., SUGIMORI M., LLINÁS R. & UCHITEL O. D. Effects of Ca^{2+} channel blockers on transmitter release and presynaptic currents at the frog neuromuscular junction **486**, 695, 1995

KATZ R. *see AYMARD C., CHIA L., KATZ R., LAFITTE C. & PÉNICAUD A.* **487**, 221, 1995

KATZ U.

KATZ U. & NAGEL W. Effects of cyclic AMP and theophylline on chloride conductance across toad skin **489**, 105, 1995

KAUFMAN S. *see ZHANG Y., NOVAK K. & KAUFMAN S.* **488**, 509, 1995

KAUPP U.B. *see SESTI F., EISMANN E., KAUPP U. B., NIZZARI M. & TORRE V.* **487**, 17, 1995

KAWANO S.

KAWANO S., HIRAYAMA Y. & HIRAOKA M. Activation mechanism of Ca^{2+}-sensitive transient outward current in rabbit ventricular myocytes **486**, 593, 1995

KAZNACHEYEVA E.V. *see NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N.* **486**, 323, 1995

see NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. **486**, 339, 1995

KEEP R.F.

KEEP R. F., ENNIS S. R., BEER M. E. & BETZ A. L. Developmental changes in blood–brain barrier potassium permeability in the rat: relation to brain growth **488**, 439, 1995

KENDRICK K. *see ONAKA T., LUCKMAN S. M., GUEVARA-GUZMAN R., UETA Y., KENDRICK K. & LENG G.* **482**, 69, 1995

KENNEDY H.J.

KENNEDY H. J. & THOMAS R. C. Intracellular calcium and its sodium-independent regulation in voltage-clamped snail neurones **484**, 533, 1995

KERNELL D. *see ZIJDEWIND I., KERNELL D. & KUKULKA C. G.* **483**, 499, 1995

KERNELL D., LIND A., VAN DIEMEN A. B. J. P. & DE HAAN A. Relative degree of stimulation-evoked glycogen degradation in muscle fibres of different type in rat gastrocnemius **484**, 139, 1995

KETTENMANN H. *see KIRISCHUK S., SCHERER J., KETTENMANN H. & VERKHRATSKY A.* **483**, 41, 1995

KHAKH B.S.
KHAKH B.S., HUMPHREY P. P. A. & SURPRENANT A. Electrophysiological properties of P_{2X}-purinoceptors in rat superior cervical, nodose and guinea-pig coeliac neurones **484**, 385, 1995

KHATEB A.
KHATEB A., FORT P., SERAFIN M., JONES B. E. & MÜHLETHALER M. Rhythmical bursts induced by NMDA in guinea-pig cholinergic nucleus basalis neurones *in vitro* **487**, 623, 1995

KHODAKHAH K.
KHODAKHAH K. & OGDEN D. Fast activation and inactivation of inositol trisphosphate-evoked Ca^{2+} release in rat cerebellar Purkinje neurones **487**, 343, 1995

KHRESTCHATISKY M. *see MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P.* **482**, 567, 1995

KIBBLE J.D. *see WAREING M., WILSON R. W., KIBBLE J. D. & GREEN R.* **488**, 153, 1995

KIENS B. *see BANGSBO J., AAGAARD T., OLSEN M., KIENS B., TURCOTTE L. P. & RICHTER E. A.* **488**, 219, 1995

KIHARA M.
KIHARA M. & LOW P. A. Vasoreactivity to prostaglandins of rat peripheral nerve **484**, 463, 1995

KIKUCHI Y. *see OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K.* **486**, 495, 1995
see MIZUSAWA A., OGAWA H., KIKUCHI Y., HIDA W. & SHIRATO K. **489**, 877, 1995

KIM D.
KIM D., SLADEK C. D., AGUADO-VELASCO C. & MATHIASEN J. R. Arachidonic acid activation of a new family of K^+ channels in cultured rat neuronal cells **484**, 643, 1995

KIMURA J. *see MORITA H., KIMURA J. & ENDOH M.* **483**, 119, 1995

KIM Y.I. *see VIGLIONE M. P., O'SHAUGHNESSY T. J. & KIM Y. I.* **488**, 303, 1995

KINTER M.T. *see GONG M. C., KINTER M. T., SOMLYO A. V. & SOMLYO A. P.* **486**, 113, 1995

KIRBER M.T. *see ORDWAY R. W., PETROU S., KIRBER M. T., WALSH J. V. JR & SINGER J. J.* **484**, 331, 1995

KIRCHHEIM H.R. *see EHMKE H., JUST A., ECKARDT K.-U., PERSSON P. B., BAUER C. & KIRCHHEIM H. R.* **488**, 181, 1995
see JUST A., WAGNER C. D., EHMKE H., KIRCHHEIM H. R. & PERSSON P. B. **489**, 215, 1995

KIRISCHUK S.
KIRISCHUK S., SCHERER J., KETTENMANN H. & VERKHRATSKY A. Activation of P_2-purinoreceptors triggered Ca^{2+} release from $InsP_3$-sensitive internal stores in mammalian oligodendrocytes **483**, 41, 1995

KIRKPATRICK K.
KIRKPATRICK K. & BOURQUE C. W. Effects of neurotensin on rat supraoptic nucleus neurones *in vitro* **482**, 373, 1995

KIRKWOOD P.A.
KIRKWOOD P. A. Synaptic excitation in the thoracic spinal cord from expiratory bulbospinal neurones in the cat **484**, 201, 1995
KIRKWOOD P. A. Erratum: *Journal of Physiology* **484**, 201–225 (1995) **485**, 874, 1995

KIRSCH J. *see LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H.* **483**, 613, 1995

KISELYOV K.I. *see NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N.* **486**, 323, 1995
see NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. **486**, 339, 1995

KITAMA T. *see OLIVIER E., GRANTYN A., KITAMA T. & BERTHOZ A.* **482**, 455, 1995

KLECKNER N.W.
KLECKNER N. W. & PALLOTTA B. S. Burst kinetics of single NMDA receptor currents in cell-attached patches from rat brain cortical neurons in culture **486**, 411, 1995

KLEMM M.F. *see EDWARDS F. R., HIRST G. D. S., KLEMM M. F. & STEELE P. A.* **486**, 453, 1995

KLOTZ K.F. *see FRIEBEL M., KLOTZ K. F., LEY K., GAEHTGENS P. & PRIES A. R.* **483**, 715, 1995

KNEISLER T.B.
KNEISLER T. B. & DINGLEDINE R. Synaptic input from CA3 pyramidal cells to dentate basket cells in rat hippocampus **487**, 125, 1995

KNIGHT G.E. *see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G.* **487**, 773, 1995

KNOPP S.J. *see BISSONNETTE J. M., HOHIMER A. R. & KNOPP S. J.* **487**, 677, 1995

KOBAYASHI I. *see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A.* **489**, 663, 1995

KOBAYASHI K.
KOBAYASHI K., SAKABA T. & TACHIBANA M. Potentiation of Ca^{2+} transients in the presynaptic terminals of goldfish retinal bipolar cells **482**, 7, 1995
KOBAYASHI K. & TACHIBANA M. Ca^{2+} regulation in the presynaptic terminals of goldfish retinal bipolar cells **483**, 79, 1995

KOBAYASHI S. *see MIYAGI Y., KOBAYASHI S., NISHIMURA J., FUKUI M. & KANAIDE H.* **484**, 123, 1995

KOCSIS B.
KOCSIS B. Baroreceptor influence on the relationships between discharges of different sympathetic nerves of the cat **482**, 687, 1995

KOH D.-S.
KOH D.-S., GEIGER J. R. P., JONAS P. & SAKMANN B. Ca^{2+} permeable AMPA and NMDA receptor channels in basket cells of rat hippocampal dentate gyrus **485**, 383, 1995
KOH D.-S., BURNASHEV N. & JONAS P. Block of native Ca^{2+}-permeable AMPA receptors in rat brain by intracellular polyamines generates double rectification **486**, 305, 1995

KOH S.D.
KOH S. D., CAMPBELL J. D., CARL A. & SANDERS K. M. Nitric oxide activates multiple potassium channels in canine colonic smooth muscle **489**, 735, 1995

KOIVISTO A.
KOIVISTO A. & NEDERGAARD J. Modulation of calcium-activated non-selective cation channel activity by nitric oxide in rat brown adipose tissue **486**, 59, 1995

KOIZUMI S. *see NAKAZAWA K., INOUE K., WATANO T., KOIZUMI S. & INOUE K.* **484**, 447, 1995

KOMORI S. *see UNNO T., KOMORI S. & OHASHI H.* **484**, 567, 1995

KOMPANOWSKA-JEZIERSKA E. *see DOBROWOLSKI L., KOMPANOWSKA-JEZIERSKA E. & SADOWSKI J.* **485**, 827, 1995

KOMUKAI K. *see KURIHARA S. & KOMUKAI K.* **489**, 617, 1995

KOMWATANA P. *see DINUDOM A., KOMWATANA P., YOUNG J. A. & COOK D. I.* **487**, 549, 1995

KONDO M. *see TAMAOKI J., SAKAI A., KONDO M., TAKEMURA H. & KONNO K.* **488**, 115, 1995

KONNERTH A. *see KANO M., GARASCHUK O., VERKHRATSKY A. & KONNERTH A.* **487**, 1, 1995

KONNO K. *see TAMAOKI J., SAKAI A., KONDO M., TAKEMURA H. & KONNO K.* **488**, 115, 1995

KOOS B.J.
KOOS B. J., CHAU A. & OGUNYEMI D. Adenosine mediates metabolic and cardiovascular responses to hypoxia in fetal sheep **488**, 761, 1995

KORENBROT J.I. *see PICONES A. & KORENBROT J. I.* **485**, 699, 1995

KORENSTEIN R. *see DASCALU A., ORON Y., NEVO Z. & KORENSTEIN R.* **486**, 97, 1995

KORN S.J. *see IKEDA S. R. & KORN S. J.* **486**, 267, 1995

KOSCHORKE G.M. *see WEINREICH D., KOSCHORKE G. M., UNDEM B. J. & TAYLOR G. E.* **483**, 735, 1995

KOTECHA N.
KOTECHA N. & NEILD T. O. Vasodilatation and smooth muscle membrane potential changes in arterioles from the guinea-pig small intestine **482**, 661, 1995
KOTECHA N. & NEILD T. O. Actions of vasodilator nerves on arteriolar smooth muscle and neurotransmitter release from sympathetic nerves in the guinea-pig small intestine **489**, 849, 1995

KOTERA T. *see KAJITA H., MORISHIMA S., SHIRAKATA Y., KOTERA T., UEDA S., OKUMA M. & OKADA Y.* **488**, 57, 1995
see KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. **488**, 65, 1995

KOTULAK J.C.
KOTULAK J. C., MORSE S. E. & BILLOCK V. A. Red–green opponent channel mediation of control of human ocular accommodation **482**, 697, 1995

KOUCHTIR N. *see ZYTNICKI D., LAFLEUR J., KOUCHTIR N. & PERRIER J.-F.* **487**, 761, 1995

KOUMI S-I.

KOUMI S-I., WASSERSTROM J. A. & TEN EICK R. E. β-Adrenergic and cholinergic modulation of the inwardly rectifying K^+ current in guinea-pig ventricular myocytes **486**, 647, 1995

KOUMI S-I., WASSERSTROM J. A. & TEN EICK R. E. β-Adrenergic and cholinergic modulation of inward rectifier K^+ channel function and phosphorylation in guinea-pig ventricle **486**, 661, 1995

KOUMI S-I., SATO R. & ARAMAKI T. Activation of the plasma membrane chloride channel by protein kinase C in isolated guinea-pig hepatocytes **487**, 379, 1995

KOUTALOS Y. *see NAKATANI K., KOUTALOS Y. & YAU K.-W.* **484**, 69, 1995

KOVACS L. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* **483**, 299, 1995

KOYANO H. *see YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K.* **486**, 177, 1995

KRAUSE R.M.

KRAUSE R. M., HAMANN M., BADER C. R., LIU J.-H., BAROFFIO A. & BERNHEIM L. Activation of nicotinic acetylcholine receptors increases the rate of fusion of cultured human myoblasts **489**, 779, 1995

KRNJEVIĆ K. *see BELOUSOV A. B., GODFRAIND J.-M. & KRNJEVIĆ K.* **486**, 547, 1995

KRONAUER R.E. *see STROMEYER C. F. III, KRONAUER R. E., RYU A., CHAPARRO A. & ESKEW R. T. JR* **485**, 221, 1995

KRZEMIEN D.M. *see LUPA M. T., KRZEMIEN D. M., SCHALLER K. L. & CALDWELL J. H.* **483**, 109, 1995

KUBA K. *see YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K.* **486**, 177, 1995

KUHSE J. *see LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H.* **483**, 613, 1995

KUKUŁA K. *see BAŁKOWIEC A., KUKUŁA K. & SZULCZYK P.* **483**, 759, 1995

KUKULKA C.G. *see ZIJDEWIND I., KERNELL D. & KUKULKA C. G.* **483**, 499, 1995

KUMAR P. *see PEPPER D. R., LANDAUER R. C. & KUMAR P.* **485**, 531, 1995
see LANDAUER R. C., PEPPER D. R. & KUMAR P. **485**, 543, 1995

KÜMMEL H. *see GREWE W., JÄNIG W. & KÜMMEL H.* **488**, 139, 1995

KURIHARA S.

KURIHARA S. & KOMUKAI K. Tension-dependent changes of the intracellular Ca^{2+} transients in ferret ventricular muscles **489**, 617, 1995

KURIHARA T.

KURIHARA T., YOSHIOKA K. & OTSUKA M. Tachykininergic slow depolarization of motoneurones evoked by descending fibres in the neonatal rat spinal cord **485**, 787, 1995

KURYSHEV Y.A. *see NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N.* **486**, 323, 1995
see NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. **486**, 339, 1995

KYROZIS A.

KYROZIS A., GOLDSTEIN P. A., HEATH M. J. S. & MACDERMOTT A. B. Calcium entry through a subpopulation of AMPA receptors desensitized neighbouring NMDA receptors in rat dorsal horn neurons **485**, 373, 1995

LAFITTE C. *see AYMARD C., CHIA L., KATZ R., LAFITTE C. & PÉNICAUD A.* **487**, 221, 1995

LAFLEUR J. *see ZYTNICKI D., LAFLEUR J., KOUCHTIR N. & PERRIER J.-F.* **487**, 761, 1995

LAIRD J.M.A.

LAIRD J. M. A., GARCIA DE LA RUBIA P. & CERVERO F. Excitability changes of somatic and viscero-somatic nociceptive reflexes in the decerebrate–spinal rabbit: role of NMDA receptors **489**, 545, 1995

LAKOMY H.K.A. *see BOGDANIS G. C., NEVILL M. E., BOOBIS L. H., LAKOMY H. K. A. & NEVILL A. M.* **482**, 467, 1995

LALLEY P.M.

LALLEY P. M., BISCHOFF A. M., SCHWARZACHER S. W. & RICHTER D. W. 5-HT_2 receptor-controlled modulation of medullary respiratory neurones in the cat **487**, 653, 1995

LAMANNA J.C. *see HARIK S. I., HRITZ M. A. & LAMANNA J. C.* **485**, 525, 1995

LAMBEAU G. *see FOSSIER P., LAMBEAU G., LAZDUNSKI M. & BAUX G.* **489**, 29, 1995

LAMBERT J.D.C. *see ANDREASEN M. & LAMBERT J. D. C.* **483**, 421, 1995

LAMB G.D. *see FRYER M. W., OWEN V. J., LAMB G. D. & STEPHENSON D. G.* **482**, 123, 1995

LAMB G. D., JUNANKAR P. R. & STEPHENSON D. G. Raised intracellular $[Ca^{2+}]$ abolishes excitation–contraction coupling in skeletal muscle fibres of rat and toad **489**, 349, 1995

LANDAUER R.C. *see PEPPER D. R., LANDAUER R. C. & KUMAR P.* **485**, 531, 1995
LANDAUER R. C., PEPPER D. R. & KUMAR P. Effect of chronic hypoxaemia from birth upon chemosensitivity in the adult rat carotid body *in vitro* **485**, 543, 1995

LANG A.E. *see ASHBY P., LANG A. E., LOZANO A. M. & DOSTROVSKY J. O.* **489**, 287, 1995

LANGDOWN A.J.

LANGDOWN A. J. & MARSHALL J. M. Analysis of responses observed in mesenteric microcirculation of the rat during systemic hypoxia **482**, 669, 1995

LANGE G. *see WERNIG A., IRINTCHEV A. & LANGE G.* **484**, 493, 1995

LÄNNERGREN J. *see WESTERBLAD H. & LÄNNERGREN J.* **482**, 383, 1995
see BRUTON J. D., LÄNNERGREN J. & WESTERBLAD H. **484**, 737, 1995

LANSING R.W. *see WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A.* **482**, 713, 1995

LARCOMBE-MCDOUALL J.B. *see SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C.* **487**, 185, 1995

LAUBE B.

LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H. Modulation by zinc ions of native rat and recombinant human inhibitory glycine receptors **483**, 613, 1995

LAWSON S.N. *see PRABHAKAR E. & LAWSON S. N.* **482**, 609, 1995

LAZDUNSKI M. *see ALLARD B., LAZDUNSKI M. & ROUGIER O.* **485**, 283, 1995
see FOSSIER P., LAMBEAU G., LAZDUNSKI M. & BAUX G. **489**, 29, 1995

LEDERER W.J. *see LOKUTA A. J., ROGERS T. B., LEDERER W. J. & VALDIVIA H. H.* **487**, 609, 1995

LEE C.J. *see HEATH M. J. S., LINTS T. J., LEE C. J. & DODD J.* **486**, 139, 1995

LEE K.

LEE K., ROWE I. C. M. & ASHFORD M. L. J. Characterization of an ATP-modulated large conductance Ca^{2+}-activated K^+ channel present in rat cortical neurones **488**, 319, 1995

LEE K.Y. *see SHIMIZU K., LI P., LEE K. Y., CHANG T.-M. & CHEY W. Y.* **488**, 501, 1995

LEEVERS A.M.

LEEVERS A. M. & ROAD J. D. Some effects of vagal blockade on abdominal muscle activation and shortening in awake dogs **488**, 471, 1995

LEE Y. *see FU W.-M., LIOU J., LEE Y. & LIOU H.* **489**, 813, 1995

LEHMANN-HORN F. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* **483**, 299, 1995
see MITROVIĆ N., GEORGE A. L. JR, LERCHE H., WAGNER S., FAHLKE CH. & LEHMANN-HORN F. **487**, 107, 1995

LEIDEN J.M. *see MCDONALD K. S., FIELD L. J., PARMACEK M. S., SOONPAA M., LEIDEN J. M. & MOSS R. L.* **483**, 131, 1995

LEINEKUGEL X.

LEINEKUGEL X., TSEEB V., BEN-ARI Y. & BREGESTOVSKI P. Synaptic $GABA_A$ activation induces Ca^{2+} rise in pyramidal cells and interneurons from rat neonatal hippocampal slices **487**, 319, 1995

LELIÈVRE-PÉGORIER M. *see EUZET S., LELIÈVRE-PÉGORIER M. & MERLET-BÉNICHOU C.* **488**, 449, 1995

LEMON R.N. *see OLIVIER E., BAWA P. & LEMON R. N.* **485**, 257, 1995
see BAKER S. N., OLIVIER E. & LEMON R. N. **488**, 795, 1995

LENG G. *see ONAKA T., LUCKMAN S. M., GUEVARA-GUZMAN R., UETA Y., KENDRICK K. & LENG G.* **482**, 69, 1995
see MCKENZIE D. N., LENG G. & DYBALL R. E. J. **485**, 485, 1995

LERCHE H. *see MITROVIĆ N., GEORGE A. L. JR, LERCHE H., WAGNER S., FAHLKE CH. & LEHMANN-HORN F.* **487**, 107, 1995

LERESCHE N. *see GUYON A. & LERESCHE N.* **485**, 29, 1995

LEVICK J.R. *see MCDONALD J. N. & LEVICK J. R.* **485**, 179, 1995

LEWIS D.I.

LEWIS D. I. & COOTE J. H. Chemical mediators of spinal inhibition of rat sympathetic neurones on stimulation in the nucleus tractus solitarii **486**, 483, 1995

LEWIS D.L. *see E SILVA M. J. M. & LEWIS D. L.* **489**, 689, 1995

LEWIS D.M.

LEWIS D. M. & SCHMALBRUCH H. Effects of age on aneural regeneration of soleus muscle in rat **488**, 483, 1995

LEW V.L. *see RAFTOS J. E. & LEW V. L.* **489**, 63, 1995

LEY K. *see FRIEBEL M., KLOTZ K. F., LEY K., GAEHTGENS P. & PRIES A. R.* **483**, 715, 1995

LIEBERMAN M. *see HALL S. K., ZHANG J. & LIEBERMAN M.* **488**, 359, 1995

LI G.-R.

LI G.-R., FENG J., SHRIER A. & NATTEL S. Contribution of ATP-sensitive potassium channels to the electrophysiological effects of adenosine in guinea-pig atrial cells **484**, 629, 1995

LINARI M.

LINARI M. & WOLEDGE R. C. Comparison of energy output during ramp and staircase shortening in frog muscle fibres **487**, 699, 1995

LINCOLN J. *see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G.* **487**, 773, 1995

LIND A. *see KERNELL D., LIND A., VAN DIEMEN A. B. J. P. & DE HAAN A.* **484**, 139, 1995

LINDAU M. *see HARTMANN J., SCEPEK S. & LINDAU M.* **483**, 201, 1995

LINGLE C.J. *see HERRINGTON J., SOLARO C. R., NEELY A. & LINGLE C. J.* **485**, 297, 1995

LINTS T.J. *see HEATH M. J. S., LINTS T. J., LEE C. J. & DODD J.* **486**, 139, 1995

LIOU H. *see FU W.-M., LIOU J., LEE Y. & LIOU H.* **489**, 813, 1995

LIOU J. *see FU W.-M., LIOU J., LEE Y. & LIOU H.* **489**, 813, 1995

LI P. *see SHIMIZU K., LI P., LEE K. Y., CHANG T.-M. & CHEY W. Y.* **488**, 501, 1995

LIPP P. *see TRAFFORD A. W., LIPP P., O'NEILL S. C., NIGGLI E. & EISNER D. A.* **489**, 319, 1995

LISTER N.

LISTER N., SYKES A. P., BAILEY P. D., BOYD C. A. R. & BRONK J. R. Dipeptide transport and hydrolysis in isolated loops of rat small intestine: effects of stereospecificity **484**, 173, 1995

LIU D. *see DUSZYK M., LIU D., KAMOSINSKA B., FRENCH A. S. & MAN S. F. P.* **489**, 81, 1995

LIU J.-H. *see KRAUSE R. M., HAMANN M., BADER C. R., LIU J.-H., BAROFFIO A. & BERNHEIM L.* **489**, 779, 1995

LIU S. *see RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C.* **485**, 59, 1995

LI Z.

LI Z., DECAVEL C. & HATTON G. I. Calbindin-D_{28k}: role in determining intrinsically generated firing patterns in rat supraoptic neurones **488**, 601, 1995

LLANO I.

LLANO I. & MARTY A. Presynaptic metabotropic glutamatergic regulation of inhibitory synapses in rat cerebellar slices **486**, 163, 1995

LLEDO P.-M. *see SCHIFFMANN S. N., LLEDO P.-M. & VINCENT J.-D.* **483**, 95, 1995

LLINÁS R. *see KATZ E., FERRO P. A., CHERKSEY B. D., SUGIMORI M., LLINÁS R. & UCHITEL O. D.* **486**, 695, 1995

LOIRAND G. *see PACAUD P. & LOIRAND G.* **484**, 549, 1995

LOKUTA A.J.

LOKUTA A. J., ROGERS T. B., LEDERER W. J. & VALDIVIA H. H. Modulation of cardiac ryanodine receptors of swine and rabbit by a phosphorylation–dephosphorylation mechanism **487**, 609, 1995

LOMBARD J.H. *see AALKJÆR C. & LOMBARD J. H.* **482**, 409, 1995

LØMO T. *see ANDREOSE J. S., FUMAGALLI G. & LØMO T.* **483**, 397, 1995

LOO T.W. *see MORIN X. K., BOND T. D., LOO T. W., CLARKE D. M. & BEAR C. E.* **486**, 707, 1995

LÓPEZ M.G.

LÓPEZ M. G., ARTALEJO A. R., GARCÍA A. G., NEHER E. & GARCÍA-SANCHO J. Veratridine-induced oscillations of cytosolic calcium and membrane potential in bovine chromaffin cells **482**, 15, 1995

see MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G. **486**, 427, 1995

LÖSER S. *see CHOW R. H., LUND P.-E., LÖSER S., PANTEN U. & GYLFE E.* **485**, 607, 1995

LOUISET E. *see MEI Y. A., LOUISET E., VAUDRY H. & CAZIN L.* **489**, 431, 1995

LOVISOLO D. *see MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D.* **484**, 557, 1995

LOW P.A. *see KIHARA M. & LOW P. A.* **484**, 463, 1995

LOZANO A.M. *see ASHBY P., LANG A. E., LOZANO A. M. & DOSTROVSKY J. O.* **489**, 287, 1995

LUCKMAN S.M. *see ONAKA T., LUCKMAN S. M., GUEVARA-GUZMAN R., UETA Y., KENDRICK K. & LENG G.* **482**, 69, 1995

LUMBERS E.R. *see GIBSON K. J. & LUMBERS E. R.* **485**, 835, 1995

see STEVENSON K. M. & LUMBERS E. R. **487**, 147, 1995

LUMSDEN A. *see FORTIN G., KATO F., LUMSDEN A. & CHAMPAGNAT J.* **486**, 735, 1995

LUNDGREN O. *see BRUNSSON I., FAHRENKRUG J., JODAL M., SJÖQVIST A. & LUNDGREN O.* **483**, 727, 1995

LUND P.-E. *see CHOW R. H., LUND P.-E., LÖSER S., PANTEN U. & GYLFE E.* **485**, 607, 1995

LUPA M.T.

LUPA M. T., KRZEMIEN D. M., SCHALLER K. L. & CALDWELL J. H. Expression and distribution of sodium channels in short- and long-term denervated rodent skeletal muscles **483**, 109, 1995

MAAS P. *see CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R.* **489**, 917, 1996

MCAINSH A.M. *see STEELE D. S., MCAINSH A. M. & SMITH G. L.* **483**, 155, 1995

MCARDLE H.J. *see BINGHAM M. J., BURCHELL A. & MCARDLE H. J.* **482**, 583, 1995

MACARI M. *see WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N.* **484**, 767, 1995

MCBAIN C.J. *see ZHANG L. & MCBAIN C. J.* **488**, 647, 1995

see ZHANG L. & MCBAIN C. J. **488**, 661, 1995

MCCAIG C.D. *see ERSKINE L. & MCCAIG C. D.* **486**, 229, 1995

MCCAULEY R. *see WAKADE T. D., PALMER K. C., MCCAULEY R., PRZYWARA D. A. & WAKADE A. R.* **488**, 123, 1995

MCCLOSKEY D.I. *see REFSHAUGE K. M., CHAN R., TAYLOR J. L. & MCCLOSKEY D. I.* **488**, 231, 1995

MCCLOSKEY M.A. *see ZHANG L. & MCCLOSKEY M. A.* **483**, 59, 1995

MCCORMICK D.A. *see BAL T., VON KROSIGK M. & MCCORMICK D. A.* **483**, 641, 1995

see BAL T., VON KROSIGK M. & MCCORMICK D. A. **483**, 665, 1995

MCCREA D.A. *see GUERTIN P., ANGEL M. J., PERREAULT M.-C. & MCCREA D. A.* **487**, 197, 1995

see PERREAULT M.-C., ANGEL M. J., GUERTIN P. & MCCREA D. A. **487**, 211, 1995

MCCREA D. A., SHEFCHYK S. J., STEPHENS M. J. & PEARSON K. G. Disynaptic group I excitation of synergist ankle extensor motoneurones during fictive locomotion in the cat **487**, 527, 1995

MCCRIMMON D.R. *see ĐOGAŠ Z., STUTH E. A. E., HOPP F. A., MCCRIMMON D. R. & ZUPERKU E. J.* **487**, 639, 1995

MACDERMOTT A.B. *see KYROZIS A., GOLDSTEIN P. A., HEATH M. J. S. & MACDERMOTT A. B.* **485**, 373, 1995

MACDONALD J.F. *see WANG L.-Y. & MACDONALD J. F.* **486**, 83, 1995

MCDONALD J.N.

MCDONALD J. N. & LEVICK J. R. Effect of intra-articular hyaluronan on pressure–flow relation across synovium in anaesthetized rabbits **485**, 179, 1995

MCDONALD K.S.

MCDONALD K. S., FIELD L. J., PARMACEK M. S., SOONPAA M., LEIDEN J. M. & MOSS R. L. Length dependence of Ca^{2+} sensitivity of tension in mouse cardiac myocytes expressing skeletal troponin C **483**, 131, 1995

MACDONALD R.C. *see SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C.* **482**, 511, 1995

MACHEN T.E. *see FISCHER H., ILLEK B. & MACHEN T. E.* **489**, 745, 1995

MCINTYRE D. *see NEWHAM D. J., JONES D. A., TURNER D. L. & MCINTYRE D.* **488**, 815, 1995

MCKENZIE D.K. *see BUTLER J. E., MCKENZIE D. K., CRAWFORD M. R. & GANDEVIA S. C.* **487**, 273, 1995

MCKENZIE D.N.

MCKENZIE D. N., LENG G. & DYBALL R. E. J. Electrophysiological evidence for mutual excitation of oxytocin cells in the supraoptic nucleus of the rat hypothalamus **485**, 485, 1995

MACK G.

MACK G., NISHIYASU T. & SHI X. Baroreceptor modulation of cutaneous vasodilator and sudomotor responses to thermal stress in humans **483**, 537, 1995

MCKINNON D. *see WANG H.-S. & MCKINNON D.* **485**, 319, 1995

MACPHEE P.J.

MACPHEE P. J. & MICHEL C. C. Subatmospheric closing pressures in individual microvessels of rats and frogs **484**, 183, 1995

MACPHEE P. J. & MICHEL C. C. Fluid uptake from the renal medulla into the ascending vasa recta in anaesthetized rats **487**, 169, 1995

MCQUEEN D.S. *see DONALDSON L. F., MCQUEEN D. S. & SECKL J. R.* **486**, 473, 1995

MAGEE J.C.

MAGEE J. C. & JOHNSTON D. Characterization of single voltage-gated Na^+ and Ca^{2+} channels in apical dendrites of rat CA1 pyramidal neurons **487**, 67, 1995

MAHAUT-SMITH M.P.

MAHAUT-SMITH M. P. Calcium-activated potassium channels in human platelets **484**, 15, 1995

MAHY I.R.

MAHY I. R., TOOKE J. E. & SHORE A. C. Capillary pressure during and after incremental venous pressure elevation in man **485**, 213, 1995

MA J. *see SHIROKOVA N., GONZÁLEZ A., MA J., SHIROKOV R. & RÍOS E.* **486**, 385, 1995

MAKISUMI T. *see WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N.* **484**, 767, 1995

MALCHOW R.P. *see HAUGH-SCHEIDT L., MALCHOW R. P. & RIPPS H.* **488**, 565, 1995

MAMIN A.G. *see NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N.* **486**, 323, 1995

see NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. **486**, 339, 1995

MANABE K.

MANABE K., ITO H., MATSUDA H. & NOMA A. Hyperpolarization induced by vasoactive substances in intact guinea-pig endocardial endothelial cells **484**, 25, 1995

MANABE K., ITO H., MATSUDA H., NOMA A. & SHIBATA Y. Classification of ion channels in the luminal and abluminal membranes of guinea-pig endocardial endothelial cells **484**, 41, 1995

MANABE K., TAKANO M. & NOMA A. Non-selective cation current of guinea-pig endocardial endothelial cells **487**, 407, 1995

MANN G.E. *see SWEIRY J. H., SASTRE J., VIÑA J., ELSÄSSER H. P. & MANN G. E.* **485**, 167, 1995

see SOBREVIA L., CESARE P., YUDILEVICH D. L. & MANN G. E. **489**, 183, 1995

MAN S.F.P. *see DUSZYK M., LIU D., KAMOSINSKA B., FRENCH A. S. & MAN S. F. P.* **489**, 81, 1995

MA Q.-P.

MA Q.-P. & WOOLF C. J. Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones **486**, 769, 1995

MARCHENKO S.M. *see USACHEV Y. M., MARCHENKO S. M. & SAGE S. O.* **489**, 309, 1995

MARIN-GREZ M.

MARIN-GREZ M., VALLÉS P. & ODIGIE P. I. Involvement of renal kallikrein in the regulation of bicarbonate excretion in rats **488**, 163, 1995

MARKRAM H.

MARKRAM H., HELM P. J. & SAKMANN B. Dendritic calcium transients evoked by single back-propagating action potentials in rat neocortical pyramidal neurons **485**, 1, 1995

MAROTO R. *see MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G.* **486**, 427, 1995

MARSHALL J.M. *see LANGDOWN A. J. & MARSHALL J. M.* **482**, 669, 1995

see NEYLON M., MARSHALL J. M. & JOHNS E. J. **487**, 497, 1995

see THOMAS T. & MARSHALL J. M. **487**, 513, 1995

see MIAN R. & MARSHALL J. M. **489**, 225, 1995

MARTIN F.

MARTIN F. & SORIA B. Amino acid-induced $[Ca^{2+}]_i$ oscillations in single mouse pancreatic islets of Langerhans **486**, 361, 1995

MARTIN H.A. *see MURPHY P. R. & MARTIN H. A.* **482**, 167, 1995

MARTY A. *see LLANO I. & MARTY A.* **486**, 163, 1995

MASHALKAR V. *see WAKADE A. R., PRZYWARA D. A., BHAVE S. V., MASHALKAR V. & WAKADE T. D.* **488**, 587, 1995

MASON W.T. *see CAREW M. A. & MASON W. T.* **486**, 349, 1995

MASSFELDER T. *see ENDLICH K., MASSFELDER T., HELWIG J. J. & STEINHAUSEN M.* **483**, 481, 1995

MASUMURA S. *see HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S.* **489**, 841, 1995

MATHIAS C.J. *see SMITH G. D. P., WATSON L. P., PAVITT D. V. & MATHIAS C. J.* **484**, 255, 1995

MATHIASEN J.R. *see KIM D., SLADEK C. D., AGUADO-VELASCO C. & MATHIASEN J. R.* **484**, 643, 1995

MATSUDA H. *see MANABE K., ITO H., MATSUDA H. & NOMA A.* **484**, 25, 1995

see MANABE K., ITO H., MATSUDA H., NOMA A. & SHIBATA Y. **484**, 41, 1995

MATSUO R.

MATSUO R., IKEHARA A., NOKUBI T. & MORIMOTO T. Inhibitory effect of sympathetic stimulation on activities of masseter muscle spindles and the jaw jerk reflex in rats **483**, 239, 1995

MATTHEWS H.R.

MATTHEWS H. R. Effects of lowered cytoplasmic calcium concentration and light on the responses of salamander rod photoreceptors **484**, 267, 1995

MAUGHAN R.J. *see VIST G. E. & MAUGHAN R. J.* **486**, 523, 1995

MAWE G.M.

MAWE G. M. Tachykinins as mediators of slow EPSPs in guinea-pig gall bladder ganglia: involvement of neurokinin-3 receptors **485**, 513, 1995

MAYER M.L. *see BENVENISTE M. & MAYER M. L.* **483**, 367, 1995

MAZZOCCHIO R.

MAZZOCCHIO R., ROTHWELL J. C. & ROSSI A. Distribution of Ia effects onto human hand muscle motoneurones as revealed using an H reflex technique **489**, 263, 1995

MEDINA I.

MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P. Calcium-dependent inactivation of heteromeric NMDA receptor–channels expressed in human embryonic kidney cells **482**, 567, 1995

MEIRI H. *see CHERKI-VAKIL R., GINSBURG S. & MEIRI H.* **482**, 641, 1995

MEISSNER G. *see SCHIEFER A., MEISSNER G. & ISENBERG G.* **489**, 337, 1995

MEI Y.A.

MEI Y. A., LOUISET E., VAUDRY H. & CAZIN L. A-type potassium current modulated by A_1 adenosine receptor in frog melanotrophs **489**, 431, 1995

MELVIN J.E. *see ARREOLA J., MELVIN J. E. & BEGENISICH T.* **484**, 677, 1995

MELZER W. *see SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F.* **483**, 299, 1995

see FELDMEYER D., ZÖLLNER P., POHL B. & MELZER W. **487**, 51, 1995

MENNERICK S.

MENNERICK S. & ZORUMSKI C. F. Paired-pulse modulation of fast excitatory synaptic currents in microcultures of rat hippocampal neurons **488**, 85, 1995

MENTZER R.M. *see STRANG K. T., MENTZER R. M. & MOSS R. L.* **486**, 679, 1995

MERLET-BÉNICHOU C. *see EUZET S., LELIÈVRE-PÉGORIER M. & MERLET-BÉNICHOU C.* **488**, 449, 1995

MERZ D.C. *see CATARSI S., CHING S., MERZ D. C. & DRAPEAU P.* **485**, 775, 1995

MESSMER K. *see CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K.* **487**, 259, 1995

METZGER J.M.

METZGER J. M., RUDNICKI M. A. & WESTFALL M. V. Altered Ca^{2+} sensitivity of tension in single skeletal muscle fibres from *MyoD* gene-inactivated mice **485**, 447, 1995

MEYER R.A. *see TREEDE R.-D., MEYER R. A., RAJA S. N. & CAMPBELL J. N.* **483**, 747, 1995

see TILLMAN D.-B., TREEDE R.-D., MEYER R. A. & CAMPBELL J. N. **485**, 753, 1995

see TILLMAN D.-B., TREEDE R.-D., MEYER R. A. & CAMPBELL J. N. **485**, 767, 1995

MIAN R.

MIAN R. & MARSHALL J. M. The role of adenosine in mediating vasodilatation in mesenteric circulation of the rat in acute and chronic hypoxia **489**, 225, 1995

MICHEL C.C. *see MACPHEE P. J. & MICHEL C. C.* **484**, 183, 1995

see MACPHEE P. J. & MICHEL C. C. **487**, 169, 1995

see NEAL C. R. & MICHEL C. C. **488**, 427, 1995

MICHEL R.N. *see JASMIN B. J., CAMPBELL R. J. & MICHEL R. N.* **484**, 155, 1995

MIKI H. *see OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K.* **486**, 495, 1995

MILEDI R. *see ARELLANO R. O., WOODWARD R. M. & MILEDI R.* **484**, 593, 1995

see ARELLANO R. O. & MILEDI R. **488**, 351, 1995

MILES R. *see PONCER J.-C., SHINOZAKI H. & MILES R.* **485**, 121, 1995

MILES T.S.

MILES T. S., POLIAKOV A. V. & NORDSTROM M. A. Responses of human masseter motor units to stretch **483**, 251, 1995

MILLA P.J. *see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G.* **487**, 773, 1995

MILLER L.E.

MILLER L. E. & HOUK J. C. Motor co-ordinates in primate red nucleus: preferential relation to muscle activation *versus* kinematic variables **488**, 533, 1995

MILLER R.J. *see TOTH P. T. & MILLER R. J.* **485**, 43, 1995

MILLER S.S. *see BIALEK S., JOSEPH D. P. & MILLER S. S.* **484**, 53, 1995

MILLER S.-M. *see DIMALINE R., MILLER S.-M., EVANS D., NOBLE P.-J., BROWN P. & POAT J. A.* **488**, 493, 1995

MILLS K.R.
MILLS K. R. & SCHUBERT M. Short term synchronization of human motor units and their responses to transcranial magnetic stimulation **483**, 511, 1995

MINI E. *see ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E.* **489**, 455, 1995

MITROVIĆ N.
MITROVIĆ N., GEORGE A. L. JR, LERCHE H., WAGNER S., FAHLKE CH. & LEHMANN-HORN F. Different effects on gating of three myotonia-causing mutations in the inactivation gate of the human muscle sodium channel **487**, 107, 1995

MITSUIYE T.
MITSUIYE T. & NOMA A. Inactivation of the cardiac Na^+ channels in guinea-pig ventricular cells through the open state **485**, 581, 1995

MIYAGI Y.
MIYAGI Y., KOBAYASHI S., NISHIMURA J., FUKUI M. & KANAIDE H. Resting load regulates cytosolic calcium–force relationship of the contraction of bovine cerebovascular smooth muscle **484**, 123, 1995

MIYAZAKI T. *see WU S. Y., MIYAZAKI T. & DUN N. J.* **483**, 385, 1995

MIZUSAWA A. *see OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K.* **486**, 495, 1995
MIZUSAWA A., OGAWA H., KIKUCHI Y., HIDA W. & SHIRATO K. Role of the parabrachial nucleus in ventilatory responses of awake rats **489**, 877, 1995

MODNEY B. *see DAVID G., MODNEY B., SCAPPATICCI K. A., BARRETT J. N. & BARRETT E. F.* **489**, 141, 1995

MONTIEL C.
MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G. Contribution of SK and BK channels in the control of catecholamine release by electrical stimulation of the cat adrenal gland **486**, 427, 1995

MOODY W.J. *see VILLAZ M., CINNIGER J. C. & MOODY W. J.* **488**, 689, 1995

MOORE P.J. *see GIUSSANI D. A., MOORE P. J., BENNET L., SPENCER J. A. D. & HANSON M. A.* **486**, 249, 1995

MOOSAVI S.H. *see WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A.* **482**, 713, 1995

MOOS F.C.
MOOS F. C. GABA-induced facilitation of the periodic bursting activity of oxytocin neurones in suckled rats **488**, 103, 1995

MORAD M. *see SHAM J. S. K., HATEM S. N. & MORAD M.* **488**, 623, 1995

MORALES M.J. *see RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C.* **489**, 709, 1995

MORIMOTO T. *see MATSUO R., IKEHARA A., NOKUBI T. & MORIMOTO T.* **483**, 239, 1995

MORIN-SURUN M.P.
MORIN-SURUN M. P., BOUDINOT E., SCHÄFER T. & DENAVIT-SAUBIÉ M. Localization of chemosensitive structures in the isolated brainstem of adult guinea-pig **485**, 203, 1995

MORIN X.K.
MORIN X. K., BOND T. D., LOO T. W., CLARKE D. M. & BEAR C. E. Failure of P-glycoprotein (MDR1) expressed in *Xenopus* oocytes to produce swelling-activated chloride channel activity **486**, 707, 1995

MORISHIMA S. *see KAJITA H., MORISHIMA S., SHIRAKATA Y., KOTERA T., UEDA S., OKUMA M. & OKADA Y.* **488**, 57, 1995

MORITA H.
MORITA H., KIMURA J. & ENDOH M. Angiotensin II activation of a chloride current in rabbit cardiac myocytes **483**, 119, 1995
see SHINDO M., YANAGAWA S., MORITA H. & YANAGISAWA N. **489**, 275, 1995

MORRISON S.F. *see DEUCHARS S. A., MORRISON S. F. & GILBEY M. P.* **487**, 453, 1995

MORSE S.E. *see KOTULAK J. C., MORSE S. E. & BILLOCK V. A.* **482**, 697, 1995

MOSS R.L. *see MCDONALD K. S., FIELD L. J., PARMACEK M. S., SOONPAA M., LEIDEN J. M. & MOSS R. L.* **483**, 131, 1995
see STRANG K. T., MENTZER R. M. & MOSS R. L. **486**, 679, 1995

MOZHAYEVA G.N. *see NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N.* **486**, 323, 1995
see NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. **486**, 339, 1995

MUCIGNAT-CARETTA C.
MUCIGNAT-CARETTA C., CARETTA A. & CAVAGGIONI A. Acceleration of puberty onset in female mice by male urinary proteins **486**, 517, 1995

MÜHLETHALER M. *see KHATEB A., FORT P., SERAFIN M., JONES B. E. & MÜHLETHALER M.* **487**, 623, 1995

MULVANY M.J. *see FENGER-GRON J., MULVANY M. J. & CHRISTENSEN K. L.* **488**, 753, 1995

MUNARON L.
MUNARON L., DISTASI C., CARABELLI V., BACCINO F. M., BONELLI G. & LOVISOLO D. Sustained calcium influx activated by basic fibroblast growth factor in Balb-c 3T3 fibroblasts **484**, 557, 1995

MURAKAMI F. *see SONG W.-J., OKAWA K., KANDA M. & MURAKAMI F.* **488**, 419, 1995

MURAKAMI N. *see WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N.* **484**, 767, 1995

MURASE S. *see INUI K., NOMURA J., MURASE S. & NOSAKA S.* **488**, 521, 1995

MURPHY K. *see CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A.* **488**, 77, 1995
see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

MURPHY M.E.
MURPHY M. E. & BRAYDEN J. E. Nitric oxide hyperpolarizes rabbit mesenteric arteries via ATP-sensitive potassium channels **486**, 47, 1995
MURPHY M. E. & BRAYDEN J. E. Apamin-sensitive K^+ channels mediate an endothelium-dependent hyperpolarization in rabbit mesenteric arteries **489**, 723, 1995

MURPHY P.R.
MURPHY P. R. & MARTIN H. A. Fusimotor neurone responses to medial plantar nerve stimulation in the decerebrate cat **482**, 167, 1995

MURPHY R.A. *see WINGARD C. J., BROWNE A. K. & MURPHY R. A.* **488**, 729, 1995

NABEKURA J.
NABEKURA J., UENO S., OGAWA T. & AKAIKE N. Colocalization of ATP and nicotinic ACh receptors in the identified vagal preganglionic neurone of rat **489**, 519, 1995

NAFTALIN R.J.
NAFTALIN R. J., ZAMMIT P. S. & PEDLEY K. C. Concentration polarization of fluorescent dyes in rat descending colonic crypts: evidence of crypt fluid absorption **487**, 479, 1995

NAGASAKA T. *see SHIDO O., SAKURADA S., SUGIMOTO N. & NAGASAKA T.* **483**, 491, 1995

NAGATOMO T.
NAGATOMO T., INENAGA K. & YAMASHITA H. Transient outward current in adult rat supraoptic neurones with slice patch-clamp technique: inhibition by angiotensin II **485**, 87, 1995

NAGAYA N.
NAGAYA N. & HERRERA A. A. Effects of testosterone on synaptic efficacy at neuromuscular junctions in a sexually dimorphic muscle of male frogs **483**, 141, 1995

NAGEL W. *see KATZ U. & NAGEL W.* **489**, 105, 1995

NAKAMORI T. *see WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N.* **484**, 767, 1995

NAKAMURA A. *see NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H.* **489**, 869, 1995

NAKAMURA S. *see WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N.* **484**, 767, 1995

NAKANISHI K.
NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. Effects of hypobaric hypoxia on antioxidant enzymes in rats **489**, 869, 1995

NAKATANI K.
NAKATANI K., KOUTALOS Y. & YAU K.-W. Ca^{2+} modulation of the cGMP-gated channel of bullfrog retinal rod photoreceptors **484**, 69, 1995

NAKAYAMA S.
NAKAYAMA S. & NOMURA H. Mechanisms of intracellular Mg^{2+} regulation affected by amiloride and ouabain in the guinea-pig taenia caeci **488**, 1, 1995

NAKAZAWA K.
NAKAZAWA K., INOUE K., WATANO T., KOIZUMI S. & INOUE K. Zinc potentiation of neurotransmission and inhibition of background cationic conductance in rat cultured hippocampal neurones **484**, 447, 1995

NARDONE A. *see CORNA S., GRASSO M., NARDONE A. & SCHIEPPATI M.* **484**, 803, 1995

see SCHIEPPATI M. & NARDONE A. **487**, 787, 1995

NASSAB P.F. *see* PAYDARFAR D., GILBERT R. J., POPPEL C. S. & NASSAB P. F. **483**, 273, 1995

NATTEL S. *see* LI G.-R., FENG J., SHRIER A. & NATTEL S. **484**, 629, 1995

NAUMOV A.P.

NAUMOV A. P., KAZNACHEYEVA E. V., KISELYOV K. I., KURYSHEV Y. A., MAMIN A. G. & MOZHAYEVA G. N. ATP-activated inward current and calcium-permeable channels in rat macrophage plasma membranes **486**, 323, 1995

NAUMOV A. P., KISELYOV K. I., MAMIN A. G., KAZNACHEYEVA E. V., KURYSHEV Y. A. & MOZHAYEVA G. N. ATP-operated calcium-permeable channels activated via a guanine nucleotide-dependent mechanism in rat macrophages **486**, 339, 1995

NEAL C.R.

NEAL C. R. & MICHEL C. C. Transcellular gaps in microvascular walls of frog and rat when permeability is increased by perfusion with the ionophore A23187 **488**, 427, 1995

NEAL M.J.

NEAL M. J. & CUNNINGHAM J. R. Baclofen enhancement of acetylcholine release from amacrine cells in the rabbit retina by reducing glycinergic inhibition **482**, 363, 1995

NEDERGAARD J. *see* KOIVISTO A. & NEDERGAARD J. **486**, 59, 1995

NEELY A. *see* HERRINGTON J., SOLARO C. R., NEELY A. & LINGLE C. J. **485**, 297, 1995

NEGRETTI N.

NEGRETTI N., VARRO A. & EISNER D. A. Estimate of net calcium fluxes and sarcoplasmic reticulum calcium content during systole in rat ventricular myocytes **486**, 581, 1995

NEHER E. *see* LÓPEZ M. G., ARTALEJO A. R., GARCÍA A. G., NEHER E. & GARCÍA-SANCHO J. **482**, 15, 1995

see BURNASHEV N., ZHOU Z., NEHER E. & SAKMANN B. **485**, 403, 1995

NEILD T.O. *see* KOTECHA N. & NEILD T. O. **482**, 661, 1995

see KOTECHA N. & NEILD T. O. **489**, 849, 1995

NEVILL A.M. *see* BOGDANIS G. C., NEVILL M. E., BOOBIS L. H., LAKOMY H. K. A. & NEVILL A. M. **482**, 467, 1995

NEVILL M.E. *see* BOGDANIS G. C., NEVILL M. E., BOOBIS L. H., LAKOMY H. K. A. & NEVILL A. M. **482**, 467, 1995

NEVO Z. *see* DASCALU A., ORON Y., NEVO Z. & KORENSTEIN R. **486**, 97, 1995

NEWHAM D.J.

NEWHAM D. J., JONES D. A., TURNER D. L. & MCINTYRE D. The metabolic costs of different types of contractile activity of the human adductor pollicis muscle **488**, 815, 1995

NEWLAND C.F.

NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J. Functional and non-functional isoforms of the human muscle acetylcholine receptor **489**, 767, 1995

NEWSOM-DAVIS J. *see* NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J. **489**, 767, 1995

NEYLON M.

NEYLON M., MARSHALL J. M. & JOHNS E. J. The effects of systemic hypoxia on renal function in the anaesthetized rat **487**, 497, 1995

NIEBER K.

NIEBER K., SEVCIK J. & ILLES P. Hypoxic changes in rat locus coeruleus neurons *in vitro* **486**, 33, 1995

NIELSEN J.

NIELSEN J. & PETERSEN N. Changes in the effect of magnetic brain stimulation accompanying voluntary dynamic contraction in man **484**, 777, 1995

NIELSEN J., PETERSEN N. & BALLEGAARD M. Latency of effects evoked by electrical and magnetic brain stimulation in lower limb motoneurones in man **484**, 791, 1995

NIELSEN J. & PETERSEN N. Evidence favouring different descending pathways to soleus motoneurones activated by magnetic brain stimulation in man **486**, 779, 1995

NIGGLI E. *see* TRAFFORD A. W., LIPP P., O'NEILL S. C., NIGGLI E. & EISNER D. A. **489**, 319, 1995

NILIUS B.

NILIUS B., SEHRER J., DE SMET P., VAN DRIESSCHE W. & DROOGMANS G. Volume regulation in a toad epithelial cell line: role of coactivation of K^+ and Cl^- channels **487**, 367, 1995

NISHIMURA J. *see* MIYAGI Y., KOBAYASHI S., NISHIMURA J., FUKUI M. & KANAIDE H. **484**, 123, 1995

NISHI S. *see* YOSHIMURA M. & NISHI S. **482**, 29, 1995

NISHIYASU T. *see* MACK G., NISHIYASU T. & SHI X. **483**, 537, 1995

NISSEN R.

NISSEN R., HU B. & RENAUD L. P. Regulation of spontaneous phasic firing of rat supraoptic vasopressin neurones *in vivo* by glutamate receptors **484**, 415, 1995

NIXON G.F.

NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V. Phosphorylation of caldesmon by mitogen-activated protein kinase with no effect on Ca^{2+} sensitivity in rabbit smooth muscle **487**, 283, 1995

NIZZARI M. *see* SESTI F., EISMANN E., KAUPP U. B., NIZZARI M. & TORRE V. **487**, 17, 1995

NOBLE P.-J. *see* DIMALINE R., MILLER S.-M., EVANS D., NOBLE P.-J., BROWN P. & POAT J. A. **488**, 493, 1995

NODA M. *see* HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. **482**, 317, 1995

NOHMI M. *see* YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K. **486**, 177, 1995

NOKUBI T. *see* MATSUO R., IKEHARA A., NOKUBI T. & MORIMOTO T. **483**, 239, 1995

NOMA A. *see* GUO J., ONO K. & NOMA A. **483**, 1, 1995

see MANABE K., ITO H., MATSUDA H. & NOMA A. **484**, 25, 1995

see MANABE K., ITO H., MATSUDA H., NOMA A. & SHIBATA Y. **484**, 41, 1995

see MITSUIYE T. & NOMA A. **485**, 581, 1995

see MANABE K., TAKANO M. & NOMA A. **487**, 407, 1995

NOMURA H. *see* NAKAYAMA S. & NOMURA H. **488**, 1, 1995

NOMURA J. *see* INUI K., NOMURA J., MURASE S. & NOSAKA S. **488**, 521, 1995

NORDIN M. *see* HAGBARTH K.-E., NORDIN M. & BONGIOVANNI L. G. **482**, 215, 1995

see HAGBARTH K.-E., BONGIOVANNI L. G. & NORDIN M. **485**, 865, 1995

NORDIN M. & FAGIUS J. Effect of noxious stimulation on sympathetic vasoconstrictor outflow to human muscles **489**, 885, 1995

NORDSTROM M.A. *see* MILES T. S., POLIAKOV A. V. & NORDSTROM M. A. **483**, 251, 1995

NOSAKA S. *see* INUI K., NOMURA J., MURASE S. & NOSAKA S. **488**, 521, 1995

NOVAK K. *see* ZHANG Y., NOVAK K. & KAUFMAN S. **488**, 509, 1995

O'BYRNE P.M. *see* STEVENS W. H. M., CONLON P. D. & O'BYRNE P. M. **486**, 257, 1995

O'CONNOR D.F. *see* CLEMENT I. D., PANDIT J. J., BASCOM D. A., DORRINGTON K. L., O'CONNOR D. F. & ROBBINS P. A. **485**, 561, 1995

ODA-OHMAE K. *see* KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. **488**, 65, 1995

ODIGIE P.I. *see* MARIN-GREZ M., VALLÉS P. & ODIGIE P. I. **488**, 163, 1995

OGAWA H.

OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K. Nitric oxide as a retrograde messenger in the nucleus tractus solitarii of rats during hypoxia **486**, 495, 1995

see MIZUSAWA A., OGAWA H., KIKUCHI Y., HIDA W. & SHIRATO K. **489**, 877, 1995

OGAWA T. *see* NABEKURA J., UENO S., OGAWA T. & AKAIKE N. **489**, 519, 1995

OGDEN D. *see* KHODAKHAH K. & OGDEN D. **487**, 343, 1995

OGUNYEMI D. *see* KOOS B. J., CHAU A. & OGUNYEMI D. **488**, 761, 1995

OHASHI H. *see* UNNO T., KOMORI S. & OHASHI H. **484**, 567, 1995

OHNO H. *see* NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

OKADA Y. *see* KAJITA H., MORISHIMA S., SHIRAKATA Y., KOTERA T., UEDA S., OKUMA M. & OKADA Y. **488**, 57, 1995

see KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. **488**, 65, 1995

OKAMOTO H. *see* HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. **482**, 317, 1995

OKAWA K. *see* SONG W.-J., OKAWA K., KANDA M. & MURAKAMI F. **488**, 419, 1995

OKA Y.

OKA Y. Tetrodotoxin-resistant persistent Na^+ current underlying pacemaker potentials of fish gonadotrophin-releasing hormone neurones **482**, 1, 1995

OKA Y. Erratum: *Journal of Physiology* **482**, 1–6 **483**, 811, 1995

Okuma M. *see* Kajita H., Morishima S., Shirakata Y., Kotera T., Ueda S., Okuma M. & Okada Y. **488**, 57, 1995

see Kajita H., Kotera T., Shirakata Y., Ueda S., Okuma M., Oda-Ohmae K., Takimoto M., Urade Y. & Okada Y. **488**, 65, 1995

Olausson H. *see* Vallbo Å. B., Olausson H., Wessberg J. & Kakuda N. **483**, 783, 1995

Olievier C. *see* Teppema L., Berkenbosch A., DeGoede J. & Olievier C. **488**, 767, 1995

Olievier I. *see* Dahan A., Berkenbosch A., DeGoede J., van den Elsen M., Olievier I. & van Kleef J. **488**, 803, 1995

Olivier E.

Olivier E., Grantyn A., Kitama T. & Berthoz A. Post-spike facilitation of neck EMG by cat tectoreticulospinal neurones during orienting movements **482**, 455, 1995

Olivier E., Bawa P. & Lemon R. N. Excitability of human upper limb motoneurones during rhythmic discharge tested with transcranial magnetic stimulation **485**, 257, 1995

see Baker S. N., Olivier E. & Lemon R. N. **488**, 795, 1995

Olivotto M. *see* Arcangeli A., Bianchi L., Becchetti A., Faravelli L., Coronnello M., Mini E., Olivotto M. & Wanke E. **489**, 455, 1995

Olsen M. *see* Bangsbo J., Aagaard T., Olsen M., Kiens B., Turcotte L. P. & Richter E. A. **488**, 219, 1995

Onaka T.

Onaka T., Luckman S. M., Guevara-Guzman R., Ueta Y., Kendrick K. & Leng G. Presynaptic actions of morphine: blockade of cholecystokinin-induced noradrenaline release in the rat supraoptic nucleus **482**, 69, 1995

O'Neill S. C. *see* Trafford A. W., Díaz M. E., O'Neill S. C. & Eisner D. A. **488**, 577, 1995

see Trafford A. W., Lipp P., O'Neill S. C., Niggli E. & Eisner D. A. **489**, 319, 1995

Ono K. *see* Guo J., Ono K. & Noma A. **483**, 1, 1995

Ookawara T. *see* Nakanishi K., Tajima F., Nakamura A., Yagura S., Ookawara T., Yamashita H., Suzuki K., Taniguchi N. & Ohno H. **489**, 869, 1995

Orban G. A. *see* Schoups A. A., Vogels R. & Orban G. A. **483**, 797, 1995

Orchard C. H. *see* White E., Boyett M. R. & Orchard C. H. **482**, 93, 1995

Ordway R. W.

Ordway R. W., Petrou S., Kirber M. T., Walsh J. V. Jr & Singer J. J. Stretch activation of a toad smooth muscle K^+ channel may be mediated by fatty acids **484**, 331, 1995

Orkand R. K.

Orkand R. K. & Thomas R. C. Effects of low doses of caffeine on $[Ca^{2+}]_i$ in voltage-clamped snail (*Helix aspersa*) neurones **489**, 19, 1995

Oron Y. *see* Dascalu A., Oron Y., Nevo Z. & Korenstein R. **486**, 97, 1995

Ortega E. *see* Forner M. A., Barriga C., Rodriguez A. B. & Ortega E. **488**, 789, 1995

O'Shaughnessy T. J. *see* Viglione M. P., O'Shaughnessy T. J. & Kim Y. I. **488**, 303, 1995

Osipenko O. N. *see* Várnai P., Osipenko O. N., Vizi E. S. & Spät A. **483**, 67, 1995

Österman Å.

Österman Å. & Arner A. Effects of inorganic phosphate on cross-bridge kinetics at different activation levels in skinned guinea-pig smooth muscle **484**, 369, 1995

Otis T. S.

Otis T. S., Raman I. M. & Trussell L. O. AMPA receptors with high Ca^{2+} permeability mediate synaptic transmission in the avian auditory pathway **482**, 309, 1995

Otsuka M. *see* Kurihara T., Yoshioka K. & Otsuka M. **485**, 787, 1995

Owen V. J. *see* Fryer M. W., Owen V. J., Lamb G. D. & Stephenson D. G. **482**, 123, 1995

Owyang C. *see* Takahashi T. & Owyang C. **484**, 481, 1995

Ozil J. P.

Ozil J. P. & Swann K. Stimulation of repetitive calcium transients in mouse eggs **483**, 331, 1995

Pacaud P.

Pacaud P. & Loirand G. Release of Ca^{2+} by noradrenaline and ATP from the same Ca^{2+} store sensitive to both $InsP_3$ and Ca^{2+} in rat portal vein myocytes **484**, 549, 1995

Paintal A. S. *see* Raj H., Singh V. K., Anand A. & Paintal A. S. **482**, 235, 1995

Pallotta B. S. *see* Kleckner N. W. & Pallotta B. S. **486**, 411, 1995

Palmer K. C. *see* Wakade T. D., Palmer K. C., McCauley R., Przywara D. A. & Wakade A. R. **488**, 123, 1995

Pandit J. J. *see* Clement I. D., Pandit J. J., Bascom D. A., Dorrington K. L., O'Connor D. F. & Robbins P. A. **485**, 561, 1995

Pang Y.-W. *see* Tsugeno M., Huang S.-M., Pang Y.-W., Chowdhury J. U. & Tomita T. **485**, 493, 1995

Panten U. *see* Chow R. H., Lund P.-E., Löser S., Panten U. & Gylfe E. **485**, 607, 1995

Pappano A. *see* Sipido K. R., Carmeliet E. & Pappano A. **489**, 1, 1995

Papp Z.

Papp Z., Sipido K. R., Callewaert G. & Carmeliet E. Two components of $[Ca^{2+}]_i$-activated Cl^- current during large $[Ca^{2+}]_i$ transients in single rabbit heart Purkinje cells **483**, 319, 1995

Parekh A. B.

Parekh A. B. & Penner R. Activation of store-operated calcium influx at resting $InsP_3$ levels by sensitization of the $InsP_3$ receptor in rat basophilic leukaemia cells **489**, 377, 1995

Parikh S. *see* Warner A., Clements D. K., Parikh S., Evans W. H. & DeHaan R. L. **488**, 721, 1995

Parker I. *see* Yao Y., Choi J. & Parker I. **482**, 533, 1995

Parkington H. C.

Parkington H. C., Tonta M. A., Coleman H. A. & Tare M. Role of membrane potential in endothelium-dependent relaxation of guinea-pig coronary arterial smooth muscle **484**, 469, 1995

Parmacek M. S. *see* McDonald K. S., Field L. J., Parmacek M. S., Soonpaa M., Leiden J. M. & Moss R. L. **483**, 131, 1995

Pate E.

Pate E., Bhimani M., Franks-Skiba K. & Cooke R. Reduced effect of pH on skinned rabbit psoas muscle mechanics at high temperatures: implications for fatigue **486**, 689, 1995

Patil R. D. *see* DiCarlo S. E., Patil R. D., Collins H. L. & Chen C.-Y. **485**, 817, 1995

Paton J. F. R.

Paton J. F. R. & Richter D. W. Role of fast inhibitory synaptic mechanisms in respiratory rhythm generation in the maturing mouse **484**, 505, 1995

Patrick S. K. *see* De Serres S. J., Yang J. F. & Patrick S. K. **488**, 249, 1995

Paupardin-Tritsch D. *see* Golowasch J., Paupardin-Tritsch D. & Gerschenfeld H. M. **485**, 21, 1995

Pavitt D. V. *see* Smith G. D. P., Watson L. P., Pavitt D. V. & Mathias C. J. **484**, 255, 1995

Paydarfar D.

Paydarfar D., Gilbert R. J., Poppel C. S. & Nassab P. F. Respiratory phase resetting and airflow changes induced by swallowing in humans **483**, 273, 1995

Pearce R. A.

Pearce R. A., Grunder S. D. & Faucher L. D. Different mechanisms for use-dependent depression of two $GABA_A$-mediated IPSCs in rat hippocampus **484**, 425, 1995

Pearce R. J.

Pearce R. J. & Duchen M. R. Electrophysiological and metabolic effects of a convulsant barbiturate on dissociated mouse primary sensory neurons **483**, 407, 1995

Pearson H. A.

Pearson H. A., Sutton K. G., Scott R. H. & Dolphin A. C. Characterization of Ca^{2+} channel currents in cultured rat cerebellar granule neurones **482**, 493, 1995

Pearson K. G. *see* McCrea D. A., Shefchyk S. J., Stephens M. J. & Pearson K. G. **487**, 527, 1995

Pedley K. C. *see* Naftalin R. J., Zammit P. S. & Pedley K. C. **487**, 479, 1995

Peers C. *see* Wyatt C. N. & Peers C. **483**, 559, 1995

Pénicaud A. *see* Aymard C., Chia L., Katz R., Lafitte C. & Pénicaud A. **487**, 221, 1995

Penner R. *see* Fleig A. & Penner R. **489**, 41, 1995

see Parekh A. B. & Penner R. **489**, 377, 1995

Pepper D. R.

Pepper D. R., Landauer R. C. & Kumar P. Postnatal development of CO_2–O_2 interaction in the rat carotid body *in vitro* **485**, 531, 1995

see Landauer R. C., Pepper D. R. & Kumar P. **485**, 543, 1995

Peral M. J.

Peral M. J. & Ilundáin A. A. Proton conductance and intracellular pH recovery from an acid load in chicken enterocytes **484**, 165, 1995

PERREAULT M.-C. *see* GUERTIN P., ANGEL M. J., PERREAULT M.-C. & MCCREA D. A. **487**, 197, 1995

PERREAULT M.-C., ANGEL M. J., GUERTIN P. & MCCREA D. A. Effects of stimulation of hindlimb flexor group II afferents during fictive locomotion in the cat **487**, 211, 1995

PERRIER J.-F. *see ZYTNICKI D., LAFLEUR J., KOUCHTIR N. & PERRIER J.-F.* **487**, 761, 1995

PERRINS R.

PERRINS R. & ROBERTS A. Cholinergic and electrical synapses between synergistic spinal motoneurones in the *Xenopus laevis* embryo **485**, 135, 1995

PERSSON P.B. *see EHMKE H., JUST A., ECKARDT K.-U., PERSSON P. B., BAUER C. & KIRCHHEIM H. R.* **488**, 181, 1995

see JUST A., WAGNER C. D., EHMKE H., KIRCHHEIM H. R. & PERSSON P. B. **489**, 215, 1995

PETER K. *see CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K.* **487**, 259, 1995

PETERSEN N. *see NIELSEN J. & PETERSEN N.* **484**, 777, 1995

see NIELSEN J., PETERSEN N. & BALLEGAARD M. **484**, 791, 1995

see NIELSEN J. & PETERSEN N. **486**, 779, 1995

PETROU S. *see ORDWAY R. W., PETROU S., KIRBER M. T., WALSH J. V. JR & SINGER J. J.* **484**, 331, 1995

PHENNA S.

PHENNA S., JANE S. D. & CHAD J. E. Increased perinuclear Ca^{2+} activity evoked by metabotropic glutamate receptor activation in rat hippocampal neurones **486**, 149, 1995

PHIPPS M.C. *see KARUNANITHI S., PHIPPS M. C., ROBINSON J. & BENNETT M. R.* **489**, 171, 1995

PICONES A.

PICONES A. & KORENBROT J. I. Spontaneous, ligand-independent activity of the cGMP-gated ion channels in cone photoreceptors of fish **485**, 699, 1995

PLATA-SALAMÁN C.R. *see COSTA A.-M. N., SPENCE K. T., PLATA-SALAMÁN C. R. & FFRENCH-MULLEN J. M. H.* **487**, 291, 1995

POAT J.A. *see DIMALINE R., MILLER S.-M., EVANS D., NOBLE P.-J., BROWN P. & POAT J. A.* **488**, 493, 1995

POHL B. *see FELDMEYER D., ZÖLLNER P., POHL B. & MELZER W.* **487**, 51, 1995

POLIAKOV A.V. *see MILES T. S., POLIAKOV A. V. & NORDSTROM M. A.* **483**, 251, 1995

PONCER J.-C.

PONCER J.-C., SHINOZAKI H. & MILES R. Dual modulation of synaptic inhibition by distinct metabotropic glutamate receptors in the rat hippocampus **485**, 121, 1995

POPPEL C.S. *see PAYDARFAR D., GILBERT R. J., POPPEL C. S. & NASSAB P. F.* **483**, 273, 1995

PORTALIER P. *see HAMANN M., CHAMOIN M. C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C. R. & TERNAUX J. P.* **489**, 791, 1995

POTMA E.J.

POTMA E. J., STIENEN G. J. M., BARENDS J. P. F. & ELZINGA G. Erratum: *Journal of Physiology* **474**, 303–317 **483**, 811, 1995

POTT L. *see BÜNEMANN M. & POTT L.* **482**, 81, 1995

see BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L. **489**, 701, 1995

POULAIN D.A. *see VOISIN D. L., HERBISON A. E. & POULAIN D. A.* **483**, 211, 1995

see VOISIN D. L., HERBISON A. E. & POULAIN D. A. **485**, 873, 1995

POULTER M.O. *see SERAFINI R., VALEYEV A. Y., BARKER J. L. & POULTER M. O.* **488**, 371, 1995

POWELL L. *see AL-ANI M., POWELL L., WEST J., TOWNEND J. & COOTE J. H.* **489**, 603, 1995

POWELL T. *see WRIGHT A. R., REES S. A., VANDENBERG J. I., TWIST V. W. & POWELL T.* **488**, 293, 1995

POYNER D.R. *see GOSLING M., SMITH J. W. & POYNER D. R.* **485**, 671, 1995

PRABHAKAR E.

PRABHAKAR E. & LAWSON S. N. The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity **482**, 609, 1995

PRESTON M.R. *see PUBLICOVER S. J., PRESTON M. R. & EL HAJ A. J.* **489**, 649, 1995

PRIES A.R. *see FRIEBEL M., KLOTZ K. F., LEY K., GAEHTGENS P. & PRIES A. R.* **483**, 715, 1995

PROCTOR D.N. *see DYKE C. K., PROCTOR D. N., DIETZ N. M. & JOYNER M. J.* **488**, 259, 1995

PROCTOR G.B. *see ANDERSON L. C., GARRETT J. R., ZHANG X., PROCTOR G. B. & SHORI D. K.* **485**, 503, 1995

PROKS P.

PROKS P. & ASHCROFT F. M. Effects of divalent cations on exocytosis and endocytosis from single mouse pancreatic β-cells **487**, 465, 1995

PRZYWARA D.A. *see WAKADE T. D., PALMER K. C., MCCAULEY R., PRZYWARA D. A. & WAKADE A. R.* **488**, 123, 1995

see WAKADE A. R., PRZYWARA D. A., BHAVE S. V., MASHALKAR V. & WAKADE T. D. **488**, 587, 1995

PUBLICOVER S.J.

PUBLICOVER S. J., PRESTON M. R. & EL HAJ A. J. Voltage-dependent potentiation of low-voltage-activated Ca^{2+} channel currents in cultured rat bone marrow cells **489**, 649, 1995

PUIZILLOUT J.J. *see DUCREUX C. & PUIZILLOUT J. J.* **486**, 439, 1995

PURI T. *see SHISTIK E., IVANINA T., PURI T., HOSEY M. & DASCAL N.* **489**, 55, 1995

PURO D.G.

PURO D. G. & STUENKEL E. L. Thrombin-induced inhibition of potassium currents in human retinal glial (Müller) cells **485**, 337, 1995

QIU R. *see SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C.* **482**, 511, 1995

QUEVEDO J.

QUEVEDO J., EGUIBAR J. R., JIMÉNEZ I. & RUDOMIN P. Raphe magnus and reticulospinal actions on primary afferent depolarization of group I muscle afferents in the cat **482**, 623, 1995

RAAYMAKERS J.S.H. *see VAN HALL G., RAAYMAKERS J. S. H., SARIS W. H. M. & WAGENMAKERS A. J. M.* **486**, 789, 1995

RADEMAKER A.C.H.J. *see ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J.* **488**, 211, 1995

RAFTOS J.E.

RAFTOS J. E. & LEW V. L. Effect of intracellular magnesium on calcium extrusion by the plasma membrane calcium pump of intact human red cells **489**, 63, 1995

RAHAMIMOFF R. *see YAKIR N. & RAHAMIMOFF R.* **485**, 683, 1995

RAITHEL P. *see CHRIST F., RAITHEL P., GARTSIDE I. B., GAMBLE J., PETER K. & MESSMER K.* **487**, 259, 1995

RAJA S.N. *see TREEDE R.-D., MEYER R. A., RAJA S. N. & CAMPBELL J. N.* **483**, 747, 1995

RAJERISON R. *see FÉRAILLE E., ROUSSELOT M., RAJERISON R. & FAVRE H.* **488**, 171, 1995

RAJ H.

RAJ H., SINGH V. K., ANAND A. & PAINTAL A. S. Sensory origin of lobeline-induced sensations: a correlative study in man and cat **482**, 235, 1995

RALEVIC V.

RALEVIC V., HOYLE C. H. V. & BURNSTOCK G. Pivotal role of phosphate chain length in vasoconstrictor *versus* vasodilator actions of adenine dinucleotides in rat mesenteric arteries **483**, 703, 1995

see HOYLE C. H. V., RALEVIC V., LINCOLN J., KNIGHT G. E., GOSS-SAMPSON M. A., MILLA P. J. & BURNSTOCK G. **487**, 773, 1995

RAMAN I.M. *see OTIS T. S., RAMAN I. M. & TRUSSELL L. O.* **482**, 309, 1995

RAMSAY S.C. *see CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A.* **488**, 77, 1995

RASMUSSON R.L.

RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C. Bi-stable block by 4-aminopyridine of a transient K^+ channel (Kv1.4) cloned from ferret ventricle and expressed in *Xenopus* oocytes **485**, 59, 1995

RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C. C-type inactivation controls recovery in a fast inactivating cardiac K^+ channel (Kv1.4) **489**, 709, 1995

RATCLIFF R. *see CUTHBERT A. W., HALSTEAD J., RATCLIFF R., COLLEDGE W. H. & EVANS M. J.* **482**, 449, 1995

RAUCHER S.

RAUCHER S. & DRYER S. E. Target-derived factors regulate the expression of Ca^{2+}-activated K^+ currents in developing chick sympathetic neurones **486**, 605, 1995

REDMAN R.S. *see SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C.* **482**, 511, 1995

REES H.

REES H., SLUKA K. A., WESTLUND K. N. & WILLIS W. D. The role of glutamate and GABA receptors in the generation of dorsal root reflexes by acute arthritis in the anaesthetized rat **484**, 437, 1995

REES H., TERENZI M. G. & ROBERTS M. H. T. Anterior pretectal nucleus facilitation of superficial dorsal horn neurones and modulation of deafferentation pain in the rat **489**, 159, 1995

REES S. A. *see WRIGHT A. R., REES S. A., VANDENBERG J. I., TWIST V. W. & POWELL T.* **488**, 293, 1995

REFSHAUGE K. M.

REFSHAUGE K. M., CHAN R., TAYLOR J. L. & MCCLOSKEY D. I. Detection of movements imposed on human hip, knee, ankle and toe joints **488**, 231, 1995

REFSHAUGE K. M. & FITZPATRICK R. C. Perception of movement at the human ankle: effects of leg position **488**, 243, 1995

REINHART P. H. *see DICHIARA T. J. & REINHART P. H.* **489**, 403, 1995

REIS D. J. *see SUN M.-K. & REIS D. J.* **482**, 53, 1995

REMBOLD C. M.

REMBOLD C. M., VAN RIPER D. A. & CHEN X.-L. Focal $[Ca^{2+}]_i$ increases detected by aequorin but not by fura-2 in histamine- and caffeine-stimulated swine carotid artery **488**, 549, 1995

RENAUD L. P. *see NISSEN R., HU B. & RENAUD L. P.* **484**, 415, 1995

RIACH R. A.

RIACH R. A., DUNCAN G., WILLIAMS M. R. & WEBB S. F. Histamine and ATP mobilize calcium by activation of H_1 and P_{2u} receptors in human lens epithelial cells **486**, 273, 1995

RIBALET B.

RIBALET B. & EDDLESTONE G. T. Characterization of the G protein coupling of a somatostatin receptor to the K^+_{ATP} channel in insulin-secreting mammalian HIT and RIN cell lines **485**, 73, 1995

RICHARD D.

RICHARD D. & BOURQUE C. W. Synaptic control of rat supraoptic neurones during osmotic stimulation of the organum vasculosum lamina terminalis *in vitro* **489**, 567, 1995

RICHTER D. W. *see SCHMIDT C., BELLINGHAM M. C. & RICHTER D. W.* **483**, 769, 1995

see PATON J. F. R. & RICHTER D. W. **484**, 505, 1995

see LALLEY P. M., BISCHOFF A. M., SCHWARZACHER S. W. & RICHTER D. W. **487**, 653, 1995

RICHTER E. A. *see ASP S., DAUGAARD J. R. & RICHTER E. A.* **482**, 705, 1995

see BANGSBO J., AAGAARD T., OLSEN M., KIENS B., TURCOTTE L. P. & RICHTER E. A. **488**, 219, 1995

RIDDELL J. S.

RIDDELL J. S., JANKOWSKA E. & HUBER J. Organization of neuronal systems mediating presynaptic inhibition of group II muscle afferents in the cat **483**, 443, 1995

see JANKOWSKA E. & RIDDELL J. S. **483**, 461, 1995

RIDDING M. C.

RIDDING M. C., TAYLOR J. L. & ROTHWELL J. C. The effect of voluntary contraction on cortico-cortical inhibition in human motor cortex **487**, 541, 1995

RÍOS E. *see SHIROKOVA N., GONZÁLEZ A., MA J., SHIROKOV R. & RÍOS E.* **486**, 385, 1995

RIPPS H. *see HAUGH-SCHEIDT L., MALCHOW R. P. & RIPPS H.* **488**, 565, 1995

RIVA C. E. *see VO VAN TOI & RIVA C. E.* **482**, 189, 1995

see VO VAN TOI & RIVA C. E. **484**, 811, 1995

ROAD J. D. *see LEEVERS A. M. & ROAD J. D.* **488**, 471, 1995

ROBBINS J. *see HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A.* **482**, 317, 1995

ROBBINS P. A. *see CLEMENT I. D., PANDIT J. J., BASCOM D. A., DORRINGTON K. L., O'CONNOR D. F. & ROBBINS P. A.* **485**, 561, 1995

ROBERTS A. *see PERRINS R. & ROBERTS A.* **485**, 135, 1995

ROBERTS M. H. T. *see REES H., TERENZI M. G. & ROBERTS M. H. T.* **489**, 159, 1995

ROBERTSON B. *see STEPHENS G. J. & ROBERTSON B.* **484**, 1, 1995

ROBERTS W. A. *see GINGRICH K. J., ROBERTS W. A. & KASS R. S.* **489**, 529, 1995

ROBINSON J. *see KARUNANITHI S., PHIPPS M. C., ROBINSON J. & BENNETT M. R.* **489**, 171, 1995

ROBSON L.

ROBSON L., TARRAN R. & HUNTER M. Activation of a Cl^- conductance by SCN^- in single proximal tubule cells isolated from *Rana temporaria* **486**, 715, 1995

RODRIGUEZ A. B. *see FORNER M. A., BARRIGA C., RODRIGUEZ A. B. & ORTEGA E.* **488**, 789, 1995

ROGERS T. B. *see LOKUTA A. J., ROGERS T. B., LEDERER W. J. & VALDIVIA H. H.* **487**, 609, 1995

ROGOWSKI R. S. *see FONTANA G., ROGOWSKI R. S. & BLAUSTEIN M. P.* **485**, 349, 1995

ROSA M. G. P.

ROSA M. G. P., SCHMID L. M. & CALFORD M. B. Responsiveness of cat area 17 after monocular inactivation: limitation of topographic plasticity in adult cortex **482**, 589, 1995

ROSENBERG J. R. *see CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R.* **489**, 917, 1996

ROSSI A. *see MAZZOCCHIO R., ROTHWELL J. C. & ROSSI A.* **489**, 263, 1995

ROSSI M. L. *see SACCHI O., ROSSI M. L. & CANELLA R.* **483**, 15, 1995

ROSSI P. *see D'ANGELO E., DE FILIPPI G., ROSSI P. & TAGLIETTI V.* **484**, 397, 1995

ROTHMULLER C.

ROTHMULLER C. & CAFARELLI E. Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans **485**, 857, 1995

ROTHWELL J. *see ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M.* **489**, 911, 1995

ROTHWELL J. C. *see RIDDING M. C., TAYLOR J. L. & ROTHWELL J. C.* **487**, 541, 1995

see TAYLOR J. L., FOGEL W., DAY B. L. & ROTHWELL J. C. **488**, 821, 1995

see MAZZOCCHIO R., ROTHWELL J. C. & ROSSI A. **489**, 263, 1995

ROUGEOLE S. *see MEDINA I., FILIPPOVA N., CHARTON G., ROUGEOLE S., BEN-ARI Y., KHRESTCHATISKY M. & BREGESTOVSKI P.* **482**, 567, 1995

ROUGIER O. *see ALLARD B., LAZDUNSKI M. & ROUGIER O.* **485**, 283, 1995

ROUSSELOT M. *see FÉRAILLE E., ROUSSELOT M., RAJERISON R. & FAVRE H.* **488**, 171, 1995

ROWE I. C. M. *see LEE K., ROWE I. C. M. & ASHFORD M. L. J.* **488**, 319, 1995

RÜDEL R. *see FAHLKE C. & RÜDEL R.* **484**, 355, 1995

RUDNICKI M. A. *see METZGER J. M., RUDNICKI M. A. & WESTFALL M. V.* **485**, 447, 1995

RUDOMIN P. *see QUEVEDO J., EGUIBAR J. R., JIMÉNEZ I. & RUDOMIN P.* **482**, 623, 1995

RUNDSTRÖM N. *see LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H.* **483**, 613, 1995

RYU A. *see STROMEYER C. F. III, KRONAUER R. E., RYU A., CHAPARRO A. & ESKEW R. T. JR* **485**, 221, 1995

SACCHI O.

SACCHI O., ROSSI M. L. & CANELLA R. The slow Ca^{2+}-activated K^+ current, I_{AHP}, in the rat sympathetic neurone **483**, 15, 1995

SACCO P. *see JAMES C., SACCO P. & JONES D. A.* **484**, 237, 1995

SADOWSKI J. *see DOBROWOLSKI L., KOMPANOWSKA-JEZIERSKA E. & SADOWSKI J.* **485**, 827, 1995

SAFRONOV B. V.

SAFRONOV B. V. & VOGEL W. Single voltage-activated Na^+ and K^+ channels in the somata of rat motoneurones **487**, 91, 1995

SAGE S. O. *see USACHEV Y. M., MARCHENKO S. M. & SAGE S. O.* **489**, 309, 1995

SAGGAU P. *see WU L.-G. & SAGGAU P.* **485**, 649, 1995

ST JOHN W. M. *see TOMORI Z., FUNG M.-L., DONIC V., DONICOVA V. & ST JOHN W. M.* **485**, 551, 1995

see FUNG M.-L. & ST JOHN W. M. **489**, 579, 1995

SAKABA T. *see KOBAYASHI K., SAKABA T. & TACHIBANA M.* **482**, 7, 1995

SAKAI A. *see TAMAOKI J., SAKAI A., KONDO M., TAKEMURA H. & KONNO K.* **488**, 115, 1995

SAKMANN B. *see SPRUSTON N., JONAS P. & SAKMANN B.* **482**, 325, 1995

see MARKRAM H., HELM P. J. & SAKMANN B. **485**, 1, 1995

see KOH D.-S., GEIGER J. R. P., JONAS P. & SAKMANN B. **485**, 383, 1995

see BURNASHEV N., ZHOU Z., NEHER E. & SAKMANN B. **485**, 403, 1995

see SCHILLER J., HELMCHEN F. & SAKMANN B. **487**, 583, 1995

see BORST J. G. G., HELMCHEN F. & SAKMANN B. **489**, 825, 1995

SAKURADA S. *see SHIDO O., SAKURADA S., SUGIMOTO N. & NAGASAKA T.* **483**, 491, 1995

SALTIN B. *see VAN HALL G., SALTIN B., VAN DER VUSSE G. J., SÖDERLUND K. & WAGENMAKERS A. J. M.* **489**, 251, 1995

SAMPSON B. *see WALTER S. J., SAMPSON B. & SHIRLEY D. G.* **483**, 473, 1995

SÁNCHEZ-ANDRÉS J. V.

SÁNCHEZ-ANDRÉS J. V., GOMIS A. & VALDEOLMILLOS M. The electrical activity of mouse pancreatic β-cells recorded *in vivo* shows glucose-dependent oscillations **486**, 223, 1995

SÁNCHEZ-GARCÍA P. *see* MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G. **486**, 427, 1995

SANCHEZ-WATTS G. *see* WATTS A. G. & SANCHEZ-WATTS G. **484**, 721, 1995

SANDERS K.M. *see* KOH S. D., CAMPBELL J. D., CARL A. & SANDERS K. M. **489**, 735, 1995

SARGEANT A.J. *see* BEELEN A., SARGEANT A. J., JONES D. A. & DE RUITER C. J. **484**, 227, 1995

see ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J. **488**, 211, 1995

SARIS W.H.M. *see* VAN HALL G., RAAYMAKERS J. S. H., SARIS W. H. M. & WAGENMAKERS A. J. M. **486**, 789, 1995

SARKAR S.N.

SARKAR S. N., ADHIKARI A. & SIKDAR S. K. Kinetic characterization of rat brain type IIA sodium channel α-subunit stably expressed in a somatic cell line **488**, 633, 1995

SASTRE J. *see* SWEIRY J. H., SASTRE J., VIÑA J., ELSÄSSER H. P. & MANN G. E. **485**, 167, 1995

SATO M. *see* YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K. **486**, 177, 1995

SATO R. *see* KOUMI S-I., SATO R. & ARAMAKI T. **487**, 379, 1995

SAVCHENKO A. *see* WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S. **486**, 131, 1995

SCAPPATICCI K.A. *see* DAVID G., MODNEY B., SCAPPATICCI K. A., BARRETT J. N. & BARRETT E. F. **489**, 141, 1995

SCEPEK S. *see* HARTMANN J., SCEPEK S. & LINDAU M. **483**, 201, 1995

SCHÄFER T. *see* MORIN-SURUN M. P., BOUDINOT E., SCHÄFER T. & DENAVIT-SAUBIÉ M. **485**, 203, 1995

SCHALLER K.L. *see* LUPA M. T., KRZEMIEN D. M., SCHALLER K. L. & CALDWELL J. H. **483**, 109, 1995

SCHERER J. *see* KIRISCHUK S., SCHERER J., KETTENMANN H. & VERKHRATSKY A. **483**, 41, 1995

SCHIEFER A.

SCHIEFER A., MEISSNER G. & ISENBERG G. Ca^{2+} activation and Ca^{2+} inactivation of canine reconstituted cardiac sarcoplasmic reticulum Ca^{2+}-release channels **489**, 337, 1995

SCHIEPPATI M. *see* CORNA S., GRASSO M., NARDONE A. & SCHIEPPATI M. **484**, 803, 1995

SCHIEPPATI M. & NARDONE A. Time course of 'set'-related changes in muscle responses to stance perturbation in humans **487**, 787, 1995

SCHIFFMANN S.N.

SCHIFFMANN S. N., LLEDO P.-M. & VINCENT J.-D. Dopamine D_4 receptor modulates the voltage-gated sodium current in rat striatal neurones through a protein kinase A **483**, 95, 1995

SCHILD D. *see* BISCHOFBERGER J. & SCHILD D. **487**, 305, 1995

SCHILLER J.

SCHILLER J., HELMCHEN F. & SAKMANN B. Spatial profile of dendritic calcium transients evoked by action potentials in rat neocortical pyramidal neurones **487**, 583, 1995

SCHLIEF T.

SCHLIEF T. & HEINEMANN S. H. H_2O_2-induced chloride currents are indicative of an endogenous Na^+–Ca^{2+} exchange mechanism in *Xenopus* oocytes **486**, 123, 1995

SCHMALBRUCH H. *see* LEWIS D. M. & SCHMALBRUCH H. **488**, 483, 1995

SCHMID A.

SCHMID A. & SCHULZ I. Characterization of single potassium channels in mouse pancreatic acinar cells **484**, 661, 1995

SCHMID L.M. *see* ROSA M. G. P., SCHMID L. M. & CALFORD M. B. **482**, 589, 1995

SCHMIDT C.

SCHMIDT C., BELLINGHAM M. C. & RICHTER D. W. Adenosinergic modulation of respiratory neurones and hypoxic responses in the anaesthetized cat **483**, 769, 1995

SCHMIEDEN V. *see* LAUBE B., KUHSE J., RUNDSTRÖM N., KIRSCH J., SCHMIEDEN V. & BETZ H. **483**, 613, 1995

SCHNEIDER H.-P. *see* DEITMER J. W. & SCHNEIDER H.-P. **485**, 157, 1995

SCHNEIDER M.F. *see* GARCÍA J. & SCHNEIDER M. F. **485**, 437, 1995

SCHOENMAKERS TH.J.M.

SCHOENMAKERS TH. J. M., VAUDRY H. & CAZIN L. Osmo- and mechanosensitivity of the transient outward K^+ current in a mammalian neuronal cell line **489**, 419, 1995

SCHOFIELD G.G. *see* CHEN C. & SCHOFIELD G. G. **482**, 521, 1995

SCHOUPS A.A.

SCHOUPS A. A., VOGELS R. & ORBAN G. A. Human perceptual learning in identifying the oblique orientation: retinotopy, orientation specificity and monocularity **483**, 797, 1995

SCHUBERT M. *see* MILLS K. R. & SCHUBERT M. **483**, 511, 1995

SCHULMAN H. *see* BRAUN A. P. & SCHULMAN H. **488**, 37, 1995

SCHULZ I. *see* SCHMID A. & SCHULZ I. **484**, 661, 1995

SCHWARZACHER S.W. *see* LALLEY P. M., BISCHOFF A. M., SCHWARZACHER S. W. & RICHTER D. W. **487**, 653, 1995

SCIANCALEPORE M. *see* STRATA F., SCIANCALEPORE M. & CHERUBINI E. **489**, 115, 1995

SCOTT R.H. *see* CURRIE K. P. M., WOOTTON J. F. & SCOTT R. H. **482**, 291, 1995

see PEARSON H. A., SUTTON K. G., SCOTT R. H. & DOLPHIN A. C. **482**, 493, 1995

SECKL J.R. *see* DONALDSON L. F., MCQUEEN D. S. & SECKL J. R. **486**, 473, 1995

SEGAL M.

SEGAL M. Imaging of calcium variations in living dendritic spines of cultured rat hippocampal neurons **486**, 283, 1995

SEGEV I. *see* GUTFREUND Y., YAROM Y. & SEGEV I. **483**, 621, 1995

SEHRER J. *see* NILIUS B., SEHRER J., DE SMET P., VAN DRIESSCHE W. & DROOGMANS G. **487**, 367, 1995

SEJNOWSKI T.J. *see* JESTER J. M., CAMPBELL L. W. & SEJNOWSKI T. J. **484**, 689, 1995

SEO J.T.

SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. Modulation of Na^+–H^+ exchange by altered cell volume in perfused rat mandibular salivary gland **487**, 185, 1995

SERAFINI R.

SERAFINI R., VALEYEV A. Y., BARKER J. L. & POULTER M. O. Depolarizing GABA-activated Cl^- channels in embryonic rat spinal and olfactory bulb cells **488**, 371, 1995

SERAFIN M. *see* KHATEB A., FORT P., SERAFIN M., JONES B. E. & MÜHLETHALER M. **487**, 623, 1995

SESTI F.

SESTI F., EISMANN E., KAUPP U. B., NIZZARI M. & TORRE V. The multi-ion nature of the cGMP-gated channel from vertebrate rods **487**, 17, 1995

SEVCIK J. *see* NIEBER K., SEVCIK J. & ILLES P. **486**, 33, 1995

SEVERSON D. *see* SHIMONI Y., SEVERSON D. & GILES W. **488**, 673, 1995

SEYDOUX J. *see* GIRARDIER L., CLARK M. G. & SEYDOUX J. **488**, 779, 1995

SHACKLOCK P.S.

SHACKLOCK P. S., WIER W. G. & BALKE C. W. Local Ca^{2+} transients (Ca^{2+} sparks) originate at transverse tubules in rat heart cells **487**, 601, 1995

SHAHANI U. *see* CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R. **489**, 917, 1996

SHAM J.S.K.

SHAM J. S. K., HATEM S. N. & MORAD M. Species differences in the activity of the Na^+–Ca^{2+} exchanger in mammalian cardiac myocytes **488**, 623, 1995

SHEFCHYK S.J. *see* MCCREA D. A., SHEFCHYK S. J., STEPHENS M. J. & PEARSON K. G. **487**, 527, 1995

SHIBATA Y. *see* MANABE K., ITO H., MATSUDA H., NOMA A. & SHIBATA Y. **484**, 41, 1995

SHIDO O.

SHIDO O., SAKURADA S., SUGIMOTO N. & NAGASAKA T. Shifts of thermoeffector thresholds in heat-acclimated rats **483**, 491, 1995

SHIMIZU K.

SHIMIZU K., LI P., LEE K. Y., CHANG T.-M. & CHEY W. Y. The mechanism of inhibitory action of secretin on gastric acid secretion in conscious rats **488**, 501, 1995

SHIMONI Y.

SHIMONI Y., SEVERSON D. & GILES W. Thyroid status and diabetes modulate regional differences in potassium currents in rat ventricle **488**, 673, 1995

SHINDO M.

SHINDO M., YANAGAWA S., MORITA H. & YANAGISAWA N. Increase in reciprocal Ia inhibition during antagonist contraction in the human leg: a study of motor units and the H reflex **489**, 275, 1995

SHINOZAKI H. *see* PONCER J.-C., SHINOZAKI H. & MILES R. **485**, 121, 1995

SHINOZUKA K. *see* HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S. **489**, 841, 1995

SHIRAKATA Y. *see* KAJITA H., MORISHIMA S., SHIRAKATA Y., KOTERA T., UEDA S., OKUMA M. & OKADA Y. **488**, 57, 1995

see KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. **488**, 65, 1995

SHIRATO K. *see* EBIHARA S., SHIRATO K., HARATA N. & AKAIKE N. **484**, 77, 1995

see OGAWA H., MIZUSAWA A., KIKUCHI Y., HIDA W., MIKI H. & SHIRATO K. **486**, 495, 1995

see MIZUSAWA A., OGAWA H., KIKUCHI Y., HIDA W. & SHIRATO K. **489**, 877, 1995

SHIRLEY D.G. *see* WALTER S. J., SAMPSON B. & SHIRLEY D. G. **483**, 473, 1995

SHIROKOVA N.

SHIROKOVA N., GONZÁLEZ A., MA J., SHIROKOV R. & RÍOS E. Properties and roles of an intramembranous charge mobilized at high voltages in frog skeletal muscle **486**, 385, 1995

SHIROKOV R. *see* SHIROKOVA N., GONZÁLEZ A., MA J., SHIROKOV R. & RÍOS E. **486**, 385, 1995

SHISTIK E.

SHISTIK E., IVANINA T., PURI T., HOSEY M. & DASCAL N. Ca^{2+} current enhancement by $\alpha 2/\delta$ and β subunit in *Xenopus* oocytes: contribution of changes in channel gating and $\alpha 1$ protein level **489**, 55, 1995

SHI X. *see* MACK G., NISHIYASU T. & SHI X. **483**, 537, 1995

SHMIGOL A.

SHMIGOL A., VERKHRATSKY A. & ISENBERG G. Calcium-induced calcium release in rat sensory neurons **489**, 627, 1995

SHORE A.C. *see* MAHY I. R., TOOKE J. E. & SHORE A. C. **485**, 213, 1995

SHORI D.K. *see* ANDERSON L. C., GARRETT J. R., ZHANG X., PROCTOR G. B. & SHORI D. K. **485**, 503, 1995

SHORT A.H. *see* CASEY A., SHORT A. H., HULTMAN E. & GREENHAFF P. L. **483**, 265, 1995

SHRIER A. *see* LI G.-R., FENG J., SHRIER A. & NATTEL S. **484**, 629, 1995

SHUI Z.

SHUI Z., BOYETT M. R., ZANG W.-J., HAGA T. & KAMEYAMA K. Receptor kinase-dependent desensitization of the muscarinic K^+ current in rat atrial cells **487**, 359, 1995

SIKDAR S.K. *see* SARKAR S. N., ADHIKARI A. & SIKDAR S. K. **488**, 633, 1995

SILINSKY E.M.

SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C. Neurotransmitter release evoked by nerve impulses without Ca^{2+} entry through Ca^{2+} channels in frog motor nerve endings **482**, 511, 1995

SILVA-CARVALHO L.

SILVA-CARVALHO L., DAWID-MILNER M. S. & SPYER K. M. The pattern of excitatory inputs to the nucleus tractus solitarii evoked on stimulation in the hypothalamic defence area in the cat **487**, 727, 1995

see DAWID-MILNER M. S., SILVA-CARVALHO L., GOLDSMITH G. E. & SPYER K. M. **487**, 739, 1995

SILVA-CARVALHO L., DAWID-MILNER M. S., GOLDSMITH G. E. & SPYER K. M. Hypothalamic modulation of the arterial chemoreceptor reflex in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 751, 1995

SILVER M. *see* FOWDEN A. L. & SILVER M. **482**, 203, 1995

SILVERMAN H.S. *see* DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G. **486**, 1, 1995

SIMA A.A.F. *see* HALL K. E., SIMA A. A. F. & WILEY J. W. **486**, 313, 1995

SIMECEK S. *see* GRAIER W. F., SIMECEK S. & STUREK M. **482**, 259, 1995

SINGER E. *see* CASABURI R., STRINGER W. W. & SINGER E. **485**, 571, 1995

SINGER J.J. *see* ORDWAY R. W., PETROU S., KIRBER M. T., WALSH J. V. JR & SINGER J. J. **484**, 331, 1995

SINGH V.K. *see* RAJ H., SINGH V. K., ANAND A. & PAINTAL A. S. **482**, 235, 1995

SIPIDO K.R. *see* PAPP Z., SIPIDO K. R., CALLEWAERT G. & CARMELIET E. **483**, 319, 1995

SIPIDO K. R., CARMELIET E. & PAPPANO A. Na^+ current and Ca^{2+} release from the sarcoplasmic reticulum during action potentials in guinea-pig ventricular myocytes **489**, 1, 1995

SIPOS I.

SIPOS I., JURKAT-ROTT K., HARASZTOSI CS., FONTAINE B., KOVACS L., MELZER W. & LEHMANN-HORN F. Skeletal muscle DHP receptor mutations alter calcium currents in human hypokalaemic periodic paralysis myotubes **483**, 299, 1995

SJÖQVIST A. *see* BRUNSSON I., FAHRENKRUG J., JODAL M., SJÖQVIST A. & LUNDGREN O. **483**, 727, 1995

SLADEK C.D. *see* KIM D., SLADEK C. D., AGUADO-VELASCO C. & MATHIASEN J. R. **484**, 643, 1995

SLATER C.R. *see* WOOD S. J. & SLATER C. R. **486**, 401, 1995

SLUKA K.A. *see* REES H., SLUKA K. A., WESTLUND K. N. & WILLIS W. D. **484**, 437, 1995

SMITH D.O.

SMITH D. O., CONKLIN M. W., JENSEN P. J. & ATCHISON W. D. Decreased calcium currents in motor nerve terminals of mice with Lambert–Eaton myasthenic syndrome **487**, 115, 1995

SMITH G.D.P.

SMITH G. D. P., WATSON L. P., PAVITT D. V. & MATHIAS C. J. Abnormal cardiovascular and catecholamine responses to supine exercise in human subjects with sympathetic dysfunction **484**, 255, 1995

SMITH G.L. *see* STEELE D. S., MCAINSH A. M. & SMITH G. L. **483**, 155, 1995

SMITH J.W. *see* GOSLING M., SMITH J. W. & POYNER D. R. **485**, 671, 1995

SMITH P.A. *see* IVANOFF A. Y. & SMITH P. A. **485**, 797, 1995

SOBREVIA L.

SOBREVIA L., CESARE P., YUDILEVICH D. L. & MANN G. E. Diabetes-induced activation of system y^+ and nitric oxide synthase in human endothelial cells: association with membrane hyperpolarization **489**, 183, 1995

SÖDERLUND K. *see* VAN HALL G., SALTIN B., VAN DER VUSSE G. J., SÖDERLUND K. & WAGENMAKERS A. J. M. **489**, 251, 1995

SOLARO C.R. *see* HERRINGTON J., SOLARO C. R., NEELY A. & LINGLE C. J. **485**, 297, 1995

SOLSONA C.S. *see* SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C. **482**, 511, 1995

SOMJEN G.G. *see* CHEBABO S. R., HESTER M. A., JING J., AITKEN P. G. & SOMJEN G. G. **487**, 685, 1995

SOMLYO A.P. *see* GONG M. C., KINTER M. T., SOMLYO A. V. & SOMLYO A. P. **486**, 113, 1995

see NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V. **487**, 283, 1995

SOMLYO A.V. *see* GONG M. C., KINTER M. T., SOMLYO A. V. & SOMLYO A. P. **486**, 113, 1995

see NIXON G. F., IIZUKA K., HAYSTEAD C. M. M., HAYSTEAD T. A. J., SOMLYO A. P. & SOMLYO A. V. **487**, 283, 1995

SONG W.-J.

SONG W.-J., OKAWA K., KANDA M. & MURAKAMI F. Perinatal development of action potential propagation in cat rubrospinal axons **488**, 419, 1995

SOONPAA M. *see* MCDONALD K. S., FIELD L. J., PARMACEK M. S., SOONPAA M., LEIDEN J. M. & MOSS R. L. **483**, 131, 1995

SORIA B. *see* MARTIN F. & SORIA B. **486**, 361, 1995

SPAAN J.A.E. *see* VINK H., WIERINGA P. A. & SPAAN J. A. E. **489**, 193, 1995

SPÄT A. *see* VÁRNAI P., OSIPENKO O. N., VIZI E. S. & SPÄT A. **483**, 67, 1995

SPENCE K.T. *see* COSTA A.-M. N., SPENCE K. T., PLATA-SALAMÁN C. R. & FFRENCH-MULLEN J. M. H. **487**, 291, 1995

SPENCER C.I.

SPENCER C. I. & BERLIN J. R. Control of sarcoplasmic reticulum calcium release during calcium loading in isolated rat ventricular myocytes **488**, 267, 1995

SPENCER J.A.D. *see* GIUSSANI D. A., MOORE P. J., BENNET L., SPENCER J. A. D. & HANSON M. A. **486**, 249, 1995

SPITZER N.C. *see* ERNSBERGER U. & SPITZER N. C. **484**, 313, 1995

SPRUSTON N.

SPRUSTON N., JONAS P. & SAKMANN B. Dendritic glutamate receptor channels in rat hippocampal CA3 and CA1 pyramidal neurons **482**, 325, 1995

SPYER K.M. *see* SILVA-CARVALHO L., DAWID-MILNER M. S. & SPYER K. M. **487**, 727, 1995

see DAWID-MILNER M. S., SILVA-CARVALHO L., GOLDSMITH G. E. & SPYER K. M. **487**, 739, 1995

see SILVA-CARVALHO L., DAWID-MILNER M. S., GOLDSMITH G. E. & SPYER K. M. **487**, 751, 1995

STANDEN N.B. *see* DART C. & STANDEN N. B. **483**, 29, 1995

STEELE D.S.

STEELE D. S., MCAINSH A. M. & SMITH G. L. Effects of creatine phosphate and inorganic phosphate on the sarcoplasmic reticulum of saponin-treated rat heart **483**, 155, 1995

STEELE P.A. *see* EDWARDS F. R., HIRST G. D. S., KLEMM M. F. & STEELE P. A. **486**, 453, 1995

STEINHAUSEN M. *see* ENDLICH K., MASSFELDER T., HELWIG J. J. & STEINHAUSEN M. **483**, 481, 1995

STEPHENS G.J.

STEPHENS G. J. & ROBERTSON B. Inactivation of the cloned potassium channel mouse Kv1.1 by the human Kv3.4 'ball' peptide and its chemical modification **484**, 1, 1995

STEPHENS J.A. *see* GIBBS J., HARRISON L. M. & STEPHENS J. A. **485**, 245, 1995

see GIBBS J., HARRISON L. M. & STEPHENS J. A. **487**, 237, 1995

STEPHENS M.J. *see* MCCREA D. A., SHEFCHYK S. J., STEPHENS M. J. & PEARSON K. G. **487**, 527, 1995

STEPHENSON D.G. *see* FRYER M. W., OWEN V. J., LAMB G. D. & STEPHENSON D. G. **482**, 123, 1995

see LAMB G. D., JUNANKAR P. R. & STEPHENSON D. G. **489**, 349, 1995

STERN J.E.

STERN J. E. & ARMSTRONG W. E. Electrophysiological differences between oxytocin and vasopressin neurones recorded from female rats *in vitro* **488**, 701, 1995

STERN M.D. *see* DI LISA F., BLANK P. S., COLONNA R., GAMBASSI G., SILVERMAN H. S., STERN M. D. & HANSFORD R. G. **486**, 1, 1995

STEVENSON K.M.

STEVENSON K. M. & LUMBERS E. R. Effects of angiotensin II in fetal sheep and modification of its actions by indomethacin **487**, 147, 1995

STEVENS W.H.M.

STEVENS W. H. M., CONLON P. D. & O'BYRNE P. M. Ozone-induced oxygen radical release from bronchoalveolar lavage cells and airway hyperresponsiveness in dogs **486**, 257, 1995

STEWARD M.C. *see* SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. **487**, 185, 1995

STIENEN G.J.M.

STIENEN G. J. M., ZAREMBA R. & ELZINGA G. ATP utilization for calcium uptake and force production in skinned muscle fibres of *Xenopus laevis* **482**, 109, 1995

see POTMA E. J., STIENEN G. J. M., BARENDS J. P. F. & ELZINGA G. **483**, 811, 1995

STRANG K.T.

STRANG K. T., MENTZER R. M. & MOSS R. L. Slowing of shortening velocity of rat cardiac myocytes by adenosine receptor stimulation regardless of β-adrenergic stimulation **486**, 679, 1995

STRATA F.

STRATA F., SCIANCALEPORE M. & CHERUBINI E. Cyclic AMP-dependent modulation of giant depolarizing potentials by metabotropic glutamate receptors in the rat hippocampus **489**, 115, 1995

STRAUSS H.C. *see* RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C. **485**, 59, 1995

see RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C. **489**, 709, 1995

STRINGER W.W. *see* CASABURI R., STRINGER W. W. & SINGER E. **485**, 571, 1995

STROMEYER C.F. III

STROMEYER C. F. III, KRONAUER R. E., RYU A., CHAPARRO A. & ESKEW R. T. JR Contributions of human long-wave and middle-wave cones to motion detection **485**, 221, 1995

STUENKEL E.L. *see* PURO D. G. & STUENKEL E. L. **485**, 337, 1995

STUREK M. *see* GRAIER W. F., SIMECEK S. & STUREK M. **482**, 259, 1995

STUTH E.A.E. *see* ĐOGAŠ Z., STUTH E. A. E., HOPP F. A., MCCRIMMON D. R. & ZUPERKU E. J. **487**, 639, 1995

SUDA N.

SUDA N. Involvement of dihydropyridine receptors in terminating Ca^{2+} release in rat skeletal myotubes **486**, 105, 1995

SUGIHARA I.

SUGIHARA I. & FURUKAWA T. Potassium currents underlying the oscillatory response in hair cells of the goldfish sacculus **489**, 443, 1995

SUGIMORI M. *see* KATZ E., FERRO P. A., CHERKSEY B. D., SUGIMORI M., LLINÁS R. & UCHITEL O. D. **486**, 695, 1995

SUGIMOTO N. *see* SHIDO O., SAKURADA S., SUGIMOTO N. & NAGASAKA T. **483**, 491, 1995

SUN M.-K.

SUN M.-K. & REIS D. J. NMDA receptor-mediated sympathetic chemoreflex excitation of RVL–spinal vasomotor neurones in rats **482**, 53, 1995

SURPRENANT A. *see* KHAKH B. S., HUMPHREY P. P. A. & SURPRENANT A. **484**, 385, 1995

SUTTON K.G. *see* PEARSON H. A., SUTTON K. G., SCOTT R. H. & DOLPHIN A. C. **482**, 493, 1995

SUZUKI K. *see* NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

SWANN K. *see* OZIL J. P. & SWANN K. **483**, 331, 1995

SWANSON G.T. *see* KAMBOJ S. K., SWANSON G. T. & CULL-CANDY S. G. **486**, 297, 1995

SWEIRY J.H.

SWEIRY J. H., SASTRE J., VIÑA J., ELSÄSSER H. P. & MANN G. E. A role for γ-glutamyl transpeptidase and the amino acid transport system x_c^- in cystine transport by a human pancreatic duct cell line **485**, 167, 1995

SYKES A.P. *see* LISTER N., SYKES A. P., BAILEY P. D., BOYD C. A. R. & BRONK J. R. **484**, 173, 1995

SZULCZYK P. *see* BAŁKOWIEC A., KUKUŁA K. & SZULCZYK P. **483**, 759, 1995

TACHIBANA M. *see* KOBAYASHI K., SAKABA T. & TACHIBANA M. **482**, 7, 1995

see KOBAYASHI K. & TACHIBANA M. **483**, 79, 1995

TADJKARIMI S. *see* WARD J. K., BARNES P. J., TADJKARIMI S., YACOUB M. H. & BELVISI M. G. **483**, 525, 1995

TAGGART M.J. *see* BURDYGA TH. V., TAGGART M. J. & WRAY S. **489**, 327, 1995

TAGLIETTI V. *see* TOSELLI M. & TAGLIETTI V. **483**, 347, 1995

see D'ANGELO E., DE FILIPPI G., ROSSI P. & TAGLIETTI V. **484**, 397, 1995

TAJIMA F. *see* NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

TAKAHASHI N.

TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. Regional difference in the distribution of L-NAME-sensitive and -insensitive NANC relaxations in cat airway **488**, 709, 1995

TAKAHASHI S. *see* JING L., INOUE R., TASHIRO K., TAKAHASHI S. & ITO Y. **483**, 225, 1995

TAKAHASHI T.

TAKAHASHI T. & OWYANG C. Vagal control of nitric oxide and vasoactive intestinal polypeptide release in the regulation of gastric relaxation in rat **484**, 481, 1995

TAKANO M. *see* MANABE K., TAKANO M. & NOMA A. **487**, 407, 1995

TAKASAWA S. *see* HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. **482**, 317, 1995

TAKEDA K. *see* BARBARA J.-G. & TAKEDA K. **488**, 609, 1995

TAKEMURA H. *see* TAMAOKI J., SAKAI A., KONDO M., TAKEMURA H. & KONNO K. **488**, 115, 1995

TAKETANI Y. *see* KASAI Y., TSUTSUMI O., TAKETANI Y., ENDO M. & IINO M. **486**, 373, 1995

TAKETO M. *see* HIGASHIDA H., ROBBINS J., EGOROVA A., NODA M., TAKETO M., ISHIZAKA N., TAKASAWA S., OKAMOTO H. & BROWN D. A. **482**, 317, 1995

TAKIMOTO M. *see* KAJITA H., KOTERA T., SHIRAKATA Y., UEDA S., OKUMA M., ODA-OHMAE K., TAKIMOTO M., URADE Y. & OKADA Y. **488**, 65, 1995

TAMAOKI J.

TAMAOKI J., SAKAI A., KONDO M., TAKEMURA H. & KONNO K. Role of nitric oxide in tachykinin-induced increase in potential difference of rabbit tracheal mucosa **488**, 115, 1995

TANAKA H. *see* TAKAHASHI N., TANAKA H., ABDULLAH N., JING L., INOUE R. & ITO Y. **488**, 709, 1995

TANIGUCHI N. *see* NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

TAN N. *see* WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N. **484**, 767, 1995

TAPPE A. *see* GLITSCH H. G. & TAPPE A. **484**, 605, 1995

TARE M. *see* PARKINGTON H. C., TONTA M. A., COLEMAN H. A. & TARE M. **484**, 469, 1995

TARRAN R. *see* ROBSON L., TARRAN R. & HUNTER M. **486**, 715, 1995

TASHIRO K. *see* JING L., INOUE R., TASHIRO K., TAKAHASHI S. & ITO Y. **483**, 225, 1995

TAYLOR C.W. *see* BYRON K. L. & TAYLOR C. W. **485**, 455, 1995

TAYLOR G.E. *see* WEINREICH D., KOSCHORKE G. M., UNDEM B. J. & TAYLOR G. E. **483**, 735, 1995

TAYLOR J.A.

TAYLOR J. A., HALLIWILL J. R., BROWN T. E., HAYANO J. & ECKBERG D. L. 'Non-hypotensive' hypovolaemia reduces ascending aortic dimensions in humans **483**, 289, 1995

TAYLOR J.L. *see* RIDDING M. C., TAYLOR J. L. & ROTHWELL J. C. **487**, 541, 1995

see REFSHAUGE K. M., CHAN R., TAYLOR J. L. & MCCLOSKEY D. I. **488**, 231, 1995

TAYLOR J. L., FOGEL W., DAY B. L. & ROTHWELL J. C. Ipsilateral cortical stimulation inhibited the long-latency response to stretch in the long finger flexors in humans **488**, 821, 1995

TAYLOR W.R.

TAYLOR W. R. & BAYLOR D. A. Conductance and kinetics of single cGMP-activated channels in salamander rod outer segments **483**, 567, 1995

Taylor W. R., Chen E. & Copenhagen D. R. Characterization of spontaneous excitatory synaptic currents in salamander retinal ganglion cells **486**, 207, 1995

Ten Eick R.E. *see Koumi S-i., Wasserstrom J. A. & Ten Eick R. E.* **486**, 647, 1995

see Koumi S-i., Wasserstrom J. A. & Ten Eick R. E. **486**, 661, 1995

Teppema L.

Teppema L., Berkenbosch A., DeGoede J. & Olievier C. Carbonic anhydrase and control of breathing: different effects of benzolamide and methazolamide in the anaesthetized cat **488**, 767, 1995

Terenzi M.G. *see Rees H., Terenzi M. G. & Roberts M. H. T.* **489**, 159, 1995

Ternaux J.P. *see Hamann M., Chamoin M. C., Portalier P., Bernheim L., Baroffio A., Widmer H., Bader C. R. & Ternaux J. P.* **489**, 791, 1995

Teulon J. *see Guinamard R., Chraïbi A. & Teulon J.* **485**, 97, 1995

Thomas A.L. *see Horn N. M., Thomas A. L. & Tompkins J. D.* **489**, 73, 1995

Thomas R.C. *see Kennedy H. J. & Thomas R. C.* **484**, 533, 1995

see Orkand R. K. & Thomas R. C. **489**, 19, 1995

Thomas T.

Thomas T. & Marshall J. M. A study on rats of the effects of chronic hypoxia from birth on respiratory and cardiovascular responses evoked by acute hypoxia **487**, 513, 1995

Thorn P.

Thorn P. Ca^{2+} influx during agonist and Ins(2,4,5)P_3-evoked Ca^{2+} oscillations in HeLa epithelial cells **482**, 275, 1995

Tillman D.-B.

Tillman D.-B., Treede R.-D., Meyer R. A. & Campbell J. N. Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: estimates of receptor depth and threshold **485**, 753, 1995

Tillman D.-B., Treede R.-D., Meyer R. A. & Campbell J. N. Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: correlation with pain threshold in humans **485**, 767, 1995

Tomita T. *see Tsugeno M., Huang S.-M., Pang Y.-W., Chowdhury J. U. & Tomita T.* **485**, 493, 1995

Tomlinson D.R. *see Al-Haboubi H. A., Tomlinson D. R. & Ward B. J.* **482**, 157, 1995

see Al-Haboubi H. A., Tomlinson D. R. & Ward B. J. **485**, 875, 1995

Tomori Z.

Tomori Z., Fung M.-L., Donic V., Donicova V. & St John W. M. Power spectral analysis of respiratory responses to pharyngeal stimulation in cats: comparisons with eupnoea and gasping **485**, 551, 1995

Tompkins J.D. *see Horn N. M., Thomas A. L. & Tompkins J. D.* **489**, 73, 1995

Tonta M.A. *see Parkington H. C., Tonta M. A., Coleman H. A. & Tare M.* **484**, 469, 1995

Tooke J.E. *see Mahy I. R., Tooke J. E. & Shore A. C.* **485**, 213, 1995

Torre V. *see Sesti F., Eismann E., Kaupp U. B., Nizzari M. & Torre V.* **487**, 17, 1995

Toselli M.

Toselli M. & Taglietti V. Muscarine inhibits high-threshold calcium currents with two distinct modes in rat embryonic hippocampal neurons **483**, 347, 1995

Toth P.T.

Toth P. T. & Miller R. J. Calcium and sodium currents evoked by action potential waveforms in rat sympathetic neurones **485**, 43, 1995

Townend J. *see Al-Ani M., Powell L., West J., Townend J. & Coote J. H.* **489**, 603, 1995

Toyoda O. *see Wang Y., Coe Y., Toyoda O. & Coceani F.* **482**, 421, 1995

Trafford A.W.

Trafford A. W., Díaz M. E., O'Neill S. C. & Eisner D. A. Comparison of subsarcolemmal and bulk calcium concentration during spontaneous calcium release in rat ventricular myocytes **488**, 577, 1995

Trafford A. W., Lipp P., O'Neill S. C., Niggli E. & Eisner D. A. Propagating calcium waves initiated by local caffeine application in rat ventricular myocytes **489**, 319, 1995

Trapp S.

Trapp S. & Ballanyi K. K_{ATP} channel mediation of anoxia-induced outward current in rat dorsal vagal neurons *in vitro* **487**, 37, 1995

Traub R.D. *see Whittington M. A., Traub R. D. & Jefferys J. G. R.* **486**, 723, 1995

Traub R. D., Colling S. B. & Jefferys J. G. R. Cellular mechanisms of 4-aminopyridine-induced synchronized after-discharges in the rat hippocampal slice **489**, 127, 1995

Travagli R.A. *see Grudt T. J., Williams J. T. & Travagli R. A.* **485**, 113, 1995

Treede R.-D.

Treede R.-D., Meyer R. A., Raja S. N. & Campbell J. N. Evidence for two different heat transduction mechanisms in nociceptive primary afferents innervating monkey skin **483**, 747, 1995

see Tillman D.-B., Treede R.-D., Meyer R. A. & Campbell J. N. **485**, 753, 1995

see Tillman D.-B., Treede R.-D., Meyer R. A. & Campbell J. N. **485**, 767, 1995

Trussell L.O. *see Otis T. S., Raman I. M. & Trussell L. O.* **482**, 309, 1995

Tseeb V. *see Leinekugel X., Tseeb V., Ben-Ari Y. & Bregestovski P.* **487**, 319, 1995

Tsintzas O.-K.

Tsintzas O.-K., Williams C., Boobis L. & Greenhaff P. Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man **489**, 243, 1995

Tsugeno M.

Tsugeno M., Huang S.-M., Pang Y.-W., Chowdhury J. U. & Tomita T. Effects of phosphodiesterase inhibitors on spontaneous electrical activity (slow waves) in the guinea-pig gastric muscle **485**, 493, 1995

Tsutsumi O. *see Kasai Y., Tsutsumi O., Taketani Y., Endo M. & Iino M.* **486**, 373, 1995

Tunstall M.J.

Tunstall M. J., Gale J. E. & Ashmore J. F. Action of salicylate on membrane capacitance of outer hair cells from the guinea-pig cochlea **485**, 739, 1995

Turcotte L.P. *see Bangsbo J., Aagaard T., Olsen M., Kiens B., Turcotte L. P. & Richter E. A.* **488**, 219, 1995

Turner D.L. *see Newham D. J., Jones D. A., Turner D. L. & McIntyre D.* **488**, 815, 1995

Twist V.W. *see Wright A. R., Rees S. A., Vandenberg J. I., Twist V. W. & Powell T.* **488**, 293, 1995

Tyč F.

Tyč F. & Vrbová G. The effect of partial denervation of developing rat fast muscles on their motor unit properties **482**, 651, 1995

Tyč F. & Vrbová G. Erratum: *Journal of Physiology* **482**, 651–660 (1995) **484**, 811, 1995

Uchitel O.D. *see Katz E., Ferro P. A., Cherksey B. D., Sugimori M., Llinás R. & Uchitel O. D.* **486**, 695, 1995

Ueda S. *see Kajita H., Morishima S., Shirakata Y., Kotera T., Ueda S., Okuma M. & Okada Y.* **488**, 57, 1995

see Kajita H., Kotera T., Shirakata Y., Ueda S., Okuma M., Oda-Ohmae K., Takimoto M., Urade Y. & Okada Y. **488**, 65, 1995

Ueno S. *see Nabekura J., Ueno S., Ogawa T. & Akaike N.* **489**, 519, 1995

Ueta Y. *see Onaka T., Luckman S. M., Guevara-Guzman R., Ueta Y., Kendrick K. & Leng G.* **482**, 69, 1995

Umemiya M. *see Bayliss D. A., Umemiya M. & Berger A. J.* **485**, 635, 1995

Undem B.J. *see Weinreich D., Koschorke G. M., Undem B. J. & Taylor G. E.* **483**, 735, 1995

Unno T.

Unno T., Komori S. & Ohashi H. Inhibitory effect of muscarinic receptor activation on Ca^{2+} channel current in smooth muscle cells of guinea-pig ileum **484**, 567, 1995

Urade Y. *see Kajita H., Kotera T., Shirakata Y., Ueda S., Okuma M., Oda-Ohmae K., Takimoto M., Urade Y. & Okada Y.* **488**, 65, 1995

Usachev Y.M.

Usachev Y. M., Marchenko S. M. & Sage S. O. Cytosolic calcium concentration in resting and stimulated endothelium of excised intact rat aorta **489**, 309, 1995

Valdeolmillos M. *see Sánchez-Andrés J. V., Gomis A. & Valdeolmillos M.* **486**, 223, 1995

Valdivia H.H. *see Lokuta A. J., Rogers T. B., Lederer W. J. & Valdivia H. H.* **487**, 609, 1995

Valeyev A.Y. *see Serafini R., Valeyev A. Y., Barker J. L. & Poulter M. O.* **488**, 371, 1995

Vallbo Å.B. *see Wessberg J. & Vallbo Å. B.* **482**, 225, 1995

Vallbo Å. B., Olausson H., Wessberg J. & Kakuda N. Receptive field characteristics of tactile units with myelinated afferents in hairy skin of human subjects **483**, 783, 1995

see Wessberg J. & Vallbo Å. B. **485**, 271, 1995

Vallés P. *see Marin-Grez M., Vallés P. & Odigie P. I.* **488**, 163, 1995

Vandenberg J.I. *see Wright A. R., Rees S. A., Vandenberg J. I., Twist V. W. & Powell T.* **488**, 293, 1995

VAN DEN ELSEN M. *see* DAHAN A., BERKENBOSCH A., DEGOEDE J., VAN DEN ELSEN M., OLIEVIER I. & VAN KLEEF J. **488**, 803, 1995

VAN DER VUSSE G.J. *see* VAN HALL G., SALTIN B., VAN DER VUSSE G. J., SÖDERLUND K. & WAGENMAKERS A. J. M. **489**, 251, 1995

VAN DIEMEN A.B.J.P. *see* KERNELL D., LIND A., VAN DIEMEN A. B. J. P. & DE HAAN A. **484**, 139, 1995

VAN DRIESSCHE W. *see* NILIUS B., SEHRER J., DE SMET P., VAN DRIESSCHE W. & DROOGMANS G. **487**, 367, 1995

VAN HALL G.

VAN HALL G., RAAYMAKERS J. S. H., SARIS W. H. M. & WAGENMAKERS A. J. M. Ingestion of branched-chain amino acids and tryptophan during sustained exercise in man: failure to affect performance **486**, 789, 1995

VAN HALL G., SALTIN B., VAN DER VUSSE G. J., SÖDERLUND K. & WAGENMAKERS A. J. M. Deamination of amino acids as a source for ammonia production in human skeletal muscle during prolonged exercise **489**, 251, 1995

VAN INGEN SCHENAU G.J.

VAN INGEN SCHENAU G. J., DORSSERS W. M. M., WELTER T. G., BEELEN A., DE GROOT G. & JACOBS R. The control of mono-articular muscles in multijoint leg extensions in man **484**, 247, 1995

VAN KLEEF J. *see* DAHAN A., BERKENBOSCH A., DEGOEDE J., VAN DEN ELSEN M., OLIEVIER I. & VAN KLEEF J. **488**, 803, 1995

VAN KOPPEN C.J. *see* BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L. **489**, 701, 1995

VAN RIPER D.A. *see* REMBOLD C. M., VAN RIPER D. A. & CHEN X.-L. **488**, 549, 1995

VÁRNAI P.

VÁRNAI P., OSIPENKO O. N., VIZI E. S. & SPÄT A. Activation of calcium current in voltage-clamped rat glomerulosa cells by potassium ions **483**, 67, 1995

VARRO A. *see* NEGRETTI N., VARRO A. & EISNER D. A. **486**, 581, 1995

VAUDRY H. *see* SCHOENMAKERS TH. J. M., VAUDRY H. & CAZIN L. **489**, 419, 1995

see MEI Y. A., LOUISET E., VAUDRY H. & CAZIN L. **489**, 431, 1995

VENOSA R.A. *see* HOYA A. & VENOSA R. A. **486**, 615, 1995

VERDONCK F. *see* HERMANS A. N., GLITSCH H. G. & VERDONCK F. **484**, 617, 1995

VERKHRATSKY A. *see* KIRISCHUK S., SCHERER J., KETTENMANN H. & VERKHRATSKY A. **483**, 41, 1995

see KANO M., GARASCHUK O., VERKHRATSKY A. & KONNERTH A. **487**, 1, 1995

see SHMIGOL A., VERKHRATSKY A. & ISENBERG G. **489**, 627, 1995

VIANA F.

VIANA F., BAYLISS D. A. & BERGER A. J. Repetitive firing properties of developing rat brainstem motoneurones **488**, 745, 1995

VIGLIONE M.P.

VIGLIONE M. P., O'SHAUGHNESSY T. J. & KIM Y. I. Inhibition of calcium currents and exocytosis by Lambert–Eaton syndrome antibodies in human lung cancer cells **488**, 303, 1995

VILLAZ M.

VILLAZ M., CINNIGER J. C. & MOODY W. J. A voltage-gated chloride channel in ascidian embryos modulated by both the cell cycle clock and cell volume **488**, 689, 1995

VINCENT A. *see* NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J. **489**, 767, 1995

VINCENT J.-D. *see* SCHIFFMANN S. N., LLEDO P.-M. & VINCENT J.-D. **483**, 95, 1995

VINK H.

VINK H., WIERINGA P. A. & SPAAN J. A. E. Evidence that cell surface charge reduction modifes capillary red cell velocity–flux relationships in hamster cremaster muscle **489**, 193, 1995

VIST G.E.

VIST G. E. & MAUGHAN R. J. The effect of osmolality and carbohydrate content on the rate of gastric emptying of liquids in man **486**, 523, 1995

VIVAUDOU M.

VIVAUDOU M. & FORESTIER C. Modification by protons of frog skeletal muscle K_{ATP} channels: effects on ion conduction and nucleotide inhibition **486**, 629, 1995

VIZI E.S. *see* VÁRNAI P., OSIPENKO O. N., VIZI E. S. & SPÄT A. **483**, 67, 1995

VIÑA J. *see* SWEIRY J. H., SASTRE J., VIÑA J., ELSÄSSER H. P. & MANN G. E. **485**, 167, 1995

VOGELS R. *see* SCHOUPS A. A., VOGELS R. & ORBAN G. A. **483**, 797, 1995

VOGEL W. *see* SAFRONOV B. V. & VOGEL W. **487**, 91, 1995

VOISIN D.L.

VOISIN D. L., HERBISON A. E. & POULAIN D. A. Central inhibitory effects of muscimol and bicuculline on the milk ejection reflex in the anaesthetized rat **483**, 211, 1995

VOISIN D. L., HERBISON A. E. & POULAIN D. A. Erratum: *Journal of Physiology* **483**, 211–224 (1995) **485**, 873, 1995

VON BREVERN M. *see* ITO Y., CORNA S., VON BREVERN M., BRONSTEIN A., ROTHWELL J. & GRESTY M. **489**, 911, 1995

VON KROSIGK M. *see* BAL T., VON KROSIGK M. & MCCORMICK D. A. **483**, 641, 1995

see BAL T., VON KROSIGK M. & MCCORMICK D. A. **483**, 665, 1995

VO VAN TOI

VO VAN TOI & RIVA C. E. Variations of blood flow at optic nerve head induced by sinusoidal flicker stimulation in cats **482**, 189, 1995

TOI VO VAN & RIVA C. E. Erratum: *Journal of Physiology* **482**, 189–202 (1995) **484**, 811, 1995

VRBOVÁ G. *see* TYČ F. & VRBOVÁ G. **482**, 651, 1995

see TYČ F. & VRBOVÁ G. **484**, 811, 1995

WACHTER C.

WACHTER C., HEINEMANN Á, JOCIČ M. & HOLZER P. Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **486**, 505, 1995

WAGENMAKERS A.J.M. *see* VAN HALL G., RAAYMAKERS J. S. H., SARIS W. H. M. & WAGENMAKERS A. J. M. **486**, 789, 1995

see VAN HALL G., SALTIN B., VAN DER VUSSE G. J., SÖDERLUND K. & WAGENMAKERS A. J. M. **489**, 251, 1995

WAGNER C.D. *see* JUST A., WAGNER C. D., EHMKE H., KIRCHHEIM H. R. & PERSSON P. B. **489**, 215, 1995

WAGNER S. *see* MITROVIĆ N., GEORGE A. L. JR, LERCHE H., WAGNER S., FAHLKE CH. & LEHMANN-HORN F. **487**, 107, 1995

WAKADE A.R. *see* WAKADE T. D., PALMER K. C., MCCAULEY R., PRZYWARA D. A. & WAKADE A. R. **488**, 123, 1995

WAKADE A. R., PRZYWARA D. A., BHAVE S. V., MASHALKAR V. & WAKADE T. D. Cardiac cells control transmitter release and calcium homeostasis in sympathetic neurons cultured from embryonic chick **488**, 587, 1995

WAKADE T.D.

WAKADE T. D., PALMER K. C., MCCAULEY R., PRZYWARA D. A. & WAKADE A. R. Adenosine-induced apoptosis in chick embryonic sympathetic neurons: a new physiological role for adenosine **488**, 123, 1995

see WAKADE A. R., PRZYWARA D. A., BHAVE S. V., MASHALKAR V. & WAKADE T. D. **488**, 587, 1995

WAKERLEY J.B. *see* JIANG Q. B. & WAKERLEY J. B. **486**, 237, 1995

WALL M.J.

WALL M. J. & DALE N. A slowly activating Ca^{2+}-dependent K^+ current that plays a role in termination of swimming in *Xenopus* embryos **487**, 557, 1995

WALSH J.V. JR *see* ORDWAY R. W., PETROU S., KIRBER M. T., WALSH J. V. JR & SINGER J. J. **484**, 331, 1995

WALTER S.J.

WALTER S. J., SAMPSON B. & SHIRLEY D. G. A micropuncture study of renal tubular lithium reabsorption in sodium-depleted rats **483**, 473, 1995

WANG H.-S.

WANG H.-S. & MCKINNON D. Potassium currents in rat prevertebral and paravertebral sympathetic neurones: control of firing properties **485**, 319, 1995

WANG L.-Y.

WANG L.-Y. & MACDONALD J. F. Modulation by magnesium of the affinity of NMDA receptors for glycine in murine hippocampal neurones **486**, 83, 1995

WANG Y.

WANG Y., COE Y., TOYODA O. & COCEANI F. Involvement of endothelin-1 in hypoxic pulmonary vasoconstriction in the lamb **482**, 421, 1995

see JONES J. F. X., WANG Y. & JORDAN D. **489**, 203, 1995

WANG Z.

WANG Z., GRABNER M., BERJUKOW S., SAVCHENKO A., GLOSSMANN H. & HERING S. Chimeric L-type Ca^{2+} channels expressed in *Xenopus laevis* oocytes reveal role of repeats III and IV in activation gating **486**, 131, 1995

WANKE E. *see* ARCANGELI A., BIANCHI L., BECCHETTI A., FARAVELLI L., CORONNELLO M., MINI E., OLIVOTTO M. & WANKE E. **489**, 455, 1995

WARD B.J. *see* AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. **482**, 157, 1995

see AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. **485**, 875, 1995

WARD J.

WARD J., DE BURGH DALY M. & WOOD L. M. Urinary bladder distension: its effects on carotid baroreceptor reflex left ventricular inotropic response in the dog **489**, 857, 1995

WARD J.K.

WARD J. K., BARNES P. J., TADJKARIMI S., YACOUB M. H. & BELVISI M. G. Evidence for the involvement of cGMP in neural bronchodilator responses in human trachea **483**, 525, 1995

WAREING M.

WAREING M., WILSON R. W., KIBBLE J. D. & GREEN R. Estimated potassium reflection coefficient in perfused proximal convoluted tubules of the anaesthetized rat *in vivo* **488**, 153, 1995

WARNER A.

WARNER A., CLEMENTS D. K., PARIKH S., EVANS W. H. & DEHAAN R. L. Specific motifs in the external loops of connexin proteins can determine gap junction formation between chick heart myocytes **488**, 721, 1995

WASSERSTROM J. A. *see* KOUMI S-I., WASSERSTROM J. A. & TEN EICK R. E. **486**, 647, 1995

see KOUMI S-I., WASSERSTROM J. A. & TEN EICK R. E. **486**, 661, 1995

WATANABE M. *see* SILINSKY E. M., WATANABE M., REDMAN R. S., QIU R., HIRSH J. K., HUNT J. M., SOLSONA C. S., ALFORD S. & MACDONALD R. C. **482**, 511, 1995

WATANABE T.

WATANABE T., MAKISUMI T., MACARI M., TAN N., NAKAMORI T., NAKAMURA S. & MURAKAMI N. Febrile responses induced in adrenalectomized rats by administration of interleukin-1β or prostaglandin E_2 **484**, 767, 1995

WATANO T. *see* NAKAZAWA K., INOUE K., WATANO T., KOIZUMI S. & INOUE K. **484**, 447, 1995

WATSON J.D.G. *see* CORFIELD D. R., FINK G. R., RAMSAY S. C., MURPHY K., HARTY H. R., WATSON J. D. G., ADAMS L., FRACKOWIAK R. S. J. & GUZ A. **488**, 77, 1995

see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

WATSON L.P. *see* SMITH G. D. P., WATSON L. P., PAVITT D. V. & MATHIAS C. J. **484**, 255, 1995

WATTS A.G.

WATTS A. G. & SANCHEZ-WATTS G. Region-specific regulation of neuropeptide mRNAs in rat limbic forebrain neurones by aldosterone and corticosterone **484**, 721, 1995

WEBB S.F. *see* RIACH R. A., DUNCAN G., WILLIAMS M. R. & WEBB S. F. **486**, 273, 1995

WEINREICH D.

WEINREICH D., KOSCHORKE G. M., UNDEM B. J. & TAYLOR G. E. Prevention of the excitatory actions of bradykinin by inhibition of PGI_2 formation in nodose neurones of the guinea-pig **483**, 735, 1995

WEIR A.I. *see* CONWAY B. A., HALLIDAY D. M., FARMER S. F., SHAHANI U., MAAS P., WEIR A. I. & ROSENBERG J. R. **489**, 917, 1996

WELLNER M.-C.

WELLNER M.-C. & ISENBERG G. cAMP accelerates the decay of stretch-activated inward currents in guinea-pig urinary bladder myocytes **482**, 143, 1995

WELTER T.G. *see* VAN INGEN SCHENAU G. J., DORSSERS W. M. M., WELTER T. G., BEELEN A., DE GROOT G. & JACOBS R. **484**, 247, 1995

WERNIG A.

WERNIG A., IRINTCHEV A. & LANGE G. Functional effects of myoblast implantation into histoincompatible mice with or without immunosuppression **484**, 493, 1995

WESSBERG J.

WESSBERG J. & VALLBO Å. B. Human muscle spindle afferent activity in relation to visual control in precision finger movements **482**, 225, 1995

see VALLBO Å. B., OLAUSSON H., WESSBERG J. & KAKUDA N. **483**, 783, 1995

WESSBERG J. & VALLBO Å. B. Coding of pulsatile motor output by human muscle afferents during slow finger movements **485**, 271, 1995

WESTERBLAD H.

WESTERBLAD H. & LÄNNERGREN J. Reduced maximum shortening velocity in the absence of phosphocreatine observed in intact fibres of *Xenopus* skeletal muscle **482**, 383, 1995

see BRUTON J. D., LÄNNERGREN J. & WESTERBLAD H. **484**, 737, 1995

see ALLEN D. G. & WESTERBLAD H. **487**, 331, 1995

WESTFALL D.P. *see* HASHIMOTO M., SHINOZUKA K., BJUR R. A., WESTFALL D. P., HATTORI K. & MASUMURA S. **489**, 841, 1995

WESTFALL M.V. *see* METZGER J. M., RUDNICKI M. A. & WESTFALL M. V. **485**, 447, 1995

WEST J. *see* AL-ANI M., POWELL L., WEST J., TOWNEND J. & COOTE J. H. **489**, 603, 1995

WESTLUND K.N. *see* REES H., SLUKA K. A., WESTLUND K. N. & WILLIS W. D. **484**, 437, 1995

WHITE E.

WHITE E., BOYETT M. R. & ORCHARD C. H. The effects of mechanical loading and changes of length on single guinea-pig ventricular myocytes **482**, 93, 1995

WHITTINGTON M.A.

WHITTINGTON M. A., TRAUB R. D. & JEFFERYS J. G. R. Erosion of inhibition contributes to the progression of low magnesium bursts in rat hippocampal slices **486**, 723, 1995

WIDMER H. *see* HAMANN M., CHAMOIN M. C., PORTALIER P., BERNHEIM L., BAROFFIO A., WIDMER H., BADER C. R. & TERNAUX J. P. **489**, 791, 1995

WIECHEN K.

WIECHEN K., YUE D. T. & HERZIG S. Two distinct functional effects of protein phosphatase inhibitors on guinea-pig cardiac L-type Ca^{2+} channels **484**, 583, 1995

WIERINGA P.A. *see* VINK H., WIERINGA P. A. & SPAAN J. A. E. **489**, 193, 1995

WIER W.G. *see* SHACKLOCK P. S., WIER W. G. & BALKE C. W. **487**, 601, 1995

WILEY J.W. *see* HALL K. E., SIMA A. A. F. & WILEY J. W. **486**, 313, 1995

WILLIAMS C. *see* TSINTZAS O.-K., WILLIAMS C., BOOBIS L. & GREENHAFF P. **489**, 243, 1995

WILLIAMS J.T. *see* GRUDT T. J., WILLIAMS J. T. & TRAVAGLI R. A. **485**, 113, 1995

WILLIAMS M.R. *see* RIACH R. A., DUNCAN G., WILLIAMS M. R. & WEBB S. F. **486**, 273, 1995

WILLIS W.D. *see* REES H., SLUKA K. A., WESTLUND K. N. & WILLIS W. D. **484**, 437, 1995

WILSON L.R.

WILSON L. R., GANDEVIA S. C. & BURKE D. Increased resting discharge of human spindle afferents following voluntary contractions **488**, 833, 1995

WILSON R.W. *see* WAREING M., WILSON R. W., KIBBLE J. D. & GREEN R. **488**, 153, 1995

WINGARD C.J.

WINGARD C. J., BROWNE A. K. & MURPHY R. A. Dependence of force on length at constant cross-bridge phosphorylation in the swine carotid media **488**, 729, 1995

WINTOUR E.M. *see* BENSON C. A. & WINTOUR E. M. **489**, 235, 1995

WOLEDGE R.C. *see* LINARI M. & WOLEDGE R. C. **487**, 699, 1995

WONG R.K.S. *see* CHEN Q. X. & WONG R. K. S. **482**, 353, 1995

see BIANCHI R. & WONG R. K. S. **487**, 663, 1995

WOOD L.M. *see* WARD J., DE BURGH DALY M. & WOOD L. M. **489**, 857, 1995

WOOD S.J.

WOOD S. J. & SLATER C. R. Action potential generation in rat slow- and fast-twitch muscles **486**, 401, 1995

WOODWARD R.M. *see* ARELLANO R. O., WOODWARD R. M. & MILEDI R. **484**, 593, 1995

WOOLF C.J. *see* MA Q.-P. & WOOLF C. J. **486**, 769, 1995

WOOTTON J.F. *see* CURRIE K. P. M., WOOTTON J. F. & SCOTT R. H. **482**, 291, 1995

WÖRGÖTTER F. *see* FUNKE K. & WÖRGÖTTER F. **485**, 715, 1995

WRAY S. *see* AUSTIN C. & WRAY S. **488**, 281, 1995

see BURDYGA TH. V., TAGGART M. J. & WRAY S. **489**, 327, 1995

WRIGHT A.R.

WRIGHT A. R., REES S. A., VANDENBERG J. I., TWIST V. W. & POWELL T. Extracellular osmotic pressure modulates sodium–calcium exchange in isolated guinea-pig ventricular myocytes **488**, 293, 1995

WU L.-G.

WU L.-G. & SAGGAU P. $GABA_B$ receptor-mediated presynaptic inhibition in guinea-pig hippocampus is caused by reduction of presynaptic Ca^{2+} influx **485**, 649, 1995

WU S.Y.

WU S. Y., MIYAZAKI T. & DUN N. J. Glycine induces two distinct membrane currents in neonatal rat sympathetic preganglionic neurones *in vitro* **483**, 385, 1995

WUYAM B.

WUYAM B., MOOSAVI S. H., DECETY J., ADAMS L., LANSING R. W. & GUZ A. Imagination of dynamic exercise produced ventilatory responses which were more apparent in competitive sportsmen **482**, 713, 1995

see FINK G. R., ADAMS L., WATSON J. D. G., INNES J. A., WUYAM B., KOBAYASHI I., CORFIELD D. R., MURPHY K., JONES T., FRACKOWIAK R. S. J. & GUZ A. **489**, 663, 1995

WYATT C. N.

WYATT C. N. & PEERS C. Ca^{2+}-activated K^+ channels in isolated type I cells of the neonatal rat carotid body **483**, 559, 1995

XI-MOY S. X.

XI-MOY S. X. & DUN N. J. Potassium currents in adult rat intracardiac neurones **486**, 15, 1995

YACOUB M. H. *see* WARD J. K., BARNES P. J., TADJKARIMI S., YACOUB M. H. & BELVISI M. G. **483**, 525, 1995

YADA T.

YADA T., HAMAKAWA N. & YAEKURA K. Two distinct modes of Ca^{2+} signalling by ACh in rat pancreatic β-cells: concentration, glucose dependence and Ca^{2+} origin **488**, 13, 1995

YAEKURA K. *see* YADA T., HAMAKAWA N. & YAEKURA K. **488**, 13, 1995

YAGURA S. *see* NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

YAKIR N.

YAKIR N. & RAHAMIMOFF R. The non-specific ion channel in *Torpedo ocellata* fused synaptic vesicles **485**, 683, 1995

YAMASHITA H. *see* NAGATOMO T., INENAGA K. & YAMASHITA H. **485**, 87, 1995

see NAKANISHI K., TAJIMA F., NAKAMURA A., YAGURA S., OOKAWARA T., YAMASHITA H., SUZUKI K., TANIGUCHI N. & OHNO H. **489**, 869, 1995

YANAGAWA S. *see* SHINDO M., YANAGAWA S., MORITA H. & YANAGISAWA N. **489**, 275, 1995

YANAGISAWA N. *see* SHINDO M., YANAGAWA S., MORITA H. & YANAGISAWA N. **489**, 275, 1995

YANASE-FUJIWARA M. *see* ZHANG Y.-H., YANASE-FUJIWARA M., HOSONO T. & KANOSUE K. **485**, 195, 1995

YANG J. F. *see* DE SERRES S. J., YANG J. F. & PATRICK S. K. **488**, 249, 1995

YAO Y.

YAO Y., CHOI J. & PARKER I. Quantal puffs of intracellular Ca^{2+} evoked by inositol trisphosphate in *Xenopus* oocytes **482**, 533, 1995

YAROM Y. *see* GUTFREUND Y., YAROM Y. & SEGEV I. **483**, 621, 1995

YAU K.-W. *see* NAKATANI K., KOUTALOS Y. & YAU K.-W. **484**, 69, 1995

YOSHIMURA M.

YOSHIMURA M. & NISHI S. Primary afferent-evoked glycine- and GABA-mediated IPSPs in substantia gelatinosa neurones in the rat spinal cord *in vitro* **482**, 29, 1995

YOSHIOKA K. *see* KURIHARA T., YOSHIOKA K. & OTSUKA M. **485**, 787, 1995

YOSHIZAKI K.

YOSHIZAKI K., HOSHINO T., SATO M., KOYANO H., NOHMI M., HUA S.-Y. & KUBA K. Ca^{2+}-induced Ca^{2+} release and its activation in response to a single action potential in rabbit otic ganglion cells **486**, 177, 1995

YOUNG J. A. *see* DINUDOM A., KOMWATANA P., YOUNG J. A. & COOK D. I. **487**, 549, 1995

YUDILEVICH D. L. *see* SOBREVIA L., CESARE P., YUDILEVICH D. L. & MANN G. E. **489**, 183, 1995

YUE D. T. *see* WIECHEN K., YUE D. T. & HERZIG S. **484**, 583, 1995

YU H.

YU H., CHANG F. & COHEN I. S. Pacemaker current i_f in adult canine cardiac ventricular myocytes **485**, 469, 1995

YU P. *see* ANVARI M., YU P., DENT J. & JAMIESON G. G. **488**, 203, 1995

YU S. P.

YU S. P. Roles of arachidonic acid, lipoxygenases and phosphatases in calcium-dependent modulation of M-current in bullfrog sympathetic neurons **487**, 797, 1995

ZAMMIT P. S. *see* NAFTALIN R. J., ZAMMIT P. S. & PEDLEY K. C. **487**, 479, 1995

ZANG W.-J. *see* SHUI Z., BOYETT M. R., ZANG W.-J., HAGA T. & KAMEYAMA K. **487**, 359, 1995

ZAPATER P. *see* MONTIEL C., LÓPEZ M. G., SÁNCHEZ-GARCÍA P., MAROTO R., ZAPATER P. & GARCÍA A. G. **486**, 427, 1995

ZAREMBA R. *see* STIENEN G. J. M., ZAREMBA R. & ELZINGA G. **482**, 109, 1995

ZBORAN E. L. *see* ZHU Y., ZBORAN E. L. & IKEDA S. R. **489**, 363, 1995

ZERBA E. *see* BROOKS S. V., ZERBA E. & FAULKNER J. A. **488**, 459, 1995

ZHANG J. *see* HALL S. K., ZHANG J. & LIEBERMAN M. **488**, 359, 1995

ZHANG L.

ZHANG L. & MCCLOSKEY M. A. Immunoglobulin E receptor-activated calcium conductance in rat mast cells **483**, 59, 1995

ZHANG L. & MCBAIN C. J. Voltage-gated potassium currents in stratum oriens–alveus inhibitory neurones of the rat CA1 hippocampus **488**, 647, 1995

ZHANG L. & MCBAIN C. J. Potassium conductances underlying repolarization and after-hyperpolarization in rat CA1 hippocampal interneurones **488**, 661, 1995

ZHANG S. J.

ZHANG S. J. & JACKSON M. B. $GABA_A$ receptor activation and the excitability of nerve terminals in the rat posterior pituitary **483**, 583, 1995

see JACKSON M. B. & ZHANG S. J. **483**, 597, 1995

ZHANG X. *see* ANDERSON L. C., GARRETT J. R., ZHANG X., PROCTOR G. B. & SHORI D. K. **485**, 503, 1995

ZHANG Y. *see* RASMUSSON R. L., ZHANG Y., CAMPBELL D. L., COMER M. B., CASTELLINO R. C., LIU S. & STRAUSS H. C. **485**, 59, 1995

ZHANG Y., CHEN J. & AUERBACH A. Activation of recombinant mouse acetylcholine receptors by acetylcholine, carbamylcholine and tetramethylammonium **486**, 189, 1995

ZHANG Y., NOVAK K. & KAUFMAN S. Atrial natriuretic factor release during pregnancy in rats **488**, 509, 1995

see RASMUSSON R. L., MORALES M. J., CASTELLINO R. C., ZHANG Y., CAMPBELL D. L. & STRAUSS H. C. **489**, 709, 1995

ZHANG Y.-H.

ZHANG Y.-H., YANASE-FUJIWARA M., HOSONO T. & KANOSUE K. Warm and cold signals from the preoptic area: which contribute more to the control of shivering in rats? **485**, 195, 1995

ZHANG Z.

ZHANG Z. & BONHAM A. C. Lung congestion augments the responses of cells in the rapidly adapting receptor pathway to cigarette smoke in rabbit **484**, 189, 1995

ZHANG Z.-Q.

ZHANG Z.-Q., BARRÈS C. & JULIEN C. Involvement of vasodilator mechanisms in arterial pressure lability after sino-aortic baroreceptor denervation in rat **482**, 435, 1995

ZHANG Z.-W.

ZHANG Z.-W. & BERG D. K. Patch-clamp analysis of glycine-induced currents in chick ciliary ganglion neurons **487**, 395, 1995

ZHOLOS A. V.

ZHOLOS A. V. & BOLTON T. B. Effects of divalent cations on muscarinic receptor cationic current in smooth muscle from guinea-pig small intestine **486**, 67, 1995

ZHOU Z. *see* BURNASHEV N., ZHOU Z., NEHER E. & SAKMANN B. **485**, 403, 1995

ZHU Y.

ZHU Y., ZBORAN E. L. & IKEDA S. R. Phenotype-specific expression of T-type calcium channels in neurons of the major pelvic ganglion of the adult male rat **489**, 363, 1995

ZIJDEWIND I.

ZIJDEWIND I., KERNELL D. & KUKULKA C. G. Spatial differences in fatigue-associated electromyographic behaviour of the human first dorsal interosseus muscle **483**, 499, 1995

ZIMMERMAN A. L. *see* GORDON S. E., DOWNING-PARK J. & ZIMMERMAN A. L. **486**, 533, 1995

ZOLADZ J. A.

ZOLADZ J. A., RADEMAKER A. C. H. J. & SARGEANT A. J. Non-linear relationship between O_2 uptake and power output at high intensities of exercise in humans **488**, 211, 1995

ZÖLLNER P. *see* FELDMEYER D., ZÖLLNER P., POHL B. & MELZER W. **487**, 51, 1995

ZORUMSKI C. F. *see* MENNERICK S. & ZORUMSKI C. F. **488**, 85, 1995

ZU HERINGDORF D. M. *see* BÜNEMANN M., BRANDTS B., ZU HERINGDORF D. M., VAN KOPPEN C. J., JAKOBS K. H. & POTT L. **489**, 701, 1995

ZUPERKU E. J. *see* ĐOGAŠ Z., STUTH E. A. E., HOPP F. A., MCCRIMMON D. R. & ZUPERKU E. J. **487**, 639, 1995

ZYTNICKI D.

ZYTNICKI D., LAFLEUR J., KOUCHTIR N. & PERRIER J.-F. Heterogeneity of contraction-induced effects in neurons of the cat dorsal spinocerebellar tract **487**, 761, 1995

Author Index: Proceedings

Proceedings of The Physiological Society
Volumes 482.P – 489.P

(January – November 1995)

AARONSON P.I. *see SMIRNOV S. V. & AARONSON P. I.* **483.P**, 109*P*, 1995
see SMIRNOV S. V., JONES G. D., POSTON L. & AARONSON P. I. **487.P**, 85*P*, 1995

ABBOTT G.W.
ABBOTT G. W., RAMESH B., MERCER E. A. J. & SRAI S. K. S. Structure of synthetic $K_v3.4$ potassium channel inactivation peptide **489.P**, 74*P*, 1995

ABEL F. *see MIHAILESCU S., ABEL F. & NESTIANU V.* **487.P**, 139*P*, 1995

ABRAMOVICH D.R. *see PAGE K. R., DUNCAN J. I., ARMSTRONG-FISHER S. S., ABRAMOVICH D. R. & URBANIAK S. J.* **482.P**, 30*P*, 1995

ABRAMS C.J.
ABRAMS C. J., DAVIES N. W., SHELTON P. A., CONLEY E. C. & STANFIELD P. R. A comparison of the blocking actions of Cs^+ and Rb^+ on wild-type and mutant inward rectifier K^+ channels (IRK1) **489.P**, 58*P*, 1995

ACCILI E.A.
ACCILI E. A. & DIFRANCESCO D. The absence of a 'fast' pathway in the muscarinic inhibition of i_f in rabbit SA node myocytes **487.P**, 188*P*, 1995

ACEVEDO M.
ACEVEDO M. & NEWTON I. P. A proton pump contributes to acid secretion by sheep tracheal epithelium **482.P**, 27*P*, 1995
see MADDOX A. D. M. & ACEVEDO M. **489.P**, 103*P*, 1995

ACKLAND G.L.
ACKLAND G. L., WAITES B. A., NOBLE R. & HANSON M. A. Bilateral lesions in the red nucleus abolish the biphasic respiratory response to hypoxia in decerebrate newborn rabbits **483.P**, 89*P*, 1995
see WAITES B. A., ACKLAND G. L., NOBLE R. & HANSON M. A. **489.P**, 156*P*, 1995

ADAMS D.J. *see CUEVAS J. & ADAMS D. J.* **487.P**, 122*P*, 1995
see HARPER A. A., CUEVAS J. & ADAMS D. J. **487.P**, 122*P*, 1995

ADAMS L.
ADAMS L., EBERHARD A., WUYAM B., MORRELL M. J. & BENCHETRIT G. Respiratory flow profiles during different forms of ventilatory stimulation in humans **487.P**, 107*P*, 1995
see ROBERTS C. A., CORFIELD D. R., MURPHY K., ADAMS L. & GUZ A. **487.P**, 107*P*, 1995
see HARTY H. R., CORFIELD D. R., SCHWARTZSTEIN R. M. & ADAMS L. **489.P**, 161*P*, 1995

ADAMS W.A. *see DILLY K. W., DOERING A. E., ADAMS W. A. & EISNER D. A.* **485.P**, 42*P*, 1995

ADEGHATE E.
ADEGHATE E. & PALLOT D. J. Immunohistochemical localization of neuropeptides in normal, diabetic and transplanted pancreas in rats **487.P**, 32*P*, 1995

ADEGHATE E.A. *see DJALI P. K., SINGH J. & ADEGHATE E. A.* **485.P**, 36*P*, 1995
see JUMA L. M. O., SINGH J., PALLOT D. & ADEGHATE E. A. **489.P**, 109*P*, 1995

AGBENYEGA E.T. *see HATTON P. A., AGBENYEGA E. T., MORTON R. H. & WAREHAM A. C.* **489.P**, 168*P*, 1995

AGGELOPOULOS N.C.
AGGELOPOULOS N. C., CHAKRABARTY S. & EDGLEY S. A. Evoked changes in the excitability of presynaptic terminals of cat midlumbar premotor interneurones **487.P**, 71*P*, 1995

AHMAD M.
AHMAD M., ZEITLIN I. J. & PARRATT J. R. The effect of ischaemia on kinin release by isolated hearts from normotensive (WKY) and spontaneously hypertensive (SHR) rats **483.P**, 21*P*, 1995

AHMAD N.
AHMAD N., LODGE J. P. A. & POTTS D. J. Evidence of improved renal cell volume control in rabbit proximal tubules with PBS140 and UW preservation solutions **489.P**, 91*P*, 1995

AHMED A.
AHMED A., PETER G. J., HARPER A. A., TAYLOR P. M. & RENNIE M. J. Membrane currents associated with neutral and cationic amino acid transport expressed in NBAA-Tr cRNA-injected *Xenopus laevis* oocytes **482.P**, 5*P*, 1995
see PETER G. J., DAVIDSON I. G., AHMED A., FORRESTER A. R. & TAYLOR P. M. **489.P**, 125*P*, 1995

AHMED B.
AHMED B., ANDERSON J. C., DOUGLAS R. J., MARTIN K. A. C. & NELSON C. Comparison of current–discharge relationships of pyramidal neurones from the visual cortex: *in vitro* and in the anaesthetized cat **485.P**, 10*P*, 1995

AHMED I.A.
AHMED I. A. & WINLOW W. Halothane raises intracellular calcium concentration ($[Ca^{2+}]_i$) in cultured molluscan neurones **483.P**, 190*P*, 1995
AHMED I. A., JOPKINS P. M. & WINLOW W. Effects of low concentrations of caffeine on intracellular calcium concentration of cultured, identified, molluscan neurones in the presence and absence of extracellular calcium **489.P**, 22*P*, 1995

AHMED S.K.
AHMED S. K., EGGINTON S., ROSS H. F., MANNION A. F. & JAKEMAN P. M. Scaling of muscle capillary supply in humans: effect of strength training **483.P**, 134*P*, 1995

AIDULIS D.M. *see OTUN H., AIDULIS D. M. & GILLESPIE J. I.* **487.P**, 22*P*, 1995

AITON N.R.
AITON N. R., INGRAM D. M. & MILNER A. D. The role of endogenous nitric oxide in cardiopulmonary adaptation in the human infant at birth **487.P**, 112*P*, 1995

AKAMINE S. *see KATAYAMA Y., BUTT A. Y., AKAMINE S., MCMAHON A., GLANVILLE C. & HIGENBOTTAM T. W.* **487.P**, 178*P*, 1995

AL-ANI M. *see FORKINS A. S., AL-ANI M., TOWNEND J. & COOTE J. H.* **483.P**, 100*P*, 1995
see GARDNER J., AL-ANI M., LOVICK T. A. & COOTE J. H. **483.P**, 100*P*, 1995
see LEWIS D. I., AL-ANI M. & COOTE J. H. **483.P**, 99*P*, 1995

ALBARWANI S.
ALBARWANI S., HEINERT G., TURNER J. L., NYE P. C. G. & KOZLOWSKI R. Z. K^+ channel diversity in smooth muscle cells isolated from the pulmonary arterial tree of the rat **483.P**, 110*P*, 1995
ALBARWANI S., SALTER K. J., TURNER J. L., CLAPP L. H. & KOZLOWSKI R. Z. Ca^{2+}-activated Cl^- and K^+ channels in pulmonary arterial smooth muscle of the rat **487.P**, 11*S*, 1995

ALCÓN S. *see PARIENTE J. A., ALCÓN S., SALIDO G. M. & POZO M. J.* **482.P**, 18*P*, 1995

ALEDO J.C.
ALEDO J. C., DARAKHSHAN F. & HUNDAL H. S. The insulin-sensitive pools of the GLUT4 glucose transporter and the α_2-subunit of the Na^+–K^+-ATPase in rat skeletal muscle are immunologically and biophysically distinct **489.P**, 128*P*, 1995

ALEXANDER B. *see YANG W., BENJAMIN I. S. & ALEXANDER B.* **487.P**, 42*P*, 1995

ALEXANDER P.D. *see MILEY H. E., ALEXANDER P. D., LI S. W., JACOB T. J. C. & POLLARD C. E.* **489.P**, 97*P*, 1995

AL-GHAMDI M.S.
AL-GHAMDI M. S., JONES J. F. X. & TAYLOR E. W. Central control of respiration and the heart in the anaesthetized agamid lizard, *Uromastyx microlipes* **483.P**, 6*P*, 1995

AL-HABOUBI H.A.
AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. A quantitative and ultrastructural study of the increase in vascular permeability induced by hypoxia in the isolated rat heart **483.P**, 139*P*, 1995

ALIFF C.L. *see CREAZZO T. L., BROTTO M. A. P., LUTIN W. A. & ALIFF C. L.* **487.P**, 15*P*, 1995

ALLCORN S. *see CATSICAS M., ALLCORN S. & MOBBS P.* **483.P**, 60*P*, 1995

ALLEE P.L. *see NOSEK T. M., FOGAÇA R. T. H., ALLEE P. L., BROTTO M. A. P. & ROBERT E. G.* **487.P**, 14*P*, 1995

ALLEN D.G. *see CHIN E. R. & ALLEN D. G.* **487.P**, 19*P*, 1995

ALLEN J.M. *see BARLAS P., CRAIG J., ROBINSON J., WALSH D. M., BAXTER G. D. & ALLEN J. M.* **483.P**, 84*P*, 1995
see BARLAS P., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995
see MCDOWELL B. C., ROBINSON J. I., CHERRY H. R., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995
see FLOTO R. A., SOMASUNDARAM B., ALLEN J. M. & MAHAUT-SMITH M. P. **487.P**, 190*P*, 1995
see BOURNAT J. C., LARHAMMAR D. & ALLEN J. M. **487.P**, 209*P*, 1995
see HARRISON P. T., HUTCHINSON M. J., BJORKHAUG L. & ALLEN J. M. **487.P**, 211*P*, 1995
see BARLAS P., LOWE A. S., WALSH D. M., BAXTER G. D. & ALLEN J. M. **489.P**, 44*P*, 1995

ALLEN M. *see MAHON J. M., ALLEN M., HERBERT J. & FITZSIMONS J. T.* **487.P**, 29*P*, 1995

ALLEN T.J.A.

ALLEN T. J. A., MIKALA G., WU X., SCHWARTZ A. & DOLPHIN A. C. Do consensus cAMP-dependent phosphorylation sites within the human L-type cardiac calcium channel expressed in *Xenopus* oocytes affect sensitivity to 2,3-butanedione monoxime inhibition? **487.P**, 136*P*, 1995

ALLEN T. J. A. Effects of carbachol and Mastoparan on guanylate cyclase activity in dialysed axons of the squid, *Loligo forbesi* **487.P**, 62*P*, 1995

ALLSHIRE A. *see STAPLETON M. & ALLSHIRE A.* **489.P**, 145*P*, 1995

ALMEIDA G.L. *see CORCOS D. M., ALMEIDA G. L., HONG D.-A. & GOTTLIEB G. L.* **483.P**, 30*P*, 1995

AL-SALIHI O.

AL-SALIHI O., AVERILL S., PRIESTLEY J. V. & MCMAHON S. B. Subcutaneous infusions of nerve growth factor promote local heat and chemical hyperalgesia and increases in sensory neuron CGRP immunoreactivity in the adult rat **483.P**, 154*P*, 1995

ALTENBERG G.A. *see REUSS L., ALTENBERG G. A., VANOYE C. G. & HAN E. S.* **489.P**, 12*S*, 1995

ALVAREZ GONZALEZ M.L. *see BOURGUIGNON J. P., GÉRARD A., ALVAREZ GONZALEZ M. L., PURNELLE G. & FRANCHIMONT P.* **483.P**, 14*S*, 1995

AMADI A. *see PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S.* **487.P**, 170*P*, 1995

AMARA S.G. *see WADICHE J. I., AMARA S. G. & KAVANAUGH M. P.* **487.P**, 191*P*, 1995

AMASSIAN V.E.

AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L. Can calcarine cortex be bypassed in a human visual reaction time? **483.P**, 42*P*, 1995

AMERDEIL H. *see WIDMER H., AMERDEIL H. & DESARMÉNIEN M. G.* **489.P**, 185*P*, 1995

AMJAD A.M. *see HALLIDAY D. M., AMJAD A. M., CONWAY B. A., FARMER S. F. & ROSENBERG J. R.* **487.P**, 76*P*, 1995

ÄMMÄLÄ C.

ÄMMÄLÄ C., ASHFIELD R., GRIBBLE F., SAKURA H. & ASHCROFT F. M. Inwardly rectifying K^+ currents in oocytes co-expressing Kir3.1 and Kir3.2 **489.P**, 57*P*, 1995

AMOS B. *see BERROW N., TEDDER I., PAGE K., BRICE N., AMOS B. & DOLPHIN A. C.* **489.P**, 52*P*, 1995

ANDERSEN H.K.

ANDERSEN H. K. & HARVEY B. J. Ion channels involved in *in situ* fluid secretion from the frog skin gland **482.P**, 24*P*, 1995

ANDERSON C.M. *see WILLIAMS S. R., ANDERSON C. M. & CRUNELLI V.* **483.P**, 58*P*, 1995

ANDERSON J.C. *see AHMED B., ANDERSON J. C., DOUGLAS R. J., MARTIN K. A. C. & NELSON C.* **485.P**, 10*P*, 1995

ANDERSON M. *see LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R.* **487.P**, 123*P*, 1995

ANDREASEN M.

ANDREASEN M. & LAMBERT J. D. C. Evidence for a Ca^{2+}-dependent K^+ conductance in rat hippocampal CA1 pyramidal cell dendrites **487.P**, 60*P*, 1995

ANDREOZZI G.M. *see MARTINI R., DI PINO L., SIGNORELLI S. & ANDREOZZI G. M.* **483.P**, 143*P*, 1995

ANDREW C. *see CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B.* **489.P**, 40*P*, 1995

ANDREWS D.C. *see BIRD J. A., LYKE S. J., ANDREWS D. C., LOMAX M. A. & SYMONDS M. E.* **483.P**, 99*P*, 1995

ANDREWS J.F. *see ELLISON A., DONNE B. & ANDREWS J. F.* **489.P**, 43*P*, 1995

ANGELINI G.D. *see SULEIMAN M.-S., WALLACE D., BIRKETT S. & ANGELINI G. D.* **487.P**, 91*P*, 1995

see DASHWOOD M. R., TIMM M., JEREMY J. Y., IZZAT M. B., BRYAN A. J. & ANGELINI G. D. **489.P**, 158*P*, 1995

ANGELO S. *see DEVÉS R. & ANGELO S.* **487.P**, 98*P*, 1995

ANGRAVE C.M.

ANGRAVE C. M. & BEECH D. J. Inhibition by bradykinin of ATP-sensitive K^+ current in smooth muscle cells isolated from guinea-pig ileum **487.P**, 91*P*, 1995

ANNETTS C. *see RAKOVIC S., ANNETTS C., FLAXMAN P., CUI Y. & TERRAR D. A.* **487.P**, 7*P*, 1995

ANSON L.C.

ANSON L. C. A calcium current activated by cyclopiazonic acid in inner hair cells isolated from the guinea-pig cochlea **489.P**, 81*P*, 1995

ANTONI F.A. *see PATERSON J. M., SMITH S. M., SIMPSON J., HARMAR A. J. & ANTONI F. A.* **487.P**, 210*P*, 1995

see SHIPSTON M. J., ANTONI F. A. & KELLY J. S. **489.P**, 173*P*, 1995

ANTONIJEVIC I.A.

ANTONIJEVIC I. A. & LUCKMAN S. M. Acute changes in tyrosine hydroxylase (TH) gene expression in the brainstem of late pregnant rats **483.P**, 50*P*, 1995

ANTONIOU M. *see CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J.* **489.P**, 65*P*, 1995

ANWYL R. *see DOYLE C., ROWAN M. J. & ANWYL R.* **483.P**, 68*P*, 1995

see O'MARA S. M., ROWAN M. & ANWYL R. **483.P**, 71*P*, 1995

see O'MARA S. M., ROWAN M. J. & ANWYL R. **487.P**, 55*P*, 1995

see BREAKWELL N. A., ROWAN M. & ANWYL R. **489.P**, 15*P*, 1995

APPENTENG K. *see MIN M.-Y., APPENTENG K., LUTHER A. & CURTIS J. C.* **483.P**, 28*P*, 1995

see YANG H.-W., APPENTENG K. & BATTEN T. F. C. **483.P**, 36*P*, 1995

see GRIMWOOD P. D., APPENTENG K., HENDERSON Z. & YANG H.-W. **483.P**, 56*P*, 1995

see CURTIS J. C. & APPENTENG K. **489.P**, 8*P*, 1995

APPLEYARD M.E.

APPLEYARD M. E. Effect of picrotoxin on the long-lasting potentiation produced by acetylcholinesterase in guinea-pig hippocampal slices *in vitro* **483.P**, 69*P*, 1995

ARCHER S.L. *see REEVE H. L., ARCHER S. L. & WEIR E. K.* **487.P**, 186*P*, 1995

ARCHER S. L., REEVE H. L., HAMPL V., HUANG J., PETERSON D. A. & WEIR E. K. Redox regulation of pulmonary vascular tone: a central role for potassium channels **487.P**, 11*S*, 1995

ARCHIBALD V. *see COTTER M. A., ARCHIBALD V. & CAMERON N. E.* **487.P**, 85*P*, 1995

ARGENT B.E. *see SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E.* **482.P**, 31*P*, 1995

see VERDON B., EVANS M. J., COLLEDGE W. H., RATCLIFF R., ARGENT B. E. & GRAY M. A. **489.P**, 115*P*, 1995

see TARRAN R., GRAY M. A. & ARGENT B. E. **489.P**, 97*P*, 1995

ARGIBAY J. *see VANDIER C., ARGIBAY J. & BONNET P.* **489.P**, 59*P*, 1995

ARMSTRONG D.L. *see SHIPSTON M. J. & ARMSTRONG D. L.* **482.P**, 10*P*, 1995

ARMSTRONG-FISHER S.S. *see PAGE K. R., DUNCAN J. I., ARMSTRONG-FISHER S. S., ABRAMOVICH D. R. & URBANIAK S. J.* **482.P**, 30*P*, 1995

ARSENJEVA E. *see VERGUN O., STOROZHEVYKH T., VINSKAYA N., FAJUK D., ARSENJEVA E., PINELIS V. & KHODOROV B.* **487.P**, 58*P*, 1995

ASHAMU G.A. *see RAKOVIC S., GALIONE A., ASHAMU G. A., POTTER B. V. L. & TERRAR D. A.* **483.P**, 17*P*, 1995

ASHCROFT F.M.

ASHCROFT F. M., COLES B., GUMMERSON N., SAKURA H. & SMITH P. A. Two cationic amino acid transporters expressed in pancreatic β-cells **487.P**, 192*P*, 1995

see CHAPMAN S., SMITH P. A. & ASHCROFT F. M. **487.P**, 12*P*, 1995

see PROKS P. & ASHCROFT F. M. **487.P**, 32*P*, 1995

see ÄMMÄLÄ C., ASHFIELD R., GRIBBLE F., SAKURA H. & ASHCROFT F. M. **489.P**, 57*P*, 1995

ASHCROFT F. M. Characterization of an inwardly rectifying K^+ channel expressed in pancreatic β-cells **489.P**, 8*S*, 1995

ASHFIELD R. *see ÄMMÄLÄ C., ASHFIELD R., GRIBBLE F., SAKURA H. & ASHCROFT F. M.* **489.P**, 57*P*, 1995

ASHFORD M.L.J. *see LEE K., DIXON A. K., ROWE I. C. M., ASHFORD M. L. J. & RICHARDSON P. J.* **483.P**, 66*P*, 1995

see LEE K., ROWE I. C. M. & ASHFORD M. L. J. **483.P**, 67*P*, 1995

see ROWE I. C. M., LEE K., LLOYD C. & ASHFORD M. L. J. **487.P**, 196*P*, 1995

see ROBERTSON S. J., WOODWARD R., MCKENNA F., ROWE I. C. M., ASHFORD M. L. J. & MURRELL-LAGNADO R. D. **489.P**, 58*P*, 1995

ASHLEY C.C. *see JOHNS E. C., SIMNETT S. J., MULLIGAN I. P. & ASHLEY C. C.* **487.P**, 123*P*, 1995

see RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J. **487.P**, 154*P*, 1995

see DU G. G., ASHLEY C. C. & LEA T. J. **487.P**, 160*P*, 1995

see LEA T. J., ASHLEY C. C. & DU G. G. **487.P**, 5*P*, 1995

see DU G. G., ASHLEY C. C. & LEA T. J. **489.P**, 68*P*, 1995

ASHLEY R.H. *see KEMP P. J., FYFE G. K. & ASHLEY R. H.* **487.P**, 195*P*, 1995

ASHLEY R.H. *see MARTIN C. & ASHLEY R.H.* **487.P**, 90*P*, 1995

ASHMORE J.F. *see GALE J. E. & ASHMORE J. F.* **485.P**, 15*P*, 1995

see MAMMANO F. & ASHMORE J. F. **485.P**, 30*P*, 1995

see GALE J. E. & ASHMORE J. F. **489.P**, 48*P*, 1995
see JAGGER D. J. & ASHMORE J. F. **489.P**, 48*P*, 1995

ASSELMAN P. *see* ROTHWELL J. C., BRANSTON N., CORCOS D., ASSELMAN P., SIERADZAN K. & THOMAS D. **483.P**, 32*P*, 1995

ATTWELL D. *see* BILLUPS B. & ATTWELL D. **483.P**, 62*P*, 1995
see TAKAHASHI M. & ATTWELL D. **483.P**, 62*P*, 1995
see BILLUPS B. & ATTWELL D. **487.P**, 49*P*, 1995
see TAKAHASHI M. & ATTWELL D. **487.P**, 49*P*, 1995
see HAMANN M. & ATTWELL D. **489.P**, 18*P*, 1995

ATTWELL N. A.
ATTWELL N. A., CLEMENT D. J., STANLEY M. S., CLIPSON N. J. W., HOOLEY P. & FINCHAM D. A. Arginine interactions with the Na^+–H^+ antiporter in protoplasts from *Aspergillus nidulans* **489.P**, 104*P*, 1995

AUCLERC C. *see* HONGO K., AUCLERC C., CAZORLA O., GARNIER D., LE GUENNEC J.-Y. & WHITE E. **487.P**, 132*P*, 1995

AUPART M. *see* BABUTY D., MACHET M. C., AUPART M., COSNAY P., FAUCHIER J. P. & GARNIER D. **487.P**, 179*P*, 1995

AVERILL S. *see* AL-SALIHI O., AVERILL S., PRIESTLEY J. V. & MCMAHON S. B. **483.P**, 154*P*, 1995

AWAD S. S.
AWAD S. S., MORGAN J. M., GILLESPIE J. I. & DUNLOP W. Transforming growth factor β (TGFβ) modulates the CICR response in cultured human myometrial smooth muscle (HMSM) cells **487.P**, 93*P*, 1995

AYDAR E.
AYDAR E., TAYLOR A. R., BEADLE D. J. & BERMUDEZ I. A novel electropharmacological profile of insect GABA receptors **483.P**, 190*P*, 1995

AYTON B. R. *see* LEVIN R. J. & AYTON B. R. **482.P**, 30*P*, 1995

BABBS A. J. *see* HELD B., BABBS A. J. & PEARSON H. A. **489.P**, 67*P*, 1995

BABUTY D.
BABUTY D., MACHET M. C., AUPART M., COSNAY P., FAUCHIER J. P. & GARNIER D. Changes of high resolution electrocardiogram accompanying cardiac allograft rejection in rats **487.P**, 179*P*, 1995

BADMINTON M. N. *see* KENDALL J. M., BADMINTON M. N., SALA NEWBY G. B., WILKINSON G., DORMER R. L. & CAMPBELL A. K. **487.P**, 19*P*, 1995
see CAMPBELL A. K., BADMINTON M. N., KENDALL J. M., SALA NEWBY G. B. & WILKINSON G. **487.P**, 7*S*, 1995

BAGHERI H.
BAGHERI H. & BAXENDALE R. H. The effects of stimulus intensity on the cutaneomuscular reflexes in tibialis anterior in man **483.P**, 80*P*, 1995

BAGNI M. A. *see* RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J. **487.P**, 154*P*, 1995

BAI D. *see* SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. **483.P**, 193*P*, 1995
see BUCKINGHAM S. D., BAI D., HOLYOKE C. W., RAUH J. J. & SATTELLE D. B. **483.P**, 194*P*, 1995

BAIGENT S.
BAIGENT S., WOODS R., KEMP F. & LOWRY P. Characterization of a novel ligand for hCRH binding protein in sheep brain **489.P**, 183*P*, 1995

BAILEY A. R. T.
BAILEY A. R. T., DICKSON S. L. & LENG G. Increased expression of Fos protein in the area postrema of the conscious male rat following systemic injection of growth hormone releasing peptide (GHRP-6) **489.P**, 172*P*, 1995

BAILEY M. A.
BAILEY M. A. & WALTER S. J. Natriuretic and diuretic effects of glibenclamide in anaesthetized rats **483.P**, 176*P*, 1995
BAILEY M. A. & WALTER S. J. Renal effects of glibenclamide in anaesthetized rats: a micropuncture study **489.P**, 85*P*, 1995

BAILEY P. D. *see* TEMPLE C. S., BOYD C. A. R., BRONK J. R. & BAILEY P. D. **487.P**, 26*P*, 1995
see BRONK J. R., LISTER N., BAILEY P. D. & BOYD C. A. R. **489.P**, 105*P*, 1995

BAINES D. L. *see* OLVER R. E., BAINES D. L. & KEMP P. J. **489.P**, 5*S*, 1995

BAKER B. *see* FRANCIS K., SUZUKI M., BAKER B. & LEVY A. **489.P**, 178*P*, 1995

BAKER G. F. *see* WIDDAS W. F. & BAKER G. F. **482.P**, 36*P*, 1995
see WIDDAS W. F. & BAKER G. F. **487.P**, 97*P*, 1995

BAKER S. N.
BAKER S. N. & LEMON R. N. A computer simulation for investigation of the contribution of presynaptic synchrony to post-spike facilitation in spike-triggered averages of rectified EMG **483.P**, 28*P*, 1995
BAKER S. N., OLIVIER E. & LEMON R. N. Task-related modulation in the amplitude of the direct volley evoked by transcranial magnetic stimulation of the motor cortex and recorded from the medullary pyramid in the monkey **487.P**, 69*P*, 1995

BAKHLE Y. S. *see* MESSINA A., BAKHLE Y. S. & BELL C. **489.P**, 7*P*, 1995

BALA M.
BALA M., MCCORMICK J., MEHTA A. & KEMP P. J. Evidence for a novel isoform of Na^+–glucose transport in sheep tracheal epithelium *in vitro* **482.P**, 6*P*, 1995

BALDWIN S. A. *see* CAMPBELL V., TERRACCIANO C. M. N., NAQVI R. U., BRICKLEY K., BALDWIN S. A., MACLEOD K. T. & DOLPHIN A. C. **487.P**, 130*P*, 1995
see BOYER S., BALDWIN S. A., SHARP P. A., DEBNAM E. S. & SRAI S. K. **489.P**, 127*P*, 1995

BALLAL M. A.
BALLAL M. A. & SANFORD P. A. ECG changes associated with breath-holding in a man **489.P**, 37*P*, 1995

BALLARD H. J.
BALLARD H. J. & MO F. M. The influence of hypoxia on intracellular pH of isolated fibres from rat soleus muscle **487.P**, 174*P*, 1995

BALMENT R. J. *see* HAMILTON K., GARLAND H. O. & BALMENT R. J. **483.P**, 173*P*, 1995

BALOCH M. *see* HALL S., BALOCH M. & CLAPP L. H. **483.P**, 115*P*, 1995

BAL R. *see* JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R. **487.P**, 187*P*, 1995

BANKS A. J. *see* RYAN W. G., RICHARDSON H. C., MARSH D. R. & BANKS A. J. **489.P**, 33*P*, 1995

BANKS J. *see* GARDNER E., RICHARDSON H. C. & BANKS J. **489.P**, 29*P*, 1995

BANKS R. W. *see* EL-TARHOUNI A. & BANKS R. W. **487.P**, 77*P*, 1995

BANNAI S. *see* ISHII T., SIOW R. C. M., SWEIRY J. H., PEARSON J. D., BANNAI S. & MANN G. E. **483.P**, 138*P*, 1995

BARBARA J.-G.
BARBARA J.-G. & TAKEDA K. Excitatory cholinergic synaptic transmission in thin tissue slices from rat adrenal medulla **487.P**, 192*P*, 1995

BARBRY P.
BARBRY P., CHAMPIGNY G., TRIGLIA J.-M., CASTILLO L., GRIBKOFF V. & LAZDUNSKI M. Effects of the substituted benzimidazolone NS004 on the CFTR Cl^- channel from normal and cystic fibrosis cells **489.P**, 99*P*, 1995
BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M. Molecular biology of the amiloride-sensitive Na^+ channel **489.P**, 4*S*, 1995

BARCLAY A.
BARCLAY A., DEUCHARS J. & THOMSON A. M. Single axon pyramid–pyramid EPSPs in area CA1 of the rat hippocampus *in vitro* **487.P**, 64*P*, 1995

BARER G. R. *see* TENG G. Q. & BARER G. R. **483.P**, 92*P*, 1995
see TENG G. Q. & BARER G. R. **487.P**, 110*P*, 1995
see LIU X., EMERY C. J. & BARER G. R. **487.P**, 113*P*, 1995

BARLAS P.
BARLAS P., CRAIG J., ROBINSON J., WALSH D. M., BAXTER G. D. & ALLEN J. M. Effects of ascorbic and acetylsalicylic acids upon objective signs and symptoms of delayed onset muscle soreness (DOMS) in man **483.P**, 84*P*, 1995
BARLAS P., WALSH D. M., BAXTER G. D. & ALLEN J. M. Delayed onset muscle soreness (DOMS) in humans: the effect of ischaemic nerve block upon mechanical allodynia **483.P**, 85*P*, 1995

BARLAS P.
BARLAS P., LOWE A. S., WALSH D. M., BAXTER G. D. & ALLEN J. M. Effect of acupuncture upon experimentally induced ischaemic pain in humans **489.P**, 44*P*, 1995

BARNES T. *see* PRABHAKAR E., BARNES T. & SPRUCE A. E. **487.P**, 199*P*, 1995

BARNES W. J. P.
BARNES W. J. P., CATTAERT D., CLARAC F. & MARCHAND A. R. Primary afferent depolarizations of sensory origin recorded from mechanoreceptor afferents in a crayfish preparation *in vitro* **483.P**, 194*P*, 1995

BARNETT T. G.
BARNETT T. G., LOGAN J. G., MOORE D. J. & PATERSON J. M. H. Change in heart rate of adults walking at their self-selected speed **487.P**, 170*P*, 1995
BARNETT T. G., LOGAN J. G., STANLEY C. S. & TOFTS L. Energy costs of walking in soccer players **489.P**, 43*P*, 1995

BARRETT-JOLLEY R.

BARRETT-JOLLEY R., COMTOIS A., DAVIES N. W., STANFIELD P. R. & STANDEN N. B. The effect of adenosine and GTP on K_{ATP} channels of rat isolated skeletal muscle fibres **483.P**, 164*P*, 1995

BARRY J. A.

BARRY J. A. & RIBCHESTER R. R. Post-tetanic potentiation in isolated preparations of chronically disused, reinnervated rat skeletal muscle **489.P**, 78*P*, 1995

BARRY M. K. *see YOUNG L. S., BARRY M. K., REGAN M. C., GERAGHTY J. G. & FITZPATRICK J. M.* **489.P**, 87*P*, 1995

BARRY P. W.

BARRY P. W., MASON N. P. & O'CALLAGHAN C. Muco-ciliary clearance in humans at altitude **487.P**, 106*P*, 1995

BARTELS E. M.

BARTELS E. M., BERGEL D., ETHERINGTON P., FAIRBANK J. C., URBAN J. P. G. & WINLOVE C. P. Measurements of hydrogen and oxygen in isolated bovine intervertebral disc **483.P**, 126*P*, 1995

BARTH S. W.

BARTH S. W. & GROSSMANN R. Detection of axonal arginine vasotocin mRNA in the hypothalamo-neurohypophyseal system of the chicken **483.P**, 51*P*, 1995

BARTLETT I. S.

BARTLETT I. S. & MARSHALL J. M. Effects of graded hypoxia on noradrenaline- and phenylephrine-induced contractions in the rat iliac artery *in vitro* **483.P**, 102*P*, 1995

BARTLEY S. *see HOUCHIN J. & BARTLEY S.* **485.P**, 5*P*, 1995

BASAVAPPA S.

BASAVAPPA S., MANGEL A. W., LEBEDEV D. V., KNAUF P. A. & ELLORY J. C. Swelling-activated Cl^- channels in the human neuroblastoma cell line CHP-100 **489.P**, 77*P*, 1995

BASCOM D. A. *see LIANG P.-J., BASCOM D. A. & ROBBINS P. A.* **487.P**, 109*P*, 1995

BASSEY E. J.

BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K. Natural variations in oestrogen and FSH levels in eumenorrheic women in negative association with voluntary muscle strength **489.P**, 28*P*, 1995

BASSEY E. J., LITTLEWOOD J. J. & TAYLOR S. J. G. Ground reactions, compressive axial forces in an instrumented femoral implant and IEMGs from vastus lateralis during 'osteogenic' exercises in man **489.P**, 45*P*, 1995

BASSILANA F. *see BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M.* **489.P**, 4*S*, 1995

BATE A. S. *see HANCHARD N. C. A., BATE A. S., WEISS J. B. & COOPER R. G.* **483.P**, 80*P*, 1995

BATTEN T. F. C. *see YANG H.-W., APPENTENG K. & BATTEN T. F. C.* **483.P**, 36*P*, 1995

BATTEN T. F. C., SAHA S. & MCWILLIAM P. N. LM and EM immunolocalization of AMPA glutamate receptor subunits (GluR1–4) in areas of rat medulla oblongata regulating autonomic functions **489.P**, 163*P*, 1995

BAUER C. K. *see REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R.* **487.P**, 11*P*, 1995

BAUMANN K. I. *see SENOK S. S., HALATA Z. & BAUMANN K. I.* **483.P**, 154*P*, 1995

BAUMANN K. I. & HALATA Z. Selective phototoxic destruction of quinacrine-loaded Merkel cells is neither selective nor complete **483.P**, 159*P*, 1995

see CHAN E., YUNG W.-H. & BAUMANN K. I. **487.P**, 214*P*, 1995

BAUM B. J. *see HE X., KUIJPERS G. A., POLLARD H. B. & BAUM B. J.* **482.P**, 35*P*, 1995

BAWA P.

BAWA P. & CHALMERS G. R. Homonymous and heteronymous excitation among motoneurone pools of the human forearm **487.P**, 71*P*, 1995

BAXENDALE A. J.

BAXENDALE A. J., DIMALINE R. & SPRAGGS C. F. Gastrin/CCK_B receptors mediate the feeding-induced increase in histidine decarboxylase (HDC) mRNA abundance in rat gastric corpus **487.P**, 35*P*, 1995

BAXENDALE R. H. *see BAGHERI H. & BAXENDALE R. H.* **483.P**, 80*P*, 1995

see OLYAEI G. R. & BAXENDALE R. H. **483.P**, 81*P*, 1995

see TAKAMJANI I. E. & BAXENDALE R. H. **483.P**, 81*P*, 1995

BAXTER G. D. *see BARLAS P., CRAIG J., ROBINSON J., WALSH D. M., BAXTER G. D. & ALLEN J. M.* **483.P**, 84*P*, 1995

see BARLAS P., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995

see MCDOWELL B. C., ROBINSON J. I., CHERRY H. R., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995

see BARLAS P., LOWE A. S., WALSH D. M., BAXTER G. D. & ALLEN J. M. **489.P**, 44*P*, 1995

BEADLE D. J. *see AYDAR E., TAYLOR A. R., BEADLE D. J. & BERMUDEZ I.* **483.P**, 190*P*, 1995

BEAUMONT M. W.

BEAUMONT M. W., BUTLER P. J. & TAYLOR E. W. Impairment of sustained swimming performance of brown trout (*Salmo trutta*) exposed to sub-lethal copper in soft acidic water **483.P**, 197*P*, 1995

BEAVER A. *see MCARDLE A., BEAVER A., EDWARDS R. H. T. & JACKSON M. J.* **483.P**, 84*P*, 1995

BECK J.

BECK J., DOVE N. & KEALEY T. Acid–base transport by the basolateral membrane of the reabsorptive duct of the human sweat gland studied *in vitro* **482.P**, 2*P*, 1995

BECK M. J.

BECK M. J., LARK S. D., MCCLUSKEY D. R., SCALLY S. & WALLACE W. F. M. Cardiac vagal responses in seventy-six human subjects of varying physical activity **483.P**, 120*P*, 1995

BECK-SICKINGER A. G. *see MCDONALD R. L., BECK-SICKINGER A. G., VAUGHAN P. F. T. & PEERS C.* **483.P**, 163*P*, 1995

BEECH D. J. *see MCHUGH D. & BEECH D. J.* **487.P**, 81*P*, 1995

see ANGRAVE C. M. & BEECH D. J. **487.P**, 91*P*, 1995

see MCHUGH D. & BEECH D. J. **489.P**, 51*P*, 1995

BEE D.

BEE D. Ventilatory response to atrial natriuretic peptide (ANP) in anaesthetized normoxic and chronically hypoxic rats **487.P**, 177*P*, 1995

see PEERS C., WYATT C. N. & BEE D. **489.P**, 73*P*, 1995

BEESLEY A. H.

BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. A Cl^- conductance co-localized with Na^+–glucose co-transport in brush-border membrane vesicles (BBMVs) prepared from enterocytes from rat small intestine **489.P**, 96*P*, 1995

BEESON D. *see NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J.* **487.P**, 208*P*, 1995

BEHNISCH T. *see BREAKWELL N. A., BEHNISCH T., PUBLICOVER S. J. & REYMANN K. G.* **483.P**, 64*P*, 1995

BELACHGAR F. *see LAPRADE R., BRETON S., BELACHGAR F. & MARSOLAIS M.* **482.P**, 4*P*, 1995

BELEVICH A. E.

BELEVICH A. E., ZIMA A. V. & SHUBA M. F. Augmentation of potential-activated calcium current by GTPγS-activated G proteins in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

see ZIMA A. V., BELEVICH A. E. & SHUBA M. F. **487.P**, 198*P*, 1995

BELICEHNKO P. V. *see MAXWELL D. J., JANKOWSKA E., DOLK S., KRUTKI P., DAHLSTRÖM A. & BELICEHNKO P. V.* **483.P**, 36*P*, 1995

BELL C. *see MESSINA A., BAKHLE Y. S. & BELL C.* **489.P**, 7*P*, 1995

BELL N. J.

BELL N. J., CARTER J. M. & SULEIMAN M.-S. Changes in intracellular concentration of taurine, glutamine, glutamate and alanine in isolated Langendorff-perfused guinea-pig heart during simulated ischaemia **487.P**, 145*P*, 1995

BELLRINGER J. *see CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B.* **489.P**, 40*P*, 1995

BENCHETRIT G. *see ADAMS L., EBERHARD A., WUYAM B., MORRELL M. J. & BENCHETRIT G.* **487.P**, 107*P*, 1995

BENEŠ V. *see ROKYTA R., BENEŠ V., ŠŤASTNÝ F., DRUGA R., TROJAN S. & POKORNÝ J.* **489.P**, 7*P*, 1995

BENJAMIN A. R. *see STEPHENS R. H., BENJAMIN A. R. & WALTERS D. V.* **489.P**, 112*P*, 1995

BENJAMIN I. S. *see YANG W., BENJAMIN I. S. & ALEXANDER B.* **487.P**, 42*P*, 1995

BENNER E. A. *see SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J.* **483.P**, 193*P*, 1995

BENNET L. *see GREEN L. R., BENNET L. & HANSON M. A.* **483.P**, 92*P*, 1995

BENNETT D.

BENNETT D., SHELTON D. & MCMAHON S. B. Sequestration of endogenous nerve growth factor (NGF) in the adult rat using a trkA-IgG fusion molecule blocks hyperalgesia associated with carrageenan inflammation **487.P**, 216*P*, 1995

BENNETT K.L.

BENNETT K. L., COLYER J. & ORCHARD C. H. The effect of stimulation rate and bathing [Ca^{2+}] on the phosphorylation of phospholamban in isolated rat ventricular myocytes **483.P**, 20*P*, 1995

BENNETT K. L., ORCHARD C. H., DRAGO G. A. & COLYER J. Differential phosphorylation of serine-16 and threonine-17 of phospholamban in cardiac muscle isolated from rats, guinea-pigs and rabbits **483.P**, 20*P*, 1995

BENNETT K. L., WHITE E. & COLYER J. The effect of changes in mechanical loading on the phosphorylation of phospholamban in isolated ferret papillary muscle **487.P**, 141*P*, 1995

BENNETT M.R. *see HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L.* **483.P**, 92*P*, 1995

BERESFORD I.J.M. *see STARKEY S. J., OAKLEY N. R. & BERESFORD I. J. M.* **483.P**, 57*P*, 1995

BERESFORD L.A. *see HUSTLER B. I., WARING J. J., SINGH J., BERESFORD L. A. & HOWARTH F. C.* **489.P**, 142*P*, 1995

BERGEL D. *see BARTELS E. M., BERGEL D., ETHERINGTON P., FAIRBANK J. C., URBAN J. P. G. & WINLOVE C. P.* **483.P**, 126*P*, 1995

BERJUKOW S.

BERJUKOW S., DÖRING F. & HERING S. Endogenous calcium channels in human embryonic kidney (HEK) 293 cells **487.P**, 209*P*, 1995

BERMUDEZ I. *see AYDAR E., TAYLOR A.R., BEADLE D. J. & BERMUDEZ I.* **483.P**, 190*P*, 1995

BERNHARDT I.

BERNHARDT I., ELLORY J. C., BOGDANOVA A. Y., CULLIFORD S. J., HAMANN J. & RICHTER S. Modification of human red cell passive membrane transport by classical transport inhibitors **489.P**, 101*P*, 1995

BERRETTA N.

BERRETTA N. & JONES R. S. G. Spontaneous AMPA/kainate and NMDA mediated synaptic currents in layer V neurones of the rat entorhinal cortex *in vitro* **483.P**, 61*P*, 1995

BERRETTA N. & JONES R. S. G. Differences in the contribution of NMDA receptors to spontaneous excitation in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 62*P*, 1995

BERRETTA N. & JONES R. S. G. A comparison of spontaneous glutamate-mediated synaptic currents in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 63*P*, 1995

see MAUBACH K. A., GALE J. D., BERRETTA N. & JONES R. S. G. **489.P**, 18*P*, 1995

BERROW N.

BERROW N., TEDDER I., PAGE K., BRICE N., AMOS B. & DOLPHIN A. C. Properties of α_{1A} calcium channel currents expressed in the COS-7 cell line **489.P**, 52*P*, 1995

BERSHITSKY S.Y.

BERSHITSKY S. Y. & TSATURYAN A. K. Slight EDC cross-linking stabilizes the sarcomeres and preserves mechanical properties of permeabilized muscle fibres isolated from the frog **483.P**, 76*P*, 1995

see TSATURYAN A. K. & BERSHITSKY S. Y. **483.P**, 76*P*, 1995

BEST L.

BEST L. & ELLIOTT A. C. Effects of nutrients and non-nutrients on fura-2 fluorescence in isolated rat pancreatic islets: possible contribution from autofluorescence **482.P**, 21*P*, 1995

see SHEADER E. A., BROWN P. D. & BEST L. **487.P**, 197*P*, 1995

see COOK L. J. & BEST L. **489.P**, 49*P*, 1995

BEST L., SHEADER E. A. & BROWN P. D. A volume-activated anion conductance in insulin-secreting cells **489.P**, 64*P*, 1995

BEST N. *see CONWAY B. A. & BEST N.* **487.P**, 75*P*, 1995

BEVAN R.M.

BEVAN R. M., BOYD I. L., BUTLER P. J., REID K. R. & WOAKES A. J. Cardiovascular and thermoregulatory adjustments associated with flying and diving in the free-ranging blue-eyed shag, *Phalacrocorax atriceps* **483.P**, 193*P*, 1995

BIKTASHEV V.N.

BIKTASHEV V. N. & HOLDEN A. V. Propagation in two-dimensional models of mammalian cardiac tissue **487.P**, 124*P*, 1995

BILBAUT A. *see CHORVATOVA A., GUYOT A., BILBAUT A., OJEDA C. & ROUGIER O.* **487.P**, 189*P*, 1995

BILLUPS B.

BILLUPS B. & ATTWELL D. Control of reversed glutamate uptake by pH *in* glial cells isolated from the tiger salamander retina **483.P**, 62*P*, 1995

BILLUPS B. & ATTWELL D. Detection of glutamate efflux produced by reversed uptake from isolated salamander retinal glial cells using glutamate-gated channels in isolated rat cerebellar neurons **487.P**, 49*P*, 1995

BINGHAM M.J.

BINGHAM M. J., VAN DEN BERG G. J. & MCARDLE H. J. Effect of nutritional copper deficiency on copper uptake by plasma membrane vesicles isolated from rat livers **489.P**, 125*P*, 1995

BINNS K.E.

BINNS K. E. & SALT T. E. *N*-methyl-D-aspartate (NMDA) receptors and cortical influences on visual responses in the superior colliculus (SC) of the anaesthetized cat **485.P**, 11*P*, 1995

BIRD J.A. *see LYKE S. J., BIRD J. A., LOMAX M. A. & SYMONDS M. E.* **483.P**, 98*P*, 1995

BIRD J. A., LYKE S. J., ANDREWS D. C., LOMAX M. A. & SYMONDS M. E. Effect of ambient temperature on extra-uterine adaptation in near-term lambs delivered by Caesarean section **483.P**, 99*P*, 1995

BIRKETT S. *see SULEIMAN M.-S., WALLACE D., BIRKETT S. & ANGELINI G. D.* **487.P**, 91*P*, 1995

BIRNS J. *see COOKLIN M., BIRNS J., GRAY R. & FRY C. H.* **487.P**, 141*P*, 1995

BJORKHAUG L. *see HARRISON P. T., HUTCHINSON M. J., BJORKHAUG L. & ALLEN J. M.* **487.P**, 211*P*, 1995

BLACKBURN R.E. *see BROWN C. H., BLACKBURN R. E., LENG G., RUSSELL J. A. & VERBALIS J. G.* **483.P**, 46*P*, 1995

BLACK C. *see JOHNSTON A., BLACK C., FRASER J. & MACLEOD N.* **489.P**, 19*P*, 1995

BLAKEMORE C. *see SENGPIEL F., FREEMAN T. C. B. & BLAKEMORE C.* **485.P**, 24*P*, 1995

see SEN A., SENGPIEL F. & BLAKEMORE C. **485.P**, 29*P*, 1995

see SCANNELL J. W., SENGPIEL F., BLAKEMORE C. & YOUNG M. P. **485.P**, 9*P*, 1995

BLAKEMORE S.J.

BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S. Morphological localization of the GLUT5 hexose transporter in human skeletal muscle **482.P**, 23*P*, 1995

BLANEY F.E. *see DOUGHTY S. W., BLANEY F. E. & RICHARDS W. G.* **489.P**, 69*P*, 1995

BLANNIN A.K.

BLANNIN A. K., GLEESON M., BROOKS S. & CAVE R. Effect of lactacidosis on human leucocyte adherence: a possible explanation of why the blood leucocyte count continues to rise after cessation of very high intensity exercise **483.P**, 131*P*, 1995

BLANNIN A. K., GLEESON M. & BROOKS S. Catecholamine responses to sustained isometric exercise in man **487.P**, 164*P*, 1995

BLAUSTEIN M.P. *see YUAN X.-J., TOD M. L., RUBIN L. J. & BLAUSTEIN M. P.* **487.P**, 10*S*, 1995

BLAYLOCK N.A. *see WRIGHT I. K., BLAYLOCK N. A., STARK G., KENDALL D. A. & WILSON V. G.* **483.P**, 111*P*, 1995

BLOOM S.R. *see EDWARDS A. V., TOBIN G., EKSTRÖM J. & BLOOM S. R.* **487.P**, 118*P*, 1995

BODEN P. *see IBBOTSON T., WOODRUFF G. N. & BODEN P.* **489.P**, 70*P*, 1995

BOEHM E.A.

BOEHM E. A., RADDA G. K. & CLARK J. F. Rat aortic responses to hypertension and its regression **487.P**, 82*P*, 1995

BOELS P. *see GAO B., BOELS P. & HAWORTH S. G.* **489.P**, 169*P*, 1995

BOGDANOVA A.Y. *see BERNHARDT I., ELLORY J. C., BOGDANOVA A. Y., CULLIFORD S. J., HAMANN J. & RICHTER S.* **489.P**, 101*P*, 1995

BOHLEN P. *see MAHONEY S.-A., PERRY M. J. M., SEDDON A., BOHLEN P. & HAYNES L. W.* **487.P**, 45*P*, 1995

BOHNSACK D.L. *see TROY J. B., BOHNSACK D. L., DILLER L. C., ZHAN X. J. & ENROTH-CUGELL CH.* **485.P**, 10*P*, 1995

BOJANOWSKA E.

BOJANOWSKA E. & FORSLING M. L. Acetylcholine and prostaglandins may mediate the effects of melatonin on vasopressin release in the rat **485.P**, 52*P*, 1995

BOLAÑOS P. *see CAPUTO C. & BOLAÑOS P.* **487.P**, 160*P*, 1995

BOLIS L. *see TAYLOR E. W., MCKENZIE D. J., BOLIS L. & BRONZI P.* **483.P**, 184*P*, 1995

BOLSOVER S.R. *see FLEET A., ELLIS-DAVIES G. C. R., KAPLAN J. H. & BOLSOVER S. R.* **487.P**, 10*P*, 1995

BOLSOVER S. R. & FLEET A. Visible wavelength ratiometric measurement of cytosolic calcium concentration using fluo-3 and sulphorhodamine 101 **487.P**, 4*P*, 1995

see ZIMPRICH F. & BOLSOVER S. R. **489.P**, 14*P*, 1995

BOLTON T.B. *see ZHANG H. & BOLTON T. B.* **487.P**, 93*P*, 1995

BONNET P. *see VANDIER C., ARGIBAY J. & BONNET P.* **489.P**, 59*P*, 1995

BORGESE F. *see* FIÉVET B., GABILLAT N., BORGESE F. & MOTAIS R. **487.P**, 97*P*, 1995

BOSMAN J. *see* SLAAF D. W., BOSMAN J., TANGELDER G.-J., OUDE EGBRINK M. G. A. & RENEMAN R. S. **483.P**, 4*S*, 1995

BOSTOCK H.

BOSTOCK H. & ROTHWELL J. C. The time constants of motor and sensory axons in human peripheral nerve **487.P**, 47*P*, 1995

BOTTINELLI R. *see* HARRIDGE S. D. R., BOTTINELLI R., REGGIANI C., PELLEGRINO M. A., CANEPARI M. & SALTIN B. **487.P**, 152*P*, 1995

BOULOUX P.-M. *see* MAYSTON M. J., HARRISON L. M., JOBLING L., QUINTON R., STEPHENS J. A. & BOULOUX P.-M. **483.P**, 33*P*, 1995

BOURGUIGNON J.P.

BOURGUIGNON J. P., GÉRARD A., ALVAREZ GONZALEZ M. L., PURNELLE G. & FRANCHIMONT P. Developmental aspects of excitatory amino acid regulation of gonadotrophin-releasing hormone neurones **483.P**, 14*S*, 1995

BOURNAT J.C.

BOURNAT J. C., LARHAMMAR D. & ALLEN J. M. Factors regulating the expression of the Y1 receptor for Neuropeptide Y in PC12 cells **487.P**, 209*P*, 1995

BOURQUE C.W.

BOURQUE C. W., HU B., RICHARD D. & KIRKPATRICK K. Excitatory amino acid regulation of rat hypothalamic magnocellular neurosecretory cells (MNCs) *in vitro* **483.P**, 9*S*, 1995

BOURREAU J.-P. *see* QIAN Y. & BOURREAU J.-P. **487.P**, 17*P*, 1995

BOUTCHER P.A.

BOUTCHER P. A., GAFFNEY P. J., RAUT S. & MCLOUGHLIN P. Effects of early and late plasmin digests of fibrinogen on isometric tension development in isolated rings of rat pulmonary artery **489.P**, 164*P*, 1995

BOVELL D.L. *see* WILSON S. M., WHITEFORD M. L., PLUMB J. A. & BOVELL D. L. **482.P**, 13*P*, 1995

BOVELL D. L. & WILSON S. M. Hypotonic external solutions increase $[Ca^{2+}]_i$ in an ovarian adenocarcinoma cell strain that expresses P-glycoprotein **489.P**, 114*P*, 1995

BOWDEN S. *see* ROBBINS J., BOWDEN S., HIGASHIDA H. & BROWN D. A. **489.P**, 61*P*, 1995

BOWTELL J.L.

BOWTELL J. L., GELLY K., JACKMAN M. L., PATEL A. & RENNIE M. J. Effect of glucose polymer and sucrose drinks on muscle glycogen resynthesis after exhaustive exercise **489.P**, 34*P*, 1995

BOXALL A.R.

BOXALL A. R., LANCASTER B. & GARTHWAITE J. Tyrosine kinase inhibitors block long-term depression (LTD) of AMPA receptor-mediated synaptic transmission in rat cerebellar slices **487.P**, 55*P*, 1995

BOYD C.A.R. *see* CHEN S. & BOYD C. A. R. **482.P**, 44*P*, 1995

see REID N. A., GRIBBLE S. M., BOYD C. A. R. & SHIRAZI-BEECHEY S. P. **482.P**, 46*P*, 1995

see CHEN S. & BOYD C. A. R. **487.P**, 100*P*, 1995

see TEMPLE C. S., BOYD C. A. R., BRONK J. R. & BAILEY P. D. **487.P**, 26*P*, 1995

see HELLIWELL P. A., BOYD C. A. R. & BRONK J. R. **487.P**, 37*P*, 1995

see BRONK J. R., LISTER N., BAILEY P. D. & BOYD C. A. R. **489.P**, 105*P*, 1995

BOYDE A.

BOYDE A., WALTER M., UNWIN R. & TÖRÖK K. The use of laser scanning confocal microscopy to study the uptake of fluorescent insulin in the renal tubule *in vivo* **489.P**, 3*P*, 1995

BOYD I.L. *see* BEVAN R. M., BOYD I. L., BUTLER P. J., REID K. R. & WOAKES A. J. **483.P**, 193*P*, 1995

BOYER S.

BOYER S., BALDWIN S. A., SHARP P. A., DEBNAM E. S. & SRAI S. K. Expression of GLUT1 in rat isolated jejunal basolateral membrane and the response to experimental diabetes **489.P**, 127*P*, 1995

BOYETT M.R. *see* JANVIER N. C., HARRISON S. M. & BOYETT M. R. **483.P**, 12*P*, 1995

see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R. **483.P**, 13*P*, 1995

see YANG Z., JANVIER N. C. & BOYETT M. R. **483.P**, 8*P*, 1995

see NIKMARAM M. R., BOYETT M. R., KODAMA I. & SUZUKI R. **487.P**, 126*P*, 1995

see JANVIER N. C., BOYETT M. R., ORCHARD C. H. & YANG Z.-K. **487.P**, 127*P*, 1995

see YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. **487.P**, 127*P*, 1995

see SHUI Z., BOYETT M. R. & ZANG W.-J. **487.P**, 129*P*, 1995

see SHUI Z. & BOYETT M. R. **487.P**, 135*P*, 1995

see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R. **487.P**, 145*P*, 1995

see OWEN J. M., LEACH R., QUINN C., FINDLAY J. B. C. & BOYETT M. R. **489.P**, 51*P*, 1995

BRADFORD A. *see* O'HALLORAN K. D., CURRAN A. K. & BRADFORD A. **489.P**, 161*P*, 1995

see CURRAN A. K., O'HALLORAN K. D. & BRADFORD A. **489.P**, 163*P*, 1995

BRADLEY A.

BRADLEY A., ZAGON A. & SPYER K. M. Intracellular labelling using tetramethylrhodamine-dextran (TMR-dextran) conjugate florescent tracer (MW 3000) *in vivo* **483.P**, 101*P*, 1995

BRADLEY A.I. *see* ZAGON A., BRADLEY A. I. & SPYER K. M. **487.P**, 172*P*, 1995

BRADLEY P.M.

BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C. Intracellular spontaneous activity recorded *in vitro* from an area of the chick brain which is essential for early learning: age and NMDA dependence **483.P**, 41*P*, 1995

BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C. The effect of prior training upon the *in vitro* characteristics of neurons in an area of chick brain which is essential for early learning **483.P**, 41*P*, 1995

BRADY G. *see* DOCHERTY J. R. & BRADY G. **489.P**, 132*P*, 1995

BRAND M. *see* ROLFE V., BRAND M., HEALES S., LINDLEY K. J. & MILLA P. J. **489.P**, 109*P*, 1995

BRANDMEIER B.D. *see* FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R. **487.P**, 161*P*, 1995

BRANDT S.A. *see* MEYER B.-U., ROERICHT S., WOICIECHOWSKY C. & BRANDT S. A. **487.P**, 68*P*, 1995

BRANSTON N. *see* ROTHWELL J. C., BRANSTON N., CORCOS D., ASSELMAN P., SIERADZAN K. & THOMAS D. **483.P**, 32*P*, 1995

BRATCHER J.

BRATCHER J. & EGGINTON S. The effect of cold acclimation on skeletal muscle of the laboratory rat **483.P**, 132*P*, 1995

BRÄU M.E.

BRÄU M. E., RUSH A. M. & ELLIOTT J. R. Single channel analysis of two types of tetrodotoxin-resistant sodium channels in small cells isolated from adult rat (200–350 g) dorsal root ganglia (DRG) **487.P**, 184*P*, 1995

BREAKWELL N.A.

BREAKWELL N. A., BEHNISCH T., PUBLICOVER S. J. & REYMANN K. G. NaF-induced modulation of voltage-operated calcium channels in CA1 neurons from rat hippocampus **483.P**, 64*P*, 1995

BREAKWELL N. A., ROWAN M. & ANWYL R. The metabotropic glutamate receptor agonist 1*S*,3*R* ACPD induces both synaptic and EPSP–spike potentiation **489.P**, 15*P*, 1995

BREATHNACH C.S.

BREATHNACH C. S. & MOYNIHAN J. B. David T. Barry on respiratory afferents (1913) **487.P**, 206*P*, 1995

see GRACE A., STAUNTON H. P., MOYNIHAN J. B. & BREATHNACH C. S. **489.P**, 38*P*, 1995

BRENNAN H.

BRENNAN H., MUXWORTHY A., VIGNES M., PABBATHI V. K., HOLMES F. E. & HAYNES L. W. Trophic control of survival and proliferation in cultured rat embryo forebrain germinal cells by α_1-adrenoreceptors **487.P**, 44*P*, 1995

BRETON S. *see* LAPRADE R., BRETON S., BELACHGAR F. & MARSOLAIS M. **482.P**, 4*P*, 1995

BRICE N. *see* BERROW N., TEDDER I., PAGE K., BRICE N., AMOS B. & DOLPHIN A. C. **489.P**, 52*P*, 1995

BRICKLEY K. *see* CAMPBELL V., TERRACCIANO C. M. N., NAQVI R. U., BRICKLEY K., BALDWIN S. A., MACLEOD K. T. & DOLPHIN A. C. **487.P**, 130*P*, 1995

BRICKLEY S.G.

BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. Single-channel conductance of synaptically activated $GABA_A$ receptors in rat cerebellar granule cells in slices **483.P**, 60*P*, 1995

BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. Apparent heterogeneity of extrasynaptic $GABA_A$ receptors in granule cells of the rat cerebellum **487.P**, 52*P*, 1995

BRIDGE J.H.B. *see* LEVI A. J., LI J., SPITZER K. W. & BRIDGE J. H. B. **487.P**, 14*P*, 1995

BRIDGES L.R. *see* SMITH P. D., HOPKINS P. M., ELLIS F. R., HALSALL P. J. & BRIDGES L. R. **489.P**, 24*P*, 1995

BRIGGS R.W. *see* JONES H. C., HARRIS N. G., INGLIS B. A. & BRIGGS R. W. **487.P**, 47*P*, 1995

BRINI M. *see* POZZAN T., MONTERO M., MARSAULT R., BRINI M. & RIZZUTO R. **487.P**, 4*S*, 1995

BROAD L.M.

BROAD L. M., POWIS D. A. & TAYLOR C. W. Differentiation of mouse BC_3H_1 smooth muscle cells changes the bivalent cation selectivity of the capacitative Ca^{2+} entry pathway **487.P**, 22*P*, 1995

BRONK J.R. *see* TEMPLE C. S., BOYD C. A. R., BRONK J. R. & BAILEY P. D. **487.P**, 26*P*, 1995

see HELLIWELL P. A., BOYD C. A. R. & BRONK J. R. **487.P**, 37*P*, 1995

BRONK J. R., LISTER N., BAILEY P. D. & BOYD C. A. R. Effects on dipeptide transport of reducing the pH in the lumen of rat small intestine, *in vitro* **489.P**, 105*P*, 1995

BRONZI P. *see* TAYLOR E. W., MCKENZIE D. J., BOLIS L. & BRONZI P. **483.P**, 184*P*, 1995

BROOKES F.B.C. *see* WINTER E. M., BROOKES F. B. C., JONES D. A. & ROUND J. M. **483.P**, 82*P*, 1995

BROOKES M. *see* REVELL W. J. & BROOKES M. **483.P**, 145*P*, 1995

BROOKS S. *see* BLANNIN A. K., GLEESON M., BROOKS S. & CAVE R. **483.P**, 131*P*, 1995

see BLANNIN A. K., GLEESON M. & BROOKS S. **487.P**, 164*P*, 1995

BROTTO M.A.P. *see* NOSEK T. M., FOGAÇA R. T. H., ALLEE P. L., BROTTO M. A. P. & ROBERT E. G. **487.P**, 14*P*, 1995

see CREAZZO T. L., BROTTO M. A. P., LUTIN W. A. & ALIFF C. L. **487.P**, 15*P*, 1995

BROWN C.D.A. *see* DUDLEY A. J. & BROWN C. D. A. **487.P**, 27*P*, 1995

BROWN C.H.

BROWN C. H., BLACKBURN R. E., LENG G., RUSSELL J. A. & VERBALIS J. G. Osmoresponsiveness of supraoptic neurones in anaesthetized hyponatraemic and normonatraemic rats **483.P**, 46*P*, 1995

BROWN C. H., HAMBLIN L. J., MURPHY N. P., JOHNSTONE L. E., LENG G. & RUSSELL J. A. Supraoptic nucleus pertussis toxin-sensitive G proteins are involved in morphine dependence of rat oxytocin neurones *in vivo* **489.P**, 179*P*, 1995

BROWN C.M.

BROWN C. M. & WALLACE W. F. M. The effect of age on three human cardiac vagal responses **489.P**, 38*P*, 1995

BROWN D. *see* DOW J. A. T., KELLY D. C., DAVIES S. A., MADDRELL S. H. P. & BROWN D. **489.P**, 110*P*, 1995

BROWN D.A. *see* MOMIYAMA T., SIM J. A. & BROWN D. A. **487.P**, 50*P*, 1995

see SELVANKO A. A. & BROWN D. A. **489.P**, 60*P*, 1995

see ROBBINS J., BOWDEN S., HIGASHIDA H. & BROWN D. A. **489.P**, 61*P*, 1995

BROWN G.D.A. *see* MITCHELL I. J., COOPER A. J., BROWN G. D. A. & WATERS C. M. **483.P**, 34*P*, 1995

BROWN H. *see* CAI Q., LEI M. & BROWN H. **483.P**, 21*P*, 1995

see DALLAK M., LUAN X., BROWN H. & PIRIE L. **483.P**, 96*P*, 1995

see LEI M., BROWN H. & NOBLE D. **487.P**, 148*P*, 1995

BROWN J.

BROWN J. & CHEN Q. Natriuretic peptides inhibit neointimal development in the rabbit **483.P**, 144*P*, 1995

BROWN J. & LI X. Natriuretic peptides reduce the level of adenosine 3′-5′ cyclic monophosphate (cAMP) in isolated rat glomeruli by inhibiting its production **483.P**, 166*P*, 1995

BROWN J. & MAHALEKAM G. M. Arachidonic acid inhibits the response of glomerular cyclic 3,5 guanosine monophosphate to atrial natriuretic peptide in the rat **487.P**, 28*P*, 1995

BROWN J. & ZHAO J. The responsiveness of the renal guanylate cyclase-coupled receptor of atrial natriuretic peptide differs between spontaneously hypertensive and Wistar–Kyoto rats **487.P**, 28*P*, 1995

BROWN J. & CHEN Q. An autocrine system for C-type natriuretic peptide (CNP) occurs in rat arterial neointima **489.P**, 139*P*, 1995

BROWNLEE D.

BROWNLEE D., HOLDEN-DYE L. & WALKER R. J. The effects of the peptide KSAYMRFamide (Lys-Ser-Ala-Tyr-Met-Arg-Phe-amide) on 5-HT-stimulated pharyngeal pumping in the parasitic nematode *Ascaris suum* **483.P**, 196*P*, 1995

BROWNLEE D.J.A. *see* JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F.A., HOLDEN-DYE L. M. & WALKER R. J. **487.P**, 24*P*, 1995

BROWN M.C. *see* HUGHES P. M., WARD G. A., TSAO J. W., MILLER K. & BROWN M. C. **487.P**, 44*P*, 1995

BROWN M.D. *see* COLE M. A. & BROWN M. D. **483.P**, 83*P*, 1995

BROWN M. D., DAVIES M. K., HUDLICKA O., TOWNSEND P. & EGGINTON S. Cardiac performance in the anaesthetized pig after long-term pacing-induced bradycardia **483.P**, 93*P*, 1995

BROWN M. D. Coronary microcirculation and its relation to cardiac function **483.P**, 5*S*, 1995

BROWN M.W. *see* NICOL A. U., HORN G. & BROWN M. W. **483.P**, 40*P*, 1995

BROWN P.

BROWN P. Muscle discharges show a high frequency periodicity in patients with cortical myoclonus **483.P**, 33*P*, 1995

BROWN P. The timing of muscle discharges in patients with cortical myoclonus may be determined by high-frequency rhythmic cortical activity **487.P**, 70*P*, 1995

see MCAULEY J. H. & BROWN P. **487.P**, 70*P*, 1995

BROWN P.D. *see* DOUGLAS I. J. & BROWN P. D. **482.P**, 13*P*, 1995

BROWN P. D., CLARK V. J. & CONNELL E. A. H. Delayed-rectifier K^+ currents in the epithelial cells of choroid plexus isolated from the rat **482.P**, 17*P*, 1995

see SHEADER E. A., BROWN P. D. & BEST L. **487.P**, 197*P*, 1995

see DOUGLAS I. J. & BROWN P. D. **489.P**, 117*P*, 1995

see KIBBLE J. D. & BROWN P. D. **489.P**, 120*P*, 1995

see BEST L., SHEADER E. A. & BROWN P. D. **489.P**, 64*P*, 1995

BROWN S.J.

BROWN S. J., CHILD R. B., DONNELLY A. E., SAXTON J. M. & DAY S. H. Effects of stimulated eccentric exercise on indices of human muscle contractility **483.P**, 121*P*, 1995

see CHILD R. B., BROWN S. J., DONNELLY A. E., SAXTON J. M. & DAY S. H. **483.P**, 129*P*, 1995

BROWN S. J., CHILD R. B., DAY S. H. & DONNELLY A. E. The role of eccentric exercise duration in experimental skeletal muscle damage in man **489.P**, 148*P*, 1995

see DAY S. H., BROWN S. J., CHILD R. B. & DONNELLY A. E. **489.P**, 27*P*, 1995

BRUNSDEN A.

BRUNSDEN A. & LEVIN R. J. Differential temporal relations between electrogenic ion secretion and the K^+ conductance of the basolateral membranes of rat proximal and distal colon activated by cholinergic agonists or dibutyryl cyclic AMP *in vitro* **485.P**, 37*P*, 1995

BRYAN A. *see* WILLARD T., BRYAN A. & POLLARD B. J. **483.P**, 4*P*, 1995

BRYAN A.J. *see* DASHWOOD M. R., TIMM M., JEREMY J. Y., IZZAT M. B., BRYAN A. J. & ANGELINI G. D. **489.P**, 158*P*, 1995

BRYANT J. *see* BURGESS W. J., BRYANT J. & WOODNUTT G. **482.P**, 41*P*, 1995

BRYANT S.M.

BRYANT S. M. & HART G. Effects of thapsigargin on unloaded cell shortening in guinea-pig ventricular myocytes **483.P**, 16*P*, 1995

see MAIN M. C., BRYANT S. M. & HART G. **483.P**, 8*P*, 1995

see MAIN M. C., BRYANT S. M. & HART G. **483.P**, 9*P*, 1995

see MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **487.P**, 131*P*, 1995

see SHIPSEY S. J., RYDER K. O., BRYANT S. M. & HART G. **489.P**, 142*P*, 1995

see MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **489.P**, 143*P*, 1995

BRZOZOWSKI T. *see* KONTUREK S. J., BRZOZOWSKI T. & PYTKO-POLONCZYK J. **487.P**, 36*P*, 1995

BUCKINGHAM S.D. *see* SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. **483.P**, 193*P*, 1995

BUCKINGHAM S. D., BAI D., HOLYOKE C. W., RAUH J. J. & SATTELLE D. B. Actions of BIDN, a bicyclic dinitrile, on *in situ* and expressed insect GABA receptors **483.P**, 194*P*, 1995

BUCKLE A.D. *see* PARKER S., BUCKLE A. D. & EDWARDS A. V. **483.P**, 180*P*, 1995

BUCKLER K.J.

BUCKLER K. J. Effects of hypoxia on resting (leak) potassium conductance in carotid body type-I cells of the neonatal rat **489.P**, 56*P*, 1995

BUERK D.G. *see* LAHIRI S., BUERK D. G., OSAI S., CHUGH D. & MOKASHI A. **487.P**, 16*P*, 1995

BUHL E.H.

BUHL E. H., TAMAS G. & SOMOGYI P. Recurrent unitary EPSPs evoked in anatomically identified inhibitory interneurones of the cat visual cortex *in vitro* **487.P**, 51*P*, 1995

see COBB S. R., BUHL E. H., HALASY K., PAULSEN O. & SOMOGYI P. **487.P**, 53*P*, 1995

see TAMAS G., BUHL E. H. & SOMOGYI P. **487.P**, 63*P*, 1995

BÜNEMANN M.

BÜNEMANN M. & POTT L. Activation of atrial $I_{K(ACh)}$ by adenosine is limited by density of A_1 receptors in cultured myocytes **487.P**, 134*P*, 1995

BUNTING R. *see REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R.* **487.P**, 11*P*, 1995

BURGESS W.J.

BURGESS W. J., BRYANT J. & WOODNUTT G. Uptake of clavulanic acid across rat jejunal segments *in vitro* **482.P**, 41*P*, 1995

BURKE D. *see GANDEVIA S. C., INGLIS J. T., WILSON L. R. & BURKE D.* **487.P**, 72*P*, 1995

BURNAND K.G. *see KANCZLER J. M., THOMAS C. R., BURNAND K. G., WARD J. P. T. & REAPE T. J.* **483.P**, 116*P*, 1995

BURN-MURDOCH R.

BURN-MURDOCH R. The effect of removing the growing end (root-resection) of incisor teeth in rats on the relationship between eruption rates and lengths of the teeth **487.P**, 102*P*, 1995

BURNS B.D. *see BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C.* **483.P**, 41*P*, 1995

see BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C. **483.P**, 41*P*, 1995

BURRY J.S.

BURRY J. S., MARSOLAIS M., POTTS D. J. & LAPRADE R. Effect of endothelin-1 upon isolated proximal tubules from rabbit kidney **489.P**, 84*P*, 1995

BURSELL J.D.H.

BURSELL J. D. H. & KIRK K. Two functionally distinct swelling-activated K^+ transport pathways in eel erythrocytes **483.P**, 181*P*, 1995

BUSCHMAN H.P.J.

BUSCHMAN H. P. J., ELZINGA G. & WOLEDGE R. C. The effect of the stimulation frequency on efficiency at different shortening velocities in isolated type 3 fibres from *Xenopus laevis* **483.P**, 79*P*, 1995

BUSH B.M.H. *see XIA R. P. & BUSH B. M. H.* **483.P**, 133*P*, 1995

BUTLER J.A. *see CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T.* **489.P**, 179*P*, 1995

BUTLER P.J. *see BEVAN R. M., BOYD I. L., BUTLER P. J., REID K. R. & WOAKES A. J.* **483.P**, 193*P*, 1995

see BEAUMONT M. W., BUTLER P. J. & TAYLOR E. W. **483.P**, 197*P*, 1995

BUTT A.G. *see MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J.* **489.P**, 101*P*, 1995

BUTT A. G., MCLAUGHLIN C. W. & HAMILTON K. L. Cell swelling increases the basolateral K^+ conductance in isolated mouse jejunal crypts **489.P**, 102*P*, 1995

BUTT A.M. *see HOWD A. G., HORNBY M. F., KIRVELL S. L. & BUTT A. M.* **489.P**, 76*P*, 1995

BUTT A.Y. *see KATAYAMA Y., BUTT A. Y., AKAMINE S., MCMAHON A., GLANVILLE C. & HIGENBOTTAM T. W.* **487.P**, 178*P*, 1995

BUTTERFIELD I.

BUTTERFIELD I. & SANDLE G. I. Influence of voltage and Ca^{2+} on K^+ channels induced by dietary K^+ loading in surface cells of rat distal colon **487.P**, 39*P*, 1995

BUTTERFIELD I. & SANDLE G. I. Effect of pH on K^+ channels in K^+ secreting rat distal colon **489.P**, 121*P*, 1995

BUTTERLY R. *see HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R.* **483.P**, 122*P*, 1995

see HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R. **485.P**, 45*P*, 1995

BYRNES D. *see MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J.* **489.P**, 101*P*, 1995

CADDEN S.W. *see LOUCA C., CADDEN S. W. & LINDEN R. W. A.* **483.P**, 31*P*, 1995

see MAILLOU P. & CADDEN S. W. **483.P**, 31*P*, 1995

CAGAMPANG F.R.A.

CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T. Influence of oestradiol on pulsatile luteinizing hormone secretion during insulin-induced hypoglycaemia in female rats **489.P**, 179*P*, 1995

CAHUSAC P.M.B. *see WAN H. & CAHUSAC P. M. B.* **483.P**, 155*P*, 1995

CAINE M.P.

CAINE M. P. & MCCONNELL A. K. Pre-activity warm-up attenuates exercise-induced asthma in human beings **483.P**, 130*P*, 1995

CAINE M. P. & MCCONNELL A. K. The reproducibility of cycling to volitional fatigue in non-cyclists **489.P**, 36*P*, 1995

CAI Q.

CAI Q., LEI M. & BROWN H. Responses of guinea-pig SA node/atria to acetylcholine and adrenaline in the presence of blockers of i_f and $i_{K,ACh}$ **483.P**, 21*P*, 1995

CALDER N.A.

CALDER N. A., KUMAR P. & HANSON M. A. Maturation of carotid chemoreceptor responses to CO_2 in the anaesthetized newborn lamb **489.P**, 162*P*, 1995

CAMELLO P.J.

CAMELLO P. J. & TOESCU E. C. Combined effect of cyclic nucleotides on Ca^{2+} signalling in mouse pancreatic acinar cells **483.P**, 181*P*, 1995

CAMERON N.E. *see COTTER M. A., CAMERON N. E. & DINES K. C.* **483.P**, 141*P*, 1995

CAMERON N. E. & COTTER M. A. Comparison of the effects of chronic aldose reductase inhibitor and acetyl-L-cysteine treatments on peripheral nerve blood flow and function in anaesthetized diabetic rats **483.P**, 142*P*, 1995

CAMERON N. E., COTTER M. A., KEEGAN A. & DINES K. C. Effects of chronic acetyl and proprionyl L-carnitine treatment on peripheral nerve function and blood flow in anaesthetized diabetic rats **483.P**, 147*P*, 1995

see COTTER M. A. & CAMERON N. E. **483.P**, 3*S*, 1995

CAMERON N. E., COTTER M. A. & MAXFIELD E. K. Correction of impaired neurovascular function by desferrioxamine in anaesthetized diabetic rats **487.P**, 84*P*, 1995

see COTTER M. A., ARCHIBALD V. & CAMERON N. E. **487.P**, 85*P*, 1995

CAMPBELL A.K. *see KENDALL J. M., BADMINTON M. N., SALA NEWBY G. B., WILKINSON G., DORMER R. L. & CAMPBELL A. K.* **487.P**, 19*P*, 1995

CAMPBELL A. K., BADMINTON M. N., KENDALL J. M., SALA NEWBY G. B. & WILKINSON G. Free Ca^{2+} in cellular compartments studied using targeted aequorin **487.P**, 7*S*, 1995

CAMPBELL K.S. *see LAKIE M. D. & CAMPBELL K. S.* **483.P**, 2*P*, 1995

CAMPBELL K. S. & LAKIE M. Tension responses to imposed length changes in isolated relaxed muscle fibre bundles from *Rana temporaria* **487.P**, 155*P*, 1995

CAMPBELL V.

CAMPBELL V., TERRACCIANO C. M. N., NAQVI R. U., BRICKLEY K., BALDWIN S. A., MACLEOD K. T. & DOLPHIN A. C. An antibody to L-type calcium channels reduces voltage-dependent calcium current in guinea-pig cardiac myocytes in a voltage-dependent manner **487.P**, 130*P*, 1995

CANEPARI M. *see HARRIDGE S. D. R., BOTTINELLI R., REGGIANI C., PELLEGRINO M. A., CANEPARI M. & SALTIN B.* **487.P**, 152*P*, 1995

CANNELL M.B. *see MAIN M. J. & CANNELL M. B.* **483.P**, 12*P*, 1995

see EVANS A. M. & CANNELL M. B. **483.P**, 14*P*, 1995

see GRANTHAM C. J. & CANNELL M. B. **487.P**, 18*P*, 1995

CANNELL M. B., LEDERER W. J. & CHENG H. Summation of stochastic calcium sparks gives rise to calcium transients in isolated rat cardiac myocytes **487.P**, 5*S*, 1995

CANTIELLO H.F.

CANTIELLO H. F. Cyclic AMP-independent regulation of cystic fibrosis transmembrane conductance regulator (CFTR) by the actin cytoskeleton **489.P**, 6*S*, 1995

CAO C.Q.

CAO C. Q., EVANS R. H., HEADLEY P. M., JANE D. J. & TSE H.-W. Reversal of the depressant effect of L-2-amino-4-phosphonobutanoate (AP4) by α-methyl-AP4 (MAP4) at rat spinal motoneurones *in vitro* **483.P**, 159*P*, 1995

CAPUTO C.

CAPUTO C. & BOLAÑOS P. Na^+–Ca^{2+} exchange in amphibian skeletal muscle fibres **487.P**, 160*P*, 1995

CARDEN D.

CARDEN D., MURRAY I. J., PARRY N. R. A. & KULIKOWSKI J. J. A modified portable fibre optics apparatus for measurements of spectral sensitivity **485.P**, 5*P*, 1995

CAREY M.F. *see MCGUIRE M., CAREY M. F. & O'CONNOR J. J.* **489.P**, 149*P*, 1995

CARO C.G. *see LONG Q., DOORLY D. J., TARNAWSKI M., SCOTT K. T., DUMOULIN C. L. & CARO C. G.* **485.P**, 6*P*, 1995

CARTER J.M. *see BELL N. J., CARTER J. M. & SULEIMAN M.-S.* **487.P**, 145*P*, 1995

CASE R.M. *see* ISHIGURO H., LINDSAY A. R. G., STEWARD M. C. & CASE R. M. **482.P**, 22*P*, 1995

see SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. **482.P**, 22*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **487.P**, 40*P*, 1995

see SEO J. T., CASE R. M. & STEWARD M. C. **489.P**, 118*P*, 1995

see FAYEED O. M. H., POTTER A., MUSA O. A., LINDSAY A. R. G., LAU K. R. & CASE R. M. **489.P**, 129*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **489.P**, 96*P*, 1995

CASTILLO L. *see* BARBRY P., CHAMPIGNY G., TRIGLIA J.-M., CASTILLO L., GRIBKOFF V. & LAZDUNSKI M. **489.P**, 99*P*, 1995

CATAPANO M. *see* MCARDLE A., VAN DER MEULEN J. H., CATAPANO M., SYMONS M. C. R., FAULKNER J. A. & JACKSON M. J. **487.P**, 157*P*, 1995

see MCARDLE A., CATAPANO M., DAVIS A., MILBURN S., EDWARDS R. H. T. & JACKSON M. J. **489.P**, 149*P*, 1995

CATSICAS M.

CATSICAS M., ALLCORN S. & MOBBS P. A developmental switch in the consequences of non-NMDA receptor activation in isolated chick retina **483.P**, 60*P*, 1995

CATTAERT D.

CATTAERT D., LE RAY D. & CLARAC F. Electrophysiological and pharmacological evidence for a glutamatergic presynaptic feedback control of primary afferents by motoneurons in the crayfish *Procambarus clarkii, in vitro* **483.P**, 187*P*, 1995

see BARNES W. J. P., CATTAERT D., CLARAC F. & MARCHAND A. R. **483.P**, 194*P*, 1995

see PEARLSTEIN E., CATTAERT D. & CLARAC F. **483.P**, 195*P*, 1995

CAUQUIL A.S.

CAUQUIL A. S., LYON I. & DAY B. L. Lateral tilt of body segments in response to galvanic vestibular stimulation in man **489.P**, 30*P*, 1995

CAVE R. *see* BLANNIN A. K., GLEESON M., BROOKS S. & CAVE R. **483.P**, 131*P*, 1995

CAVIERES J.D. *see* WARD D. G. & CAVIERES J. D. **482.P**, 42*P*, 1995

CAZORLA O. *see* HONGO K., AUCLERC C., CAZORLA O., GARNIER D., LE GUENNEC J.-Y. & WHITE E. **487.P**, 132*P*, 1995

CECCHI G. *see* RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J. **487.P**, 154*P*, 1995

CERQUETANI E. *see* PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S. **487.P**, 170*P*, 1995

CERRETELLI P. *see* COHEN-LAROQUE E.-S., FERRETTI G., MARCONI C., FIOCCHI R., MAMPRIN F., FERRAZZI P., MARZORATI M. & CERRETELLI P. **483.P**, 121*P*, 1995

CHAD J.E. *see* JANE S. D., PHENNA S., TUNWELL R. E. A., LAI F. A. & CHAD J. E. **487.P**, 21*P*, 1995

see JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F. A., HOLDEN-DYE L. M. & WALKER R. J. **487.P**, 24*P*, 1995

CHAKRABARTY S. *see* AGGELOPOULOS N. C., CHAKRABARTY S. & EDGLEY S. A. **487.P**, 71*P*, 1995

CHALMERS G.R. *see* BAWA P. & CHALMERS G. R. **487.P**, 71*P*, 1995

CHAMBERLAIN R.M.

CHAMBERLAIN R. M. & SHIRLEY D. G. Renal function in 5/6 nephrectomized rats before and after anaesthesia and micropuncture surgery **483.P**, 170*P*, 1995

CHAMBERS P.

CHAMBERS P., NEAL D. E., LAMB H. K. & GILLESPIE J. I. Intracellular Ca^{2+} release via inositol trisphosphate (IP_3) and Ca^{2+}-induced Ca^{2+} release (CICR) in human cultured bladder smooth muscle cells **483.P**, 115*P*, 1995

see SLATER B. J., CHAMBERS P., VARMA J. S. & GILLESPIE J. I. **487.P**, 92*P*, 1995

CHAMPIGNY G. *see* BARBRY P., CHAMPIGNY G., TRIGLIA J.-M., CASTILLO L., GRIBKOFF V. & LAZDUNSKI M. **489.P**, 99*P*, 1995

see BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M. **489.P**, 48, 1995

CHAMUNORWA J.P. *see* COOK S. J., CHAMUNORWA J. P. & O'NEILL S. C. **487.P**, 133*P*, 1995

CHAN E.

CHAN E., YUNG W.-H. & BAUMANN K. I. Mechanical stimuli induce increases in intracellular Ca^{2+} concentrations in functioning rat Merkel cells of an isolated vibrissal hair preparation **487.P**, 214*P*, 1995

CHAN H.C. *see* KO W. H., CHAN H. C., CHEW S. B. C. & WONG P. Y. D. **489.P**, 105*P*, 1995

see KO W. H., CHAN H. C., CHEW S. B. C. & WONG P. Y. D. **489.P**, 6*S*, 1995

CHAN Y.S. *see* YANG Z., CHAN Y. S. & WONG T. M. **487.P**, 180*P*, 1995

CHAPMAN R.A. *see* CHATAMRA K. R. & CHAPMAN R. A. **483.P**, 11*P*, 1995

CHAPMAN R. A. The introduction of trypsin into the sarcoplasm of isolated guinea-pig ventricular myocytes eliminates the inhibition of the L-type Ca^{2+} current caused by BDM **483.P**, 19*P*, 1995

see WINOKUROV A. A. & CHAPMAN R. A. **483.P**, 23*P*, 1995

CHAPMAN S.

CHAPMAN S., SMITH P. A. & ASHCROFT F. M. Mobilization of intracellular calcium by caffeine in single mouse pancreatic β-cells **487.P**, 12*P*, 1995

CHARLES C. *see* RAWANA S. P., CHARLES C. & JEN K. L. C. **489.P**, 41*P*, 1995

CHATAMRA K.R.

CHATAMRA K. R. & CHAPMAN R. A. Influences of extracellular pH (pH_o) upon the fall of intracellular amino acids induced by Ca^{2+}-free perfusion of the isolated guinea-pig heart **483.P**, 11*P*, 1995

CHEN C.-C. *see* TSAI K.-L., CHEN C.-C. & WU M.-L. **487.P**, 57*P*, 1995

CHENG H. *see* CANNELL M. B., LEDERER W. J. & CHENG H. **487.P**, 5*S*, 1995

CHEN M. *see* HAMILL O. P., CHEN M., ZHANG Y. & MCBRIDE D. W. JR **483.P**, 162*P*, 1995

CHEN P.S. *see* REES H., SLUKA K. A., TSURUOKA M., CHEN P. S. & WILLIS W. D. **483.P**, 152*P*, 1995

CHEN Q. *see* BROWN J. & CHEN Q. **483.P**, 144*P*, 1995

see BROWN J. & CHEN Q. **489.P**, 139*P*, 1995

CHEN S.

CHEN S. & BOYD C. A. R. Regulation of rat alveolar macrophage nitric oxide (NO) production by cationic amino acid transport **482.P**, 44*P*, 1995

CHEN S. & BOYD C. A. R. Cationic amino acid transport in activated human lymphocytes following transfection with antisense oligonucleotides to H13 and 4F2 genes **487.P**, 100*P*, 1995

CHERRY H.R. *see* MCDOWELL B. C., ROBINSON J. I., CHERRY H. R., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995

CHEW S.B.C. *see* KO W. H., CHAN H. C., CHEW S. B. C & WONG P. Y. D. **489.P**, 105*P*, 1995

see KO W. H., CHAN H. C., CHEW S. B. C. & WONG P. Y. D. **489.P**, 6*S*, 1995

CHICK J.J.

CHICK J. J. & STEPHENSON D. G. The source of Ca^{2+} in acetylcholine and caffeine-induced contractions of the 'catch' muscle of *Mytilus edulis* **487.P**, 87*P*, 1995

CHILD R.B. *see* BROWN S. J., CHILD R. B., DONNELLY A. E., SAXTON J. M. & DAY S. H. **483.P**, 121*P*, 1995

CHILD R. B., BROWN S. J., DONNELLY A. E., SAXTON J. M. & DAY S. H. Effects of stimulated eccentric muscle actions at 20 and 100 Hz on indices of muscle damage in man **483.P**, 129*P*, 1995

see BROWN S. J., CHILD R. B., DAY S. H. & DONNELLY A. E. **489.P**, 148*P*, 1995

see DAY S. H., BROWN S. J., CHILD R. B. & DONNELLY A. E. **489.P**, 27*P*, 1995

CHILIBECK P.D.

CHILIBECK P. D., PATERSON D. H., CUNNINGHAM D. A., TAYLOR A. W. & NOBLE E. G. Central *versus* peripheral control of oxygen uptake kinetics in old and young humans **487.P**, 102*P*, 1995

CHIN E.R.

CHIN E. R. & ALLEN D. G. Raised intracellular calcium can cause subsequent failure of calcium release in mammalian skeletal muscle **487.P**, 19*P*, 1995

CHIPPERFIELD A.R. *see* HARPER A. A., DAVIS J. P. L. & CHIPPERFIELD A. R. **489.P**, 98*P*, 1995

CHIZHMAKOV I.V.

CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J. Selective proton permeability and pH-dependent activation of the influenza virus M2 protein expressed in a murine cell line **489.P**, 65*P*, 1995

CHONG Y.H. *see* FRASER S. P., DJAMGOZ M. B. A., CHONG Y. H. & SUH Y.-H. **489.P**, 66*P*, 1995

CHORVATOVA A.

CHORVATOVA A., GUYOT A., BILBAUT A., OJEDA C. & ROUGIER O. Effect of angiotensin II (AII) on membrane potential and background conductances of isolated bovine zona fasciculata adrenal cells in primary culture **487.P**, 189*P*, 1995

CHRAÏBI A.

CHRAÏBI A. & TEULON J. Dual effects of internal pH on a non-selective cation channel from the mouse collecting tubule **489.P**, 77*P*, 1995

see TEULON J., GUINAMARD R., PAULAIS M. & CHRAÏBI A. **489.P**, 17*S*, 1995

CHRISTENSEN S. *see* HARBAK H., NIELSEN D. K., CHRISTENSEN S. & SIMONSEN L. O. **489.P**, 114*P*, 1995

CHRIST F.

CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K. Effects of anaesthesia on periodic changes in limb circumference (volumotion, Vm) in patients with vascular disease **483.P**, 148*P*, 1995

see GAMBLE J., GARTSIDE I. B., MORRELL R. J. & CHRIST F. **483.P**, 149*P*, 1995

CHUA T.P. *see* PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S. **487.P**, 170*P*, 1995

CHUGH D. *see* LAHIRI S., BUERK D. G., OSAI S., CHUGH D. & MOKASHI A. **487.P**, 16*P*, 1995

CHUNG Y.W. *see* HUANG Y., KO W. H., CHUNG Y. W. & WONG P. Y. D. **487.P**, 187*P*, 1995

CLAPP L.H. *see* TURNER J. L., CLAPP L. H. & KOZLOWSKI R. Z. **483.P**, 106*P*, 1995

see HALL S., BALOCH M. & CLAPP L. H. **483.P**, 115*P*, 1995

see ALBARWANI S., SALTER K. J., TURNER J. L., CLAPP L. H. & KOZLOWSKI R.Z. **487.P**, 11*S*, 1995

CLARAC F. *see* CATTAERT D., LE RAY D. & CLARAC F. **483.P**, 187*P*, 1995

see BARNES W. J. P., CATTAERT D., CLARAC F. & MARCHAND A. R. **483.P**, 194*P*, 1995

see PEARLSTEIN E., CATTAERT D. & CLARAC F. **483.P**, 195*P*, 1995

CLARIDGE E. *see* RIVAS M., SKRONE J., CLARIDGE E., JAKEMAN P. & EGGINTON S. **483.P**, 3*P*, 1995

CLARKE G. *see* TOLCHARD S., HARE A. S., NUTT D. & CLARKE G. **489.P**, 176*P*, 1995

CLARKE P.G.H.

CLARKE P. G. H. & CLARKE S. Nineteenth century research on cell death in development **487.P**, 205*P*, 1995

CLARKE R.W. *see* HOUGHTON A. K. & CLARKE R. W. **483.P**, 153*P*, 1995

CLARKE S. *see* CLARKE P. G. H. & CLARKE S. **487.P**, 205*P*, 1995

see CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. **489.P**, 159*P*, 1995

CLARK J.F. *see* BOEHM E. A., RADDA G. K. & CLARK J. F. **487.P**, 82*P*, 1995

CLARK M.

CLARK M., ROBERTSON F. & TANSEY E. M. A lost film found: Joseph Barcroft in 1935 **483.P**, 6*P*, 1995

CLARK S.

CLARK S. & MATHIE A. A hyperpolarization-activated chloride current in acutely isolated rat superior cervical ganglion (SCG) neurons **485.P**, 48*P*, 1995

CLARK V.J. *see* BROWN P. D., CLARK V. J. & CONNELL E. A. H. **482.P**, 17*P*, 1995

CLARSON L.H.

CLARSON L. H., GLAZIER J. D. & SIBLEY C. P. Expression of facilitated glucose transporters (GLUT 1 and GLUT 3) during differentiation of human trophoblast cells **482.P**, 6*P*, 1995

see KIBBLE J. D., CLARSON L. H. & GREENWOOD S. L. **487.P**, 186*P*, 1995

CLEMENT D.J. *see* ATTWELL N. A., CLEMENT D. J., STANLEY M. S., CLIPSON N. J. W., HOOLEY P. & FINCHAM D. A. **489.P**, 104*P*, 1995

CLIPSON N.J.W. *see* ATTWELL N. A., CLEMENT D. J., STANLEY M. S., CLIPSON N. J. W., HOOLEY P. & FINCHAM D. A. **489.P**, 104*P*, 1995

COATES L. *see* BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K. **489.P**, 28*P*, 1995

COATS A.J.S. *see* PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S. **487.P**, 170*P*, 1995

COBBE S.M. *see* NG G. A., HICKS M. N., COBBE S. M. & SMITH G. L. **487.P**, 142*P*, 1995

COBB M.A. *see* CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. **489.P**, 159*P*, 1995

COBB S.R.

COBB S. R., BUHL E. H., HALASY K., PAULSEN O. & SOMOGYI P. GABAergic interneurones can pace rat hippocampal principal cell activity through perisomatic synapses *in vitro* **487.P**, 53*P*, 1995

COCA-PRADOS M. *see* CULLINANE A., COCA-PRADOS M. & HARVEY B. **482.P**, 40*P*, 1995

COCKBURN M.F.

COCKBURN M. F., WAREING M., WILSON R. & GREEN R. Mechanisms of water transport in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 94*P*, 1995

COCKELL A.P.

COCKELL A. P. & POSTON L. An investigation of myogenic tone in isolated mesenteric small arteries from pregnant and non-pregnant rats **487.P**, 83*P*, 1995

COCKETT M.I. *see* STEPHENS G. J., HEBLICH F., COCKETT M. I. & OWEN D. G. **489.P**, 75*P*, 1995

CODY F.W.J. *see* O'BOYLE D.J., FREEMAN J. S. & CODY F. W. J. **485.P**, 15*P*, 1995

see RICKARDS C. & CODY F. W. J. **489.P**, 31*P*, 1995

see ZIA S. & CODY F. W. J. **489.P**, 45*P*, 1995

COEN B.A. *see* DICK D. J., COEN B. A. & LAB M. J. **489.P**, 166*P*, 1995

see NAZIR S. A., DICK D. J., COEN B. A. & LAB M. J. **489.P**, 166*P*, 1995

COEN C.W. *see* CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T. **489.P**, 179*P*, 1995

COETZEE W.A. *see* NAKAMURA T. Y., FAIVRE J.-F. & COETZEE W. A. **483.P**, 10*P*, 1995

COHEN-LAROQUE E.-S.

COHEN-LAROQUE E.-S., FERRETTI G., MARCONI C., FIOCCHI R., MAMPRIN F., FERRAZZI P., MARZORATI M. & CERRETELLI P. Ligand receptor type response of heart rate to plasma catecholamines after heart denervation in humans **483.P**, 121*P*, 1995

COLE J.D. *see* MIALL R. C., HAGGARD P. N., STEIN J. F. & COLE J. D. **483.P**, 34*P*, 1995

COLE M.A.

COLE M. A. & BROWN M. D. Reproducibility of an ischaemic fatigue test performed on human triceps surae **483.P**, 83*P*, 1995

COLEMAN M.J. *see* HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L. **483.P**, 92*P*, 1995

COLES B. *see* ASHCROFT F. M., COLES B., GUMMERSON N., SAKURA H. & SMITH P. A. **487.P**, 192*P*, 1995

COLES J.A.

COLES J. A. & MARCAGGI P. Stimulus-induced pH changes related to energy metabolism in slices of drone retina **482.P**, 4*P*, 1995

COLLARES-BUZATO C.B.

COLLARES-BUZATO C. B., JEPSON M. A., SIMMONS N. L. & HIRST B. H. Tyrosine phosphorylation of junctional proteins controls paracellular permeability in cultured epithelia **482.P**, 32*P*, 1995

COLLEDGE W.H. *see* VERDON B., EVANS M. J., COLLEDGE W. H., RATCLIFF R., ARGENT B. E. & GRAY M. A. **489.P**, 115*P*, 1995

COLLETT A.

COLLETT A., SIMS E., HE Y.-L., ROWLAND M. & WARHURST G. Comparison of CaCo-2 and HT2-18C_1 colonic cell lines as models for the prediction of *in vivo* drug absorption **482.P**, 34*P*, 1995

COLLIER C.J. *see* COLLIER D. J., NICKOL A., MILLEDGE J. S., DATTA A. K., COLLIER C. J. & WOLFF C. B. **487.P**, 109*P*, 1995

COLLIER D.J.

COLLIER D. J., NICKOL A., MILLEDGE J.S. & WOLFF C. B. Ventilatory dynamics alter with acclimatization to chronic hypoxia in man **487.P**, 108*P*, 1995

COLLIER D. J., NICKOL A., MILLEDGE J. S., DATTA A. K., COLLIER C. J. & WOLFF C. B. Dynamic chemosensitivity to carbon dioxide increases with acclimatization to chronic hypoxia in man **487.P**, 109*P*, 1995

COLLIER M.L.

COLLIER M. L., LEVESQUE P. C. & HUME J. R. Unitary and whole-cell Ca^{2+}-activated Cl^- currents in canine ventricular myocytes **487.P**, 146*P*, 1995

COLLINGRIDGE G.L. *see* IRVING A. J. & COLLINGRIDGE G. L. **487.P**, 56*P*, 1995

COLQUHOUN D. *see* SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M., SCHOEPFER R. & COLQUHOUN D. **487.P**, 208*P*, 1995

COLYER J. *see* BENNETT K. L., COLYER J. & ORCHARD C. H. **483.P**, 20*P*, 1995

see BENNETT K. L., ORCHARD C. H., DRAGO G. A. & COLYER J. **483.P**, 20*P*, 1995

see YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. **487.P**, 127*P*, 1995

see HULME J. T., COLYER J. & ORCHARD C. H. **487.P**, 128*P*, 1995

see BENNETT K. L., WHITE E. & COLYER J. **487.P**, 141*P*, 1995

COLYER R. *see* COX J. & COLYER R. **483.P**, 4*P*, 1995

COMBES D.

COMBES D., SIMMERS J., MEYRAND P. & MOULINS M. Motor programme switching by a lobster mechanoreceptor neurone *in vitro*: role of parallel interneuronal processing **483.P**, 191*P*, 1995

COMERFORD Q.

COMERFORD Q. & TUFFERY A. R. 'HyperHistology' – an application for computer-aided learning in histology **489.P**, 2*P*, 1995

COMIS S.D. *see OSBORNE M. P., COMIS S. D. & SPENCER A. J.* **483.P**, 5*P*, 1995

COMPSTON D.A.S. *see WEBB A. V., COMPSTON D. A. S. & RANDALL A. D.* **489.P**, 55*P*, 1995

COMTOIS A. *see BARRETT-JOLLEY R., COMTOIS A., DAVIES N. W., STANFIELD P. R. & STANDEN N. B.* **483.P**, 164*P*, 1995

CONDE G.L.

CONDE G. L., RENSHAW D., LIGHTMAN S. L. & HARBUZ M. S. Changes in the expression of c-*fos* induced by lipopolysaccharide in the PVN and the A1/A2 brainstem noradrenergic cell groups **489.P**, 180*P*, 1995

CONEY A.

CONEY A. & MARSHALL J. M. Effect of systemic hypoxia upon circulation of the cerebral cortex in the anaesthetized rat **483.P**, 88*P*, 1995

CONEY A. & MARSHALL J. M. The role of adenosine in cerebral cortical vasodilatation induced by acute systemic hypoxia in normoxic and chronically hypoxic rats under anaesthesia **487.P**, 174*P*, 1995

CONLEY E.C. *see ABRAMS C. J., DAVIES N. W., SHELTON P. A., CONLEY E. C. & STANFIELD P. R.* **489.P**, 58*P*, 1995

CONNELL E.A.H. *see BROWN P. D., CLARK V. J. & CONNELL E. A. H.* **482.P**, 17*P*, 1995

CONSTANTIN-TEODOSIU D.

CONSTANTIN-TEODOSIU D., HOWELL S. & GREENHAFF P. L. Carnitine metabolism in different muscle fibre types during exercise in man **489.P**, 26*P*, 1995

CONTRACTOR A.

CONTRACTOR A. & GIBB A. J. Metabotropic glutamate (mGlu) receptor activation produces a change in the mean open time of *N*-methyl-D-aspartate (NMDA) receptors **489.P**, 15*P*, 1995

CONTRERAS R. *see FUENTES O., JARA A., CONTRERAS R. & SOBREVIA L.* **487.P**, 38*P*, 1995

CONWAY B.A.

CONWAY B. A., HALLIDAY D. M., SHAHANI U., MAAS P., WEIR A. I., ROSENBERG J. R. & FARMER S. F. Common frequency components identified from correlations between magnetic recordings of cortical activity and the electromyogram in man **483.P**, 35*P*, 1995

CONWAY B. A. & BEST N. The effect of changes in static hip position on the flexion reflex in motor complete spinal cord injured humans **487.P**, 75*P*, 1995

see HALLIDAY D. M., AMJAD A. M., CONWAY B. A., FARMER S. F. & ROSENBERG J. R. **487.P**, 76*P*, 1995

COOK C.S.

COOK C. S. & MCDONAGH M. J. N. Role of series elasticity in force production during constant velocity shortening of human muscle–tendon complex **483.P**, 125*P*, 1995

COOK C. S., SANTELLO M. & MCDONAGH M. J. N. An *in vivo* measurement of muscle stiffness in man **483.P**, 86*P*, 1995

COOK D.I. *see DAY M. L., JOHNSON M. H. & COOK D. I.* **489.P**, 52*P*, 1995

COOKE C.B. *see HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R.* **483.P**, 122*P*, 1995

see HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R. **485.P**, 45*P*, 1995

COOKE I.D. *see SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J.* **482.P**, 45*P*, 1995

COOK L.J.

COOK L. J. & BEST L. Effect of methylglyoxal on electrical activity in isolated rat pancreatic β-cells **489.P**, 49*P*, 1995

COOKLIN M. *see WALLIS W. R. J., COOKLIN M., SHERIDAN D. J. & FRY C. H.* **483.P**, 22*P*, 1995

see WALLIS W. R. J., WU C., COOKLIN M., SHERIDAN D. J. & FRY C. H. **485.P**, 42*P*, 1995

COOKLIN M., WALLIS W. R. J., SHERIDAN D. J. & FRY C. H. Determinants of conduction velocity in myocardium isolated from hypertrophied guinea-pig hearts **485.P**, 44*P*, 1995

COOKLIN M., BIRNS J., GRAY R. & FRY C. H. Impedance components of the intracellular pathway in isolated guinea-pig myocardium **487.P**, 141*P*, 1995

COOK S.J.

COOK S. J., CHAMUNORWA J. P. & O'NEILL S. C. Intracellular sodium regulation in myocytes isolated from different regions of rabbit ventricle **487.P**, 133*P*, 1995

COOMBER S.J.

COOMBER S. J. & ELLIOTT G. F. Electrical measurements of calcium activation in isolated rabbit muscle myofilaments **487.P**, 157*P*, 1995

COONEY A.S.

COONEY A. S. Sodium appetite induced by adrenalectomy but not by DOCA treatment is mediated by the angiotensin AT_1 receptor in the rat **483.P**, 171*P*, 1995

COONEY A. S. & FITZSIMONS J. T. Increased sodium appetite and thirst in rat in apparent mineralocorticoid excess induced by glycyrrhizic acid **487.P**, 27*P*, 1995

COONEY A. S., GARRETT E., POWER A. & FITZSIMONS J. T. Increased sodium appetite in apparent mineralocorticoid excess induced by glycyrrhizic acid in rat depends on the adrenal cortex **489.P**, 89*P*, 1995

COOPER A.

COOPER A., QUIANG Q., SCHUMACHER U. & JOHNSON C. Con-A inhibits CCK-mediated amylase release by rat pancreatic acini **487.P**, 222*P*, 1995

COOPER A.J. *see MITCHELL I. J., COOPER A. J., BROWN G. D. A. & WATERS C. M.* **483.P**, 34*P*, 1995

COOPER G.J.

COOPER G. J. & HUNTER M. Effect of arachidonic acid on intracellular pH and intracellular calcium in the isolated early distal tubule segment of the frog kidney **482.P**, 3*P*, 1995

COOPER G. J. & HUNTER M. Role of calcium in regulation of the basolateral Na^+–H^+ exchanger of frog diluting segment **487.P**, 26*P*, 1995

COOPER G. J. & HUNTER M. The apical K^+ conductance of the early distal tubule (EDT) segment of the frog kidney; possible role of calmodulin in furosemide's effects **489.P**, 102*P*, 1995

COOPER G. J., LYNCH P. & HUNTER M. Modulation of apical K^+ channels in frog early distal tubules **489.P**, 9*S*, 1995

COOPER R.G. *see HANCHARD N. C. A., BATE A. S., WEISS J. B. & COOPER R. G.* **483.P**, 80*P*, 1995

COOTE J.H. *see FORKINS A. S., AL-ANI M., TOWNEND J. & COOTE J. H.* **483.P**, 100*P*, 1995

see GARDNER J., AL-ANI M., LOVICK T. A. & COOTE J. H. **483.P**, 100*P*, 1995

see MOTAWEI K., PYNER S. & COOTE J. H. **483.P**, 101*P*, 1995

see TUDOR-JONES G., KUMAR P., MARSHALL J. M. & COOTE J. H. **483.P**, 103*P*, 1995

see LEWIS D. I., AL-ANI M. & COOTE J. H. **483.P**, 99*P*, 1995

see DAVIES D. A. & COOTE J. H. **483.P**, 4*P*, 1995

see RANSON R. N., MOTAWEI K., PYNER S. & COOTE J. H. **489.P**, 164*P*, 1995

COPE G. *see LI Q., COPE G., HORNBY D. & WHITE S.* **489.P**, 93*P*, 1995

CORBETT J.M.

CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. Protein changes observed in a canine model of cardiac failure induced by ventricular pacing using 2-D electrophoresis: comparison with cardiomyopathic samples **489.P**, 159*P*, 1995

CORCOS D. *see ROTHWELL J. C., BRANSTON N., CORCOS D., ASSELMAN P., SIERADZAN K. & THOMAS D.* **483.P**, 32*P*, 1995

CORCOS D.M.

CORCOS D. M., ALMEIDA G. L., HONG D.-A. & GOTTLIEB G. L. Qualitative similarities and differences between constrained and unconstrained single-joint movements in humans **483.P**, 30*P*, 1995

CORDOVA D. *see SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J.* **483.P**, 193*P*, 1995

CORFIELD D.R. *see ROBERTS C. A., CORFIELD D. R., MURPHY K., ADAMS L. & GUZ A.* **487.P**, 107*P*, 1995

CORFIELD D. R. & MURPHY K. Removal of electrocardiographic artifact from recordings of human respiratory-related electromyographic activity using a 'non-linear' filter **487.P**, 2*P*, 1995

see HARTY H. R., CORFIELD D. R., SCHWARTZSTEIN R. M. & ADAMS L. **489.P**, 161*P*, 1995

CORRETTE B.J. *see REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R.* **487.P**, 11*P*, 1995

CORRIE J.E.T. *see* FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R. **487.P**, 161*P*, 1995

CORRY B. *see* WRIGHT I. K., TAN E., CORRY B. & WILSON V. G. **487.P**, 84*P*, 1995

COSNAY P. *see* BABUTY D., MACHET M. C., AUPART M., COSNAY P., FAUCHIER J. P. & GARNIER D. **487.P**, 179*P*, 1995

COSSINS A.R. *see* HONESS N. A., COSSINS A. R., GIBSON J. S. & O'FLYNN A. M. J. **482.P**, 7*P*, 1995

see GIBSON J. S., SCOTT E. L. & COSSINS A. R. **489.P**, 100*P*, 1995

see WEAVER Y. R. & COSSINS A. R. **489.P**, 100*P*, 1995

COTSELL B. *see* GEE M. D., LYNN B. & COTSELL B. **487.P**, 214*P*, 1995

COTTER M.A.

COTTER M. A., CAMERON N. E. & DINES K. C. Facilitation between the effects of polyol pathway inhibition and ω-6 essential fatty acid treatment on peripheral nerve function and blood flow in anaesthetized diabetic rats **483.P**, 141*P*, 1995

see CAMERON N. E. & COTTER M. A. **483.P**, 142*P*, 1995

see CAMERON N. E., COTTER M. A., KEEGAN A. & DINES K. C. **483.P**, 147*P*, 1995

COTTER M. A. & CAMERON N. E. Microcirculatory changes in experimental diabetes **483.P**, 3*S*, 1995

see CAMERON N. E., COTTER M. A. & MAXFIELD E. K. **487.P**, 84*P*, 1995

COTTER M. A., ARCHIBALD V. & CAMERON N. E. Effects of anti-oxidant and aminoguanidine treatments on *in vitro* relaxation and contraction of aorta from diabetic rats **487.P**, 85*P*, 1995

COTTON K.D.

COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D. Evans Blue enhances outward current in isolated smooth muscle cells of the sheep bladder **489.P**, 137*P*, 1995

see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **489.P**, 137*P*, 1995

COUTINHO J.J. *see* MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **487.P**, 131*P*, 1995

see MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **489.P**, 143*P*, 1995

COWLEY A.J. *see* KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A. **483.P**, 120*P*, 1995

see KEARNEY M. T., STUBBS T. A., COWLEY A. J. & MACDONALD I. A. **489.P**, 42*P*, 1995

COX J.

COX J. & COLYER R. Wellcome database on sources of biomedical research funding **483.P**, 4*P*, 1995

CRACCO R.Q. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L. **483.P**, 42*P*, 1995

CRAGGS M.

CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B. The dynamics of micturition shown by ultra-fast snapshot MRI in man **489.P**, 40*P*, 1995

CRAGGS M.D.

CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., FOWLER C. J. & PETERSEN T. Responses to multi-pulse magnetic stimulation of spinal nerve roots mapped over the sacrum in man **483.P**, 127*P*, 1995

CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., MUNDY A. R. & FOWLER C. J. The suppression of unstable detrusor reflex activity by functional magnetic stimulation in man **487.P**, 118*P*, 1995

CRAIG J. *see* BARLAS P., CRAIG J., ROBINSON J., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 84*P*, 1995

CRAMP M.C.

CRAMP M. C., MANUEL J. A. & SCOTT O. M. Effects of different patterns of long-term electrical stimulation on human quadriceps femoris muscle **483.P**, 82*P*, 1995

CRASKE M. *see* LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R. **487.P**, 123*P*, 1995

CRAWFORD J.H.

CRAWFORD J. H., WOOTTON J. F., SEABROOK G. R. & SCOTT R. H. Intracellular photorelease of cGMP in the presence of β-NAD^+ evokes inward currents in cultured dorsal root ganglion neurones from neonatal rats **487.P**, 12*P*, 1995

CREAZZO T.L.

CREAZZO T. L., BROTTO M. A. P., LUTIN W. A. & ALIFF C. L. Reduced Ca^{2+} transients and Ca^{2+} currents in embryonic chick hearts with a neural crest-related structural defect **487.P**, 15*P*, 1995

CRICHTON C.A.

CRICHTON C. A., MCCARRON J. G. & SMITH G. L. Measurement of luminal diameter in α-toxin-permeabilized isolated rat cerebral artery with pressure myograph **483.P**, 112*P*, 1995

CRICHTON C. A. & SMITH G. L. Phosphocreatine and ATP modulate Ca^{2+}-activated force in α-toxin-treated isolated rabbit portal vein and mesenteric artery **487.P**, 88*P*, 1995

see MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MCKENZIE A. & SMITH G. L. **489.P**, 133*P*, 1995

CROFT J.S.

CROFT J. S., MTINANGI B. L., SELF D. A. & HAINSWORTH R. Changes in blood volume distribution during orthostasis and at presyncope in humans **489.P**, 37*P*, 1995

CROMPTON M. *see* LEYSSENS A., NOWICKY A. V., PATTERSON L., CROMPTON M. & DUCHEN M. R. **483.P**, 9*P*, 1995

see LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R. **487.P**, 123*P*, 1995

CRONLY-DILLON J.R. *see* NONA S. N., STAFFORD C. A. & CRONLY-DILLON J. R. **485.P**, 18*P*, 1995

CROSS B.A. *see* HOWELL J. H. & CROSS B. A. **487.P**, 108*P*, 1995

see HOWELL J. H. & CROSS B. A. **487.P**, 114*P*, 1995

CROSSMAN M.V. *see* MACPHEE P. J. & CROSSMAN M. V. **483.P**, 166*P*, 1995

CRUNELLI V. *see* WILLIAMS S. R., ANDERSON C. M. & CRUNELLI V. **483.P**, 58*P*, 1995

CSERNOCH L. *see* KOVÁCS L., SZENTESI P. & CSERNOCH L. **487.P**, 159*P*, 1995

CUEVAS J.

CUEVAS J. & ADAMS D. J. M_4 muscarinic receptor activation modulates voltage-dependent calcium conductances in isolated rat intracardiac neurones **487.P**, 122*P*, 1995

see HARPER A. A., CUEVAS J. & ADAMS D. J. **487.P**, 122*P*, 1995

CUFFE J. *see* MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J. **489.P**, 101*P*, 1995

CUFFE J., MCNAMARA B., O'SULLIVAN G. & HARVEY B. Non-genomic activation of K_{ATP} channels in human colon by oestradiol **489.P**, 122*P*, 1995

CUI L.-N.

CUI L.-N. & DYBALL R. E. J. Responsiveness of hamster suprachiasmatic neurones to optic nerve stimulation at different times of day **487.P**, 48*P*, 1995

CUI Y. *see* RAKOVIC S., ANNETTS C., FLAXMAN P., CUI Y. & TERRAR D. A. **487.P**, 7*P*, 1995

CULL-CANDY S.G. *see* MOMIYAMA A., FELDMEYER D. & CULL-CANDY S. G. **483.P**, 162*P*, 1995

see BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. **483.P**, 60*P*, 1995

CULL-CANDY S.G. *see* BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. **487.P**, 52*P*, 1995

see FELDMEYER D., FARRANT M. & CULL-CANDY S. G. **489.P**, 14*P*, 1995

see SILVER R. A., CULL-CANDY S. G. & TAKAHASHI T. **489.P**, 16*P*, 1995

see FARRANT M., KANEDA M. & CULL-CANDY S. G. **489.P**, 17*P*, 1995

CULLIFORD S.J. *see* BERNHARDT I., ELLORY J. C., BOGDANOVA A. Y., CULLIFORD S. J., HAMANN J. & RICHTER S. **489.P**, 101*P*, 1995

CULLINANE A.

CULLINANE A., COCA-PRADOS M. & HARVEY B. Calcium mobilization and activation of maxi-conductance K^+ channels by purinergic agonists in human non-pigmented ciliary body epithelium **482.P**, 40*P*, 1995

CULPAN J. *see* BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K. **489.P**, 28*P*, 1995

CUNNANE T.C. *see* SMITH A. B. & CUNNANE T. C. **489.P**, 132*P*, 1995

CUNNINGHAM A.

CUNNINGHAM A., O'NEILL L. A. J. & O'CONNOR J. J. Inhibition of long-term potentiation by tumour necrosis factor in the rat dentate gyrus *in vitro* **489.P**, 6*P*, 1995

CUNNINGHAM D.A. *see* CHILIBECK P. D., PATERSON D. H., CUNNINGHAM D. A., TAYLOR A. W. & NOBLE E. G. **487.P**, 102*P*, 1995

see LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. **487.P**, 171*P*, 1995

see ST CROIX C. M., CUNNINGHAM D. A. & PATERSON D. H. **487.P**, 178*P*, 1995

CUNNINGHAM S. A.

CUNNINGHAM S. A., FRIZZELL R. A. & MORRIS A. P. Vesicular targeting and the control of ion secretion in epithelial cells: implications for cystic fibrosis **482.P**, 27*S*, 1995

CURRAN A.K. *see* O'HALLORAN K. D., CURRAN A. K. & BRADFORD A. **489.P**, 161*P*, 1995

Curran A. K., O'Halloran K. D. & Bradford A. Developmental changes in the effect of airway CO_2 on ventilation in anaesthetized guinea-pigs **489.P**, 163*P*, 1995

Curtis J.C. *see Min M.-Y., Appenteng K., Luther A. & Curtis J. C.* **483.P**, 28*P*, 1995

Curtis J. C. & Appenteng K. An organotypic slice culture preparation of the trigeminal motor nucleus and surrounding regions **489.P**, 8*P*, 1995

Curtis M.J. *see Pabla R. & Curtis M. J.* **483.P**, 10*P*, 1995

Cuthbert A.W.

Cuthbert A. W. Removal and restoration of chloride secretory activity in murine gut epithelia by genetic manipulation **489.P**, 3*S*, 1995

Cwyfan-Hughes S. *see Jakeman P. M., Jeal S., Cwyfan-Hughes S. & Holly J. M. P.* **489.P**, 26*P*, 1995

Dahlström A. *see Maxwell D. J., Jankowska E., Dolk S., Krutki P., Dahlström A. & Belicehnko P. V.* **483.P**, 36*P*, 1995

Dai J.

Dai J., Williams S. A., Yu C. & Panagia V. Signalling role of *cis*-unsaturated fatty acids via phosphatidylcholine-specific phospholipase D in rat cardiac cell membrane **485.P**, 44*P*, 1995

Dallak M.

Dallak M., Luan X., Brown H. & Pirie L. Stability of breathing patterns in men, rats and rabbits **483.P**, 96*P*, 1995

Dampney R.A.L. *see Hakim M. A., Hirooka Y., Coleman M. J., Bennett M. R. & Dampney R. A. L.* **483.P**, 92*P*, 1995

Dana E.C. *see Mendes Ribeiro A. C., Dana E. C. & Ellory J. C.* **482.P**, 27*P*, 1995

Dando S.B.

Dando S. B., Jordan D. & Ramage A. G. The role of central 5-HT_3 receptors in the modulation of the response to upper airway stimulation in the anaesthetized rabbit **489.P**, 156*P*, 1995

Daniels S. *see Shelton C. J. & Daniels S.* **489.P**, 76*P*, 1995

Darakhshan F. *see Aledo J. C., Darakhshan F. & Hundal H. S.* **489.P**, 128*P*, 1995

Dashwood M.R.

Dashwood M. R., Timm M. & Kaski J. C. Preferential [^{125}I]-endothelin-1 binding to microvascular endothelium at regions of human coronary arteries **483.P**, 136*P*, 1995

Dashwood M. R., Timm M., Jeremy J. Y., Izzat M. B., Bryan A. J. & Angelini G. D. Immunoreactive endothelin-1 (ET-1) and ET-1 receptors in porcine venous arterial grafts **489.P**, 158*P*, 1995

Datta A.K. *see Collier D. J., Nickol A., Milledge J. S., Datta A. K., Collier C. J. & Wolff C. B.* **487.P**, 109*P*, 1995

Datta H.K. *see Rathod H., Gillespie J. I. & Datta H. K.* **489.P**, 71*P*, 1995

Daut J. *see Klieber H.-G. & Daut J.* **483.P**, 111*P*, 1995

Davey N.J. *see Stedman A. & Davey N. J.* **483.P**, 30*P*, 1995

see Shaunak S. D., Davey N. J., Hawken M. B., Henderson L. & Kennard C. **489.P**, 29*P*, 1995

Davey N. J., Puri B. K., Lewis H. S., Lewis S. W. & Ellaway P. H. Electromyographic responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in schizophrenic patients **489.P**, 31*P*, 1995

David J.A. *see Mills J. D., David J. A. & Pitman R. M.* **483.P**, 187*P*, 1995

Davidson I.G. *see Peter G. J., Davidson I. G., Ahmed A., Forrester A. R. & Taylor P. M.* **489.P**, 125*P*, 1995

Davies A. *see Pirie L. & Davies A.* **483.P**, 97*P*, 1995

Davies A. & Pirie L. Pulmonary receptor activity in anaesthetized emphysematous rats **487.P**, 111*P*, 1995

see Pirie L. & Davies A. **487.P**, 111*P*, 1995

Davies A.S. *see Walsh E. G., Davies A. S. & Powers N.* **487.P**, 73*P*, 1995

Davies D.A.

Davies D. A. & Coote J. H. MedWeb – an integrated system for delivering teaching, research and administrative information over computer networks **483.P**, 4*P*, 1995

see Kumar P., Davies D. A., Nally J. & Pepper D. R. **485.P**, 3*P*, 1995

Davies J.M. *see Newham D. J., Davies J. M. & Mayston M. J.* **483.P**, 128*P*, 1995

Davies J.S. *see Hepburn P. J., Ham J., Lewis M. D., Davies J. S. & Scanlon M. F.* **489.P**, 181*P*, 1995

see Lewis M. D., Davies J. S., Hepburn P. J., Ham J., Webster J. & Scanlon M. F. **489.P**, 182*P*, 1995

Davies M.K. *see Brown M. D., Davies M. K., Hudlicka O., Townsend P. & Egginton S.* **483.P**, 93*P*, 1995

Davies N.W. *see Barrett-Jolley R., Comtois A., Davies N. W., Stanfield P. R. & Standen N. B.* **483.P**, 164*P*, 1995

see Abrams C. J., Davies N. W., Shelton P. A., Conley E. C. & Stanfield P. R. **489.P**, 58*P*, 1995

Davies S.A.

Davies S. A., Dow J. A. T., Heusmann G. R., Maddrell S. H. P., O'Donnell M. J. & Tublitz N. J. CAP_{2b}, a cardioactive peptide of lepidopteran insects, can also stimulate fluid production by Malpighian tubules of *Drosophila melanogaster* through a mechanism involving cyclic GMP **482.P**, 26*P*, 1995

see Dow J. A. T., Kelly D. C., Davies S. A., Maddrell S. H. P. & Brown D. **489.P**, 110*P*, 1995

Davis A. *see McArdle A., Catapano M., Davis A., Milburn S., Edwards R. H. T. & Jackson M. J.* **489.P**, 149*P*, 1995

Davis J.P.L. *see Harper A. A., Davis J. P. L. & Chipperfield A. R.* **489.P**, 98*P*, 1995

Davison J.S. *see Jennings L., Lea R. W., Davison J. S., Salido G. M. & Singh J.* **483.P**, 180*P*, 1995

Dawson D.C.

Dawson D. C., Mansoura M. K. & Wilkinson D. J. CFTR: mutations, ion channel function and cystic fibrosis **489.P**, 2*S*, 1995

Dayanithi G.

Dayanithi G., Moos F. & Richard Ph. Vasopressin controls magnocellular vasopressin neurones via V_1-type receptors in the rat **489.P**, 184*P*, 1995

Day B.L. *see Lyon I. N. & Day B. L.* **487.P**, 75*P*, 1995

see Cauquil A. S., Lyon I. & Day B. L. **489.P**, 30*P*, 1995

Day M.L.

Day M. L., Johnson M. H. & Cook D. I. Changes in peak inward Ca^{2+} current during progression of the cell cycle in early mouse embryos **489.P**, 52*P*, 1995

Day S.H. *see Brown S. J., Child R. B., Donnelly A. E., Saxton J. M. & Day S. H.* **483.P**, 121*P*, 1995

see Child R. B., Brown S. J., Donnelly A. E., Saxton J. M. & Day S. H. **483.P**, 129*P*, 1995

see Brown S. J., Child R. B., Day S. H. & Donnelly A. E. **489.P**, 148*P*, 1995

Day S. H., Brown S. J., Child R. B. & Donnelly A. E. Spectral analysis of electromyogram from eccentrically exercised muscle in man **489.P**, 27*P*, 1995

Debnam E.S. *see Sharp P. A., Srai S. K. S. & Debnam E. S.* **482.P**, 23*P*, 1995

see O'Riordan D. K., Sharp P. A., Epstein O., Srai S. K. S. & Debnam E. S. **482.P**, 29*P*, 1995

Debnam E. S., Sharp P. A. & Srai S. K. Rapid stimulation of jejunal brush-border glucose uptake by lumenal glucose requires an intact mucosa **487.P**, 40*P*, 1995

see O'Riordan D. K., Sharp P. A., Srai S.K.S. & Debnam E. S. **487.P**, 96*P*, 1995

see O'Riordan D. K., Simpson R. J., Taylor E., Sharp P. A., Debnam E. S. & Srai S. K. S. **489.P**, 124*P*, 1995

see Boyer S., Baldwin S. A., Sharp P. A., Debnam E. S. & Srai S. K. **489.P**, 127*P*, 1995

see Sharp P. A., Smith M. W., Srai S. K. S. & Debnam E. S. **489.P**, 128*P*, 1995

Deen P.M.T. *see van Os C. H., Deen P. M. T., van Lieburg A. F. & Knoers N. V. A. M.* **489.P**, 16*S*, 1995

deFelipe C. *see Hardy S. P., deFelipe C. & Valverde M. A.* **487.P**, 194*P*, 1995

de Haan A. *see Sant'Ana Pereira J. A. A., Rademaker A., van Mechelen W., de Haan A. & Sargeant A. J.* **487.P**, 154*P*, 1995

de Koning H.P.

de Koning H. P. & Jarvis S. M. Purine-selective nucleobase transport in *Trypanosoma brucei brucei* procyclics **489.P**, 126*P*, 1995

Délèze J. *see Verrecchia F., Pluciennik F., Délèze J. & Hervé J. C.* **487.P**, 140*P*, 1995

Derks J.B. *see Giussani D. A., Mecenas C. A., Jenkins S. L., Winter J. A., Derks J. B. & Nathanielsz P. W.* **483.P**, 113*P*, 1995

Derks J. B., Jenkins S. L., Wentworth R., Giussani D. A., Van Dam L. M., Visser G. H. A. & Nathanielsz P. W. The effects of betamethasone (Beta) and dexamethasone (Dex) administration to unanaesthetized fetal sheep at 125 days gestation (dGA) on fetal blood pressure (FBP), heart rate (FHR) and heart rate variation (FHRvar) **483.P**, 94*P*, 1995

Desarménien M.G. *see Widmer H., Amerdeil H. & Desarménien M. G.* **489.P**, 185*P*, 1995

De Smedt H. *see Gillespie J. I., Morgan J. M. & De Smedt H.* **483.P**, 107*P*, 1995

Deuchars J.

Deuchars J., West D. C. & Thomson A. M. Functionally related morphology of local circuit connections of sparsely spiny interneurones in slices of rat neocortex **483.P**, 59*P*, 1995

Deuchars J. & Thomson A. M. Pyramid-to-interneurone connections can be mediated by multiple synaptic contacts in slices of rat neocortex **487.P**, 52*P*, 1995

see Barclay A., Deuchars J. & Thomson A. M. **487.P**, 64*P*, 1995

Deuchars J., Hahn J. D. & Thomson A. M. Electrophysiology, light and electron microscopy of fast spiking interneurone-to-pyramid connections in rat somatomotor cortex *in vitro* **489.P**, 19*P*, 1995

Deuchars S. A.

Deuchars S. A. Effects of ATP and adenosine on sympathetic preganglionic neurones in a neonatal rat brainstem–spinal cord preparation **489.P**, 154*P*, 1995

Devés R.

Devés R. & Angelo S. Differential effect of low ionic strength on the two transport systems for cationic amino acids in human erythrocytes **487.P**, 98*P*, 1995

Dhillon A.

Dhillon A. & Jones R. S. G. Characteristics of single axon recurrent excitatory connections between neurones in layer III of the rat entorhinal cortex *in vitro* **489.P**, 20*P*, 1995

Dhillon D. P. *see Smith R. P., Dhillon D. P., Winter J. & Mehta A.* **482.P**, 44*P*, 1995

see Smith R. P., Shellard R., Dhillon D. P., Winter J. H. & Mehta A. **489.P**, 113*P*, 1995

Díaz M. E.

Díaz M. E., Trafford A. W., O'Neill S. C. & Eisner D. A. Intracellular calcium oscillations contribute to cellular calcium balance in the face of increased Ca^{2+} influx in isolated rat ventricular myocytes **487.P**, 131*P*, 1995

Dick D. J. *see Nazir S. A., Dick D. J. & Lab M. J.* **483.P**, 24*P*, 1995

Dick D. J. & Lab M. J. Effect of manipulation of potassium concentration on stretch-induced arrhythmia in the isolated Langendorff rabbit heart **487.P**, 140*P*, 1995

Dick D. J., Coen B. A. & Lab M. J. The effect of Cytochalasin B on stretch-induced arrhythmia in the Langendorff perfused isolated rabbit heart **489.P**, 166*P*, 1995

see Nazir S. A., Dick D. J., Coen B. A. & Lab M. J. **489.P**, 166*P*, 1995

Dickson S. L. *see Doutrelant-Viltart O., Dickson S. L., Dyball R. E. J. & Leng G.* **483.P**, 49*P*, 1995

see Bailey A. R. T., Dickson S. L. & Leng G. **489.P**, 172*P*, 1995

DiFrancesco D. *see Accili E. A. & DiFrancesco D.* **487.P**, 188*P*, 1995

Diller L. C. *see Troy J. B., Bohnsack D. L., Diller L. C., Zhan X. J. & Enroth-Cugell Ch.* **485.P**, 10*P*, 1995

Dilly K. W.

Dilly K. W., Doering A. E., Adams W. A. & Eisner D. A. Relationship between intracellular protons and calcium in isolated rat ventricular myocytes **485.P**, 42*P*, 1995

Dimaline R. *see Baxendale A. J., Dimaline R. & Spraggs C. F.* **487.P**, 35*P*, 1995

Dines K. C. *see Cotter M. A., Cameron N. E. & Dines K. C.* **483.P**, 141*P*, 1995

see Cameron N. E., Cotter M. A., Keegan A. & Dines K. C. **483.P**, 147*P*, 1995

Di Pino L. *see Martini R., Di Pino L., Signorelli S. & Andreozzi G. M.* **483.P**, 143*P*, 1995

Dixon A. K. *see Lee K., Dixon A. K., Rowe I. C. M., Ashford M. L. J. & Richardson P. J.* **483.P**, 66*P*, 1995

Djali P. K.

Djali P. K., Singh J. & Adeghate E. A. Leucine enkephalin-evoked secretory responses and its pattern of distribution in the isolated pig lacrimal gland **485.P**, 36*P*, 1995

Djamgoz M. B. A. *see Grimes J. A. & Djamgoz M. B. A.* **489.P**, 50*P*, 1995

see Fraser S. P., Djamgoz M. B. A., Chong Y. H. & Suh Y.-H. **489.P**, 66*P*, 1995

Dobson A. *see Krivitski N. M. & Dobson A.* **487.P**, 3*P*, 1995

Docherty J. R.

Docherty J. R. & Brady G. Effects of K^+ channel blockers on prejunctional α_2-adrenoceptor-mediated responses in rat isolated vas deferens **489.P**, 132*P*, 1995

Docherty R. J. *see England S., James I. F. & Docherty R. J.* **485.P**, 48*P*, 1995

Dockray G. J.

Dockray G. J., Henry J., Macro J., Voronina S., Vaillant C. & Varro A. Biosynthesis of amidated and glycine-extended gastrins in rat pyloric antral mucosa **487.P**, 34*P*, 1995

see Higham A. D., Thompson D. G. & Dockray G. J. **487.P**, 34*P*, 1995

Doe C. P. A.

Doe C. P. A., Self D. A., Drinkhill M. J., Myers D. S. & Hainsworth R. Splanchnic arterial reflexes may contribute to control of vascular resistance in the anaesthetized dog **483.P**, 144*P*, 1995

Doering A. E. *see Dilly K. W., Doering A. E., Adams W. A. & Eisner D. A.* **485.P**, 42*P*, 1995

Dolk S. *see Maxwell D. J., Jankowska E., Dolk S., Krutki P., Dahlström A. & Belichenko P. V.* **483.P**, 36*P*, 1995

Dolphin A. C. *see Campbell V., Terracciano C. M. N., Naqvi R. U., Brickley K., Baldwin S. A., MacLeod K. T. & Dolphin A. C.* **487.P**, 130*P*, 1995

see Allen T. J. A., Mikala G., Wu X., Schwartz A. & Dolphin A. C. **487.P**, 136*P*, 1995

see Pearson H. A., Held B. & Dolphin A. C. **487.P**, 185*P*, 1995

see Berrow N., Tedder I., Page K., Brice N., Amos B. & Dolphin A. C. **489.P**, 52*P*, 1995

see Fitzgerald E. M. & Dolphin A. C. **489.P**, 53*P*, 1995

Dominiczak A. F. *see Pediani J. D., Wilson S. M., Gordon J., Dominiczak A. F. & McGrath J. C.* **483.P**, 106*P*, 1995

Domschke W. *see Wisdom D. M., Singh J., Domschke W., Stoll R. & Mooren F. Ch.* **485.P**, 36*P*, 1995

Doni M. G.

Doni M. G., Padoin E., Residori O. & Mutinelli F. Arteriolar vasodilatation in the cirrhotic conscious rat: a role for nitric oxide **487.P**, 168*P*, 1995

Donne B. *see Ellison A., Donne B. & Andrews J. F.* **489.P**, 43*P*, 1995

Donnelly A. E. *see Brown S. J., Child R. B., Donnelly A. E., Saxton J. M. & Day S. H.* **483.P**, 121*P*, 1995

see Child R. B., Brown S. J., Donnelly A. E., Saxton J. M. & Day S. H. **483.P**, 129*P*, 1995

see Brown S. J., Child R. B., Day S. H. & Donnelly A. E. **489.P**, 148*P*, 1995

see Day S. H., Brown S. J., Child R. B. & Donnelly A. E. **489.P**, 27*P*, 1995

Donowitz M. *see Yun C. H., Tse C.-M., Nath S., Levine S. L. & Donowitz M.* **482.P**, 1*S*, 1995

Doolan C. M.

Doolan C. M. & Harvey B. J. Modulation of rat colonic protein kinase C (PKC) activity by steroid hormones **489.P**, 123*P*, 1995

Doorly D. J. *see Long Q., Doorly D. J., Tarnawski M., Scott K. T., Dumoulin C. L. & Caro C. G.* **485.P**, 6*P*, 1995

Döring F. *see Berjukow S., Döring F. & Hering S.* **487.P**, 209*P*, 1995

Dormer R. L. *see Kendall J. M., Badminton M. N., Sala Newby G. B., Wilkinson G., Dormer R. L. & Campbell A. K.* **487.P**, 19*P*, 1995

Doughty I. M.

Doughty I. M., Glazier J. D., Greenwood S. L. & Sibley C. P. Maternofetal chloride transfer across the *in vitro* perfused human placental cotyledon **482.P**, 36*P*, 1995

Doughty J. M.

Doughty J. M. & Forsythe I. D. Modulation of calcium channel currents by metabotropic glutamate receptor agonists in dissociated neurones from rat ventral cochlear nucleus (VCN) **489.P**, 54*P*, 1995

Doughty S. W.

Doughty S. W., Blaney F. E. & Richards W. G. Models of the ion pore in N-type voltage-gated calcium channels **489.P**, 69*P*, 1995

Douglas A. J.

Douglas A. J., Shields C. W. & Russell J. A. Oxytocin secretion in parturition disrupted by progesterone in the rat **489.P**, 178*P*, 1995

Douglas I. J.

Douglas I. J. & Brown P. D. Amino acids support regulatory volume increase in acinar cells isolated from the rat lacrimal gland **482.P**, 13*P*, 1995

Douglas I. J. & Brown P. D. Regulatory volume increase in acinar cells isolated from the rat lacrimal gland involves Na^+–K^+–$2Cl^-$ co-transport **489.P**, 117*P*, 1995

DOUGLAS R.J. *see* AHMED B., ANDERSON J. C., DOUGLAS R. J., MARTIN K. A. C. & NELSON C. **485.P**, 10*P*, 1995

DOUTRELANT-VILTART O.

DOUTRELANT-VILTART O., DICKSON S. L., DYBALL R. E. J. & LENG G. Expression of Fos protein following growth hormone-releasing peptide (GHRP-6) injection in rat arcuate neurones retrogradely labelled by systemic Fluorogold administration **483.P**, 49*P*, 1995

DOVE N. *see* BECK J., DOVE N. & KEALEY T. **482.P**, 2*P*, 1995

DOVE N.S.

DOVE N. S. & KEALEY T. Primary culture of human apocrine sweat gland; some electrophysiological characteristics **482.P**, 43*P*, 1995

DOVE N. S. & KEALEY T. Transepithelial ion transport in primary cultured human keratinocytes **489.P**, 106*P*, 1995

DOW J.A.T. *see* DAVIES S. A., DOW J. A. T., HEUSMANN G. R., MADDRELL S. H. P., O'DONNELL M. J. & TUBLITZ N. J. **482.P**, 26*P*, 1995

DOW J. A. T., KELLY D. C., DAVIES S. A., MADDRELL S. H. P. & BROWN D. A novel member of the major intrinsic protein family in *Drosophila*: are aquaporins involved in insect Malpighian (renal) tubule fluid secretion? **489.P**, 110*P*, 1995

DOWLING B.A. *see* GREENHOW S., JAKEMAN P. M., KENDALL M. J., DOWLING B. A. & FRANKLIN M. **489.P**, 44*P*, 1995

DOWNES C.P. *see* MCDOWELL H. E., WALKER T., DOWNES C. P. & HUNDAL H. S. **482.P**, 5*P*, 1995

DOWNING J.E.G. *see* STEVENS E. B. & DOWNING J. E. G. **482.P**, 26*P*, 1995

DOYLE C.

DOYLE C., ROWAN M. J. & ANWYL R. Low frequency stimulation induces depotentiation of long-term potentiation, but not long-term depression, in the rat hippocampal CA1 *in vivo* **483.P**, 68*P*, 1995

DOYLE M. *see* DULING B. R., XIA J., LITTLE T. & DOYLE M. **483.P**, 6*S*, 1995

DRAGO G.A. *see* BENNETT K. L., ORCHARD C. H., DRAGO G. A. & COLYER J. **483.P**, 20*P*, 1995

DRAKE-HOLLAND A.J. *see* CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. **489.P**, 159*P*, 1995

DRINKHILL M.J. *see* DOE C. P. A., SELF D. A., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R. **483.P**, 144*P*, 1995

see MCMAHON N. C., DRINKHILL M. J. & HAINSWORTH R. **489.P**, 160*P*, 1995

DRIPPS J.H. *see* HALLEY G. C., DRIPPS J. H., JANSSENS H. & MCINTOSH N. **483.P**, 97*P*, 1995

DRUGA R. *see* ROKYTA R., BENEŠ V., ŠŤASTNÝ F., DRUGA R., TROJAN S. & POKORNÝ J. **489.P**, 7*P*, 1995

DUBLINEAU I. *see* FRANCOIS A., DUBLINEAU I., JOUBERT C. & GRIFFITHS N. M. **482.P**, 37*P*, 1995

DUCHEN M.R. *see* LEYSSENS A., NOWICKY A. V., PATTERSON L., CROMPTON M. & DUCHEN M. R. **483.P**, 9*P*, 1995

see LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R. **487.P**, 123*P*, 1995

see MOJET M. H., MILLS E. & DUCHEN M. R. **487.P**, 59*P*, 1995

see TERAKAWA S., KUMAKURA K. & DUCHEN M. R. **487.P**, 59*P*, 1995

see NOWICKY A. V. & DUCHEN M. R. **487.P**, 60*P*, 1995

DUDLEY A.J.

DUDLEY A. J. & BROWN C. D. A. Both organic cation–proton antiport and non-ionic diffusion contribute to the transport of metoprolol in renal epithelial LLC-PK1 cell monolayers **487.P**, 27*P*, 1995

DU G.G.

DU G. G., ASHLEY C. C. & LEA T. J. The effects of cyclopiazonic acid and thapsigargin on Ca^{2+} uptake by sarcoplasmic reticulum vesicles from frog skeletal muscle **487.P**, 160*P*, 1995

see LEA T. J., ASHLEY C. C. & DU G. G. **487.P**, 5*P*, 1995

DU G. G., ASHLEY C. C. & LEA T. J. The cation permeability of the calcium-conducting channel in sarcoplasmic reticulum (SR) blebs of frog skeletal muscle **489.P**, 68*P*, 1995

DULHUNTY A.F. *see* EAGER K. R., RODEN L. D. & DULHUNTY A. F. **489.P**, 79*P*, 1995

DULING B.R.

DULING B. R., XIA J., LITTLE T. & DOYLE M. Gap junctional communication in the arteriolar wall: transforming cellular activity into vascular function **483.P**, 6*S*, 1995

DUMOULIN C.L. *see* LONG Q., DOORLY D. J., TARNAWSKI M., SCOTT K. T., DUMOULIN C. L. & CARO C. G. **485.P**, 6*P*, 1995

DUNCAN G. *see* WILLIAMS M. R., DUNCAN G., THOMAS G. & RIACH R. A. **487.P**, 11*P*, 1995

DUNCAN J.I. *see* PAGE K. R., DUNCAN J. I., ARMSTRONG-FISHER S. S., ABRAMOVICH D. R. & URBANIAK S. J. **482.P**, 30*P*, 1995

DUNLOP W. *see* AWAD S. S., MORGAN J. M., GILLESPIE J. I. & DUNLOP W. **487.P**, 93*P*, 1995

DUNNE M.J. *see* KANE C., HARDING E. A., PIROTTE B., LEBRUN P. & DUNNE M. J. **482.P**, 11*P*, 1995

see SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J. **482.P**, 45*P*, 1995

DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L. Persistent neonatal hyperinsulinaemic hypoglycaemia in humans involves a defect in pancreatic β-cell K^+ channels **489.P**, 7*S*, 1995

DUNN M.J. *see* CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. **489.P**, 159*P*, 1995

DUNN W.R.

DUNN W. R. Functional properties of isolated, pressurized mesenteric resistance arteries, from a vasopressin-deficient rat model of genetic hypertension **487.P**, 92*P*, 1995

DURBABA R. *see* TAYLOR A., DURBABA R. & RODGERS J. F. **487.P**, 76*P*, 1995

DYBALL R.E.J. *see* MCKENZIE D. N., LENG G. & DYBALL R. E. J. **483.P**, 47*P*, 1995

see DOUTRELANT-VILTART O., DICKSON S. L., DYBALL R. E. J. & LENG G. **483.P**, 49*P*, 1995

see CUI L.-N. & DYBALL R. E. J. **487.P**, 48*P*, 1995

see THOMAS G. P. L., MCKENZIE D. N. & DYBALL R. E. J. **487.P**, 48*P*, 1995

DYKE J.C.

DYKE J. C., SKIDMORE N. J. & FINCHAM D. A. Photolysis-dependent irreversible inhibition by *p*-nitro-L-phenylalanine of amino acid transport system *asc* in pig erythrocytes **482.P**, 40*P*, 1995

EAGER K.R.

EAGER K. R., RODEN L. D. & DULHUNTY A. F. Sulfhydryl reagents modulate the cardiac ryanodine receptor via an oxidation reaction **489.P**, 79*P*, 1995

EARM Y.E. *see* PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. **487.P**, 114*P*, 1995

see HAN J., KIM E., HO W.-K. & EARM Y. E. **487.P**, 135*P*, 1995

see LEEM C. H. & EARM Y. E. **487.P**, 136*P*, 1995

see PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. **487.P**, 12*S*, 1995

EBERHARD A. *see* ADAMS L., EBERHARD A., WUYAM B., MORRELL M. J. & BENCHETRIT G. **487.P**, 107*P*, 1995

EBERLE L. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L. **483.P**, 42*P*, 1995

ECCLES K.S.J. *see* ECCLES R., REILLY M. & ECCLES K. S. J. **487.P**, 106*P*, 1995

ECCLES R.

ECCLES R., REILLY M. & ECCLES K. S. J. Changes in the amplitude of the nasal cycle associated with symptoms of common cold in man **487.P**, 106*P*, 1995

see FREESTONE C., FERGUSON E. A., HUTCHINGS H. A., MORRIS S., JAWAD M. S. M. & ECCLES R. **487.P**, 2*P*, 1995

EDGLEY S.A. *see* AGGELOPOULOS N. C., CHAKRABARTY S. & EDGLEY S. A. **487.P**, 71*P*, 1995

EDWARDS A.V. *see* PARKER S., BUCKLE A. D. & EDWARDS A. V. **483.P**, 180*P*, 1995

EDWARDS A. V., TOBIN G., EKSTRÖM J. & BLOOM S. R. Submandibular responses to stimulation of the parasympathetic innervation in the presence of an inhibitor of nitric oxide (NO) synthesis in anaesthetized cats **487.P**, 118*P*, 1995

EDWARDS R.H.T. *see* MCARDLE A., BEAVER A., EDWARDS R. H. T. & JACKSON M. J. **483.P**, 84*P*, 1995

see MCARDLE A., CATAPANO M., DAVIS A., MILBURN S., EDWARDS R. H. T. & JACKSON M. J. **489.P**, 149*P*, 1995

EGGINTON S. *see* BRATCHER J. & EGGINTON S. **483.P**, 132*P*, 1995

see AHMED S. K., EGGINTON S., ROSS H. F., MANNION A. F. & JAKEMAN P. M. **483.P**, 134*P*, 1995

see PEARCE S., HUDLICKA O. & EGGINTON S. **483.P**, 146*P*, 1995

see BROWN M. D., DAVIES M. K., HUDLICKA O., TOWNSEND P. & EGGINTON S. **483.P**, 93*P*, 1995

see RIVAS M., SKRONE J., CLARIDGE E., JAKEMAN P. & EGGINTON S. **483.P**, 3*P*, 1995

see HANSEN-SMITH F. M., EGGINTON S., OWENS G. K. & HUDLICKA O. **489.P**, 165*P*, 1995

EISNER D. *see* SHMIGOL A., EISNER D. & VERKHRATSKY A. **483.P**, 63*P*, 1995

EISNER D.A. *see* DILLY K. W., DOERING A. E., ADAMS W. A. & EISNER D. A. **485.P**, 42*P*, 1995

see DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A. **487.P**, 131*P*, 1995

EKSTRÖM J. *see* EDWARDS A. V., TOBIN G., EKSTRÖM J. & BLOOM S. R. **487.P**, 118*P*, 1995

ELDER H.Y. *see* RAKHIT S., PEDIANI J. D., MURDOCH R., ELDER H. Y. & WILSON S. M. **487.P**, 100*P*, 1995

EL HAJ A.J. *see* PRESTON M. R., PUBLICOVER S. J. & EL HAJ A. J. **483.P**, 163*P*, 1995

ELHAMRI M.

ELHAMRI M., KHAN B., WOOLF A. & WHITE S. Suppression of an immortalizing gene leads to increased Na^+–H^+ exchange in glomerular mesangial cells **489.P**, 130*P*, 1995

ELLAWAY P.H. *see* DAVEY N. J., PURI B. K., LEWIS H. S., LEWIS S. W. & ELLAWAY P. H. **489.P**, 31*P*, 1995

ELLIOTT A.A. *see* HARROLD J. A., ELLIOTT J. R. & ELLIOTT A. A. **489.P**, 59*P*, 1995

ELLIOTT A.C. *see* BEST L. & ELLIOTT A. C. **482.P**, 21*P*, 1995

ELLIOTT C.J.H. *see* SKINGSLEY D. R. & ELLIOTT C. J. H. **483.P**, 189*P*, 1995

ELLIOTT G.F. *see* COOMBER S. J. & ELLIOTT G. F. **487.P**, 157*P*, 1995

ELLIOTT J.R. *see* BRÄU M. E., RUSH A. M. & ELLIOTT J. R. **487.P**, 184*P*, 1995

see RUSH A. M. & ELLIOTT J. R. **487.P**, 184*P*, 1995

see HARROLD J. A., ELLIOTT J. R. & ELLIOTT A. A. **489.P**, 59*P*, 1995

ELLIS-DAVIES G.C.R. *see* FLEET A., ELLIS-DAVIES G. C. R., KAPLAN J. H. & BOLSOVER S. R. **487.P**, 10*P*, 1995

ELLIS F.R. *see* SMITH P. D., HOPKINS P. M., ELLIS F. R., HALSALL P. J. & BRIDGES L. R. **489.P**, 24*P*, 1995

ELLISON A.

ELLISON A., DONNE B. & ANDREWS J. F. Effects of thermal dehydration on exercise performance indicators in man **489.P**, 43*P*, 1995

ELLORY J.C. *see* MENDES RIBEIRO A. C., DANA E. C. & ELLORY J. C. **482.P**, 27*P*, 1995

see MENDES RIBEIRO A. C., ROBERTS N. B., LANE C., YACOOB M. & ELLORY J. C. **483.P**, 175*P*, 1995

see MENDES RIBEIRO A. C., KIESSLING K., LUO L. Y., MANN G. E. & ELLORY J. C. **487.P**, 98*P*, 1995

see BERNHARDT I., ELLORY J. C., BOGDANOVA A. Y., CULLIFORD S. J., HAMANN J. & RICHTER S. **489.P**, 101*P*, 1995

see BASAVAPPA S., MANGEL A. W., LEBEDEV D. V., KNAUF P. A. & ELLORY J. C. **489.P**, 77*P*, 1995

see FLANAGAN G. J., GOLDING S. & ELLORY J. C. **489.P**, 98*P*, 1995

ELLORY J. C., MENDES RIBEIRO A. C. & FLANAGAN G. J. Membrane transport alterations in uraemia **489.P**, 178, 1995

EL-TARHOUNI A.

EL-TARHOUNI A. & BANKS R. W. The distribution of calretinin in muscle receptors of the cat **487.P**, 77*P*, 1995

ELZINGA G. *see* BUSCHMAN H. P. J., ELZINGA G. & WOLEDGE R. C. **483.P**, 79*P*, 1995

EMANUEL A.O.

EMANUEL A. O., GREENSMITH L. & VRBOVÁ G. Induction of transmitter release at the neuromuscular junction prevents motoneurone death after axotomy in neonatal rats **487.P**, 46*P*, 1995

EMERY C.

EMERY C. & VUGLER A. Blunted hypoxic pulmonary vasoconstriction with short-term chronic hypoxia in isolated rat lungs **487.P**, 110*P*, 1995

EMERY C.J. *see* LIU X., EMERY C. J. & BARER G. R. **487.P**, 113*P*, 1995

EMONET-DÉNAND F.

EMONET-DÉNAND F., LAPORTE Y. & PETIT J. Complementary actions of bag_2 and chain fibres on the responses of spindle primary endings to sinusoidal stretch of linearly increasing frequency in anaesthetized cats **487.P**, 66*P*, 1995

ENGLAND S.

ENGLAND S., JAMES I. F. & DOCHERTY R. J. Bradykinin evokes a calcium-activated chloride current in fibroblasts isolated from rat dorsal root ganglia **485.P**, 48*P*, 1995

ENROTH-CUGELL CH. *see* TROY J. B., BOHNSACK D. L., DILLER L. C., ZHAN X. J. & ENROTH-CUGELL CH. **485.P**, 10*P*, 1995

EPSTEIN O. *see* O'RIORDAN D. K., SHARP P. A., EPSTEIN O., SRAI S. K. S. & DEBNAM E. S. **482.P**, 29*P*, 1995

ERRINGTON R.J.

ERRINGTON R. J. & HALL A. C. Volume regulatory properties of porcine articular chondrocytes measured in cartilage explants using confocal microscopy **482.P**, 12*P*, 1995

ERRINGTON R. J., HALL A. C., FRICKER M. D. & WHITE N. S. Protocols for determining chondrocyte volume *in situ* from three dimensional confocal images **487.P**, 3*P*, 1995

see HALL A. C., WILKINS R. J., ERRINGTON R. J., HORWITZ E. & HARVEY B. J. **489.P**, 19*S*, 1995

ETHERINGTON P. *see* BARTELS E. M., BERGEL D., ETHERINGTON P., FAIRBANK J. C., URBAN J. P. G. & WINLOVE C. P. **483.P**, 126*P*, 1995

EVANS A. *see* KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A. **483.P**, 120*P*, 1995

EVANS A.A.L.

EVANS A. A. L. & SMITH M. E. Opioid receptors in fast and slow skeletal muscles of lean and obese-diabetic mice *in vitro* **483.P**, 78*P*, 1995

EVANS A. A. L. & SMITH M. E. β-Endorphin receptors at the neuromuscular junction in the mouse *in vitro* **487.P**, 162*P*, 1995

EVANS A.M.

EVANS A. M. & CANNELL M. B. Calcium influx through L-type calcium channels provides the major trigger for calcium-induced calcium release in guinea-pig ventricular myocytes **483.P**, 14*P*, 1995

EVANS A. M., OSIPENKO O. N. & GURNEY A. M. A novel K^+ conductance may control the resting potential of isolated pulmonary artery myocytes **487.P**, 185*P*, 1995

see OSIPENKO O. N., EVANS A. M. & GURNEY A. M. **487.P**, 80*P*, 1995

EVANS E.F. *see* ZHAO W. & EVANS E. F. **485.P**, 29*P*, 1995

EVANS E. F. A computational model of the cochlea and cochlear nerve for teaching and research **485.P**, 2*P*, 1995

EVANS M.G.

EVANS M. G. Effects of changing external calcium on a potassium current activated by acetylcholine in guinea-pig outer hair cells **485.P**, 17*P*, 1995

EVANS M.J. *see* VERDON B., EVANS M. J., COLLEDGE W. H., RATCLIFF R., ARGENT B. E. & GRAY M. A. **489.P**, 115*P*, 1995

EVANS P.

EVANS P., WILLARS C. & HARRISON P. J. The inherent variability of the soleus H reflex in man **487.P**, 73*P*, 1995

EVANS R.H. *see* CAO C. Q., EVANS R. H., HEADLEY P. M., JANE D. J. & TSE H.-W. **483.P**, 159*P*, 1995

EVANS R.J.

EVANS R. J. Relative permeability to monovalent organic cations of heterologously expressed rat vas deferens and PC12 P_{2X} receptors **487.P**, 193*P*, 1995

EVANS R.L.

EVANS R. L. & TURNER R. J. Up-regulation of the Na^+–K^+–$2Cl^-$ co-transporter by muscarinic stimulation in parotid acinar cells isolated from the rat **482.P**, 7*P*, 1995

EWERT M.

EWERT M., OLES M. & POTT L. Ca^{2+} signals evoked by endothelin-1 in an immortalized human tracheal epithelial cell line **487.P**, 20*P*, 1995

FAIRBANK J.C. *see* BARTELS E. M., BERGEL D., ETHERINGTON P., FAIRBANK J. C., URBAN J. P. G. & WINLOVE C. P. **483.P**, 126*P*, 1995

FAIRWEATHER I. *see* JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F. A., HOLDEN-DYE L. M. & WALKER R. J. **487.P**, 24*P*, 1995

FAIVRE J.-F. *see* NAKAMURA T. Y., FAIVRE J.-F. & COETZEE W. A. **483.P**, 10*P*, 1995

FAJUK D. *see* VERGUN O., STOROZHEVYKH T., VINSKAYA N., FAJUK D., ARSENJEVA E., PINELIS V. & KHODOROV B. **487.P**, 58*P*, 1995

FANNING L.

FANNING L. & MACDERMOTT M. The effect of temperature reduction on isolated myotonic rat muscle **482.P**, 28*P*, 1995

FANNING L. & MACDERMOTT M. The influence of water deprivation on myotonia in rat muscles *in vivo* **487.P**, 164*P*, 1995

FARMER S.F. *see* CONWAY B. A., HALLIDAY D. M., SHAHANI U., MAAS P., WEIR A. I., ROSENBERG J. R. & FARMER S. F. **483.P**, 35*P*, 1995

see HALLIDAY D. M., AMJAD A. M., CONWAY B. A., FARMER S. F. & ROSENBERG J. R. **487.P**, 76*P*, 1995

FARRANT M. *see* BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. **483.P**, 60*P*, 1995

see BRICKLEY S. G., FARRANT M. & CULL-CANDY S. G. **487.P**, 52*P*, 1995

see FELDMEYER D., FARRANT M. & CULL-CANDY S. G. **489.P**, 14*P*, 1995

Farrant M., Kaneda M. & Cull-Candy S. G. Benzodiazepine modulation of GABA-activated currents in granule cells of the rat cerebellum **489.P**, 17*P*, 1995

Fauchier J.P. *see Babuty D., Machet M. C., Aupart M., Cosnay P., Fauchier J. P. & Garnier D.* **487.P**, 179*P*, 1995

Faulkner J.A. *see McArdle A., Van der Meulen J. H., Catapano M., Symons M. C. R., Faulkner J. A. & Jackson M. J.* **487.P**, 157*P*, 1995

see Van der Meulen J. H., McArdle A., Jackson M. J. & Faulkner J. A. **487.P**, 158*P*, 1995

Fawcett P.R.W. *see Slater C. R., Fawcett P. R. W., Gardner-Medwin D., Lyons P. R., Walls T. J., Wood S. J. & Young C.* **489.P**, 150*P*, 1995

Fayeed O.M.H.

Fayeed O. M. H., Potter A., Musa O. A., Lindsay A. R. G., Lau K. R. & Case R. M. Intracellular cyclic AMP in interlobular pancreatic ducts isolated from guinea-pigs **489.P**, 129*P*, 1995

Fay F.S. *see McGeown J. G. & Fay F. S.* **489.P**, 135*P*, 1995

Feldmeyer D. *see Momiyama A., Feldmeyer D. & Cull-Candy S. G.* **483.P**, 162*P*, 1995

Feldmeyer D., Farrant M. & Cull-Candy S. G. Macroscopic kinetic properties of NMDA receptors in patches from granule cells of the rat cerebellum **489.P**, 14*P*, 1995

Fenelon V.S.

Fenelon V. S. & Herbison A. E. Increased GABA concentrations alter mRNA expression of a $GABA_A$ receptor α-subunit in rat cerebral cortex but not supraoptic nucleus (SON) **483.P**, 50*P*, 1995

Ferguson E.A. *see Freestone C., Ferguson E. A., Hutchings H. A., Morris S., Jawad M. S. M. & Eccles R.* **487.P**, 2*P*, 1995

Ferguson R.E.

Ferguson R. E., Martin S. R., Brandmeier B. D., Kendrick-Jones J., Hodges R. S., Sykes B. D., Corrie J. E. T., Irving M. & Trentham D. R. Biophysical studies of the regulatory domain of smooth muscle myosin from chicken gizzard: interactions of *E. coli* expressed regulatory light chains (RLC) with a 30-mer heavy chain peptide (HCP) that is part of the RLC binding site **487.P**, 161*P*, 1995

Ferrazzi P. *see Cohen-Laroque E.-S., Ferretti G., Marconi C., Fiocchi R., Mamprin F., Ferrazzi P., Marzorati M. & Cerretelli P.* **483.P**, 121*P*, 1995

Ferrer J. *see Nichols C. G., Ferrer J., Pearson W., Makhina E. & Permutt A.* **487.P**, 188*P*, 1995

Ferretti G. *see Cohen-Laroque E.-S., Ferretti G., Marconi C., Fiocchi R., Mamprin F., Ferrazzi P., Marzorati M. & Cerretelli P.* **483.P**, 121*P*, 1995

Fiévet B.

Fiévet B., Gabillat N., Borgese F. & Motais R. Involvement of proteins of the band 3 (AE) family in passive taurine transport **487.P**, 97*P*, 1995

Fincham D.A. *see Dyke J. C., Skidmore N. J. & Fincham D. A.* **482.P**, 40*P*, 1995

see Attwell N. A., Clement D. J., Stanley M. S., Clipson N. J. W., Hooley P. & Fincham D. A. **489.P**, 104*P*, 1995

Findlay J.B.C. *see Owen J. M., Leach R., Quinn C., Findlay J. B. C. & Boyett M. R.* **489.P**, 51*P*, 1995

Fink G. *see Sumner B. E. H. & Fink G.* **483.P**, 52*P*, 1995

see Grahame L., Sumner B. E. H., Rosie R. & Fink G. **483.P**, 53*P*, 1995

Finnerty G.T.

Finnerty G. T., Whittington M. A. & Jefferys J. G. R. The transition to seizure is associated with a change in the frequency response properties of the dentate gyrus in the rat tetanus toxin model of epilepsy **487.P**, 54*P*, 1995

Fiocchi R. *see Cohen-Laroque E.-S., Ferretti G., Marconi C., Fiocchi R., Mamprin F., Ferrazzi P., Marzorati M. & Cerretelli P.* **483.P**, 121*P*, 1995

Fitzgerald E.M.

Fitzgerald E. M. & Dolphin A. C. p21-ras is involved in calcium channel regulation in rat dorsal root ganglion neurones **489.P**, 53*P*, 1995

Fitzgerald M. *see Jennings E. & Fitzgerald M.* **487.P**, 215*P*, 1995

Fitzpatrick J.M. *see Young L. S., Barry M. K., Regan M. C., Geraghty J. G. & Fitzpatrick J. M.* **489.P**, 87*P*, 1995

Fitzsimons J.T. *see Cooney A. S. & Fitzsimons J. T.* **487.P**, 27*P*, 1995

see Mahon J. M., Allen M., Herbert J. & Fitzsimons J. T. **487.P**, 29*P*, 1995

see Cooney A. S., Garrett E., Power A. & Fitzsimons J. T. **489.P**, 89*P*, 1995

Flanagan G.J.

Flanagan G. J., Golding S. & Ellory J. C. Choline transport in HL-60 cells **489.P**, 98*P*, 1995

see Ellory J. C., Mendes Ribeiro A. C. & Flanagan G. J. **489.P**, 17*S*, 1995

Flaxman P. *see Rakovic S., Annetts C., Flaxman P., Cui Y. & Terrar D. A.* **487.P**, 7*P*, 1995

Fleet A.

Fleet A., Ellis-Davies G. C. R., Kaplan J. H. & Bolsover S. R. Measurement of the calcium buffering capacity of neuronal cytosol using the photolabile calcium chelator NP-EGTA **487.P**, 10*P*, 1995

see Bolsover S. R. & Fleet A. **487.P**, 4*P*, 1995

Fleidervish I.A.

Fleidervish I. A. & Gutnick M. J. Slow inactivation of persistent sodium current in mouse neocortical neurones *in vitro* **487.P**, 53*P*, 1995

Fljita H. *see Yamashita N., Fljita H., Ogata E., Kawashima H. & Matsumoto T.* **487.P**, 200*P*, 1995

Floto R.A.

Floto R. A., Somasundaram B., Allen J. M. & Mahaut-Smith M. P. FcγRI activation triggers a novel Ca^{2+}-activated non-selective monovalent cation current in the human monocytic cell line, U937 **487.P**, 190*P*, 1995

Fogaça R.T.H. *see Nosek T. M., Fogaça R. T. H., Allee P. L., Brotto M. A. P. & Robert E. G.* **487.P**, 14*P*, 1995

Follett B.K. *see Meddle S. L. & Follett B. K.* **489.P**, 172*P*, 1995

Fone K.C.F. *see Horn S., Greenhaff P. L. & Fone K. C. F.* **487.P**, 163*P*, 1995

Ford T.W.

Ford T. W. & Kirkwood P. A. Connections of expiratory bulbospinal neurones in the anaesthetized cat before and after axotomy **487.P**, 67*P*, 1995

Forkins A.S.

Forkins A. S., Al-Ani M., Townend J. & Coote J. H. The role of central cholinergic mechanisms in the vagally mediated R–R interval fluctuations synchronous with respiration in humans **483.P**, 100*P*, 1995

Forrester A.R. *see Peter G. J., Davidson I. G., Ahmed A., Forrester A. R. & Taylor P. M.* **489.P**, 125*P*, 1995

Forsling M.L. *see Yasin S. A. & Forsling M. L.* **483.P**, 48*P*, 1995

see Bojanowska E. & Forsling M. L. **485.P**, 52*P*, 1995

see Kostoglou-Athanassiou I., Treacher D. F., Wheeler M. J. & Forsling M. L. **485.P**, 52*P*, 1995

see Kostoglou-Athanassiou I., Treacher D.F. & Forsling M. L. **489.P**, 173*P*, 1995

see Kostoglou-Athanassiou I., Forsling M. L., Navarra P. & Grossman A. B. **489.P**, 177*P*, 1995

Forsythe I.D. *see Rusznák Z., Forsythe I. D. & Stanfield P. R.* **485.P**, 14*P*, 1995

see Doughty J. M. & Forsythe I. D. **489.P**, 54*P*, 1995

Foskett J.K.

Foskett J. K. Mechanisms of membrane cross-talk in secretory epithelial cells **489.P**, 10*S*, 1995

Foster D.H.

Foster D. H. & Linnell K. J. Evidence for relational colour constancy in red-green colour-deficient human observers **485.P**, 23*P*, 1995

see Thomson M. G. A. & Foster D. H. **485.P**, 25*P*, 1995

Fowler C.J. *see Craggs M. D., Sheriff M. K. M., Shah P. J. R., Fowler C. J. & Petersen T.* **483.P**, 127*P*, 1995

see Craggs M. D., Sheriff M. K. M., Shah P. J. R., Mundy A. R. & Fowler C. J. **487.P**, 118*P*, 1995

France S.J. *see Mobasheri A., Smith A. L., France S. J., Urban J. P. G. & Hall A. C.* **489.P**, 65*P*, 1995

Franchimont P. *see Bourguignon J. P., Gérard A., Alvarez Gonzalez M. L., Purnelle G. & Franchimont P.* **483.P**, 14*S*, 1995

Francis K.

Francis K., Suzuki M., Baker B. & Levy A. The influence of hyperosmolarity on MCH gene expression in the rainbow trout **489.P**, 178*P*, 1995

Francois A.

Francois A., Dublineau I., Joubert C. & Griffiths N. M. Effect of ionizing radiation on vasoactive intestinal peptide-sensitive adenylate cyclase and receptors in membranes isolated from porcine intestine **482.P**, 37*P*, 1995

FRANKLIN M. *see* GREENHOW S., JAKEMAN P. M., KENDALL M. J., DOWLING B. A. & FRANKLIN M. **489.P**, 44*P*, 1995

FRANKLIN P.A. *see* PULLEN R. G. L. & FRANKLIN P. A. **482.P**, 33*P*, 1995

FRANZINI-ARMSTRONG C.

FRANZINI-ARMSTRONG C. Disposition of ryanodine and dihydropyridine receptors in striated muscle. Comparative and developmental clues to E–C coupling **487.P**, 2*S*, 1995

FRASER C. *see* TURTON A., WROE S., TREPTE N., FRASER C. & LEMON R. N. **487.P**, 68*P*, 1995

FRASER J. *see* JOHNSTON A., BLACK C., FRASER J. & MACLEOD N. **489.P**, 19*P*, 1995

FRASER P.A. *see* KUROKAWA T. & FRASER P. A. **483.P**, 140*P*, 1995

see SARKER M. H. & FRASER P. A. **483.P**, 141*P*, 1995

FRASER S.P.

FRASER S. P., DJAMGOZ M. B. A., CHONG Y. H. & SUH Y.-H. The C-terminal fragment of the Alzheimer's disease β-amyloid precursor protein is a potent inducer of membrane currents in *Xenopus* oocytes **489.P**, 66*P*, 1995

FREEMAN J.S. *see* O'BOYLE D.J., FREEMAN J. S. & CODY F. W. J. **485.P**, 15*P*, 1995

FREEMAN M.S. *see* SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **483.P**, 171*P*, 1995

see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **489.P**, 92*P*, 1995

FREEMAN T.C.A. *see* GEORGESON M. A. & FREEMAN T. C. A. **485.P**, 19*P*, 1995

FREEMAN T.C.B. *see* SENGPIEL F., FREEMAN T. C. B. & BLAKEMORE C. **485.P**, 24*P*, 1995

FREESTONE C.

FREESTONE C., FERGUSON E. A., HUTCHINGS H. A., MORRIS S., JAWAD M. S. M. & ECCLES R. Digital sound level meter for the assessment of cough symptom severity **487.P**, 2*P*, 1995

FREESTONE N.S.

FREESTONE N. S., RIBARIC S., SOMASUNDARAM B. & MASON W. T. The positive inotropic action of insulin-like growth factor-I (IGF-I) on isolated rat cardiac muscle **487.P**, 144*P*, 1995

FRICKER M.D. *see* ERRINGTON R. J., HALL A. C., FRICKER M. D. & WHITE N. S. **487.P**, 3*P*, 1995

FRIZZELL R.A. *see* CUNNINGHAM S. A., FRIZZELL R. A. & MORRIS A. P. **482.P**, 27*S*, 1995

FRY C.H. *see* SUI G.-P., WU C. & FRY C. H. **483.P**, 114*P*, 1995

see WALLIS W. R. J., COOKLIN M., SHERIDAN D. J. & FRY C. H. **483.P**, 22*P*, 1995

see WU C. & FRY C. H. **485.P**, 40*P*, 1995

see WALLIS W. R. J., WU C., COOKLIN M., SHERIDAN D. J. & FRY C. H. **485.P**, 42*P*, 1995

see COOKLIN M., WALLIS W. R. J., SHERIDAN D. J. & FRY C. H. **485.P**, 44*P*, 1995

see COOKLIN M., BIRNS J., GRAY R. & FRY C. H. **487.P**, 141*P*, 1995

see WU C., WALLIS W. R. J. & FRY C. H. **489.P**, 136*P*, 1995

FRYER M.W. *see* STEPHENSON D. G., LAMB G. D., STEPHENSON G. M. M. & FRYER M. W. **487.P**, 8*S*, 1995

FRY J.P. *see* HOLMAN H. Q. G. & FRY J. P. **487.P**, 191*P*, 1995

FUENTES O. *see* SOBREVIA L. & FUENTES O. **482.P**, 24*P*, 1995

FUENTES O., JARA A., CONTRERAS R. & SOBREVIA L. Effect of diabetes on neutral amino acid transport in rabbit isolated gastric glands **487.P**, 38*P*, 1995

see SOBREVIA L., FUENTES O. & MANN G. E. **487.P**, 41*P*, 1995

FURNESS D.N.

FURNESS D. N., HACKNEY C. M. & ZETES D. E. Mechanotransduction channels on cochlear hair cells could be operated by shear displacement **485.P**, 16*P*, 1995

see KATORI Y., HACKNEY C. M. & FURNESS D. N. **485.P**, 32*P*, 1995

see HACKNEY C. M. & FURNESS D. N. **485.P**, 2*P*, 1995

FURUKAWA T. *see* VIRAG L., FURUKAWA T. & HIRAOKA M. **489.P**, 74*P*, 1995

FYFE G.K. *see* KEMP P. J., FYFE G. K. & ASHLEY R. H. **487.P**, 195*P*, 1995

see MUKHOPADHYAY S., OLVER R. E., FYFE G. K. & KEMP P. J. **489.P**, 108*P*, 1995

GABILLAT N. *see* FIÉVET B., GABILLAT N., BORGESE F. & MOTAIS R. **487.P**, 97*P*, 1995

GAETHGENS P.

GAETHGENS P. Network geometry as a determinant of capillary flow **483.P**, 2*S*, 1995

GAFFNEY P.J. *see* BOUTCHER P. A., GAFFNEY P. J., RAUT S. & MCLOUGHLIN P. **489.P**, 164*P*, 1995

GAGE P.W. *see* JU Y.-K., SAINT D. A. & GAGE P. W. **489.P**, 143*P*, 1995

GAILLY PH.

GAILLY PH., HERMANS E. & GILLIS J. M. Ca^{2+} traffic between external medium and Ca^{2+} stores is Ca^{2+} regulated in fibroblasts **487.P**, 10*P*, 1995

GALE J.D. *see* MAUBACH K. A., GALE J. D., BERRETTA N. & JONES R. S. G. **489.P**, 18*P*, 1995

GALE J.E.

GALE J. E. & ASHMORE J. F. Effect of extracellular cations on charge movement associated with the motor of outer hair cells isolated from the guinea-pig cochlea **485.P**, 15*P*, 1995

GALE J. E. & ASHMORE J. F. Microsecond resolution of patch movement and associated charge displacement in the lateral membrane of guinea-pig outer hair cells **489.P**, 48*P*, 1995

GALIONE A. *see* RAKOVIC S., GALIONE A., ASHAMU G. A., POTTER B. V. L. & TERRAR D. A. **483.P**, 17*P*, 1995

GALIONE A., RAKOVIC S. & TERRAR D. A. Mobilization of calcium stores by cADP-ribose: E–C coupling in cardiac muscle and cADP-ribose **487.P**, 4*S*, 1995

GALLACHER D.V. *see* LIWEI W., PETERSEN O. H. & GALLACHER D. V. **489.P**, 113*P*, 1995

GALLIONE A. *see* SMITH P. A., WILLMOTT N. & GALLIONE A. **487.P**, 13*P*, 1995

GALLOWAY S.D.R.

GALLOWAY S. D. R. & MAUGHAN R. J. Effects of ambient temperature on the capacity to perform prolonged exercise in man **489.P**, 35*P*, 1995

GAMBLE J. *see* CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K. **483.P**, 148*P*, 1995

GAMBLE J., GARTSIDE I. B., MORRELL R. J. & CHRIST F. Plethysmographic assessment of the effect of the size of tilt induced hydrostatic loads on the isovolumetric venous pressure (Pvi) in the human calf **483.P**, 149*P*, 1995

GANDEVIA S.C.

GANDEVIA S. C., INGLIS J. T., WILSON L. R. & BURKE D. Imagined movements fail to activate human spindle endings selectively **487.P**, 72*P*, 1995

GANITKEVICH V. *see* ISENBERG G. & GANITKEVICH V. **487.P**, 3*S*, 1995

GAO B.

GAO B., BOELS P. & HAWORTH S. G. Effects of indomethacin on K^+_{ATP} channel activation in immature porcine intrapulmonary vessels **489.P**, 169*P*, 1995

GARDNER E.

GARDNER E., RICHARDSON H. C. & BANKS J. Changes in electromyograms of human lower limb muscles associated with increased proficiency of 'dry' slope skiing **489.P**, 29*P*, 1995

GARDNER J.

GARDNER J., AL-ANI M., LOVICK T. A. & COOTE J. H. Differential pattern of sympathetic nerve activity elicited by chemical stimulation in the paraventricular nucleus of the rabbit **483.P**, 100*P*, 1995

GARDNER-MEDWIN D. *see* SLATER C. R., FAWCETT P. R. W., GARDNER-MEDWIN D., LYONS P. R., WALLS T. J., WOOD S. J. & YOUNG C. **489.P**, 150*P*, 1995

GARLAND H.O. *see* PARSONS P. P., GARLAND H. O. & HARPUR E. S. **483.P**, 168*P*, 1995

see HAMILTON K., GARLAND H. O. & BALMENT R. J. **483.P**, 173*P*, 1995

GARNHAM A.

GARNHAM A. & HUDLICKA O. Assessment of drug effects on leucocyte adhesion and capillary endothelial swelling in ischaemic and non-ischaemic muscles **483.P**, 3*P*, 1995

GARNIER D. *see* LE GUENNEC J.-Y., LACAMPAGNE A. & GARNIER D. **487.P**, 129*P*, 1995

see HONGO K., AUCLERC C., CAZORLA O., GARNIER D., LE GUENNEC J.-Y. & WHITE E. **487.P**, 132*P*, 1995

see BABUTY D., MACHET M. C., AUPART M., COSNAY P., FAUCHIER J. P. & GARNIER D. **487.P**, 179*P*, 1995

GARRATT J.C. *see* MCEVOY M. P., OWEN D. G. & GARRATT J. C. **487.P**, 193*P*, 1995

GARRETT A. *see* NEVILL M. E., GARRETT A., MAXWELL N., PARSONS K. C. & NORWITZ A. **483.P**, 124*P*, 1995

GARRETT E. *see* COONEY A. S., GARRETT E., POWER A. & FITZSIMONS J. T. **489.P**, 89*P*, 1995

GARTHWAITE J. *see* BOXALL A. R., LANCASTER B. & GARTHWAITE J. **487.P**, 55*P*, 1995

GARTSIDE I. *see* CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K. **483.P**, 148*P*, 1995

GARTSIDE I.B. *see GAMBLE J., GARTSIDE I. B., MORRELL R. J. & CHRIST F.* **483.P**, 149*P*, 1995

GATTULLO D.

GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & WESTERHOF N. Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat **487.P**, 168*P*, 1995

GATTUSO A.

GATTUSO A., PELLEGRINO D., MAZZA R. & TOTA B. Inotropic effects of acetylcholine on frog hearts with intact and damaged endocardial endothelium **483.P**, 185*P*, 1995

GAUDEN V. *see MENDIZABAL M. V., GAUDEN V. & MIZEN L. W.* **482.P**, 39*P*, 1995

GEBRUERS E.M. *see NI CHIARDHA F. M., GEBRUERS E. M., HALL W. J. & HEGARTY D. A.* **489.P**, 36*P*, 1995

GEE L.F. *see KOLSTON P. J., GEE L. F. & TOMLINS K. S.* **485.P**, 4*P*, 1995

GEE M.D.

GEE M. D., LYNN B. & COTSELL B. Activity-dependent slowing of conduction velocity in different classes of C-fibre in the anaesthetized rat **487.P**, 214*P*, 1995

GEEVES M.A. *see VAWDA F., RANATUNGA K. W. & GEEVES M. A.* **487.P**, 153*P*, 1995

GEIBEL J.P. *see HOFFMAN J. F., PROVERBIO F. & GEIBEL J. P.* **489.P**, 10*S*, 1995

GELLY K. *see BOWTELL J. L., GELLY K., JACKMAN M. L., PATEL A. & RENNIE M. J.* **489.P**, 34*P*, 1995

GEORGESON M.A.

GEORGESON M. A. & FREEMAN T. C. A. Two models for the representation of edge-blur in humans by visual spatial filters **485.P**, 19*P*, 1995

GERAGHTY F.M. *see CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J.* **489.P**, 65*P*, 1995

GERAGHTY J.G. *see YOUNG L. S., BARRY M. K., REGAN M. C., GERAGHTY J. G. & FITZPATRICK J. M.* **489.P**, 87*P*, 1995

GÉRARD A. *see BOURGUIGNON J. P., GÉRARD A., ALVAREZ GONZALEZ M. L., PURNELLE G. & FRANCHIMONT P.* **483.P**, 14*S*, 1995

GEROVA M.

GEROVA M. Adaptation of the coronary vascular bed to altered load in the light of new paradigms of vascular control **483.P**, 5*S*, 1995

GIBB A.J. *see CONTRACTOR A. & GIBB A. J.* **489.P**, 15*P*, 1995

GIBBINS J. *see SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J.* **489.P**, 183*P*, 1995

GIBSON A. *see WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F.* **489.P**, 134*P*, 1995

GIBSON J.S. *see HONESS N. A., COSSINS A. R., GIBSON J. S. & O'FLYNN A. M. J.* **482.P**, 7*P*, 1995

GIBSON J. S., SCOTT E. L. & COSSINS A. R. Intracellular magnesium and oxygenation-activation of the equine red cell KCl co-transporter **489.P**, 100*P*, 1995

GIEBISCH G.

GIEBISCH G., WANG W., MCNICHOLAS C. M., KUBOKAWA M., YANG Y. & HEBERT S. Physiological role and characterization of renal potassium channels **489.P**, 16*S*, 1995

GILBEY M.P. *see LI J., ZHOU S.-Y., IZZO P. N. & GILBEY M. P.* **483.P**, 102*P*, 1995

see JOHNSON C. D. & GILBEY M. P. **483.P**, 103*P*, 1995

see JOHNSON C. D. & GILBEY M. P. **489.P**, 160*P*, 1995

GILES W.R. *see SHIMONI Y., QI A., SEVERSON D. & GILES W. R.* **485.P**, 43*P*, 1995

GILLESPIE J.I.

GILLESPIE J. I., MORGAN J. M. & DE SMEDT H. Interactions between Ca^{2+}, inositol trisphospate (IP_3)-sensitive Ca^{2+} release and Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human myometrial smooth muscle cells **483.P**, 107*P*, 1995

see LYNN S., NICHOLLS J. A., MORGAN J. M., LAMB H. K. & GILLESPIE J. I. **483.P**, 108*P*, 1995

see LYNN S., GREENWELL J. R. & GILLESPIE J. I. **483.P**, 114*P*, 1995

see CHAMBERS P., NEAL D. E., LAMB H. K. & GILLESPIE J. I. **483.P**, 115*P*, 1995

see OTUN H., WOOD P. G. & GILLESPIE J. I. **483.P**, 150*P*, 1995

see OTUN H., AIDULIS D. M. & GILLESPIE J. I. **487.P**, 22*P*, 1995

see SLATER B. J., CHAMBERS P., VARMA J. S. & GILLESPIE J. I. **487.P**, 92*P*, 1995

see AWAD S. S., MORGAN J. M., GILLESPIE J. I. & DUNLOP W. **487.P**, 93*P*, 1995

GILLESPIE J. I. & MORGAN J. M. Ryanodine receptors in human smooth muscle **487.P**, 6*S*, 1995

see RATHOD H., GILLESPIE J. I. & DATTA H. K. **489.P**, 71*P*, 1995

GILLIES G. *see MURRAY H. & GILLIES G.* **483.P**, 47*P*, 1995

GILLIS J.M. *see GAILLY PH., HERMANS E. & GILLIS J. M.* **487.P**, 10*P*, 1995

GIUSSANI D.A.

GIUSSANI D. A., MECENAS C. A., JENKINS S. L., WINTER J. A., DERKS J. B. & NATHANIELSZ P. W. The oxytocin antagonist Atosiban abolishes androstenedione (Δ^4A)-induced, premature myometrial contractions in the chronically instrumented Rhesus monkey at 0·8 of gestation **483.P**, 113*P*, 1995

see DERKS J. B., JENKINS S. L., WENTWORTH R., GIUSSANI D. A., VAN DAM L. M., VISSER G. H. A. & NATHANIELSZ P. W. **483.P**, 94*P*, 1995

GLANVILLE C. *see KATAYAMA Y., BUTT A. Y., AKAMINE S., MCMAHON A., GLANVILLE C. & HIGENBOTTAM T. W.* **487.P**, 178*P*, 1995

GLAZIER J.D. *see DOUGHTY I. M., GLAZIER J. D., GREENWOOD S. L. & SIBLEY C. P.* **482.P**, 36*P*, 1995

see CLARSON L. H., GLAZIER J. D. & SIBLEY C. P. **482.P**, 6*P*, 1995

GLEESON M. *see BLANNIN A. K., GLEESON M., BROOKS S. & CAVE R.* **483.P**, 131*P*, 1995

see BLANNIN A. K., GLEESON M. & BROOKS S. **487.P**, 164*P*, 1995

GLENNERSTER A.

GLENNERSTER A. & PARKER A. J. How many spatial-frequency tuned 'channels' are there for human stereo vision? **485.P**, 28*P*, 1995

GOCHARD C. *see SHORT C., GOCHARD C. & LEVER M. J.* **483.P**, 146*P*, 1995

GOLDING S. *see FLANAGAN G. J., GOLDING S. & ELLORY J. C.* **489.P**, 98*P*, 1995

GONZALEZ A.

GONZALEZ A., PARIENTE J. A., SALIDO G. M., SINGH J. & WISDOM D. M. Effects of different secretagogues on magnesium mobilization in isolated rat pancreatic acinar cells **482.P**, 33*P*, 1995

GONZALEZ-SERRATOS H.

GONZALEZ-SERRATOS H., ROZYCKA M. & ORTEGA A. Membrane resealing and restoration of contractility after mechanical injury in frog skeletal muscle **487.P**, 8*S*, 1995

GORDON J. *see PEDIANI J. D., WILSON S. M., GORDON J., DOMINICZAK A. F. & MCGRATH J. C.* **483.P**, 106*P*, 1995

GOSLING M.

GOSLING M., SMITH J. W. & POYNER D. R. Regulatory volume decrease in ROS 17/2·8 osteoblast-like cells: evidence for the involvement of a volume-sensitive chloride channel **483.P**, 173*P*, 1995

GOSLING M., SMITH J. W. & POYNER D. R. Modulation by arachidonic acid of a volume-sensitive chloride current in ROS 17/2.8 osteoblast-like cells **487.P**, 190*P*, 1995

GOTTLIEB G.L. *see CORCOS D. M., ALMEIDA G. L., HONG D.-A. & GOTTLIEB G. L.* **483.P**, 30*P*, 1995

GOULD G.W. *see LIVINGSTONE C., JAMES D. E., HANPETER D. & GOULD G. W.* **487.P**, 211*P*, 1995

GOURINE A.V.

GOURINE A. V., KULCHITSKY V. A. & GOURINE V. N. Nitric oxide affects the activity of neurones in the pre-optic/anterior hypothalamus of anaesthetized rats: interaction with the effects of centrally administered interleukin-1 **483.P**, 72*P*, 1995

GOURINE V.N. *see GOURINE A. V., KULCHITSKY V. A. & GOURINE V. N.* **483.P**, 72*P*, 1995

GRACE A.

GRACE A., STAUNTON H. P., MOYNIHAN J. B. & BREATHNACH C. S. Is cardiac pain ever signalled through the vagus? **489.P**, 38*P*, 1995

GRAHAM B.

GRAHAM B. & JUDGE S. J. Paralysis of accommodation is ineffective at preventing form deprivation myopia in the marmoset *Callithrix jacchus jacchus* **485.P**, 26*P*, 1995

see JUDGE S. J. & GRAHAM B. **485.P**, 27*P*, 1995

GRAHAME L.

GRAHAME L., SUMNER B. E. H., ROSIE R. & FINK G. The effect of 5-HT_{2A} receptor antagonists on LHRH mRNA biosynthesis in the female rat **483.P**, 53*P*, 1995

GRAHAM J.

GRAHAM J., THOMAS M. V. & SMITH P. M. Simultaneous high-speed photometric fluorescence measurements on several independently selectable regions of a microscope image **487.P**, 7*P*, 1995

GRAHAM M. *see THOMPSON I. & GRAHAM M.* **489.P**, 10*P*, 1995

GRANTHAM C.J.

GRANTHAM C. J. & CANNELL M. B. Time course of calcium influx during the cardiac action potential recorded from isolated guinea-pig ventricular myocytes **487.P**, 18*P*, 1995

GRAY M.A. *see SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E.* **482.P**, 31*P*, 1995

see SHINDO M., SIMMONS N. L. & GRAY M. A. **482.P**, 9*P*, 1995

see VERDON B., EVANS M. J., COLLEDGE W. H., RATCLIFF R., ARGENT B. E. & GRAY M. A. **489.P**, 115*P*, 1995

see TARRAN R., GRAY M. A. & ARGENT B. E. **489.P**, 97*P*, 1995

GRAY R. *see COOKLIN M., BIRNS J., GRAY R. & FRY C. H.* **487.P**, 141*P*, 1995

see MALONE-LEE J. G. & GRAY R. **489.P**, 40*P*, 1995

GREEN A.L.

GREEN A. L., SEWELL D. A., SIMPSON L., HULTMAN E. & GREENHAFF P. L. Carbohydrate ingestion stimulates creatine uptake in human skeletal muscle **489.P**, 27*P*, 1995

GREEN G.G.R. *see WUNDER M. A., GREEN G. G. R. & REES A.* **485.P**, 15*P*, 1995

see JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R. **487.P**, 187*P*, 1995

see JANAHMADI M., HEARNE P. G., THOMPSON I. M., GREEN G. G. R. & SANDERS D. J. **487.P**, 58*P*, 1995

GREENHAFF P. *see WELLER A., MILLARD C., STROUD M., GREENHAFF P. & MACDONALD I.* **483.P**, 123*P*, 1995

GREENHAFF P.L. *see HORN S., GREENHAFF P. L. & FONE K. C. F.* **487.P**, 163*P*, 1995

see CONSTANTIN-TEODOSIU D., HOWELL S. & GREENHAFF P. L. **489.P**, 26*P*, 1995

see GREEN A. L., SEWELL D. A., SIMPSON L., HULTMAN E. & GREENHAFF P. L. **489.P**, 27*P*, 1995

GREENHOW S.

GREENHOW S., JAKEMAN P. M., KENDALL M. J., DOWLING B. A. & FRANKLIN M. An evaluation of the variability in prolactin secretion in response to the serotoninergic agonist *d*-fenfluramine in man **489.P**, 44*P*, 1995

GREEN L.R.

GREEN L. R., BENNET L. & HANSON M. A. Nitric oxide (NO) synthesis and haemodynamic responses to acute hypoxaemia in unanaesthetized fetal sheep **483.P**, 92*P*, 1995

GREEN R. *see WAREING M., WILSON R. W. & GREEN R.* **483.P**, 167*P*, 1995

see SPEAKE P. F. & GREEN R. **483.P**, 169*P*, 1995

see WILSON R. W., WAREING M. & GREEN R. **483.P**, 174*P*, 1995

see WILSON R. W., WAREING M. & GREEN R. **489.P**, 84*P*, 1995

see COCKBURN M. F., WAREING M., WILSON R. & GREEN R. **489.P**, 94*P*, 1995

GREENSMITH L. *see SANUSI J., GREENSMITH L., LOWRIE M. B. & VRBOVÁ G.* **483.P**, 40*P*, 1995

see EMANUEL A. O., GREENSMITH L. & VRBOVÁ G. **487.P**, 46*P*, 1995

GREENWELL J.R. *see LYNN S., GREENWELL J. R. & GILLESPIE J. I.* **483.P**, 114*P*, 1995

GREENWOOD S.L.

GREENWOOD S. L., RASIDAKI A., KELLY M. K. & SIBLEY C. P. Intracellular Na^+ and K^+ concentration in human placental trophoblast cells in culture **482.P**, 16*P*, 1995

see DOUGHTY I. M., GLAZIER J. D., GREENWOOD S. L. & SIBLEY C. P. **482.P**, 36*P*, 1995

see KIBBLE J. D., CLARSON L. H. & GREENWOOD S. L. **487.P**, 186*P*, 1995

GRIBBLE F. *see ÄMMÄLÄ C., ASHFIELD R., GRIBBLE F., SAKURA H. & ASHCROFT F. M.* **489.P**, 57*P*, 1995

GRIBBLE S.M. *see REID N. A., GRIBBLE S. M., BOYD C. A. R. & SHIRAZI-BEECHEY S. P.* **482.P**, 46*P*, 1995

GRIBKOFF V. *see BARBRY P., CHAMPIGNY G., TRIGLIA J.-M., CASTILLO L., GRIBKOFF V. & LAZDUNSKI M.* **489.P**, 99*P*, 1995

GRIFFITHS N.M. *see FRANCOIS A., DUBLINEAU I., JOUBERT C. & GRIFFITHS N. M.* **482.P**, 37*P*, 1995

see LEBRUN F., VERGNET M. & GRIFFITHS N. M. **482.P**, 38*P*, 1995

GRIFFITHS P.J. *see RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J.* **487.P**, 154*P*, 1995

GRIMES J.A.

GRIMES J. A. & DJAMGOZ M. B. A. Electrophysiological characterization of a TTX-sensitive Na^+ current in the highly metastatic MAT-LyLu rat prostate cancer cell line **489.P**, 50*P*, 1995

GRIMWOOD P.D.

GRIMWOOD P. D., APPENTENG K., HENDERSON Z. & YANG H.-W. In vitro recordings from neurones in the rat medial septal/diagonal band (MS/DB) complex **483.P**, 56*P*, 1995

GROLLEAU F.

GROLLEAU F. & LAPIED B. Evidence for the contribution of a novel low voltage-activated Ca^{2+} current in regulating pacemaker activity of insect neurosecretory cells **489.P**, 67*P*, 1995

GRØNDAHL M.L. *see MUNCK L. K. & GRØNDAHL M. L.* **482.P**, 25*P*, 1995

GROSSMAN A.B. *see KOSTOGLOU-ATHANASSIOU I., FORSLING M. L., NAVARRA P. & GROSSMAN A. B.* **489.P**, 177*P*, 1995

GROSSMANN R. *see KISLIUK S. M. & GROSSMANN R.* **483.P**, 48*P*, 1995

see MÜHLBAUER E., NING L., RUI W., REIPRICH K., JOZSA R. & GROSSMANN R. **483.P**, 49*P*, 1995

see BARTH S. W. & GROSSMANN R. **483.P**, 51*P*, 1995

GRUDT T.J.

GRUDT T. J. & HENDERSON G. Muscarinic receptor activation of Ca^{2+} entry in SH-SY5Y human neuroblastoma cells **487.P**, 57*P*, 1995

GRUNDY D. *see HILLSLEY K. & GRUNDY D.* **487.P**, 35*P*, 1995

GUENZEL M. *see CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K.* **483.P**, 148*P*, 1995

GUINAMARD R. *see TEULON J., GUINAMARD R., PAULAIS M. & CHRAÏBI A.* **489.P**, 178*S*, 1995

GUIOT C. *see TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P.* **483.P**, 95*P*, 1995

GUMMERSON N. *see ASHCROFT F. M., COLES B., GUMMERSON N., SAKURA H. & SMITH P. A.* **487.P**, 192*P*, 1995

GÜNTHER W. *see JENTSCH T. J., GÜNTHER W., PUSCH M. & SCHWAPPACH B.* **482.P**, 19*S*, 1995

GURNEY A.M. *see SNETKOV V. A., GURNEY A. M., WARD J. P. T. & OSIPENKO O. N.* **487.P**, 112*P*, 1995

see EVANS A. M., OSIPENKO O. N. & GURNEY A. M. **487.P**, 185*P*, 1995

see OSIPENKO O. N., EVANS A. M. & GURNEY A. M. **487.P**, 80*P*, 1995

GUTNICK M.J. *see FLEIDERVISH I. A. & GUTNICK M. J.* **487.P**, 53*P*, 1995

GUYOT A. *see CHORVATOVA A., GUYOT A., BILBAUT A., OJEDA C. & ROUGIER O.* **487.P**, 189*P*, 1995

GUZ A. *see ROBERTS C. A., CORFIELD D. R., MURPHY K., ADAMS L. & GUZ A.* **487.P**, 107*P*, 1995

HACKNEY C.M. *see FURNESS D. N., HACKNEY C. M. & ZETES D. E.* **485.P**, 16*P*, 1995

see KATORI Y., HACKNEY C. M. & FURNESS D. N. **485.P**, 32*P*, 1995

HACKNEY C. M. & FURNESS D. N. Field-emission scanning electron microscopy of cochlear hair cells: tip links, lateral links and tip junctions on stereocilia **485.P**, 2*P*, 1995

HADIAN M.R. *see RIDDELL J. S. & HADIAN M. R.* **483.P**, 37*P*, 1995

HAGGARD P.N. *see MIALL R. C., HAGGARD P. N., STEIN J. F. & COLE J. D.* **483.P**, 34*P*, 1995

HAHN J.D. *see DEUCHARS J., HAHN J. D. & THOMSON A. M.* **489.P**, 19*P*, 1995

HAINSWORTH R. *see DOE C. P. A., SELF D. A., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R.* **483.P**, 144*P*, 1995

see MCMAHON N. C., DRINKHILL M. J. & HAINSWORTH R. **489.P**, 160*P*, 1995

see CROFT J. S., MTINANGI B. L., SELF D. A. & HAINSWORTH R. **489.P**, 37*P*, 1995

HAKIM M.A.

HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L. Role of nitric oxide in the tonic excitation of renal sympathetic preganglionic neurones in the anaesthetized rabbit **483.P**, 92*P*, 1995

HALASY K. *see COBB S. R., BUHL E. H., HALASY K., PAULSEN O. & SOMOGYI P.* **487.P**, 53*P*, 1995

HALATA Z. *see SENOK S. S., HALATA Z. & BAUMANN K. I.* **483.P**, 154*P*, 1995

see BAUMANN K. I. & HALATA Z. **483.P**, 159*P*, 1995

HALL A.C. *see ERRINGTON R. J. & HALL A. C.* **482.P**, 12*P*, 1995

see STARKS I. & HALL A. C. **482.P**, 18*P*, 1995

see ERRINGTON R. J., HALL A. C., FRICKER M. D. & WHITE N. S. **487.P**, 3*P*, 1995

see WILKINS R. J., YAMAZAKI N. & HALL A. C. **489.P**, 107*P*, 1995

HALL A. C. Inhibition of membrane transporters for K^+ in isolated bovine articular chondrocytes by hydrostatic pressure **489.P**, 122*P*, 1995

see MOBASHERI A., SMITH A. L., FRANCE S. J., URBAN J. P. G. & HALL A. C. **489.P**, 65*P*, 1995

Hall A. C., Wilkins R. J., Errington R. J., Horwitz E. & Harvey B. J. The cellular physiology of chondrocytes **489.P**, 19*S*, 1995

Halley G.C.

Halley G. C., Dripps J. H., Janssens H. & McIntosh N. Low frequency heart rate components in sick and healthy human neonates **483.P**, 97*P*, 1995

Halliday D.M. *see Conway B. A., Halliday D. M., Shahani U., Maas P., Weir A. I., Rosenberg J. R. & Farmer S. F.* **483.P**, 35*P*, 1995

Halliday D. M., Amjad A. M., Conway B. A., Farmer S. F. & Rosenberg J. R. A method for comparison of several coherence estimates from independent experiments **487.P**, 76*P*, 1995

Hall J.A.

Hall J. A., Kirk J., Potts J. R., Rae C. D., Vandenberg J. I. & Kirk K. Swelling-activated transport of diverse solutes in a human cancer cell line **487.P**, 96*P*, 1995

Hall M.D. *see Pinnock R. D., Holland S., Hall M. D. & Woodruff G. N.* **489.P**, 49*P*, 1995

Hall S.

Hall S., Baloch M. & Clapp L. H. Evidence that prostacyclin relaxes isolated guinea-pig aortic muscle strips through activation of Ca^{2+}-activated K^+ channels **483.P**, 115*P*, 1995

Hall W.J. *see Ni Chiardha F. M., Gebruers E. M., Hall W. J. & Hegarty D. A.* **489.P**, 36*P*, 1995

Halsall P.J. *see Smith P. D., Hopkins P. M., Ellis F. R., Halsall P. J. & Bridges L. R.* **489.P**, 24*P*, 1995

Hamann J. *see Bernhardt I., Ellory J. C., Bogdanova A. Y., Culliford S. J., Hamann J. & Richter S.* **489.P**, 101*P*, 1995

Hamann M.

Hamann M. & Attwell D. Electrical stimulation releases ATP non-synaptically in slices of rat hippocampus, cerebellum and habenula **489.P**, 18*P*, 1995

Hamblin L.J. *see Brown C. H., Hamblin L. J., Murphy N. P., Johnstone L. E., Leng G. & Russell J. A.* **489.P**, 179*P*, 1995

Hamill O.P.

Hamill O. P., Chen M., Zhang Y. & McBride D.W. Jr A cytoskeleton (CSK) deficient plasma membrane vesicle preparation from *Xenopus* oocytes for studying CSK effects on membrane ion channel gating **483.P**, 162*P*, 1995

Hamilton K.

Hamilton K., Garland H. O. & Balment R. J. Renal function in servo-controlled chronically catheterized conscious rats with diabetes mellitus **483.P**, 173*P*, 1995

Hamilton K.L. *see Butt A. G., McLaughlin C. W. & Hamilton K. L.* **489.P**, 102*P*, 1995

Ham J.

Ham J., Ivan M., Plockinger U. & Scanlon M. F. Enhanced proliferation in rat GH_3 cells expressing the leucine (-227) mutation of $G\alpha_s$ is associated with increased levels of cAMP **489.P**, 181*P*, 1995

see Hepburn P. J., Ham J., Lewis M. D., Davies J. S. & Scanlon M. F. **489.P**, 181*P*, 1995

see Lewis M. D., Davies J. S., Hepburn P. J., Ham J., Webster J. & Scanlon M. F. **489.P**, 182*P*, 1995

Hammond P.

Hammond P. & Kim J.-N. Orthogonal suppression in receptive fields of complex neurones in striate cortex of anaesthetized cats **485.P**, 11*P*, 1995

Hammond P. & Zheng F. Spatial summation in visual receptive fields of complex cells in anaesthetized cat striate cortex **489.P**, 11*P*, 1995

Hamon A. *see Sattelle D. B., Holyoke C. W., Schnee M. E., Cordova D., Benner E. A., Watson M. K., Bai D., Buckingham S. D., Hutton M. L., Hamon A. & Rauh J. J.* **483.P**, 193*P*, 1995

Hampl V. *see Archer S. L., Reeve H. L., Hampl V., Huang J., Peterson D. A. & Weir E. K.* **487.P**, 11*S*, 1995

Hampshire P.

Hampshire P., Parratt J., Taggart M. & Wray S. The effect of extracellular pH (pH_o) on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated human myometrium **487.P**, 89*P*, 1995

Hanchard N.C.A.

Hanchard N. C. A., Bate A. S., Weiss J. B. & Cooper R. G. Unilateral chronic low-frequency electrical stimulation of human tibialis anterior improves contractile function ipsilaterally but impairs it contralaterally **483.P**, 80*P*, 1995

Hancox J.C. *see Mitcheson J. S., Hancox J. C. & Levi A. J.* **483.P**, 14*P*, 1995

Han E.S. *see Reuss L., Altenberg G. A., Vanoye C. G. & Han E. S.* **489.P**, 12*S*, 1995

Han J.

Han J., Kim E., Ho W.-K. & Earm Y. E. The modulation by cyclic GMP of the calcium current in rabbit ventricular myocytes **487.P**, 135*P*, 1995

Hankins M.W.

Hankins M. W., Jones R. J. M. & Ruddock K. H. Diurnal variation in the b-wave component of the human electroretinogram (ERG) **483.P**, 42*P*, 1995

Hankins M. W. Age-related abnormalities of the retinal dopamine system in the senile rat **485.P**, 19*P*, 1995

Hankins M. W. Changes in rat retinal dopamine uptake associated with the senescence of dopamine pathways **489.P**, 16*P*, 1995

Hanpeter D. *see Livingstone C., James D. E., Hanpeter D. & Gould G. W.* **487.P**, 211*P*, 1995

Hansen-Smith F.M.

Hansen-Smith F. M., Egginton S., Owens G. K. & Hudlicka O. Growth of arterioles in chronically stimulated rat fast muscles **489.P**, 165*P*, 1995

Hanson M.A. *see Ackland G. L., Waites B. A., Noble R. & Hanson M. A.* **483.P**, 89*P*, 1995

see Green L. R., Bennet L. & Hanson M. A. **483.P**, 92*P*, 1995

see Waites B. A., Ackland G. L., Noble R. & Hanson M. A. **489.P**, 156*P*, 1995

see Calder N. A., Kumar P. & Hanson M. A. **489.P**, 162*P*, 1995

Harbak H.

Harbak H. & Simonsen L. O. The K^+ channels activated during regulatory volume decrease (RVD) are distinct from those activated by Ca^{2+}-mobilizing agonists in Ehrlich mouse ascites tumour cells **482.P**, 12*P*, 1995

Harbak H., Nielsen D. K., Christensen S. & Simonsen L. O. Cell volume-induced changes in phosphatidylinositol(4,5)bisphosphate in Ehrlich mouse ascites tumour cells **489.P**, 114*P*, 1995

Harbuz M.S. *see Conde G. L., Renshaw D., Lightman S. L. & Harbuz M. S.* **489.P**, 180*P*, 1995

Hardcastle J. *see Beesley A. H., Hardcastle J., Hardcastle P. T. & Taylor C. J.* **489.P**, 96*P*, 1995

Hardcastle P.T. *see Beesley A. H., Hardcastle J., Hardcastle P. T. & Taylor C. J.* **489.P**, 96*P*, 1995

Harding E.A. *see Kane C., Harding E. A., Pirotte B., Lebrun P. & Dunne M. J.* **482.P**, 11*P*, 1995

Hardy S.P.

Hardy S. P., deFelipe C. & Valverde M. A. Effect of tamoxifen on cationic and anionic conductances in C1300 neuroblastoma cells and isolated embryonic rat hypothalamic neurons *in vitro* **487.P**, 194*P*, 1995

Hare A.S. *see Tolchard S., Hare A. S., Nutt D. & Clarke G.* **489.P**, 176*P*, 1995

Harmar A.J. *see Paterson J. M., Smith S. M., Simpson J., Harmar A. J. & Antoni F. A.* **487.P**, 210*P*, 1995

Harper A.A. *see Ahmed A., Peter G. J., Harper A. A., Taylor P. M. & Rennie M. J.* **482.P**, 5*P*, 1995

Harper A. A., Cuevas J. & Adams D. J. Discharge characteristics of neonatal rat intracardiac neurones *in vitro*: the effect of potassium channel inhibitors **487.P**, 122*P*, 1995

Harper A. A., Davis J. P. L. & Chipperfield A. R. An acetazolamide-sensitive inward chloride pump in rat ventricle *in vitro* **489.P**, 98*P*, 1995

Harpur E.S. *see Parsons P. P., Garland H. O. & Harpur E. S.* **483.P**, 168*P*, 1995

Harridge S.D.R.

Harridge S. D. R., Bottinelli R., Reggiani C., Pellegrino M. A., Canepari M. & Saltin B. Similar maximum velocity of shortening in single fibres expressing the same myosin heavy chain, but from different human skeletal muscles **487.P**, 152*P*, 1995

Harrington D. *see Ponikowski P., Chua T. P., Harrington D., Amadi A., Sebzda T., Cerquetani E., Piepoli M. & Coats A. J. S.* **487.P**, 170*P*, 1995

Harris M.C. *see Parkes M. J. & Harris M. C.* **483.P**, 96*P*, 1995

Harris N.G. *see Jones H. C., Harris N. G., Inglis B. A. & Briggs R. W.* **487.P**, 47*P*, 1995

Harrison J.B.

Harrison J. B., Sattelle D. B., Schafer S. & Menzel R. Immunocytochemical localization of muscarinic acetylcholine receptors in antennal lobe glomeruli of *Drosophila melanogaster* and *Apis mellifera* **485.P**, 31*P*, 1995

Harrison L.M. *see Mayston M. J., Harrison L. M., Jobling L., Quinton R., Stephens J. A. & Bouloux P.-M.* **483.P**, 33*P*, 1995

HARRISON N.

HARRISON N., LARCOMBE-MCDOUALL J. B. & WRAY S. The effects of graded reductions of uterine blood flow on spontaneous contractions and intracellular pH (pH_i) **489.P**, 133*P*, 1995

HARRISON P.J. *see EVANS P., WILLARS C. & HARRISON P. J.* **487.P**, 73*P*, 1995

HARRISON P.T.

HARRISON P. T., HUTCHINSON M. J., BJORKHAUG L. & ALLEN J. M. The transmembrane domain of the high affinity immunoglobulin receptor is required to recruit the γ-chain to mediate phagocytosis **487.P**, 211*P*, 1995

HARRISON S.M. *see JANVIER N. C., HARRISON S. M. & BOYETT M. R.* **483.P**, 12*P*, 1995

see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R. **483.P**, 13*P*, 1995

HARRISON S. M. The voltage dependence of contraction is modified by stimulation frequency in isolated guinea-pig ventricular myocytes **483.P**, 18*P*, 1995

see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R. **487.P**, 145*P*, 1995

HARROLD J.A.

HARROLD J. A., ELLIOTT J. R. & ELLIOTT A. A. *n*-Pentanol block of rat brain RCK1 (Kv1.1) potassium (K^+) channels expressed in *Xenopus* oocytes: comparison with block by external tetraethylammonium (TEA^+) ions **489.P**, 59*P*, 1995

HART G. *see BRYANT S. M. & HART G.* **483.P**, 16*P*, 1995

see MAIN M. C., BRYANT S. M. & HART G. **483.P**, 8*P*, 1995

see MAIN M. C., BRYANT S. M. & HART G. **483.P**, 9*P*, 1995

see MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **487.P**, 131*P*, 1995

see SHIPSEY S. J., RYDER K. O., BRYANT S. M. & HART G. **489.P**, 142*P*, 1995

see MÉSZÁROS J., COUTINHO J. J., BRYANT S. M., RYDER K. O. & HART G. **489.P**, 143*P*, 1995

HARTLEY S.A.

HARTLEY S. A. & KOZLOWSKI R. Z. ATP increases Ca^{2+}-activated K^+ channel activity in isolated rat arterial smooth muscle cells **489.P**, 138*P*, 1995

HART P. *see WARTH J. D., HART P., HOROWITZ B. & HUME J. R.* **487.P**, 128*P*, 1995

HARTY H.R.

HARTY H. R., CORFIELD D. R., SCHWARTZSTEIN R. M. & ADAMS L. The effect of chest strapping on respiratory sensation during exercise in man **489.P**, 161*P*, 1995

HARVEY B. *see CULLINANE A., COCA-PRADOS M. & HARVEY B.* **482.P**, 40*P*, 1995

see CUFFE J., MCNAMARA B., O'SULLIVAN G. & HARVEY B. **489.P**, 122*P*, 1995

HARVEY B.J. *see HORWITZ E., HIGGINS T. & HARVEY B. J.* **482.P**, 20*P*, 1995

see URBACH V., Ó'CRÓINÍN D. & HARVEY B. J. **482.P**, 21*P*, 1995

see ANDERSEN H. K. & HARVEY B. J. **482.P**, 24*P*, 1995

see MAGUIRE D., O'SULLIVAN G. C. & HARVEY B. J. **482.P**, 2*P*, 1995

see MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J. **489.P**, 101*P*, 1995

see HORWITZ E. R. & HARVEY B. J. **489.P**, 112*P*, 1995

see DOOLAN C. M. & HARVEY B. J. **489.P**, 123*P*, 1995

see URBACH V., LEGUEN I. & HARVEY B. J. **489.P**, 87*P*, 1995

see LEGUEN I., URBACH V. & HARVEY B. J. **489.P**, 92*P*, 1995

see HIGGINS M. A. & HARVEY B. J. **489.P**, 93*P*, 1995

see WALSH D., URBACH V. & HARVEY B. J. **489.P**, 98*P*, 1995

see HALL A. C., WILKINS R. J., ERRINGTON R. J., HORWITZ E. & HARVEY B. J. **489.P**, 19*S*, 1995

HASAN S.T.

HASAN S. T. & NEAL D. E. Different actions of carbachol, histamine, bombesin and neuropeptide Y on isolated human detrusor muscle **483.P**, 117*P*, 1995

HASHIM H. *see SMITH I. C. H. & HASHIM H.* **487.P**, 18*P*, 1995

HASSAN N. *see AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L.* **483.P**, 42*P*, 1995

HASTRUP S. *see NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H.* **489.P**, 63*P*, 1995

HATTON C.J.

HATTON C. J. & PEERS C. Effect of cytochrome P-450 inhibitors on ionic currents in isolated neonatal rat type I carotid body cells **489.P**, 72*P*, 1995

HATTON P.A.

HATTON P. A., AGBENYEGA E. T., MORTON R. H. & WAREHAM A. C. The selective β_2-adrenoceptor antagonist ICI 118,551 does not completely prevent clenbuterol-induced hypertrophy in rat muscles of mixed- and fast-fibre type **489.P**, 168*P*, 1995

HAVENETIDIS K.

HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R. The effect of creatine supplements on repeated 30 s cycle sprints in man **483.P**, 122*P*, 1995

HAVENETIDIS K., COOKE C. B., KING R. F. G. J. & BUTTERLY R. The effects of 4 days of supplementation with three creatine dosages (10, 25 and 35 g day^{-1}) on repeated cycle sprints in man **485.P**, 45*P*, 1995

HAWKEN M.B. *see SHAUNAK S. D., DAVEY N. J., HAWKEN M. B., HENDERSON L. & KENNARD C.* **489.P**, 29*P*, 1995

HAWKINS M.A. *see KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A.* **483.P**, 120*P*, 1995

HAWORTH P.A.

HAWORTH P. A. & ROBERTS M. H. T. Modification of cutaneous receptive fields by a metabotropic glutamate receptor agonist in the gracile nucleus of the urethane-anaesthetized rat **483.P**, 156*P*, 1995

HAWORTH S.G.

HAWORTH S. G. Pulmonary vascular remodelling in neonatal pulmonary hypertension **487.P**, 12*S*, 1995

see GAO B., BOELS P. & HAWORTH S. G. **489.P**, 169*P*, 1995

HAY A.J. *see CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J.* **489.P**, 65*P*, 1995

HAYHURST A. *see CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J.* **489.P**, 65*P*, 1995

HAYNES L.W. *see BRENNAN H., MUXWORTHY A., VIGNES M., PABBATHI V. K., HOLMES F. E. & HAYNES L. W.* **487.P**, 44*P*, 1995

see MAHONEY S.-A., PERRY M. J. M., SEDDON A., BOHLEN P. & HAYNES L. W. **487.P**, 45*P*, 1995

HEAD K.N.

HEAD K. N., LOGAN J. G., PATERSON J. M. H., PELLING C. W. A. & WYATT R. D. Physiological cost index and self-selected walking speed **487.P**, 181*P*, 1995

HEADLEY P.M. *see CAO C. Q., EVANS R. H., HEADLEY P. M., JANE D. J. & TSE H.-W.* **483.P**, 159*P*, 1995

HEALES S. *see ROLFE V., BRAND M., HEALES S., LINDLEY K. J. & MILLA P. J.* **489.P**, 109*P*, 1995

HEARNE P.G. *see JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R.* **487.P**, 187*P*, 1995

see JANAHMADI M., HEARNE P. G., THOMPSON I. M., GREEN G. G. R. & SANDERS D. J. **487.P**, 58*P*, 1995

HEATH B.M.

HEATH B. M. & TERRAR D. A. Contrasting effects of nickel and E4031 on components of delayed rectifier potassium current in guinea-pig ventricular myocytes **485.P**, 43*P*, 1995

HEBERT S. *see GIEBISCH G., WANG W., MCNICHOLAS C. M., KUBOKAWA M., YANG Y. & HEBERT S.* **489.P**, 16*S*, 1995

HEBLICH F.

HEBLICH F., ROBERTSON B. & OWEN D. G. The effects of 4-aminopyridine and dendrotoxins on an endogenous outward current and a heterologously expressed K^+ channel (rKv1.1) in HEK-293 cells **487.P**, 196*P*, 1995

see STEPHENS G. J., HEBLICH F., COCKETT M. I. & OWEN D. G. **489.P**, 75*P*, 1995

HEDIGER M.A.

HEDIGER M. A., KANAI Y., YOU G. & NUSSBERGER S. Mammalian ion-coupled solute transporters **482.P**, 7*S*, 1995

HEGARTY D.A. *see NI CHIARDHA F. M., GEBRUERS E. M., HALL W. J. & HEGARTY D. A.* **489.P**, 36*P*, 1995

HEINEMANN A. *see WACHTER CH. H., HEINEMANN A., JOCIC M. & HOLZER P.* **487.P**, 38*P*, 1995

HEINERT G. *see ALBARWANI S., HEINERT G., TURNER J. L., NYE P. C. G. & KOZLOWSKI R. Z.* **483.P**, 110*P*, 1995

HEINERT G., PAINTER R. & NYE P. C. G. Hyperbolic fitting of carotid body discharge excited by ramps of CO_2 and O_2 in the anaesthetized cat **483.P**, 90*P*, 1995

HELD B. *see PEARSON H. A., HELD B. & DOLPHIN A. C.* **487.P**, 185*P*, 1995

HELD B., BABBS A. J. & PEARSON H. A. Differences between unitary L-type Ca^{2+} channel currents of central and peripheral neurones **489.P**, 67*P*, 1995

HELLIWELL P.A.

HELLIWELL P. A., BOYD C. A. R. & BRONK J. R. Transport of hydrolysis-resistant charged dipeptides by perfused rat lung *in situ* **487.P**, 37*P*, 1995

HENDERSON G. *see GRUDT T. J. & HENDERSON G.* **487.P**, 57*P*, 1995

see WATTS A. E., WILLIAMS J. T. & HENDERSON G. **487.P**, 61*P*, 1995

HENDERSON L. *see SHAUNAK S. D., DAVEY N. J., HAWKEN M. B., HENDERSON L. & KENNARD C.* **489.P**, 29*P*, 1995

HENDERSON R.M.

HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H. A ROMK1/glutathione-S-transferase fusion protein imaged using the atomic force microscope **489.P**, 90*P*, 1995

HENDERSON Z. *see GRIMWOOD P. D., APPENTENG K., HENDERSON Z. & YANG H.-W.* **483.P**, 56*P*, 1995

HENDRY B.M. *see PARKINSON N. A. & HENDRY B. M.* **489.P**, 88*P*, 1995

HENRY J. *see DOCKRAY G. J., HENRY J., MACRO J., VORONINA S., VAILLANT C. & VARRO A.* **487.P**, 34*P*, 1995

HEPBURN P.J.

HEPBURN P. J., HAM J., LEWIS M. D., DAVIES J. S. & SCANLON M. F. Adenosine is mitogenic for epithelial and endothelial cell lines **489.P**, 181*P*, 1995

see LEWIS M. D., DAVIES J. S., HEPBURN P. J., HAM J., WEBSTER J. & SCANLON M. F. **489.P**, 182*P*, 1995

HERBERT J. *see MAHON J. M., ALLEN M., HERBERT J. & FITZSIMONS J. T.* **487.P**, 29*P*, 1995

HERBISON A.E. *see FENELON V. S. & HERBISON A. E.* **483.P**, 50*P*, 1995

HERING S. *see BERJUKOW S., DÖRING F. & HERING S.* **487.P**, 209*P*, 1995

HERMANS E. *see GAILLY PH., HERMANS E. & GILLIS J. M.* **487.P**, 10*P*, 1995

HERVÉ J.C. *see VERRECCHIA F., PLUCIENNIK F., DÉLÈZE J. & HERVÉ J. C.* **487.P**, 140*P*, 1995

HEUSMANN G.R. *see DAVIES S. A., DOW J. A. T., HEUSMANN G. R., MADDRELL S. H. P., O'DONNELL M. J. & TUBLITZ N. J.* **482.P**, 26*P*, 1995

HE X.

HE X., KULJPERS G. A., POLLARD H. B. & BAUM B. J. Cell surface polarity maintained in cultured monolayers of immortalized rat submandibular epithelial cells **482.P**, 35*P*, 1995

HE Y.-L. *see COLLETT A., SIMS E., HE Y.-L., ROWLAND M. & WARHURST G.* **482.P**, 34*P*, 1995

HEYLINGS J.R. *see MCEWAN G. T. A., ROBERTSON L. M., RAWLINGS J. M. & HEYLINGS J. R.* **489.P**, 118*P*, 1995

HICKS M.N. *see NG G. A., HICKS M. N., COBBE S. M. & SMITH G. L.* **487.P**, 142*P*, 1995

HIGASHIDA H. *see ROBBINS J., BOWDEN S., HIGASHIDA H. & BROWN D. A.* **489.P**, 61*P*, 1995

HIGENBOTTAM T.W. *see KATAYAMA Y., BUTT A. Y., AKAMINE S., MCMAHON A., GLANVILLE C. & HIGENBOTTAM T. W.* **487.P**, 178*P*, 1995

HIGENBOTTAM T. W. Pulmonary endothelial nitric oxide (NO) in health and disease **487.P**, 13*S*, 1995

HIGGINS C.F.

HIGGINS C. F. Volume-activated chloride currents associated with the multidrug resistance P-glycoprotein **482.P**, 31*S*, 1995

HIGGINS M.A.

HIGGINS M. A. & HARVEY B. J. Na^+-selective cation channel in apical cell membranes of confluent M-1 murine cortical collecting duct cells **489.P**, 93*P*, 1995

HIGGINS T. *see HORWITZ E., HIGGINS T. & HARVEY B. J.* **482.P**, 20*P*, 1995

HIGGINS T., HORWITZ E. & REIDY D. Intracellular calcium is increased in isolated human chondrocytes by histamine **489.P**, 119*P*, 1995

HIGHAM A.D.

HIGHAM A. D., THOMPSON D. G. & DOCKRAY G. J. Post-prandial gastrin release after antral denervation: no role for gastrin-releasing peptide **487.P**, 34*P*, 1995

HILL C.J. *see SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J.* **482.P**, 45*P*, 1995

HILLSLEY K.

HILLSLEY K. & GRUNDY D. Cisplatin stimulates 5-hydroxytryptamine-sensitive mesenteric afferents in the jejunum of the urethane-anaesthetized rat **487.P**, 35*P*, 1995

HINE J.E. *see MOORE D. R., JIANG Z. D., HINE J. E. & KING A. J.* **489.P**, 11*P*, 1995

HIRAOKA M. *see VIRAG L., FURUKAWA T. & HIRAOKA M.* **489.P**, 74*P*, 1995

HIROOKA Y. *see HAKIM M. A., HIROOKA Y., COLEMAN M. J., BENNETT M. R. & DAMPNEY R. A. L.* **483.P**, 92*P*, 1995

HIRST B.H. *see COLLARES-BUZATO C. B., JEPSON M. A., SIMMONS N. L. & HIRST B. H.* **482.P**, 32*P*, 1995

HIRST S.J. *see SNETKOV V. A., HIRST S. J., TWORT C. H. C. & WARD J. P. T.* **483.P**, 110*P*, 1995

HNÍK P.

HNÍK P. & MACKOVÁ E. V. Is 'compensatory' muscle hypertrophy in rat soleus true working hypertrophy? **489.P**, 148*P*, 1995

HOCKADAY A.R. *see TIFFERT T., HOCKADAY A. R. & LEW V. L.* **487.P**, 99*P*, 1995

HODGES R.S. *see FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R.* **487.P**, 161*P*, 1995

HOFFMAN J.F.

HOFFMAN J. F., PROVERBIO F. & GEIBEL J. P. Membrane compartmentalized ATP drives the red cell Na^+ and Ca^{2+} pumps **489.P**, 10*S*, 1995

HOFFMANN E.K.

HOFFMANN E. K., JØRGENSEN N. K., THOROED S. M., PEDERSEN S. & LAMBERT I. H. Role of phospholipase A_2, leukotrienes, and calcium in volume regulation in Ehrlich ascites tumour cells **489.P**, 11*S*, 1995

HOLDEN A.V. *see BIKTASHEV V. N. & HOLDEN A. V.* **487.P**, 124*P*, 1995

HOLDEN-DYE L. *see BROWNLEE D., HOLDEN-DYE L. & WALKER R. J.* **483.P**, 196*P*, 1995

HOLDEN-DYE L.M. *see JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F.A., HOLDEN-DYE L. M. & WALKER R. J.* **487.P**, 24*P*, 1995

HOLLAND S. *see PINNOCK R. D., HOLLAND S., HALL M. D. & WOODRUFF G. N.* **489.P**, 49*P*, 1995

HOLLY J.M.P. *see JAKEMAN P. M., JEAL S., CWYFAN-HUGHES S. & HOLLY J. M. P.* **489.P**, 26*P*, 1995

HOLLYWOOD M.A. *see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D.* **489.P**, 137*P*, 1995

HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. Modulation by Evans Blue of Ca^{2+}-dependent K^+ current in isolated smooth muscle cells from the sheep bladder **489.P**, 137*P*, 1995

HOLMAN H.Q.G.

HOLMAN H. Q. G. & FRY J. P. Subcellular fractionation and affinity labelling of a local anaesthetic binding protein in rodent spinal cord **487.P**, 191*P*, 1995

HOLMES F.E. *see BRENNAN H., MUXWORTHY A., VIGNES M., PABBATHI V. K., HOLMES F. E. & HAYNES L. W.* **487.P**, 44*P*, 1995

HOLROYD B. *see STANTON A. W. B., HOLROYD B., NORTHFIELD J. W., LEVICK J. R. & MORTIMER P. S.* **487.P**, 181*P*, 1995

HOLYOKE C.W. *see SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J.* **483.P**, 193*P*, 1995

see BUCKINGHAM S. D., BAI D., HOLYOKE C. W., RAUH J. J. & SATTELLE D. B. **483.P**, 194*P*, 1995

HOLZER P. *see WACHTER CH. H., HEINEMANN A., JOCIC M. & HOLZER P.* **487.P**, 38*P*, 1995

HONESS N.A.

HONESS N. A., COSSINS A. R., GIBSON J. S. & O'FLYNN A. M. J. The effect of kinase and phosphatase inhibition on oxygen- and volume-sensitive K^+–Cl^- co-transport in equine red cells **482.P**, 7*P*, 1995

HONG D.-A. *see CORCOS D. M., ALMEIDA G. L., HONG D.-A. & GOTTLIEB G. L.* **483.P**, 30*P*, 1995

HONGO K.

HONGO K., WHITE E., LE GUENNEC J.-Y. & ORCHARD C. H. The effects of stretching isolated rat ventricular myocytes on $[Ca^{2+}]_i$ and a^i_{Na} **483.P**, 17*P*, 1995

HONGO K., AUCLERC C., CAZORLA O., GARNIER D., LE GUENNEC J.-Y. & WHITE E. Gadolinium blocks the delayed rectifier (I_K) in isolated guinea-pig ventricular myocytes **487.P**, 132*P*, 1995

HOOD A.J.C. *see WILSON C. F., HOOD A. J. C., JOHL S. & SAINSBURY K.* **487.P**, 33*P*, 1995

HOOLEY P. *see ATTWELL N. A., CLEMENT D. J., STANLEY M. S., CLIPSON N. J. W., HOOLEY P. & FINCHAM D. A.* **489.P**, 104*P*, 1995

HOPKINS P.M. *see AHMED I. A., HOPKINS P. M. & WINLOW W.* **489.P**, 22*P*, 1995

see SMITH P. D., HOPKINS P. M., ELLIS F. R., HALSALL P. J. & BRIDGES L. R. **489.P**, 24*P*, 1995

HOPPELER H.

HOPPELER H. Conditions for microvascular oxygen and substrate supply to working muscle tissue **483.P**, 4*S*, 1995

HORNBY D. *see* HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H. **489.P**, 90*P*, 1995

see LI Q., COPE G., HORNBY D. & WHITE S. **489.P**, 93*P*, 1995

HORNBY M. F. *see* HOWD A. G., HORNBY M. F., KIRVELL S. L. & BUTT A. M. **489.P**, 76*P*, 1995

HORNER H. A. *see* KIRK K. & HORNER H. A. **489.P**, 138, 1995

HORN G. *see* NICOL A. U., HORN G. & BROWN M. W. **483.P**, 40*P*, 1995

see SOLOMONIA R. O., MCCABE B. J. & HORN G. **485.P**, 8*P*, 1995

HORN S.

HORN S., GREENHAFF P. L. & FONE K. C. F. The interaction between calcitonin gene-related peptide and muscle glycogen availability *in vivo* in the rat **487.P**, 163*P*, 1995

HOROWITZ B. *see* WARTH J. D., HART P., HOROWITZ B. & HUME J. R. **487.P**, 128*P*, 1995

HORWITZ E.

HORWITZ E., HIGGINS T. & HARVEY B. J. Histamine increases intracellular calcium in isolated porcine chondrocytes **482.P**, 20*P*, 1995

see HIGGINS T., HORWITZ E. & REIDY D. **489.P**, 119*P*, 1995

see HALL A. C., WILKINS R. J., ERRINGTON R. J., HORWITZ E. & HARVEY B. J. **489.P**, 198, 1995

HORWITZ E. R.

HORWITZ E. R. & HARVEY B. J. Mechanosensitive calcium increase in isolated porcine chondrocytes **489.P**, 112*P*, 1995

HOUCHIN J.

HOUCHIN J. & BARTLEY S. A simplified histological method for visualizing whisker barrels in the SI cortex of the rat in relationship to intracellularly stained neurones **485.P**, 5*P*, 1995

HOUGHTON A. K.

HOUGHTON A. K. & CLARKE R. W. NK_2-tachykinin receptors and prolonged, stimulus-evoked facilitation of a withdrawal reflex in the decerebrated and spinalized rabbit **483.P**, 153*P*, 1995

HOUK J. C.

HOUK J. C. & MILLER L. E. Neural mechanisms for the generation of limb motor programs **487.P**, 225*P*, 1995

HOUSHAM S. J.

HOUSHAM S. J., TERENZI M. G. & INGRAM C. D. Evidence for an opioid involvement in the delayed response of limbic neurones to oxytocin on the day of parturition in the anaesthetized rat **489.P**, 176*P*, 1995

HO W.-K. *see* PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. **487.P**, 114*P*, 1995

see HAN J., KIM E., HO W.-K. & EARM Y. E. **487.P**, 135*P*, 1995

see PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. **487.P**, 128, 1995

HOWARTH F. C.

HOWARTH F. C., SINGH J., WARING J. J. & HUSTLER B. I. Estimation of the dissociation constant (K_D) for the fluorescent indicator mag-fura-2 at different excitation wavelengths **482.P**, 17*P*, 1995

see HUSTLER B. I., WARING J. J., SINGH J., BERESFORD L. A. & HOWARTH F. C. **489.P**, 142*P*, 1995

HOWD A. G.

HOWD A. G., HORNBY M. F., KIRVELL S. L. & BUTT A. M. GABA-mediated changes in extracellular potassium: a developmental study in the isolated rat optic nerve **489.P**, 76*P*, 1995

HOWELL J. H.

HOWELL J. H. & CROSS B. A. Precognition affects the ventilatory response to an increase in exercise intensity following hypocapnic hyperventilation in man **487.P**, 108*P*, 1995

HOWELL J. H. & CROSS B. A. Improved accuracy in measuring minute ventilation using two pneumotachographs in humans **487.P**, 114*P*, 1995

HOWELL S. *see* CONSTANTIN-TEODOSIU D., HOWELL S. & GREENHAFF P. L. **489.P**, 26*P*, 1995

HUANG C.

HUANG C. & JOHNS E. J. Calcium channel blockade and pressure–natriuresis curves in anaesthetized stroke-prone spontaneously hypertensive rats **483.P**, 175*P*, 1995

HUANG J. *see* ARCHER S. L., REEVE H. L., HAMPL V., HUANG J., PETERSON D. A. & WEIR E. K. **487.P**, 118, 1995

HUANG Y.

HUANG Y., KO W. H., CHUNG Y. W. & WONG P. Y. D. Properties of single inward rectifier potassium channel in equine sweat gland epithelial cells **487.P**, 187*P*, 1995

HU B. *see* BOURQUE C. W., HU B., RICHARD D. & KIRKPATRICK K. **483.P**, 98, 1995

HUDLICKA O. *see* SHINER R. A., HUDLICKA O. & WATTS I. S. **483.P**, 143*P*, 1995

see PEARCE S., HUDLICKA O. & EGGINTON S. **483.P**, 146*P*, 1995

see BROWN M. D., DAVIES M. K., HUDLICKA O., TOWNSEND P. & EGGINTON S. **483.P**, 93*P*, 1995

see GARNHAM A. & HUDLICKA O. **483.P**, 3*P*, 1995

see HANSEN-SMITH F. M., EGGINTON S., OWENS G. K. & HUDLICKA O. **489.P**, 165*P*, 1995

HUDSPETH A. J.

HUDSPETH A. J. & ISSA N. P. Microdomains of elevated Ca^{2+} concentration due to clustered ion channels at presynaptic active zones of hair cells from the bullfrog sacculus **485.P**, 17*P*, 1995

HUGHES P. M.

HUGHES P. M., WARD G. A., TSAO J. W., MILLER K. & BROWN M. C. A role for matrix metalloproteinases in peripheral myelin breakdown in mice **487.P**, 44*P*, 1995

HUGHES S. *see* JONES M., SPANOU S., HUGHES S. & SZATKOWSKI M. **487.P**, 51*P*, 1995

HUGHSON R. L. *see* LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. **487.P**, 171*P*, 1995

HUG M. *see* NOVAK I., HUG M. & PAHL C. **489.P**, 119*P*, 1995

HULME J. T. *see* YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. **487.P**, 127*P*, 1995

HULME J. T., COLYER J. & ORCHARD C. H. The effects of acidosis on the phosphorylation of Ser^{16} and Thr^{17} of phospholamban in rat cardiac muscle **487.P**, 128*P*, 1995

HULTMAN E. *see* GREEN A. L., SEWELL D. A., SIMPSON L., HULTMAN E. & GREENHAFF P. L. **489.P**, 27*P*, 1995

HUME J. R. *see* WARTH J. D., HART P., HOROWITZ B. & HUME J. R. **487.P**, 128*P*, 1995

see COLLIER M. L., LEVESQUE P. C. & HUME J. R. **487.P**, 146*P*, 1995

HUNDAL H. S. *see* MCDOWELL H. E. & HUNDAL H. S. **482.P**, 19*P*, 1995

see BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S. **482.P**, 23*P*, 1995

see MCDOWELL H. E., WALKER T., DOWNES C. P. & HUNDAL H. S. **482.P**, 5*P*, 1995

see ALEDO J. C., DARAKHSHAN F. & HUNDAL H. S. **489.P**, 128*P*, 1995

HUNTER M. *see* ROBSON L. & HUNTER M. **482.P**, 37*P*, 1995

see LYNCH P. S. & HUNTER M. **482.P**, 45*P*, 1995

see COOPER G. J. & HUNTER M. **482.P**, 3*P*, 1995

see COOPER G. J. & HUNTER M. **487.P**, 26*P*, 1995

see COOPER G. J. & HUNTER M. **489.P**, 102*P*, 1995

see ROBSON L. & HUNTER M. **489.P**, 103*P*, 1995

see LÖFFLER K. & HUNTER M. **489.P**, 75*P*, 1995

see COOPER G. J., LYNCH P. & HUNTER M. **489.P**, 98, 1995

HUSSAIN M.

HUSSAIN M. & ORCHARD C. H. The effect of isoprenaline on calcium-induced calcium release in isolated rat ventricular myocytes **487.P**, 132*P*, 1995

HUSSAIN M. & ORCHARD C. H. Rate-dependent changes in the duration of the Ca^{2+} transient persist under voltage clamp in isolated rat ventricular myocytes **487.P**, 143*P*, 1995

HUSSAIN S. T. *see* WHIPP B. J., WARD S. A., SMITH R. E. & HUSSAIN S. T. **483.P**, 130*P*, 1995

HUSTLER B. I. *see* HOWARTH F. C., SINGH J., WARING J. J. & HUSTLER B. I. **482.P**, 17*P*, 1995

HUSTLER B. I., WARING J. J., SINGH J., BERESFORD L. A. & HOWARTH F. C. Effect of metabolic inhibitors on magnesium efflux and contractile force in the isolated perfused rat heart **489.P**, 142*P*, 1995

HUTCHINGS H. A. *see* FREESTONE C., FERGUSON E. A., HUTCHINGS H. A., MORRIS S., JAWAD M. S. M. & ECCLES R. **487.P**, 2*P*, 1995

HUTCHINSON M. J. *see* HARRISON P. T., HUTCHINSON M. J., BJORKHAUG L. & ALLEN J. M. **487.P**, 211*P*, 1995

HUTTON M. L. *see* SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. **483.P**, 193*P*, 1995

HYDE J.

HYDE J., WINSLOW R. L. & NOBLE D. Rhythmic oscillations emerge in a model of the guinea-pig ventricular cell **487.P**, 124*P*, 1995

IBARS C. B. *see* RODRIGUEZ A. B., IBARS C. B. & LEA R. W. **483.P**, 52*P*, 1995

IBBOTSON T.

IBBOTSON T., WOODRUFF G. N. & BODEN P. A metabotropic glutamate receptor agonist activates a high-threshold calcium current in rat CA1 neurones *in vitro* **489.P**, 70*P*, 1995

ID L. *see* LAINE M., TAVI P., ID L., VUOLTEENAHO O. & WECKSTRÖM M. **487.P**, 143*P*, 1995

IKARI A. *see SAKAI H., IKARI A., KUMANO E. & TAKEGUCHI N.* **487.P**, 101*P*, 1995

IMAI Y. *see SOHMA Y., GRAY M. A., IMAI Y. & ARGENT B. E.* **482.P**, 31*P*, 1995

IMMS F.J. *see WILLIAMS D. J., MOOSAVI A. H. & IMMS F. J.* **483.P**, 126*P*, 1995

see LAWTON G. A., IYAWE V. I. & IMMS F. J. **489.P**, 39*P*, 1995

INGHAM N.J.

INGHAM N. J., THORNTON S. K., MCCROSSAN D. & WITHINGTON D. J. Muscarinic receptor blockade affects the development of spatially tuned auditory responses in the guinea-pig superior colliculus **485.P**, 12*P*, 1995

see THORNTON S. K., WITHINGTON D. J., INGHAM N. J. & MCCROSSAN D. **485.P**, 12*P*, 1995

INGLIS B.A. *see JONES H. C., HARRIS N. G., INGLIS B. A. & BRIGGS R. W.* **487.P**, 47*P*, 1995

INGLIS J.T. *see GANDEVIA S. C., INGLIS J. T., WILSON L. R. & BURKE D.* **487.P**, 72*P*, 1995

INGRAM C.D. *see HOUSHAM S. J., TERENZI M. G. & INGRAM C. D.* **489.P**, 176*P*, 1995

INGRAM D.M. *see AITON N. R., INGRAM D. M. & MILNER A. D.* **487.P**, 112*P*, 1995

IREDALE K.F.

IREDALE K. F. & NIMMO M. A. The effect of age upon the lactate threshold in untrained men aged 26–48 years **489.P**, 42*P*, 1995

IRVING A.J.

IRVING A. J. & COLLINGRIDGE G. L. Properties of metabotropic receptor-mediated Ca^{2+} oscillations in cultured rat hippocampal neurons **487.P**, 56*P*, 1995

IRVING M. *see FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R.* **487.P**, 161*P*, 1995

ISAM T. *see TONG K. K., KONJE J. C., ISAM T. & MCARDLE H. J.* **482.P**, 41*P*, 1995

ISENBERG G. *see WENDT-GALLITELLI M.-F., TILMAN V. & ISENBERG G.* **487.P**, 13*P*, 1995

ISENBERG G. & GANITKEVICH V. Ca^{2+} release in smooth muscle cells **487.P**, 38*S*, 1995

ISHIGURO H.

ISHIGURO H., LINDSAY A. R. G., STEWARD M. C. & CASE R. M. Secretin stimulation of Cl^-–HCO^- exchange in interlobular ducts isolated from guinea-pig pancreas **482.P**, 22*P*, 1995

ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. Bicarbonate secretion detected by BCECF-dextran fluorescence in interlobular ducts isolated from the guinea-pig pancreas **487.P**, 40*P*, 1995

ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. Agonist-stimulated bicarbonate secretion in interlobular ducts isolated from guinea-pig pancreas **489.P**, 96*P*, 1995

ISHII T.

ISHII T., SIOW R. C. M., SWEIRY J. H., PEARSON J. D., BANNAI S. & MANN G. E. Effects of stress agents on the induction of a MSP23-like anti-oxidant protein in cultured human vascular smooth muscle cells **483.P**, 138*P*, 1995

ISSA B.G.

ISSA B. G., LEWIS B. M., SRINIVASAN J., KNOTT N., PETERS J. R. & SCANLON M. F. Glutamate and aspartate release from normal and diabetic rat hypothalami *in vitro* **489.P**, 182*P*, 1995

ISSA N.P. *see HUDSPETH A. J. & ISSA N. P.* **485.P**, 17*P*, 1995

IVAN M. *see HAM J., IVAN M., PLOCKINGER U. & SCANLON M. F.* **489.P**, 181*P*, 1995

IYAWE V.I. *see LAWTON G. A., IYAWE V. I. & IMMS F. J.* **489.P**, 39*P*, 1995

IZZAT M.B. *see DASHWOOD M. R., TIMM M., JEREMY J. Y., IZZAT M. B., BRYAN A. J. & ANGELINI G. D.* **489.P**, 158*P*, 1995

IZZO P.N. *see LI J., ZHOU S.-Y., IZZO P. N. & GILBEY M. P.* **483.P**, 102*P*, 1995

JACKMAN M.L. *see BOWTELL J. L., GELLY K., JACKMAN M. L., PATEL A. & RENNIE M. J.* **489.P**, 34*P*, 1995

JACKSON M.J. *see MCARDLE A., BEAVER A., EDWARDS R. H. T. & JACKSON M. J.* **483.P**, 84*P*, 1995

see MCARDLE A., VAN DER MEULEN J. H., CATAPANO M., SYMONS M. C. R., FAULKNER J. A. & JACKSON M. J. **487.P**, 157*P*, 1995

see VAN DER MEULEN J. H., MCARDLE A., JACKSON M. J. & FAULKNER J. A. **487.P**, 158*P*, 1995

see MCARDLE A., CATAPANO M., DAVIS A., MILBURN S., EDWARDS R. H. T. & JACKSON M. J. **489.P**, 149*P*, 1995

JACOB R. *see MORGAN A. J. & JACOB R.* **483.P**, 137*P*, 1995

JACOBS S.

JACOBS S. Effects of extracellular fluid volume expansion and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **483.P**, 170*P*, 1995

JACOBS S. & PLANGE-RHULE J. Effects of dDAVP and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **489.P**, 86*P*, 1995

JACOB T.J.C. *see MITCHELL C. H. & JACOB T. J. C.* **487.P**, 101*P*, 1995

see ZHANG J. J. & JACOB T. J. C. **489.P**, 64*P*, 1995

see MILEY H. E., ALEXANDER P. D., LI S. W., JACOB T. J. C. & POLLARD C. E. **489.P**, 97*P*, 1995

JAGGER D.J.

JAGGER D. J. & ASHMORE J. F. Effect of intracellular calcium release on ionic currents in outer hair cells isolated from the guinea-pig cochlea **489.P**, 48*P*, 1995

JAKEMAN P. *see RIVAS M., SKRONE J., CLARIDGE E., JAKEMAN P. & EGGINTON S.* **483.P**, 3*P*, 1995

JAKEMAN P.M. *see AHMED S. K., EGGINTON S., ROSS H. F., MANNION A. F. & JAKEMAN P. M.* **483.P**, 134*P*, 1995

JAKEMAN P. M., JEAL S., CWYFAN-HUGHES S. & HOLLY J. M. P. Endurance training modifies the availability of circulating insulin-like growth factors by changing the relative concentration of high and low affinity binding proteins at rest and during prolonged exercise in man **489.P**, 26*P*, 1995

see GREENHOW S., JAKEMAN P. M., KENDALL M. J., DOWLING B. A. & FRANKLIN M. **489.P**, 44*P*, 1995

JAMAL G.A. *see JULU P. O. O., QUINN A. & JAMAL G. A.* **483.P**, 93*P*, 1995

JAMES A.F.

JAMES A. F., TOMINAGA M., TOMINAGA T. & OKADA Y. Distribution of cAMP-dependent chloride current and CFTR mRNA in the guinea-pig heart **489.P**, 63*P*, 1995

JAMES D.E. *see LIVINGSTONE C., JAMES D. E., HANPETER D. & GOULD G. W.* **487.P**, 211*P*, 1995

JAMES I.F. *see ENGLAND S., JAMES I. F. & DOCHERTY R. J.* **485.P**, 48*P*, 1995

JAMES J. *see BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S.* **482.P**, 23*P*, 1995

JAMES R.F.L. *see DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L.* **489.P**, 7*S*, 1995

JANAHMADI M.

JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R. Non-linear dynamics of the potassium delayed rectifier current in cultured neurones of *Helix aspersa* **487.P**, 187*P*, 1995

JANAHMADI M., HEARNE P. G., THOMPSON I. M., GREEN G. G. R. & SANDERS D. J. Calcium currents in cultured neurones of *Helix aspersa* **487.P**, 58*P*, 1995

JANE D.J. *see CAO C. Q., EVANS R. H., HEADLEY P. M., JANE D. J. & TSE H.-W.* **483.P**, 159*P*, 1995

JANE S.D.

JANE S. D., PHENNA S., TUNWELL R. E. A., LAI F. A. & CHAD J. E. Caffeine-induced elevations of intracellular Ca^{2+} in rat hippocampal neurones and immunohistological evidence for the RyR2 ryanodine receptor isoform **487.P**, 21*P*, 1995

JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F. A., HOLDEN-DYE L. M. & WALKER R. J. Distribution of ryanodine receptor antibody binding in *Fasciola hepatica* **487.P**, 24*P*, 1995

JANKOWSKA E. *see MAXWELL D. J., JANKOWSKA E., DOLK S., KRUTKI P., DAHLSTRÖM A. & BELICEHNKO P. V.* **483.P**, 36*P*, 1995

JANSSENS H. *see HALLEY G. C., DRIPPS J. H., JANSSENS H. & MCINTOSH N.* **483.P**, 97*P*, 1995

JANVIER N.C.

JANVIER N. C., HARRISON S. M. & BOYETT M. R. The role of Na^+–Ca^{2+} exchange current (i_{NaCa}) in electrical restitution in isolated ferret ventricular myocytes **483.P**, 12*P*, 1995

see YANG Z., JANVIER N. C. & BOYETT M. R. **483.P**, 8*P*, 1995

JANVIER N. C., BOYETT M. R., ORCHARD C. H. & YANG Z.-K. The use of the action potential clamp technique to study the negative inotropic effect of ACh on isolated ferret ventricular cells **487.P**, 127*P*, 1995

see YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. **487.P**, 127*P*, 1995

JARA A. *see FUENTES O., JARA A., CONTRERAS R. & SOBREVIA L.* **487.P**, 38*P*, 1995

JARRY H.

JARRY H., KIM K., SUN W., WUTTKE W. & LEONHARDT S. Inhibitory and excitatory amino acid regulation of luteinizing hormone secretion in the female rat **483.P**, 12*S*, 1995

JARVIS S.M. *see OSSES N., JARVIS S. M., PEARSON J. D. & YUDILEVICH D. L.* **482.P**, 47*P*, 1995

see SOBREVIA L., MORGAN D. M. L., PEARSON J. D., JARVIS S. M., MANN G. E. & YUDILEVICH D. L. **483.P**, 145*P*, 1995

see SHAYEGHI M. & JARVIS S. M. **489.P**, 126*P*, 1995

see DE KONING H. P. & JARVIS S. M. **489.P**, 126*P*, 1995

JAWAD M.S.M. *see FREESTONE C., FERGUSON E. A., HUTCHINGS H. A., MORRIS S., JAWAD M. S. M. & ECCLES R.* **487.P**, 2*P*, 1995

JEAL S. *see JAKEMAN P. M., JEAL S., CWYFAN-HUGHES S. & HOLLY J. M. P.* **489.P**, 26*P*, 1995

JEFFERYS J.G.R. *see FINNERTY G. T., WHITTINGTON M. A. & JEFFERYS J. G. R.* **487.P**, 54*P*, 1995

JEFFREYS D.A.

JEFFREYS D. A. Parallel processing of contour- and depth-related information in human visual cortex **485.P**, 24*P*, 1995

JEN K.L.C. *see RAWANA S. P., CHARLES C. & JEN K. L. C.* **489.P**, 41*P*, 1995

JENKINS S.L. *see GIUSSANI D. A., MECENAS C. A., JENKINS S. L., WINTER J. A., DERKS J. B. & NATHANIELSZ P. W.* **483.P**, 113*P*, 1995

see DERKS J. B., JENKINS S. L., WENTWORTH R., GIUSSANI D. A., *VAN DAM L. M., VISSER G. H. A. & NATHANIELSZ P. W.* **483.P**, 94*P*, 1995

JENNER J.R.

JENNER J. R., KIRKER S. & WING A. M. Muscle activation patterns following sideways force at the pelvis in man **487.P**, 74*P*, 1995

see KIRKER S., JENNER J. R. & WING A. M. **487.P**, 74*P*, 1995

JENNETT S. *see VOGIATZIS I., SPURWAY N. C., JENNETT S., WILSON J. & SINCLAIR J.* **483.P**, 132*P*, 1995

JENNINGS E.

JENNINGS E. & FITZGERALD M. c-*fos* expression is induced by noxious and non-noxious stimulation in the neonatal rat spinal cord **487.P**, 215*P*, 1995

JENNINGS L.

JENNINGS L., LEA R. W., DAVISON J. S., SALIDO G. M. & SINGH J. Histamine H_3 receptors inhibit exocrine secretory responses and cholinergic neurotransmission in the guinea-pig pancreas *in vivo* and *in vitro* **483.P**, 180*P*, 1995

JENTSCH T.J.

JENTSCH T. J., GÜNTHER W., PUSCH M. & SCHWAPPACH B. Properties of voltage-gated chloride channels of the ClC gene family **482.P**, 19*S*, 1995

JEPSON M.A. *see COLLARES-BUZATO C. B., JEPSON M. A., SIMMONS N. L. & HIRST B. H.* **482.P**, 32*P*, 1995

JEREMY J.Y. *see DASHWOOD M. R., TIMM M., JEREMY J. Y., IZZAT M. B., BRYAN A. J. & ANGELINI G. D.* **489.P**, 158*P*, 1995

JIANG D. *see* PALMER A. R., JIANG D. & MCALPINE D. **485.P**, 13*P*, 1995

JIANG W.

JIANG W., KIBBLE A. & MORRISON J. F. B. The effect of capsaicin on pelvic afferent inputs from the urinary bladder of anaesthetized rats **487.P**, 119*P*, 1995

JIANG Z.D. *see MOORE D. R., JIANG Z. D., HINE J. E. & KING A. J.* **489.P**, 11*P*, 1995

JOBLING L. *see MAYSTON M. J., HARRISON L. M., JOBLING L., QUINTON R., STEPHENS J. A. & BOULOUX P.-M.* **483.P**, 33*P*, 1995

JOCIC M. *see* WACHTER CH. H., HEINEMANN A., JOCIC M. & HOLZER P. **487.P**, 38*P*, 1995

JOHL S. *see WILSON C. F., HOOD A. J. C., JOHL S. & SAINSBURY K.* **487.P**, 33*P*, 1995

JOHNS E.C.

JOHNS E. C., SIMNETT S. J., MULLIGAN I. P. & ASHLEY C. C. TnI phosphorylation does not increase the rate of relaxation following photolysis of diazo-2 in skinned ventricular trabeculae from guinea-pig **487.P**, 123*P*, 1995

JOHNS E.J. *see NEYLON M., JOHNS E. J. & MARSHALL J. M.* **483.P**, 172*P*, 1995

see HUANG C. & JOHNS E. J. **483.P**, 175*P*, 1995

see WONG P. S. K. & JOHNS E. J. **483.P**, 176*P*, 1995

see ZHANG T. & JOHNS E. J. **483.P**, 94*P*, 1995

see ZHANG T. & JOHNS E. J. **487.P**, 179*P*, 1995

see ZHANG T. & JOHNS E. J. **489.P**, 168*P*, 1995

see TAIBJEE S. & JOHNS E. J. **489.P**, 88*P*, 1995

see REHMAN A. & JOHNS E. J. **489.P**, 90*P*, 1995

JOHNSON C. *see COOPER A., QUIANG Q., SCHUMACHER U. & JOHNSON C.* **487.P**, 222*P*, 1995

JOHNSON C.D.

JOHNSON C. D. & GILBEY M. P. Characteristics of sympathetic unit activity supplying the lateral tail vein in the anaesthetized rat **483.P**, 103*P*, 1995

JOHNSON C. D. & GILBEY M. P. Blood volume expansion and hyperthermia influence a sympathetic rhythm recorded from the caudal ventral artery of the anaesthetized rat **489.P**, 160*P*, 1995

JOHNSON M.H. *see DAY M. L., JOHNSON M. H. & COOK D. I.* **489.P**, 52*P*, 1995

JOHNSON P.R.V. *see DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L.* **489.P**, 78, 1995

JOHNSTON A.

JOHNSTON A., BLACK C., FRASER J. & MACLEOD N. Physiological and morphological properties of scrapie-infected CA1 hippocampal pyramidal cells in the mouse **489.P**, 19*P*, 1995

JOHNSTONE L.E. *see BROWN C. H., HAMBLIN L. J., MURPHY N. P., JOHNSTONE L. E., LENG G. & RUSSELL J. A.* **489.P**, 179*P*, 1995

JOHNSTONE L. E. & RUSSELL J. A. Separation of c-*fos* and pro-enkephalin A gene induction in rat parvocellular paraventricular nucleus (pPVN) **489.P**, 180*P*, 1995

JONES D.A. *see WINTER E. M., BROOKES F. B. C., JONES D. A. & ROUND J. M.* **483.P**, 82*P*, 1995

JONES G.D. *see SMIRNOV S. V., JONES G. D., POSTON L. & AARONSON P. I.* **487.P**, 85*P*, 1995

JONES H.C.

JONES H. C., HARRIS N. G., INGLIS B. A. & BRIGGS R. W. Amino acid levels in the cerebral cortex of hydrocephalic rat pups with and without cerebrospinal fluid diversion: a ^{1}H-NMR spectroscopy study **487.P**, 47*P*, 1995

JONES J.F.X.

JONES J. F. X., WANG Y. & JORDAN D. Dorsal medullary neurones activated by stimulation of the cardiac vagal branch of the anaesthetized rat, and their behaviour during the pulmonary chemoreflex **483.P**, 89*P*, 1995

see AL-GHAMDI M. S., JONES J. F. X. & TAYLOR E. W. **483.P**, 6*P*, 1995

JONES M.

JONES M., SPANOU S., HUGHES S. & SZATKOWSKI M. Tetanus induced modulation of presynaptic activity in the hippocampus of the diabetic GK Wistar rat **487.P**, 51*P*, 1995

JONES R.J.M. *see HANKINS M. W., JONES R. J. M. & RUDDOCK K. H.* **483.P**, 42*P*, 1995

JONES R.S.G. *see BERRETTA N. & JONES R. S. G.* **483.P**, 61*P*, 1995

see BERRETTA N. & JONES R. S. G. **487.P**, 62*P*, 1995

see BERRETTA N. & JONES R. S. G. **487.P**, 63*P*, 1995

see MAUBACH K. A., GALE J. D., BERRETTA N. & JONES R. S. G. **489.P**, 18*P*, 1995

see DHILLON A. & JONES R. S. G. **489.P**, 20*P*, 1995

JONGSMA H.J. *see WINSLOW R. L. & JONGSMA H. J.* **487.P**, 126*P*, 1995

JORDAN D. *see JONES J. F. X., WANG Y. & JORDAN D.* **483.P**, 89*P*, 1995

see DANDO S. B., JORDAN D. & RAMAGE A. G. **489.P**, 156*P*, 1995

see WANG Y., RAMAGE A. G. & JORDAN D. **489.P**, 158*P*, 1995

JORDAN H.

JORDAN H. & KULIKOWSKI J. J. Wavelength discrimination at detection thresholds reveals human colour opponent mechanisms **485.P**, 20*P*, 1995

JØRGENSEN N.K. *see HOFFMANN E. K., JØRGENSEN N. K., THOROED S. M., PEDERSEN S. & LAMBERT I. H.* **489.P**, 11*S*, 1995

JOUBERT C. *see* FRANCOIS A., DUBLINEAU I., JOUBERT C. & GRIFFITHS N. M. **482.P**, 37*P*, 1995

JOZSA R. *see MÜHLBAUER E., NING L., RUI W., REIPRICH K., JOZSA R. & GROSSMANN R.* **483.P**, 49*P*, 1995

JUDGE S.J. *see GRAHAM B. & JUDGE S. J.* **485.P**, 26*P*, 1995

JUDGE S. J. & GRAHAM B. Differential ocular growth of infant marmoset (*Callithrix jacchus jacchus*) induced by optical anisometropia combined with alternating occlusion **485.P**, 27*P*, 1995

JULU P.O.O.

JULU P. O. O., QUINN A. & JAMAL G. A. Intrapartum cardiac vagal tone (CVT) in full term human fetuses with mild acidaemia **483.P**, 93*P*, 1995

JUMA L.M.O.

JUMA L. M. O., SINGH J., PALLOT D. & ADEGHATE E. A. Identification and secretory effects of pancreatic hormones and neuropeptides in the isolated rat pancreas **489.P**, 109*P*, 1995

JU Y.-K.

JU Y.-K., SAINT D. A. & GAGE P. W. Hypoxia potentiates persistent sodium current in isolated rat ventricular myocytes **489.P**, 143*P*, 1995

KAMISHIMA T.

KAMISHIMA T. & MCCARRON J. G. Intracellular calcium buffering power of rat cerebral artery smooth muscle determined with voltage clamp and simultaneous calcium measurements **483.P**, 107*P*, 1995

KAMISHIMA T. & MCCARRON J. G. Cytosolic calcium concentration increases in rat portal vein smooth muscle cells during depolarization **489.P**, 55*P*, 1995

KAMKIN A.

KAMKIN A., KISELEVA I., PYLAEV A., LAB M. J. & KOHL P. Cardiac fibroblasts – a cellular substrate for mechanosensitivity in frog sinus venosus **483.P**, 24*P*, 1995

KANAI Y. *see HEDIGER M. A., KANAI Y., YOU G. & NUSSBERGER S.* **482.P**, 7*S*, 1995

KANCZLER J.M.

KANCZLER J. M., THOMAS C. R., BURNAND K. G., WARD J. P. T. & REAPE T. J. Basic fibroblast growth factor is required for continued proliferation of vascular smooth muscle cells cultured from human atherosclerotic arteries **483.P**, 116*P*, 1995

KANE C.

KANE C., HARDING E. A., PIROTTE B., LEBRUN P. & DUNNE M. J. Modulation and mechanism of action of BPDZ 44 on ATP-sensitive potassium channels in isolated rat insulin-secreting cells **482.P**, 11*P*, 1995

see DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L. **489.P**, 7*S*, 1995

KANEDA M. *see FARRANT M., KANEDA M. & CULL-CANDY S. G.* **489.P**, 17*P*, 1995

KANE M.T. *see WARNER S. M. & KANE M. T.* **489.P**, 124*P*, 1995

KANG T.M. *see SO I., KANG T. M. & KIM K. W.* **487.P**, 16*P*, 1995

KAPLAN J.H. *see FLEET A., ELLIS-DAVIES G. C. R., KAPLAN J. H. & BOLSOVER S. R.* **487.P**, 10*P*, 1995

KASKI J.C. *see DASHWOOD M. R., TIMM M. & KASKI J. C.* **483.P**, 136*P*, 1995

KATAYAMA Y.

KATAYAMA Y., BUTT A. Y., AKAMINE S., MCMAHON A., GLANVILLE C. & HIGENBOTTAM T. W. Effectiveness of 'spiked' nitric oxide inhalation in patients with pulmonary hypertension **487.P**, 178*P*, 1995

KATORI Y.

KATORI Y., HACKNEY C. M. & FURNESS D. N. A comparison of the immunolabelling patterns obtained with antibodies to keratan sulphate and elastin in guinea-pig cochlea hair bundles **485.P**, 32*P*, 1995

KATZ A.

KATZ A. & WESTERBLAD H. Insulin-mediated activation of glycogen synthase in isolated mouse muscle requires mitochondrial respiration **483.P**, 77*P*, 1995

KAUFMANN P. *see TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P.* **483.P**, 95*P*, 1995

KAVANAUGH M.P. *see WADICHE J. I., AMARA S. G. & KAVANAUGH M. P.* **487.P**, 191*P*, 1995

KAWASHIMA H. *see YAMASHITA N., FUJITA H., OGATA E., KAWASHIMA H. & MATSUMOTO T.* **487.P**, 200*P*, 1995

KEALEY T. *see DOVE N. S. & KEALEY T.* **482.P**, 43*P*, 1995

see BECK J., DOVE N. & KEALEY T. **482.P**, 2*P*, 1995

see DOVE N. S. & KEALEY T. **489.P**, 106*P*, 1995

KEARNEY M.T.

KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A. Cardiovascular (CV) responses to a high fat (HF) and high carbohydrate (HC) meal in orthotopic cardiac transplant (CT) recipients **483.P**, 120*P*, 1995

KEARNEY M. T., STUBBS T. A., COWLEY A. J. & MACDONALD I. A. Does insulin mediate the haemodynamic responses to food ingestion? **489.P**, 42*P*, 1995

KEEGAN A. *see CAMERON N. E., COTTER M. A., KEEGAN A. & DINES K. C.* **483.P**, 147*P*, 1995

KEEN J. *see SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J.* **489.P**, 183*P*, 1995

KEEN P. *see PERRY M. J. M., SCOTT C., KEEN P. & LISNEY S. J. W.* **483.P**, 157*P*, 1995

see SCOTT C., PERRY M. J. M., KEEN P. & LISNEY S. J. W. **483.P**, 158*P*, 1995

KELLY D.C. *see DOW J. A. T., KELLY D. C., DAVIES S. A., MADDRELL S. H. P. & BROWN D.* **489.P**, 110*P*, 1995

KELLY J.S. *see SHIPSTON M. J., ANTONI F. A. & KELLY J. S.* **489.P**, 173*P*, 1995

KELLY M.K. *see GREENWOOD S. L., RASIDAKI A., KELLY M. K. & SIBLEY C. P.* **482.P**, 16*P*, 1995

KELSO E.J. *see SPIERS J. P., KELSO E. J., MCDERMOTT B. J., SCHOLFIELD C. N. & SILKE B.* **489.P**, 167*P*, 1995

KEMP F. *see BAIGENT S., WOODS R., KEMP F. & LOWRY P.* **489.P**, 183*P*, 1995

see SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J. **489.P**, 183*P*, 1995

KEMP P.J. *see BALA M., MCCORMICK J., MEHTA A. & KEMP P. J.* **482.P**, 6*P*, 1995

KEMP P. J., FYFE G. K. & ASHLEY R. H. Incorporation of cation channels from purified apical membrane of fetal guinea-pig lung type II cells into planar lipid bilayers **487.P**, 195*P*, 1995

see MUKHOPADHYAY S., OLVER R. E., FYFE G. K. & KEMP P. J. **489.P**, 108*P*, 1995

see OLVER R. E., BAINES D. L. & KEMP P. J. **489.P**, 5*S*, 1995

KENDALL D.A. *see WRIGHT I. K., BLAYLOCK N. A., STARK G., KENDALL D. A. & WILSON V. G.* **483.P**, 111*P*, 1995

KENDALL J.M.

KENDALL J. M., BADMINTON M. N., SALA NEWBY G. B., WILKINSON G., DORMER R. L. & CAMPBELL A. K. Changes in free Ca^{2+} in organelles monitored by targeted recombinant aequorin; use of replication-deficient adenovirus vectors **487.P**, 19*P*, 1995

see CAMPBELL A. K., BADMINTON M. N., KENDALL J. M., SALA NEWBY G. B. & WILKINSON G. **487.P**, 7*S*, 1995

KENDALL M.J. *see GREENHOW S., JAKEMAN P. M., KENDALL M. J., DOWLING B. A. & FRANKLIN M.* **489.P**, 44*P*, 1995

KENDRICK-JONES J. *see FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R.* **487.P**, 161*P*, 1995

KENDRICK K. *see MURPHY N. P., ONAKA T., KENDRICK K. & LENG G.* **483.P**, 46*P*, 1995

KENNARD C. *see SHAUNAK S. D., DAVEY N. J., HAWKEN M. B., HENDERSON L. & KENNARD C.* **489.P**, 29*P*, 1995

KENNEDY H.J. *see THOMAS R. C., SCHWIENING C. J. & KENNEDY H. J.* **487.P**, 5*S*, 1995

KENNEDY H. J. Dual measurements of intracellular magnesium using Mag-fura-2 and ion-sensitive microelectrodes in neurones in isolated ganglia from *Helix aspersa* **489.P**, 22*P*, 1995

see SCHWIENING C. J., KENNEDY H. J. & THOMAS R. C. **489.P**, 15*S*, 1995

KENTISH J.C. *see XIANG J.-Z. & KENTISH J. C.* **483.P**, 15*P*, 1995

see SCIOTE J. J. & KENTISH J. C. **487.P**, 152*P*, 1995

KERKHOVE E.V. *see VANSCHOONBEEK I., STEELS P. & KERKHOVE E. V.* **489.P**, 117*P*, 1995

KERMODE H.

KERMODE H., SITSAPESAN R. & WILLIAMS A. J. ADP and inorganic phosphate activate the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **487.P**, 144*P*, 1995

KERR I.D.

KERR I. D. & SANSOM M. S. P. Molecular dynamics simulations of potassium channel transmembrane helices **487.P**, 194*P*, 1995

KEY B.J. *see LOVICK T. A. & KEY B. J.* **483.P**, 155*P*, 1995

KEY B. J. & LOVICK T. A. Influence of systemic arterial pressure on production of nitric oxide in deep brain structures in anaesthetized rat **487.P**, 169*P*, 1995

KHAN B. *see ELHAMRI M., KHAN B., WOOLF A. & WHITE S.* **489.P**, 130*P*, 1995

KHAN S.

KHAN S. & SMITH M. E. Effect of β-endorphin and other opioid agonists on the contractile response of isolated mouse diaphragm muscle **483.P**, 78*P*, 1995

KHAN S. & SMITH M. E. Effect of β-endorphin 1–27 and β-endorphin 30–31 on the contractile responses of mouse diaphragm *in vitro* **487.P**, 163*P*, 1995

KHODOROV B. *see VERGUN O., STOROZHEVYKH T., VINSKAYA N., FAJUK D., ARSENJEVA E., PINELIS V. & KHODOROV B.* **487.P**, 58*P*, 1995

KIBBLE A. *see JIANG W., KIBBLE A. & MORRISON J. F. B.* **487.P**, 119*P*, 1995

KIBBLE J.D.

KIBBLE J. D. & SHALMI M. The effect of acetazolamide infusion on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 172*P*, 1995

KIBBLE J. D., CLARSON L. H. & GREENWOOD S. L. Two types of whole-cell chloride current expressed in cultured human cytotrophoblast cells **487.P**, 186*P*, 1995

KIBBLE J. D. & BROWN P. D. Effect of pipette pH on whole-cell K^+ currents in epithelial cells of rat choroid plexus **489.P**, 120*P*, 1995

Kiessling K. *see* Mendes Ribeiro A. C., Kiessling K., Luo L. Y., Mann G. E. & Ellory J. C. **487.P**, 98*P*, 1995

Kim E. *see* Han J., Kim E., Ho W.-K. & Earm Y. E. **487.P**, 135*P*, 1995

Kim J.-N. *see* Hammond P. & Kim J.-N. **485.P**, 11*P*, 1995

Kim K. *see* Jarry H., Kim K., Sun W., Wuttke W. & Leonhardt S. **483.P**, 12*S*, 1995

Kim K.W. *see* So I., Kang T. M. & Kim K. W. **487.P**, 16*P*, 1995

King A.E.

King A. E. & Slack J. R. Excitatory actions of the NK-1 agonist [Sar^9, $Met(O_2)^9$]-substance P on rat dorsal horn neurones *in vitro* displaying heterogeneous firing properties **487.P**, 217*P*, 1995

see Lopez-Garcia J. A. & King A. E. **487.P**, 217*P*, 1995

King A.J. *see* Schnupp J. W. H. & King A. J. **485.P**, 14*P*, 1995

see Moore D. R., Jiang Z. D., Hine J. E. & King A. J. **489.P**, 11*P*, 1995

King R.F.G.J. *see* Havenetidis K., Cooke C. B., King R. F. G. J. & Butterly R. **483.P**, 122*P*, 1995

see Havenetidis K., Cooke C. B., King R. F. G. J. & Butterly R. **485.P**, 45*P*, 1995

King T.M. *see* Bradley P. M., Burns B. D., King T. M. & Webb A. C. **483.P**, 41*P*, 1995

see Bradley P. M., Burns B. D., King T. M. & Webb A. C. **483.P**, 41*P*, 1995

Kirischuk S.

Kirischuk S. & Verkhratsky A. Mechanisms of Ca^{2+} mobilization in cerebellar Bergmann glial cells **483.P**, 63*P*, 1995

Kirker S. *see* Jenner J. R., Kirker S. & Wing A. M. **487.P**, 74*P*, 1995

Kirker S., Jenner J. R. & Wing A. M. Muscle activation patterns following brief and sustained forward forces at the pelvis in man **487.P**, 74*P*, 1995

Kirk J. *see* Hall J. A., Kirk J., Potts J. R., Rae C. D., Vandenberg J. I. & Kirk K. **487.P**, 96*P*, 1995

Kirk K. *see* Bursell J. D. H. & Kirk K. **483.P**, 181*P*, 1995

see Hall J. A., Kirk J., Potts J. R., Rae C. D., Vandenberg J. I. & Kirk K. **487.P**, 96*P*, 1995

Kirk K. & Horner H. A. Pharmacology and physiology of a novel permeation pathway in malaria-infected erythrocytes **489.P**, 13*S*, 1995

Kirkpatrick K. *see* Bourque C. W., Hu B., Richard D. & Kirkpatrick K. **483.P**, 9*S*, 1995

Kirkwood P.A. *see* Ford T. W. & Kirkwood P. A. **487.P**, 67*P*, 1995

Kirvell S.L. *see* Howd A. G., Hornby M. F., Kirvell S. L. & Butt A. M. **489.P**, 76*P*, 1995

Kiseleva I. *see* Kamkin A., Kiseleva I., Pylaev A., Lab M. J. & Kohl P. **483.P**, 24*P*, 1995

Kisliuk S.M.

Kisliuk S. M. & Grossmann R. The arginine vasotocin system in chickens exhibits a diurnal rhythm only during dehydration **483.P**, 48*P*, 1995

Klieber H.-G.

Klieber H.-G. & Daut J. The inward rectifier current in coronary arterioles isolated from guinea-pig heart **483.P**, 111*P*, 1995

Klishin A.

Klishin A., Lozovaya N. & Krishtal O. The ratio of NMDA and non-NMDA components of rat hippocampal EPSC: cross-talk of presynaptic Ca^{2+} channels, A_1 adenosine receptors and $[Ca^{2+}]_o/[Mg^{2+}]_o$ **483.P**, 65*P*, 1995

Knauf P.A. *see* Basavappa S., Mangel A. W., Lebedev D. V., Knauf P. A. & Ellory J. C. **489.P**, 77*P*, 1995

Knock G.A.

Knock G. A. & Poston L. 17β-Oestradiol-induced enhancement of acetylcholine- and bradykinin-mediated relaxation in isolated small mesenteric arteries from prepubertal female rats **487.P**, 86*P*, 1995

Knoers N.V.A.M. *see* van Os C. H., Deen P. M. T., van Lieburg A. F. & Knoers N. V. A. M. **489.P**, 16*S*, 1995

Knott N. *see* Issa B. G., Lewis B. M., Srinivasan J., Knott N., Peters J. R. & Scanlon M. F. **489.P**, 182*P*, 1995

Kodama I. *see* Nikmaram M. R., Boyett M. R., Kodama I. & Suzuki R. **487.P**, 126*P*, 1995

Kohler P.

Kohler P., Mannan S., Ruddock K. H. & Wooding D. S. The pattern of fixations made during visual search of 2-D images by humans **485.P**, 25*P*, 1995

Kohl P. *see* Kamkin A., Kiseleva I., Pylaev A., Lab M. J. & Kohl P. **483.P**, 24*P*, 1995

Kohl P. & Noble D. Functional block of excitation and stretch activation in a cardiac scar: a computational study **487.P**, 139*P*, 1995

see Rice J. J., Winslow R. L. & Kohl P. **487.P**, 15*P*, 1995

Kohnen G. *see* Todros T., Guiot C., Sciarrone A., Piantà P. G., Losano G., Kosanke G., Kohnen G. & Kaufmann P. **483.P**, 95*P*, 1995

Kolston P.J.

Kolston P. J., Gee L. F. & Tomlins K. S. Using a PC sound card to record otoacoustic emission data **485.P**, 4*P*, 1995

Konje J.C. *see* Tong K. K., Konje J. C., Isam T. & McArdle H. J. **482.P**, 41*P*, 1995

Konturek S.J.

Konturek S. J., Brzozowski T. & Pytko-Polonczyk J. Gastrin plays a physiological role in the protection of gastric mucosa against ethanol injury in rats **487.P**, 36*P*, 1995

see Pawlik W. W., Sendur R. & Konturek S. J. **487.P**, 37*P*, 1995

Kosanke G. *see* Todros T., Guiot C., Sciarrone A., Piantà P. G., Losano G., Kosanke G., Kohnen G. & Kaufmann P. **483.P**, 95*P*, 1995

Kostoglou-Athanassiou I.

Kostoglou-Athanassiou I., Treacher D. F., Wheeler M. J. & Forsling M. L. Bright light influences vasopressin and cortisol secretion in man **485.P**, 52*P*, 1995

Kostoglou-Athanassiou I., Treacher D.F. & Forsling M. L. Melatonin affects the pattern of oxytocin secretion in man **489.P**, 173*P*, 1995

Kostoglou-Athanassiou I., Forsling M. L., Navarra P. & Grossman A. B. Carbon monoxide modulates neurohypophysial hormone release from the rat hypothalamus *in vitro* **489.P**, 1*P*, 7*P*, 1995

Kostyuk P. *see* Shmigol A., Kostyuk P. & Verkhratsky A. **483.P**, 64*P*, 1995

Kovács L.

Kovács L., Szentesi P. & Csernoch L. Kinetic comparison of isometric tension and intracellular calcium concentration changes in frog skeletal muscle fibres **487.P**, 159*P*, 1995

Ko W.H. *see* Huang Y., Ko W. H., Chung Y. W. & Wong P. Y. D. **487.P**, 187*P*, 1995

Ko W. H., Chan H. C., Chew S. B. C. & Wong P. Y. D. Regulation of transepithelial ion transport by extracellular ATP in cultured equine sweat gland epithelia **489.P**, 105*P*, 1995

Ko W. H., Chan H. C., Chew S. B. C. & Wong P. Y. D. Distinct pathways for bicarbonate and chloride secretion in cultured epithelia **489.P**, 6*S*, 1995

Kowalchuk J.M. *see* Lucy S. D., Cunningham D. A., Kowalchuk J. M., Paterson D. H. & Hughson R. L. **487.P**, 171*P*, 1995

Kozlowski R.Z. *see* Turner J. L., Clapp L. H. & Kozlowski R. Z. **483.P**, 106*P*, 1995

see Albarwani S., Heinert G., Turner J. L., Nye P. C. G. & Kozlowski R. Z. **483.P**, 110*P*, 1995

see Salter K. J. & Kozlowski R. Z. **487.P**, 81*P*, 1995

see Hartley S. A. & Kozlowski R. Z. **489.P**, 138*P*, 1995

see Salter K. J. & Kozlowski R. Z. **489.P**, 138*P*, 1995

Kozlowski R.Z. *see* Albarwani S., Salter K. J., Turner J. L., Clapp L. H. & Kozlowski R. Z. **487.P**, 11*S*, 1995

Krishtal O. *see* Klishin A., Lozovaya N. & Krishtal O. **483.P**, 65*P*, 1995

Krishtal O.A. *see* Panchenko V. A., Pintor J., Tsyndrenko A. Ya., Miras-Portugal M. T. & Krishtal O. A. **487.P**, 199*P*, 1995

Krivitski N.M.

Krivitski N. M. & Dobson A. Haemodynamic measurements in humans and anaesthetized sheep by transients in blood sound velocity **487.P**, 3*P*, 1995

Krug K.

Krug K., Trevelyan A. J. & Thompson I. D. A study of abnormal geniculo-cortical topography in the anaesthetized Syrian hamster **485.P**, 9*P*, 1995

Krutki P. *see* Maxwell D. J., Jankowska E., Dolk S., Krutki P., Dahlström A. & Belicehnko P. V. **483.P**, 36*P*, 1995

Kubokawa M. *see* Giebisch G., Wang W., McNicholas C. M., Kubokawa M., Yang Y. & Hebert S. **489.P**, 16*S*, 1995

Kuijpers G.A. *see* He X., Kuijpers G. A., Pollard H. B. & Baum B. J. **482.P**, 35*P*, 1995

Kulchitsky V.A. *see* Gourine A. V., Kulchitsky V. A. & Gourine V. N. **483.P**, 72*P*, 1995

Kulikowski J.J. *see* Jordan H. & Kulikowski J. J. **485.P**, 20*P*, 1995

see McKeefry D. & Kulikowski J. J. **485.P**, 20*P*, 1995

see Nacer A., Murray I. J. & Kulikowski J. J. **485.P**, 21*P*, 1995

see Robson A. G. & Kulikowski J. J. **485.P**, 22*P*, 1995

see CARDEN D., MURRAY I. J., PARRY N. R. A. & KULIKOWSKI J. J. **485.P**, 5*P*, 1995

KUMAKURA K. *see* TERAKAWA S., KUMAKURA K. & DUCHEN M. R. **487.P**, 59*P*, 1995

KUMANO E. *see* SAKAI H., IKARI A., KUMANO E. & TAKEGUCHI N. **487.P**, 101*P*, 1995

KUMAR P. *see* LANDAUER R. C., PEPPER D. R. & KUMAR P. **483.P**, 103*P*, 1995

see TUDOR-JONES G., KUMAR P., MARSHALL J. M. & COOTE J. H. **483.P**, 103*P*, 1995

see WICKENDEN A. D., POUCHER S. M. & KUMAR P. **483.P**, 127*P*, 1995

see PEPPER D. R., LANDAUER R. C. & KUMAR P. **483.P**, 91*P*, 1995

KUMAR P., DAVIES D. A., NALLY J. & PEPPER D. R. Apparatus and software for delivering waveforms of drug concentrations using pulse width modulation **485.P**, 3*P*, 1995

see LANDAUER R. C., PEPPER D. R. & KUMAR P. **487.P**, 176*P*, 1995

see PEPPER D. R., LANDAUER R. C. & KUMAR P. **487.P**, 177*P*, 1995

see CALDER N. A., KUMAR P. & HANSON M. A. **489.P**, 162*P*, 1995

see LANDAUER R. C., PEPPER D. R. & KUMAR P. **489.P**, 162*P*, 1995

KUROKAWA T.

KUROKAWA T. & FRASER P. A. A bradykinin antagonist prevents cerebral microvascular permeability increase following reperfusion in anaesthetized rats **483.P**, 140*P*, 1995

LAB M. J. *see* KAMKIN A., KISELEVA I., PYLAEV A., LAB M. J. & KOHL P. **483.P**, 24*P*, 1995

see NAZIR S. A., DICK D. J. & LAB M. J. **483.P**, 24*P*, 1995

see DICK D. J. & LAB M. J. **487.P**, 140*P*, 1995

see NAZIR S. A. & LAB M. J. **487.P**, 148*P*, 1995

see DICK D. J., COEN B. A. & LAB M. J. **489.P**, 166*P*, 1995

see NAZIR S. A., DICK D. J., COEN B. A. & LAB M. J. **489.P**, 166*P*, 1995

LACAMPAGNE A. *see* LE GUENNEC J.-Y., LACAMPAGNE A. & GARNIER D. **487.P**, 129*P*, 1995

LACEY M. *see* WHITEHEAD S. & LACEY M. **489.P**, 110*P*, 1995

LACEY M. G. *see* STANFORD I. M. & LACEY M. G. **483.P**, 68*P*, 1995

LAGNADO L. *see* SAGOO M. S. & LAGNADO L. **483.P**, 59*P*, 1995

see REID B. & LAGNADO L. **485.P**, 49*P*, 1995

LAHIRI S.

LAHIRI S., BUERK D. G., OSAI S., CHUGH D. & MOKASHI A. Intracellular calcium store-dependent coupling between O_2 chemoreception and chemosensory discharge in the isolated perfused cat carotid body **487.P**, 16*P*, 1995

LAI F. A. *see* JANE S. D., PHENNA S., TUNWELL R. E. A., LAI F. A. & CHAD J. E. **487.P**, 21*P*, 1995

LAI F. A. *see* JANE S. D., BROWNLEE D. J. A., CHAD J. E., FAIRWEATHER I., TUNWELL R. E. A., LAI F. A., HOLDEN-DYE L. M. & WALKER R. J. **487.P**, 24*P*, 1995

LAINE M.

LAINE M., TAVI P., ID L., VUOLTEENAHO O. & WECKSTRÖM M. Stretch-induced peptide hormone synthesis and release in rat heart: role of stretch-activated ion channels **487.P**, 143*P*, 1995

LAKIE M. *see* CAMPBELL K. S. & LAKIE M. **487.P**, 155*P*, 1995

LAKIE M. D.

LAKIE M. D. & CAMPBELL K. S. A method of identifying small sudden force increments in a voluntary isometric contraction in man **483.P**, 2*P*, 1995

LAL H.

LAL H., SMALLEY K., WOODWARD B. & WILLIAMS K. I. Pulmonary actions of endothelin-1 in orthogradely and retrogradely perfused rat isolated lungs **483.P**, 147*P*, 1995

LAMBERT I. H. *see* HOFFMANN E. K., JØRGENSEN N. K., THOROED S. M., PEDERSEN S. & LAMBERT I. H. **489.P**, 11*S*, 1995

LAMBERT J. D. C. *see* ANDREASEN M. & LAMBERT J. D. C. **487.P**, 60*P*, 1995

LAMB G. D. *see* STEPHENSON D. G., LAMB G. D., STEPHENSON G. M. M. & FRYER M. W. **487.P**, 8*S*, 1995

LAMB H. K. *see* LYNN S., NICHOLLS J. A., MORGAN J. M., LAMB H. K. & GILLESPIE J. I. **483.P**, 108*P*, 1995

see CHAMBERS P., NEAL D. E., LAMB H. K. & GILLESPIE J. I. **483.P**, 115*P*, 1995

LANCASTER B. *see* BOXALL A. R., LANCASTER B. & GARTHWAITE J. **487.P**, 55*P*, 1995

LANDAUER R. C.

LANDAUER R. C., PEPPER D. R. & KUMAR P. Chronic hypoxaemia from birth and chemosensitivity in the rat carotid body *in vitro* **483.P**, 103*P*, 1995

see PEPPER D. R., LANDAUER R. C. & KUMAR P. **483.P**, 91*P*, 1995

LANDAUER R. C., PEPPER D. R. & KUMAR P. Effect of adenosine on CO_2 chemosensitivity in the rat carotid body, *in vitro* **487.P**, 176*P*, 1995

see PEPPER D. R., LANDAUER R. C. & KUMAR P. **487.P**, 177*P*, 1995

LANDAUER R. C., PEPPER D. R. & KUMAR P. Interaction of temperature and CO_2 in the adult rat carotid body, *in vitro* **489.P**, 162*P*, 1995

LANE C. *see* MENDES RIBEIRO A. C., ROBERTS N. B., LANE C., YACOOB M. & ELLORY J. C. **483.P**, 175*P*, 1995

LANGDON M. G.

LANGDON M. G., NOLAN P., MCKEOGH D. & O'REGAN R. G. Heart rate responses to upper airway negative pressure in the anaesthetized paralysed rabbit **487.P**, 171*P*, 1995

LANGTON P. D. *see* MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MCKENZIE A. & SMITH G. L. **489.P**, 133*P*, 1995

LANT A. F. *see* NOORMOHAMED F. H. & LANT A. F. **489.P**, 86*P*, 1995

LAPIED B. *see* GROLLEAU F. & LAPIED B. **489.P**, 67*P*, 1995

LAPORTE Y. *see* EMONET-DÉNAND F., LAPORTE Y. & PETIT J. **487.P**, 66*P*, 1995

LAPRADE R.

LAPRADE R., BRETON S., BELACHGAR F. & MARSOLAIS M. Taurine and rabbit proximal convoluted tubule: basolateral electrogenic transport and inhibition of K^+ conductance **482.P**, 4*P*, 1995

see BURRY J. S., MARSOLAIS M., POTTS D. J. & LAPRADE R. **489.P**, 84*P*, 1995

LARCOMBE-MCDOUALL J. B. *see* SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. **482.P**, 22*P*, 1995

see HARRISON N., LARCOMBE-MCDOUALL J. B. & WRAY S. **489.P**, 133*P*, 1995

LARHAMMAR D. *see* BOURNAT J. C., LARHAMMAR D. & ALLEN J. M. **487.P**, 209*P*, 1995

LARK S. D. *see* BECK M. J., LARK S. D., MCCLUSKEY D. R., SCALLY S. & WALLACE W. F. M. **483.P**, 120*P*, 1995

LARSEN E. H. *see* SØRENSEN J. B. & LARSEN E. H. **482.P**, 8*P*, 1995

see SØRENSEN J. B. & LARSEN E. H. **489.P**, 116*P*, 1995

see WILLUMSEN N. J. & LARSEN E. H. **489.P**, 116*P*, 1995

see NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

LARSEN E. H., SØRENSEN J. B. & WILLUMSEN N. J. Single channel patch clamp study of mitochondria-rich cells of toad skin **489.P**, 18*S*, 1995

LAUGHLIN S.

LAUGHLIN S. The filtering of slowly moving images by the photoreceptor membrane of *Tipula paludosa* **483.P**, 189*P*, 1995

LAU K. R. *see* FAYEED O. M. H., POTTER A., MUSA O. A., LINDSAY A. R. G., LAU K. R. & CASE R. M. **489.P**, 129*P*, 1995

LAW R. O.

LAW R. O. The role of Ca^{2+} ions in the volume-regulatory efflux of amino acids from hyposmotically stressed rat cerebral cortical cells *in vitro* **482.P**, 20*P*, 1995

LAWTON G. A.

LAWTON G. A., IYAWE V. I. & IMMS F. J. Effects of lower body negative pressure on the cardiovascular and respiratory responses to handgrip exercise in man **489.P**, 39*P*, 1995

LAZDUNSKI M. *see* BARBRY P., CHAMPIGNY G., TRIGLIA J.-M., CASTILLO L., GRIBKOFF V. & LAZDUNSKI M. **489.P**, 99*P*, 1995

see BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M. **489.P**, 4*S*, 1995

LEACH R. *see* OWEN J. M., LEACH R., QUINN C., FINDLAY J. B. C. & BOYETT M. R. **489.P**, 51*P*, 1995

LEACH R. M.

LEACH R. M. Clinical aspects of hypoxic pulmonary vasoconstriction **487.P**, 13*S*, 1995

LEAKER B. *see* CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B. **489.P**, 40*P*, 1995

LEA R. W. *see* JENNINGS L., LEA R. W., DAVISON J. S., SALIDO G. M. & SINGH J. **483.P**, 180*P*, 1995

see RODRIGUEZ A. B., IBARS C. B. & LEA R. W. **483.P**, 52*P*, 1995

LEA T.J. *see* DU G. G., ASHLEY C. C. & LEA T. J. **487.P**, 160*P*, 1995

LEA T. J., ASHLEY C. C. & DU G. G. The use of caged calcium in studying rapid kinetics of calcium uptake by SR vesicles from frog skeletal muscle **487.P**, 5*P*, 1995

see DU G. G., ASHLEY C. C. & LEA T. J. **489.P**, 68*P*, 1995

LEBEDEV D.V. *see BASAVAPPA S., MANGEL A. W., LEBEDEV D. V., KNAUF P. A. & ELLORY J. C.* **489.P**, 77*P*, 1995

LEBRUN F.

LEBRUN F., VERGNET M. & GRIFFITHS N. M. Effect of bile salts on intracellular free calcium concentration in the intestinal cell line CaCo-2 **482.P**, 38*P*, 1995

LEBRUN P. *see KANE C., HARDING E. A., PIROTTE B., LEBRUN P. & DUNNE M. J.* **482.P**, 11*P*, 1995

LEDERER W.J. *see CANNELL M. B., LEDERER W. J. & CHENG H.* **487.P**, 5*S*, 1995

LEE K.

LEE K., DIXON A. K., ROWE I. C. M., ASHFORD M. L. J. & RICHARDSON P. J. Sulphonylurea-sensitive K_{ATP} channels on a novel isolated nerve terminal preparation of rat motor cortex **483.P**, 66*P*, 1995

LEE K., ROWE I. C. M. & ASHFORD M. L. J. The effects of neuroleptic and tricyclic compounds on BK_{Ca} channels in rat isolated cortical neurones **483.P**, 67*P*, 1995

see ROWE I. C. M., LEE K., LLOYD C. & ASHFORD M. L. J. **487.P**, 196*P*, 1995

LEEK B.F. *see TASHANI O. A. & LEEK B. F.* **483.P**, 184*P*, 1995

LEEM C.H.

LEEM C. H. & EARM Y. E. ATP produced from mitochondrial oxidative phosphorylation modulates Ca^{2+} current in single ventricular cells of rabbit **487.P**, 136*P*, 1995

LEE S.H. *see PARK M. K., LEE S. H., HO W.-K. & EARM Y. E.* **487.P**, 114*P*, 1995

see PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. **487.P**, 12*S*, 1995

LEGUEN I. *see URBACH V., LEGUEN I. & HARVEY B. J.* **489.P**, 87*P*, 1995

LEGUEN I., URBACH V. & HARVEY B. J. Cytochalasin effect on mechanosensitive calcium channel activity and cell swelling-induced calcium mobilization in renal A6 cells **489.P**, 92*P*, 1995

LE GUENNEC J.-Y. *see HONGO K., WHITE E., LE GUENNEC J.-Y. & ORCHARD C. H.* **483.P**, 17*P*, 1995

LE GUENNEC J.-Y., LACAMPAGNE A. & GARNIER D. Possible mechanism of L-type calcium channel blockade by gadolinium in isolated guinea-pig ventricular myocytes **487.P**, 129*P*, 1995

see HONGO K., AUCLERC C., CAZORLA O., GARNIER D., LE GUENNEC J.-Y. & WHITE E. **487.P**, 132*P*, 1995

LEHMANN-HORN F.

LEHMANN-HORN F. Skeletal muscle L-type calcium channelopathy: hypokalaemic periodic paralysis **487.P**, 3*S*, 1995

LEI M. *see CAI Q., LEI M. & BROWN H.* **483.P**, 21*P*, 1995

LEI M., BROWN H. & NOBLE D. Contribution of T-type calcium current to the pacemaker depolarization of rabbit isolated SA node cells **487.P**, 148*P*, 1995

LEIPER J.B.

LEIPER J. B., PITSILADIS Y. P. & MAUGHAN R. J. Comparison of water turnover rates in men undertaking prolonged exercise and in sedentary men **483.P**, 123*P*, 1995

LEIPER J. B. & MAUGHAN R. J. Interaction of thirst and beverage palatability and electrolyte content on post-exercise rehydration in man **489.P**, 35*P*, 1995

LE MAOUT S.

LE MAOUT S., PONGS E. O. & MEROT J. Assembly of voltage-gated K^+ channel subunits determines sorting and localization in polarized cells **489.P**, 79*P*, 1995

LEMON R.N. *see BAKER S. N. & LEMON R. N.* **483.P**, 28*P*, 1995

see TURTON A., WROE S., TREPTE N., FRASER C. & LEMON R. N. **487.P**, 68*P*, 1995

see BAKER S. N., OLIVIER E. & LEMON R. N. **487.P**, 69*P*, 1995

LE NÉCHET S. *see BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M.* **489.P**, 4*S*, 1995

LENG G. *see BROWN C. H., BLACKBURN R. E., LENG G., RUSSELL J. A. & VERBALIS J. G.* **483.P**, 46*P*, 1995

see MURPHY N. P., ONAKA T., KENDRICK K. & LENG G. **483.P**, 46*P*, 1995

see MCKENZIE D. N., LENG G. & DYBALL R. E. J. **483.P**, 47*P*, 1995

see DOUTRELANT-VILTART O., DICKSON S. L., DYBALL R. E. J. & LENG G. **483.P**, 49*P*, 1995

see BAILEY A. R. T., DICKSON S. L. & LENG G. **489.P**, 172*P*, 1995

see BROWN C. H., HAMBLIN L. J., MURPHY N. P., JOHNSTONE L. E., LENG G. & RUSSELL J. A. **489.P**, 179*P*, 1995

LEONHARDT S. *see JARRY H., KIM K., SUN W., WUTTKE W. & LEONHARDT S.* **483.P**, 12*S*, 1995

LE RAY D. *see CATTAERT D., LE RAY D. & CLARAC F.* **483.P**, 187*P*, 1995

LEVER M.J. *see SHORT C., GOCHARD C. & LEVER M. J.* **483.P**, 146*P*, 1995

LEVESQUE P.C. *see COLLIER M. L., LEVESQUE P. C. & HUME J. R.* **487.P**, 146*P*, 1995

LEVI A.J. *see MITCHESON J. S., HANCOX J. C. & LEVI A. J.* **483.P**, 14*P*, 1995

LEVI A. J., LI J., SPITZER K. W. & BRIDGE J. H. B. Roles of L-type Ca^{2+} channel and reverse Na^+–Ca^{2+} exchange in triggering intracellular Ca^{2+} release in isolated guinea-pig myocytes **487.P**, 14*P*, 1995

LEVICK J.R. *see STANTON A. W. B., HOLROYD B., NORTHFIELD J. W., LEVICK J. R. & MORTIMER P. S.* **487.P**, 181*P*, 1995

LEVI D.M. *see TRIPATHY S. P. & LEVI D. M.* **485.P**, 27*P*, 1995

LEVINE S.L. *see YUN C. H., TSE C.-M., NATH S., LEVINE S. L. & DONOWITZ M.* **482.P**, 1*S*, 1995

LEVIN R.J.

LEVIN R. J. & AYTON B. R. Electrogenic ion secretion induced by taurocholate in rat ileum *in vitro* is partially mediated through a myenteric reflex pathway **482.P**, 30*P*, 1995

see ROLFE V. & LEVIN R. J. **483.P**, 182*P*, 1995

see BRUNSDEN A. & LEVIN R. J. **485.P**, 37*P*, 1995

see ROLFE V. & LEVIN R. J. **487.P**, 36*P*, 1995

LEVY A. *see FRANCIS K., SUZUKI M., BAKER B. & LEVY A.* **489.P**, 178*P*, 1995

LEWIS B.M. *see ISSA B. G., LEWIS B. M., SRINIVASAN J., KNOTT N., PETERS J. R. & SCANLON M. F.* **489.P**, 182*P*, 1995

LEWIS D.I.

LEWIS D. I., AL-ANI M. & COOTE J. H. Analysis of the firing patterns of single identified sympathetic preganglionic neurones in the upper thoracic spinal cord of anaesthetized rats **483.P**, 99*P*, 1995

LEWIS H.S. *see DAVEY N. J., PURI B. K., LEWIS H. S., LEWIS S. W. & ELLAWAY P. H.* **489.P**, 31*P*, 1995

LEWIS M.D. *see HEPBURN P. J., HAM J., LEWIS M. D., DAVIES J. S. & SCANLON M. F.* **489.P**, 181*P*, 1995

LEWIS M. D., DAVIES J. S., HEPBURN P. J., HAM J., WEBSTER J. & SCANLON M. F. Adenosine monophosphate (5′-AMP) is a mitogenic factor for GH_3 cells present in human pituitary tumour extracts **489.P**, 182*P*, 1995

LEWIS S.W. *see DAVEY N. J., PURI B. K., LEWIS H. S., LEWIS S. W. & ELLAWAY P. H.* **489.P**, 31*P*, 1995

LEWIS T.M. *see SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M., SCHOEPFER R. & COLQUHOUN D.* **487.P**, 208*P*, 1995

LEW V.L. *see TIFFERT T., HOCKADAY A. R. & LEW V. L.* **487.P**, 99*P*, 1995

LEYSSENS A.

LEYSSENS A., NOWICKY A. V., PATTERSON L., CROMPTON M. & DUCHEN M. R. Changes in intracellular magnesium and ATP-regulated K^+ channel activity with changing metabolic state in isolated rat cardiomyocytes **483.P**, 9*P*, 1995

LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R. Transient depolarizations of mitochondria localized to discrete areas of single rat cardiomyocytes caused by free radicals and local calcium release: a model for free radical-induced cell injury **487.P**, 123*P*, 1995

LIANG P.-J.

LIANG P.-J., BASCOM D. A. & ROBBINS P. A. Dynamic models of the human ventilatory response to sustained hypoxia **487.P**, 109*P*, 1995

see POULIN M. J., LIANG P.-J. & ROBBINS P. A. **487.P**, 176*P*, 1995

LI F.

LI F. & NOBLE R. Effects of mild systemic hypoxia on laryngeal-evoked potentials in hypoglossal motoneurones in anaesthetized neonatal kittens **483.P**, 88*P*, 1995

LIGHTMAN S.L. *see CONDE G. L., RENSHAW D., LIGHTMAN S. L. & HARBUZ M. S.* **489.P**, 180*P*, 1995

LI H.S.

LI H. S. & ROBERTS M. H. T. Electrophysiological properties of anterior pretectal neurones and the presence of a hyperpolarization-activated inward current: intracellular recordings *in vitro* in the rat **483.P**, 156*P*, 1995

LI J.

LI J., ZHOU S.-Y., IZZO P. N. & GILBEY M. P. Are respiratory-modulated medullary raphe neurones in the anaesthetized rat immunoreactive for serotonin? **483.P**, 102*P*, 1995

see LEVI A. J., LI J., SPITZER K. W. & BRIDGE J. H. B. **487.P**, 14*P*, 1995

LINARI M.

LINARI M. & WOLEDGE R. C. Efficiency during ramp and staircase shortening in tetanized single muscle fibres of the frog **483.P**, 77*P*, 1995

LINDEN R.J. *see GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & WESTERHOF N.* **487.P**, 168*P*, 1995

LINDEN R.W.A. *see LOUCA C., CADDEN S. W. & LINDEN R. W. A.* **483.P**, 31*P*, 1995

LINDLEY K.J. *see ROLFE V., BRAND M., HEALES S., LINDLEY K. J. & MILLA P. J.* **489.P**, 109*P*, 1995

see MENON R. A., ROLFE V. E., LINDLEY K. J., NAFTALIN R. J. & MILLA P. J. **489.P**, 129*P*, 1995

see DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L. **489.P**, 7*S*, 1995

LINDSAY A.R.G. *see ISHIGURO H., LINDSAY A. R. G., STEWARD M. C. & CASE R. M.* **482.P**, 22*P*, 1995

see FAYEED O. M. H., POTTER A., MUSA O. A., LINDSAY A. R. G., LAU K. R. & CASE R. M. **489.P**, 129*P*, 1995

LINGUEGLIA E. *see BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M.* **489.P**, 4*S*, 1995

LINNELL K.J. *see FOSTER D. H. & LINNELL K. J.* **485.P**, 23*P*, 1995

LI Q. *see HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H.* **489.P**, 90*P*, 1995

LI Q., COPE G., HORNBY D. & WHITE S. Immunocytochemical location of the potassium channel ROMK1 in rat kidney cortex **489.P**, 93*P*, 1995

LI S.W. *see MILEY H. E., ALEXANDER P. D., LI S. W., JACOB T. J. C. & POLLARD C. E.* **489.P**, 97*P*, 1995

LISNEY S.J.W. *see PERRY M. J. M., SCOTT C., KEEN P. & LISNEY S. J. W.* **483.P**, 157*P*, 1995

see SCOTT C., PERRY M. J. M., KEEN P. & LISNEY S. J. W. **483.P**, 158*P*, 1995

LISTER N. *see BRONK J. R., LISTER N., BAILEY P. D. & BOYD C. A. R.* **489.P**, 105*P*, 1995

LI T.C. *see SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J.* **482.P**, 45*P*, 1995

LITTLE T. *see DULING B. R., XIA J., LITTLE T. & DOYLE M.* **483.P**, 6*S*, 1995

LITTLEWOOD J.J. *see BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K.* **489.P**, 28*P*, 1995

see BASSEY E. J., LITTLEWOOD J. J. & TAYLOR S. J. G. **489.P**, 45*P*, 1995

LIU X.

LIU X. & RAY D. E. Cerebellar surface auditory evoked potential: the effect of intracerebellar injection of procaine in anaesthetized rats **483.P**, 29*P*, 1995

LIU X., EMERY C. J. & BARER G. R. Endothelial impairment by fenfluramine and amitriptyline in isolated perfused rat lungs **487.P**, 113*P*, 1995

LIVINGSTONE C.

LIVINGSTONE C., JAMES D. E., HANPETER D. & GOULD G. W. Compartment ablation analysis of the insulin-responsive glucose transporter (GLUT4) in 3T3-L1 adipocytes **487.P**, 211*P*, 1995

LIWEI W.

LIWEI W., PETERSEN O. H. & GALLACHER D. V. Interactions of Ins 1,4,5 P_3, cylic ADP ribose and cyclic AMP in Ca^{2+} signalling in the mouse lacrimal acinar cells **489.P**, 113*P*, 1995

LI X. *see BROWN J. & LI X.* **483.P**, 166*P*, 1995

LLOYD C. *see ROWE I. C. M., LEE K., LLOYD C. & ASHFORD M. L. J.* **487.P**, 196*P*, 1995

LODGE J.P.A. *see AHMAD N., LODGE J. P. A. & POTTS D. J.* **489.P**, 91*P*, 1995

LÖFFLER K.

LÖFFLER K. & HUNTER M. Multi-ion pore behaviour of ROMK1 **489.P**, 75*P*, 1995

LOGAN J.G. *see BARNETT T. G., LOGAN J. G., MOORE D. J. & PATERSON J. M. H.* **487.P**, 170*P*, 1995

see HEAD K. N., LOGAN J. G., PATERSON J. M. H., PELLING C. W. A. & WYATT R. D. **487.P**, 181*P*, 1995

see BARNETT T. G., LOGAN J. G., STANLEY C. S. & TOFTS L. **489.P**, 43*P*, 1995

LOGAN S.D.

LOGAN S. D., RENAUD L. P. & SPANSWICK D. GABA-mediated synaptic transmission in rat sympathetic preganglionic neurones innervating the superior cervical ganglion **489.P**, 157*P*, 1995

see SPANSWICK D., RENAUD L. P. & LOGAN S. D. **489.P**, 157*P*, 1995

LOH S.-H.

LOH S.-H. & VAUGHAN-JONES R. D. Effects of HOE 694, a novel inhibitor of Na^+–H^+ exchange, on intracellular pH regulation in guinea-pig ventricular myocytes **487.P**, 147*P*, 1995

LOMAX M.A. *see LYKE S. J., BIRD J. A., LOMAX M. A. & SYMONDS M. E.* **483.P**, 98*P*, 1995

see BIRD J. A., LYKE S. J., ANDREWS D. C., LOMAX M. A. & SYMONDS M. E. **483.P**, 99*P*, 1995

LOMAX R.B.

LOMAX R. B., WARHURST G. & SANDLE G. I. Human colonic crypts have both high and low conductance basolateral K^+ channels **482.P**, 43*P*, 1995

LONG Q.

LONG Q., DOORLY D. J., TARNAWSKI M., SCOTT K. T., DUMOULIN C. L. & CARO C. G. Velocity distribution in non-planar curved phantom measured by MRI **485.P**, 6*P*, 1995

LOPATIN A.N.

LOPATIN A. N. & NICHOLS C. G. Long-pore plugging model of inward rectification of potassium channels **487.P**, 197*P*, 1995

LOPATIN A. N. & NICHOLS C. G. K^+ dependence of polyamine-induced rectification of inwardly rectifying channels, IRK1 **489.P**, 56*P*, 1995

LOPEZ-GARCIA J.A.

LOPEZ-GARCIA J. A. & KING A. E. Morphology of rat dorsal horn neurones responding to 5-hydroxytryptamine *in vitro* **487.P**, 217*P*, 1995

LOSANO G. *see TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P.* **483.P**, 95*P*, 1995

see GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & WESTERHOF N. **487.P**, 168*P*, 1995

LOTE C.J. *see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J.* **483.P**, 171*P*, 1995

see WILLMOTT K. L., THEWLES A. & LOTE C. J. **489.P**, 91*P*, 1995

see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **489.P**, 92*P*, 1995

LOT T.

LOT T. & WILSON V. G. Involvement of endothelin and a prostanoid in L-N^G-nitro-L-arginine methyl ester (L-NAME)-induced contractions of the porcine isolated splenic artery **487.P**, 82*P*, 1995

LOUCA C.

LOUCA C., CADDEN S. W. & LINDEN R. W. A. Inhibitory jaw reflexes evoked by different forms of mechanical stimulation of teeth in man **483.P**, 31*P*, 1995

LOUIS C.F.

LOUIS C. F. & MICKELSON J. R. The defect in malignant hyperthermia **487.P**, 6*S*, 1995

LOVICK T.A. *see GARDNER J., AL-ANI M., LOVICK T. A. & COOTE J. H.* **483.P**, 100*P*, 1995

LOVICK T. A. & KEY B. J. Ionophoretic application of a nitric oxide donor inhibits neuronal activity in the periaqueductal grey matter of the anaesthetized rat **483.P**, 155*P*, 1995

see STEZHKA V. V. & LOVICK T. A. **483.P**, 71*P*, 1995

see KEY B. J. & LOVICK T. A. **487.P**, 169*P*, 1995

LOWE A.S. *see BARLAS P., LOWE A. S., WALSH D. M., BAXTER G. D. & ALLEN J. M.* **489.P**, 44*P*, 1995

LOWRIE M.B. *see SANUSI J., GREENSMITH L., LOWRIE M. B. & VRBOVÁ G.* **483.P**, 40*P*, 1995

LOWRY P. *see BAIGENT S., WOODS R., KEMP F. & LOWRY P.* **489.P**, 183*P*, 1995

LOWRY P.J. *see SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J.* **489.P**, 183*P*, 1995

LOW S.Y.

LOW S. Y. & TAYLOR P. M. Effect of insulin and protein kinase modulators on glutamine transport and cell volume in rat skeletal muscle myotubes **482.P**, 16*P*, 1995

LOZOVAYA N. *see KLISHIN A., LOZOVAYA N. & KRISHTAL O.* **483.P**, 65*P*, 1995

LUAN X. *see DALLAK M., LUAN X., BROWN H. & PIRIE L.* **483.P**, 96*P*, 1995

LUCKMAN S.M. *see ANTONIJEVIC I. A. & LUCKMAN S. M.* **483.P**, 50*P*, 1995

LUCKWILL R.G.

LUCKWILL R. G. & MURPHY J. Stimulus for long latency reflexes during human locomotion **489.P**, 32*P*, 1995

LUCOCQ J.M. *see BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S.* **482.P**, 23*P*, 1995

LUCY S.D.

LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. Power spectral analysis of the cardiac response to sustained systemic isocapnic hypoxia in man **487.P**, 171*P*, 1995

LUMB B.M. *see* SEMENENKO F. M. & LUMB B. M. **487.P**, 218*P*, 1995

LUO L.Y. *see* MENDES RIBEIRO A. C., KIESSLING K., LUO L. Y., MANN G. E. & ELLORY J. C. **487.P**, 98*P*, 1995

LUTHER A. *see* MIN M.-Y., APPENTENG K., LUTHER A. & CURTIS J. C. **483.P**, 28*P*, 1995

LUTIN W.A. *see* CREAZZO T. L., BROTTO M. A. P., LUTIN W. A. & ALIFF C. L. **487.P**, 15*P*, 1995

LYKE S.J.

LYKE S. J., BIRD J. A., LOMAX M. A. & SYMONDS M. E. Influence of ambient temperature, following triiodothyronine treatment, on metabolic adaptation in Caesarean section-delivered lambs **483.P**, 98*P*, 1995

see BIRD J. A., LYKE S. J., ANDREWS D. C., LOMAX M. A. & SYMONDS M. E. **483.P**, 99*P*, 1995

LYNCH M.A. *see* MCGAHON B. & LYNCH M. A. **489.P**, 6*P*, 1995

LYNCH P. *see* COOPER G. J., LYNCH P. & HUNTER M. **489.P**, 9*S*, 1995

LYNCH P.S.

LYNCH P. S. & HUNTER M. pH dependence and permeability sequence of K^+ channel of apical membrane of frog diluting segment **482.P**, 45*P*, 1995

LYNN B. *see* GEE M. D., LYNN B. & COTSELL B. **487.P**, 214*P*, 1995

LYNN S.

LYNN S., NICHOLLS J. A., MORGAN J. M., LAMB H. K. & GILLESPIE J. I. Comparison of the Ca^{2+}-induced Ca^{2+} release processes (CICR) in cultured human vascular and myometrial smooth muscle cells **483.P**, 108*P*, 1995

LYNN S., GREENWELL J. R. & GILLESPIE J. I. The effect of ATP on Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human vascular smooth muscle cells **483.P**, 114*P*, 1995

LYON I. *see* CAUQUIL A. S., LYON I. & DAY B. L. **489.P**, 30*P*, 1995

LYON I.N.

LYON I. N. & DAY B. L. Control of centre of mass trajectory during human stepping **487.P**, 75*P*, 1995

LYONS P.R. *see* SLATER C. R., FAWCETT P. R. W., GARDNER-MEDWIN D., LYONS P. R., WALLS T. J., WOOD S. J. & YOUNG C. **489.P**, 150*P*, 1995

MAAS P. *see* CONWAY B. A., HALLIDAY D. M., SHAHANI U., MAAS P., WEIR A. I., ROSENBERG J. R. & FARMER S. F. **483.P**, 35*P*, 1995

MCAINSH A.M. *see* STEELE D. S., MCAINSH A. M. & SMITH G. L. **483.P**, 15*P*, 1995

see SMITH G. L., MCAINSH A. M. & STEELE D. S. **483.P**, 18*P*, 1995

MCALPINE D. *see* PALMER A. R., JIANG D. & MCALPINE D. **485.P**, 13*P*, 1995

MCANALLY K.

MCANALLY K. & STEIN J. Auditory temporal coding in dyslexia **487.P**, 218*P*, 1995

MCARDLE A.

MCARDLE A., BEAVER A., EDWARDS R. H. T. & JACKSON M. J. Prior contractile activity provides skeletal muscle with rapid protection against contraction-induced damage in anaesthetized mice **483.P**, 84*P*, 1995

MCARDLE A., VAN DER MEULEN J. H., CATAPANO M., SYMONS M. C. R., FAULKNER J. A. & JACKSON M. J. Free radical activity during contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 157*P*, 1995

see VAN DER MEULEN J. H., MCARDLE A., JACKSON M. J. & FAULKNER J. A. **487.P**, 158*P*, 1995

MCARDLE A., CATAPANO M., DAVIS A., MILBURN S., EDWARDS R. H. T. & JACKSON M. J. Thyroid hormone mediates the acute phase of muscle degeneration in the dystrophin-deficient *mdx* mouse **489.P**, 149*P*, 1995

MCARDLE H.J. *see* TONG K. K., KONJE J. C., ISAM T. & MCARDLE H. J. **482.P**, 41*P*, 1995

see TONG K. K. & MCARDLE H. J. **482.P**, 42*P*, 1995

see BINGHAM M. J., VAN DEN BERG G. J. & MCARDLE H. J. **489.P**, 125*P*, 1995

MCAULEY J.H.

MCAULEY J. H. Frequency peaks of tremor and electromyogram during isometric contraction of human first dorsal interosseous may reflect a rhythmicity of central commands **485.P**, 53*P*, 1995

MCAULEY J. H. & BROWN P. Absence of coherence between frequency peaks of surface electromyogram recorded in humans from different muscles of the same hand **487.P**, 70*P*, 1995

MCBRIDE D.W. JR *see* HAMILL O. P., CHEN M., ZHANG Y. & MCBRIDE D. W. JR **483.P**, 162*P*, 1995

MCCABE B.J. *see* SOLOMONIA R. O., MCCABE B. J. & HORN G. **485.P**, 8*P*, 1995

MACCABEE P.J. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L. **483.P**, 42*P*, 1995

MCCARRON J.G. *see* KAMISHIMA T. & MCCARRON J. G. **483.P**, 107*P*, 1995

see CRICHTON C. A., MCCARRON J. G. & SMITH G. L. **483.P**, 112*P*, 1995

MCCARRON J. G., CRICHTON C. A., LANGTON P. D., MCKENZIE A. & SMITH G. L. A study of the cellular basis of myogenic contraction in rat cerebral resistance arteries **489.P**, 133*P*, 1995

see KAMISHIMA T. & MCCARRON J. G. **489.P**, 55*P*, 1995

MCCLUSKEY D.R. *see* BECK M. J., LARK S. D., MCCLUSKEY D. R., SCALLY S. & WALLACE W. F. M. **483.P**, 120*P*, 1995

MCCONNELL A.K. *see* CAINE M. P. & MCCONNELL A. K. **483.P**, 130*P*, 1995

see CAINE M. P. & MCCONNELL A. K. **489.P**, 36*P*, 1995

MCCORMICK J. *see* BALA M., MCCORMICK J., MEHTA A. & KEMP P. J. **482.P**, 6*P*, 1995

MCCROSSAN D. *see* INGHAM N. J., THORNTON S. K., MCCROSSAN D. & WITHINGTON D. J. **485.P**, 12*P*, 1995

see THORNTON S. K., WITHINGTON D. J., INGHAM N. J. & MCCROSSAN D. **485.P**, 12*P*, 1995

MCDERMOTT B.J. *see* SPIERS J. P., KELSO E. J., MCDERMOTT B. J., SCHOLFIELD C. N. & SILKE B. **489.P**, 167*P*, 1995

MACDERMOTT M.

MACDERMOTT M. The water distribution and electrolyte concentrations in soleus muscles of hypothyroid rats **482.P**, 25*P*, 1995

see FANNING L. & MACDERMOTT M. **482.P**, 28*P*, 1995

see FANNING L. & MACDERMOTT M. **487.P**, 164*P*, 1995

MCDONAGH M.J.N. *see* COOK C. S. & MCDONAGH M. J. N. **483.P**, 125*P*, 1995

see COOK C. S., SANTELLO M. & MCDONAGH M. J. N. **483.P**, 86*P*, 1995

MACDONALD I. *see* WELLER A., MILLARD C., STROUD M., GREENHAFF P. & MACDONALD I. **483.P**, 123*P*, 1995

see WELLER A., MILLARD C., STROUD M. & MACDONALD I. **489.P**, 39*P*, 1995

MACDONALD I.A. *see* KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A. **483.P**, 120*P*, 1995

see KEARNEY M. T., STUBBS T. A., COWLEY A. J. & MACDONALD I. A. **489.P**, 42*P*, 1995

MCDONALD R.L.

MCDONALD R. L., BECK-SICKINGER A. G., VAUGHAN P. F. T. & PEERS C. Effects of a novel cyclic neuropeptide Y analogue on Ca^{2+} channel currents in human neuroblastoma (SH-SY5Y) cells **483.P**, 163*P*, 1995

MCDOWELL B.C.

MCDOWELL B. C., ROBINSON J. L., CHERRY H. R., WALSH D. M., BAXTER G. D. & ALLEN J. M. The comparative analgesic efficacy of 'H-Wave' therapy and oral analgesics upon experimental ischaemic pain in humans **483.P**, 85*P*, 1995

MCDOWELL H.E.

MCDOWELL H. E. & HUNDAL H. S. Leucine induces System A amino acid transport in L6 rat skeletal muscle cells **482.P**, 19*P*, 1995

MCDOWELL H. E., WALKER T., DOWNES C. P. & HUNDAL H. S. Inhibition of IGF-1-stimulated glucose and System A amino acid transport in L6 rat skeletal muscle cells: effects of Wortmannin (WM) and Rapamycin (RAP) **482.P**, 5*P*, 1995

MCEVOY M.P.

MCEVOY M. P., OWEN D. G. & GARRATT J. C. Effects of arachidonic acid on the cloned potassium channel mKv1.2 in CHO cells **487.P**, 193*P*, 1995

MCEWAN G.T.A.

MCEWAN G. T. A. Amino acid-induced alkalinization of rat jejunal mucosal surface pH *in vitro* **482.P**, 46*P*, 1995

MCEWAN G. T. A., ROBERTSON L. M., RAWLINGS J. M. & HEYLINGS J. R. Diquat-induced Cl^- secretion in MDCK epithelial monolayers **489.P**, 118*P*, 1995

MCFADZEAN I. *see* WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F. **489.P**, 134*P*, 1995

MACFARLANE N.G.

MACFARLANE N. G., WILSON G. & MILLER D. J. Altered rabbit myocardial crossbridge kinetics by oxidative species during maximal Ca^{2+} activation in isolated trabeculae **489.P**, 144*P*, 1995

MCGAHON B.

MCGAHON B. & LYNCH M. A. The synergism between arachidonic acid and ACPD on glutamate release in dentate gyrus is occluded by induction of long-term potentiation **489.P**, 6*P*, 1995

MCGEOWN J.G.

MCGEOWN J. G. & FAY F. S. Calcium decline following short depolarizations is multiphasic in isolated gastric myocytes from *Bufo marinus* **489.P**, 135*P*, 1995

McGrath J.C. *see Pediani J. D., Wilson S. M., Gordon J., Dominiczak A. F. & McGrath J. C.* **483.P**, 106*P*, 1995
see Pediani J. D., McGrath J. C. & Wilson S. M. **489.P**, 135*P*, 1995

McGuire M.
McGuire M., Carey M. F. & O'Connor J. J. The effect of chemoreceptor stimulants on the degree of fatigue and subsequent recovery in isolated diaphragm muscle from young and mature rats **489.P**, 149*P*, 1995

McHale N.G. *see Cotton K. D., Hollywood M. A., McHale N. G. & Thornbury K. D.* **489.P**, 137*P*, 1995
see Hollywood M. A., Cotton K. D., Thornbury K. D. & McHale N. G. **489.P**, 137*P*, 1995

Machet M.C. *see Babuty D., Machet M. C., Aupart M., Cosnay P., Fauchier J. P. & Garnier D.* **487.P**, 179*P*, 1995

McHugh D.
McHugh D. & Beech D. J. Metabolic dependence of Ca^{2+} current in isolated single smooth muscle cells of guinea-pig basilar artery **487.P**, 81*P*, 1995
McHugh D. & Beech D. J. Internal Mg^{2+} block of Ca^{2+} channels and its inhibition by ATP in single smooth muscle cells from guinea-pig basilar artery **489.P**, 51*P*, 1995

McIntosh N. *see Halley G. C., Dripps J. H., Janssens H. & McIntosh N.* **483.P**, 97*P*, 1995

McIntosh R.D.
McIntosh R. D. & O'Boyle D. J. Effects of perturbation of delay in response-contingent, auditory feedback on the endogenous timing of repetitive movements **489.P**, 30*P*, 1995

McKeefry D.
McKeefry D. & Kulikowski J. J. The effects of chromatic aberration upon the detection of chromatic gratings in humans **485.P**, 20*P*, 1995

McKenna F. *see Robertson S. J., Woodward R., McKenna F., Rowe I. C. M., Ashford M. L. J. & Murrell-Lagnado R. D.* **489.P**, 58*P*, 1995

McKenzie A. *see McCarron J. G., Crichton C. A., Langton P. D., McKenzie A. & Smith G. L.* **489.P**, 133*P*, 1995

MacKenzie A.B.
MacKenzie A. B., Sage S. O. & Mahaut-Smith M. P. Ion channel activation and increases in cytosolic free calcium induced by P_2 purinergic receptor stimulation in human platelets **489.P**, 62*P*, 1995

McKenzie D.J. *see Taylor E. W., McKenzie D. J., Bolis L. & Bronzi P.* **483.P**, 184*P*, 1995

McKenzie D.N.
McKenzie D. N., Leng G. & Dyball R. E. J. Evidence for excitatory connections between oxytocin cells in the lactating rat **483.P**, 47*P*, 1995
see Thomas G. P. L., McKenzie D. N. & Dyball R. E. J. **487.P**, 48*P*, 1995

MacKenzie I. *see Workman A. J., MacKenzie I. & Northover B. J.* **483.P**, 19*P*, 1995

McKeogh D. *see Langdon M. G., Nolan P., McKeogh D. & O'Regan R. G.* **487.P**, 171*P*, 1995

Mackintosh C.L.
Mackintosh C. L. & Ribchester R. R. Effect of neonatal nerve injury on synapse elimination in mice with slow Wallerian degeneration (C57Bl/6/Wld^s) **483.P**, 57*P*, 1995

Macková E.V. *see Hník P. & Macková E. V.* **489.P**, 148*P*, 1995

McLaughlin C.W. *see Butt A. G., McLaughlin C. W. & Hamilton K. L.* **489.P**, 102*P*, 1995

MacLennan D.H.
MacLennan D. H. The ryanodine receptor: structure/function and role in malignant hyperthermia **487.P**, 2*S*, 1995

MacLeod K.T. *see Campbell V., Terracciano C. M. N., Naqvi R. U., Brickley K., Baldwin S. A., MacLeod K. T. & Dolphin A. C.* **487.P**, 130*P*, 1995
see Terracciano C. M. N. & MacLeod K. T. **487.P**, 138*P*, 1995

MacLeod N. *see Johnston A., Black C., Fraser J. & MacLeod N.* **489.P**, 19*P*, 1995

McLoughlin P. *see Boutcher P. A., Gaffney P. J., Raut S. & McLoughlin P.* **489.P**, 164*P*, 1995

McMahon A. *see Katayama Y., Butt A. Y., Akamine S., McMahon A., Glanville C. & Higenbottam T. W.* **487.P**, 178*P*, 1995

McMahon N.C.
McMahon N. C., Drinkhill M. J. & Hainsworth R. Recovery of sympathetic efferent activity following stimulation of coronary and carotid baroreceptors in anaesthetized dogs **489.P**, 160*P*, 1995

McMahon S.B. *see Al-Salihi O., Averill S., Priestley J. V. & McMahon S. B.* **483.P**, 154*P*, 1995
see Bennett D., Shelton D. & McMahon S. B. **487.P**, 216*P*, 1995

McMorn S.O.
McMorn S. O., Harrison S. M., Zang W.-J. & Boyett M. R. Comparison of ultra-slow voltage-dependent inactivation of the L-type Ca^{2+} channel current in isolated ferret ventricular myocytes with Ca^{2+} or Ba^{2+} as the charge carrier **483.P**, 13*P*, 1995
McMorn S. O., Harrison S. M., Zang W.-J. & Boyett M. R. The effect of temperature on the rate-dependent decrease of the L-type Ca^{2+} current in isolated rat ventricular myocytes **487.P**, 145*P*, 1995

McNamara B.
McNamara B., Cuffe J., Byrnes D., Pollock K., O'Sullivan G. C., Butt A. G. & Harvey B. J. Role of basolateral potassium channels in chloride secretion in human and mammalian intestine **489.P**, 101*P*, 1995
see Cuffe J., McNamara B., O'Sullivan G. & Harvey B. **489.P**, 122*P*, 1995

McNaughton P.A. *see Sardini A., Sepúlveda F. V. & McNaughton P. A.* **482.P**, 11*P*, 1995

McNeil D.K. *see Sivilotti L. G., McNeil D. K., Lewis T. M., Nassar M., Schoepfer R. & Colquhoun D.* **487.P**, 208*P*, 1995

McNicholas C.M. *see Giebisch G., Wang W., McNicholas C. M., Kubokawa M., Yang Y. & Hebert S.* **489.P**, 16*S*, 1995

McNulty T.J. *see Snitsarev V. A., McNulty T. J. & Taylor C. W.* **487.P**, 20*P*, 1995

MacPhee P.J.
MacPhee P. J. & Crossman M. V. Hyaluronic acid (HA) levels in isolated renal papillae of young Sprague–Dawley (SD) rats **483.P**, 166*P*, 1995

Macro J. *see Dockray G. J., Henry J., Macro J., Voronina S., Vaillant C. & Varro A.* **487.P**, 34*P*, 1995

McWilliam P.N. *see Batten T. F. C., Saha S. & McWilliam P. N.* **489.P**, 163*P*, 1995

Maddox A.D.M.
Maddox A. D. M. & Acevedo M. In the absence of bicarbonate and CO_2, Na^+–H^+ antiport mediates all pH recovery from acidification in ciliated cells isolated from sheep trachea **489.P**, 103*P*, 1995

Maddrell S.H.P. *see Davies S. A., Dow J. A. T., Heusmann G. R., Maddrell S. H. P., O'Donnell M. J. & Tublitz N. J.* **482.P**, 26*P*, 1995
see Dow J. A. T., Kelly D. C., Davies S. A., Maddrell S. H. P. & Brown D. **489.P**, 110*P*, 1995

Madge L.A.
Madge L. A., Marshall I. C. B. & Taylor C. W. Cytosolic Ca^{2+} attenuates Ca^{2+} signals evoked by capacitative Ca^{2+} entry in calf pulmonary artery endothelial (CPAE) cells **485.P**, 41*P*, 1995

Maéda Y. *see Rapp G., Ashley C. C., Pelc R., Cecchi G., Bagni M. A., Maéda Y. & Griffiths P. J.* **487.P**, 154*P*, 1995

Maguire D.
Maguire D., O'Sullivan G. C. & Harvey B. J. Activation of basolateral K^+ channels by aldosterone in isolated human colon **482.P**, 2*P*, 1995

Mahalekam G.M. *see Brown J. & Mahalekam G. M.* **487.P**, 28*P*, 1995

Mahaut-Smith M.P. *see Floto R. A., Somasundaram B., Allen J. M. & Mahaut-Smith M. P.* **487.P**, 190*P*, 1995
see MacKenzie A. B., Sage S. O. & Mahaut-Smith M. P. **489.P**, 62*P*, 1995

Mahoney S.-A.
Mahoney S.-A., Perry M. J. M., Seddon A., Bohlen P. & Haynes L. W. Dimer-formation of midkine by calcium-dependent transglutaminase in cultured rat neurones increases neurite-promoting activity **487.P**, 45*P*, 1995

Mahon J.M.
Mahon J. M., Allen M., Herbert J. & Fitzsimons J. T. The association of thirst, sodium appetite, and vasopressin release with c-*fos* expression in the rat forebrain after intracereboventricular injections of angiotensin II, angiotensin-(1–7) or carbachol **487.P**, 29*P*, 1995

Maillou P.
Maillou P. & Cadden S. W. Activation of deep somatic nociceptors can depress an inhibitory jaw reflex in man **483.P**, 31*P*, 1995

Main M.C.
Main M. C., Bryant S. M. & Hart G. Electrical and mechanical characteristics of guinea-pig ventricular myocytes from apical epicardium and basal endocardium **483.P**, 8*P*, 1995
Main M. C., Bryant S. M. & Hart G. Electrical and mechanical characteristics of guinea-pig left ventricular midmyocardial myocytes compared with surface myocytes **483.P**, 9*P*, 1995

MAIN M.J.

MAIN M. J. & CANNELL M. B. Effects of β-adrenergic stimulation on the Na^+–K^+ pump and Na^+–Ca^{2+} exchanger in isolated guinea-pig ventricular myocytes **483.P**, 12*P*, 1995

MAKHINA E. *see NICHOLS C. G., FERRER J., PEARSON W., MAKHINA E. & PERMUTT A.* **487.P**, 188*P*, 1995

MALONE-LEE J.G.

MALONE-LEE J. G. & GRAY R. Differences in detrusor muscle function in women with neuropathic and non-neuropathic bladder instability **489.P**, 40*P*, 1995

MAMAS M.A.

MAMAS M. A. & TERRAR D. A. Influence of nitric oxide on contraction and L-type calcium currents in guinea-pig isolated ventricular myocytes **487.P**, 137*P*, 1995

MAMAS M. A. & TERRAR D. A. Influence of 8-Br cGMP on basal and isoprenaline-stimulated L-type calcium currents in guinea-pig isolated ventricular myocytes **489.P**, 167*P*, 1995

MAMMANO F.

MAMMANO F. & ASHMORE J. F. Differential expression of outer hair cell potassium currents in the apical turns of the isolated cochlea of the guinea-pig **485.P**, 30*P*, 1995

MAMPRIN F. *see COHEN-LAROQUE E.-S., FERRETTI G., MARCONI C., FIOCCHI R., MAMPRIN F., FERRAZZI P., MARZORATI M. & CERRETELLI P.* **483.P**, 121*P*, 1995

MANAHAN-VAUGHAN D.

MANAHAN-VAUGHAN D. & REYMANN K. G. L-AP4 inhibits tetanically induced long-term potentiation in the dentate gyrus of the rat *in vivo* **483.P**, 69*P*, 1995

MANCHANDA S. *see JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R.* **487.P**, 187*P*, 1995

MANGEL A.W. *see BASAVAPPA S., MANGEL A. W., LEBEDEV D. V., KNAUF P. A. & ELLORY J. C.* **489.P**, 77*P*, 1995

MANNAN S. *see KOHLER P., MANNAN S., RUDDOCK K. H. & WOODING D. S.* **485.P**, 25*P*, 1995

MANN G.E. *see SOBREVIA L., YUDILEVICH D. L. & MANN G. E.* **483.P**, 136*P*, 1995

see ISHII T., SIOW R. C. M., SWEIRY J. H., PEARSON J. D., BANNAI S. & MANN G. E. **483.P**, 138*P*, 1995

see SOBREVIA L., MORGAN D. M. L., PEARSON J. D., JARVIS S. M., MANN G. E. & YUDILEVICH D. L. **483.P**, 145*P*, 1995

see SOBREVIA L., FUENTES O. & MANN G. E. **487.P**, 41*P*, 1995

see MENDES RIBEIRO A. C., KIESSLING K., LUO L. Y., MANN G. E. & ELLORY J. C. **487.P**, 98*P*, 1995

see TROWELL S. N., MANN G. E. & SWEIRY J. H. **489.P**, 108*P*, 1995

MANNION A.F. *see AHMED S. K., EGGINTON S., ROSS H. F., MANNION A. F. & JAKEMAN P. M.* **483.P**, 134*P*, 1995

MANSOURA M.K. *see DAWSON D. C., MANSOURA M. K. & WILKINSON D. J.* **489.P**, 2*S*, 1995

MANUEL J.A. *see CRAMP M. C., MANUEL J. A. & SCOTT O. M.* **483.P**, 82*P*, 1995

MARCAGGI P. *see COLES J. A. & MARCAGGI P.* **482.P**, 4*P*, 1995

MARCHAND A.R. *see BARNES W. J. P., CATTAERT D., CLARAC F. & MARCHAND A. R.* **483.P**, 194*P*, 1995

MARCHENKO S.M. *see USACHEV Y. M., MARCHENKO S. M. & SAGE S. O.* **483.P**, 137*P*, 1995

MARCONI C. *see COHEN-LAROQUE E.-S., FERRETTI G., MARCONI C., FIOCCHI R., MAMPRIN F., FERRAZZI P., MARZORATI M. & CERRETELLI P.* **483.P**, 121*P*, 1995

MARKHAM A. *see MENTON K., MARKHAM A. & PULLEN R. G. L.* **482.P**, 32*P*, 1995

MARKOVICH D. *see THWAITES D. T., MARKOVICH D., MURER H. & SIMMONS N. L.* **489.P**, 107*P*, 1995

MARSAULT R. *see POZZAN T., MONTERO M., MARSAULT R., BRINI M. & RIZZUTO R.* **487.P**, 4*S*, 1995

MARSHALL I.C.B. *see MADGE L. A., MARSHALL I. C. B. & TAYLOR C. W.* **485.P**, 41*P*, 1995

MARSHALL J.M. *see BARTLETT I. S. & MARSHALL J. M.* **483.P**, 102*P*, 1995

see TUDOR-JONES G., KUMAR P., MARSHALL J. M. & COOTE J. H. **483.P**, 103*P*, 1995

see NEYLON M., JOHNS E. J. & MARSHALL J. M. **483.P**, 172*P*, 1995

see CONEY A. & MARSHALL J. M. **483.P**, 88*P*, 1995

see CONEY A. & MARSHALL J. M. **487.P**, 174*P*, 1995

see SKINNER M. R. & MARSHALL J. M. **487.P**, 86*P*, 1995

MARSHALL L.J.

MARSHALL L. J., TREHARNE K. J. & MEHTA A. Protein phosphatase-mediated inhibition of chloride-dependent, GTP-utilizing protein kinase activity in human respiratory epithelim *in vitro* **482.P**, 31*P*, 1995

MARSH D.R. *see RYAN W. G., RICHARDSON H. C., MARSH D. R. & BANKS A. J.* **489.P**, 33*P*, 1995

MARSOLAIS M. *see LAPRADE R., BRETON S., BELACHGAR F. & MARSOLAIS M.* **482.P**, 4*P*, 1995

see BURRY J. S., MARSOLAIS M., POTTS D. J. & LAPRADE R. **489.P**, 84*P*, 1995

MARTIN C.

MARTIN C. & ASHLEY R. H. Reconstitution of single ryanodine-sensitive cation channels from rat myometrial microsomal membranes **487.P**, 90*P*, 1995

MARTIN H.A. *see MURPHY P. R. & MARTIN H. A.* **487.P**, 66*P*, 1995

MARTINI R.

MARTINI R., DI PINO L., SIGNORELLI S. & ANDREOZZI G. M. The production of CO_2, measured by a transcutaneous technique, as an index of tissue adaptability to ischaemia **483.P**, 143*P*, 1995

MARTIN K.A.C. *see AHMED B., ANDERSON J. C., DOUGLAS R. J., MARTIN K. A. C. & NELSON C.* **485.P**, 10*P*, 1995

MARTIN R.J.

MARTIN R. J. & VALKANOV M. A. A chloride channel in isolated muscle vesicles from *Ascaris suum* conducts products of anaerobic metabolism, suggesting a role in excretion of organic anions **482.P**, 8*P*, 1995

MARTIN S.R. *see FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R.* **487.P**, 161*P*, 1995

MARUNAKA Y. *see NAKAHARI T. & MARUNAKA Y.* **489.P**, 123*P*, 1995

MARZORATI M. *see COHEN-LAROQUE E.-S., FERRETTI G., MARCONI C., FIOCCHI R., MAMPRIN F., FERRAZZI P., MARZORATI M. & CERRETELLI P.* **483.P**, 121*P*, 1995

MASON N.P. *see BARRY P. W., MASON N. P. & O'CALLAGHAN C.* **487.P**, 106*P*, 1995

MASON W.T. *see FREESTONE N. S., RIBARIC S., SOMASUNDARAM B. & MASON W. T.* **487.P**, 144*P*, 1995

see REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R. **487.P**, 11*P*, 1995

MATHIE A. *see CLARK S. & MATHIE A.* **485.P**, 48*P*, 1995

see WATKINS C. S. & MATHIE A. **489.P**, 61*P*, 1995

MATSUMOTO T. *see YAMASHITA N., FUJITA H., OGATA E., KAWASHIMA H. & MATSUMOTO T.* **487.P**, 200*P*, 1995

MATTHEWS H.R.

MATTHEWS H. R. Relaxation of cyclase velocity parallels the recovery of circulating current after a bright flash in rods isolated from the tiger salamander retina **485.P**, 18*P*, 1995

MATTHEWS P.B.C.

MATTHEWS P. B. C. A new look at the interval histogram of tonically firing human motor units **483.P**, 32*P*, 1995

MATTHEWS P. B. C. Motor unit interval histograms for different firing rates obtained by 'slicing' a long human recording **487.P**, 5*P*, 1995

MATTHEWS P. B. C. Modelling interval histograms for tonically firing human motoneurones by combining an exponential trajectory with noise **487.P**, 6*P*, 1995

MAUBACH K.A.

MAUBACH K. A., GALE J. D., BERRETTA N. & JONES R. S. G. Whole-cell voltage clamp analysis of the effect of neurokinin A on rat nucleus tractus solitarii neurones *in vitro* **489.P**, 18*P*, 1995

MAUGHAN R.J. *see LEIPER J. B., PITSILADIS Y. P. & MAUGHAN R. J.* **483.P**, 123*P*, 1995

see SHIRREFFS S. M. & MAUGHAN R. J. **489.P**, 33*P*, 1995

see GALLOWAY S. D. R. & MAUGHAN R. J. **489.P**, 35*P*, 1995

see LEIPER J. B. & MAUGHAN R. J. **489.P**, 35*P*, 1995

MAXFIELD E.K. *see CAMERON N. E., COTTER M. A. & MAXFIELD E. K.* **487.P**, 84*P*, 1995

MAXWELL D.J.

MAXWELL D. J., JANKOWSKA E., DOLK S., KRUTKI P., DAHLSTRÖM A. & BELICEHNKO P. V. Confocal microscopic and ultrastructural analysis of contacts between serotoninergic axons and electrophysiologically characterized dorsal horn spinocerebellar tract cells in the cat **483.P**, 36*P*, 1995

MAXWELL N. *see NEVILL M. E., GARRETT A., MAXWELL N., PARSONS K. C. & NORWITZ A.* **483.P**, 124*P*, 1995

MAYSTON M.J. *see* NEWHAM D.J., DAVIES J.M. & MAYSTON M.J. **483.P**, 128*P*, 1995

MAYSTON M.J., HARRISON L.M., JOBLING L., QUINTON R., STEPHENS J.A. & BOULOUX P.-M. Mirror movements in X-linked Kallmann's syndrome in man **483.P**, 33*P*, 1995

MAZZA R. *see* GATTUSO A., PELLEGRINO D., MAZZA R. & TOTA B. **483.P**, 185*P*, 1995

MECENAS C.A. *see* GIUSSANI D.A., MECENAS C.A., JENKINS S.L., WINTER J.A., DERKS J.B. & NATHANIELSZ P.W. **483.P**, 113*P*, 1995

MEDDLE S.L.

MEDDLE S.L. & FOLLETT B.K. Activation of the basal tuberal hypothalamus of castrated Japanese quail preceding photoperiodically driven luteinizing hormone (LH) release **489.P**, 172*P*, 1995

MEHTA A. *see* MARSHALL L.J., TREHARNE K.J. & MEHTA A. **482.P**, 31*P*, 1995

see SMITH R.P., DHILLON D.P., WINTER J. & MEHTA A. **482.P**, 44*P*, 1995

see BALA M., MCCORMICK J., MEHTA A. & KEMP P.J. **482.P**, 6*P*, 1995

see SMITH R.P., SHELLARD R., DHILLON D.P., WINTER J.H. & MEHTA A. **489.P**, 113*P*, 1995

MENDELL L.M.

MENDELL L.M. Functional diversity of spindle afferent synapses on motoneurons **487.P**, 224*P*, 1995

MENDES RIBEIRO A.C.

MENDES RIBEIRO A.C., DANA E.C. & ELLORY J.C. Alterations of L-arginine transport in uraemic patients on regular haemodialysis **482.P**, 27*P*, 1995

MENDES RIBEIRO A.C., ROBERTS N.B., LANE C., YACOOB M. & ELLORY J.C. Accumulation of the nitric oxide antagonist *N*-monomethyl-L-arginine in end stage renal failure patients on regular haemodialysis **483.P**, 175*P*, 1995

MENDES RIBEIRO A.C., KIESSLING K., LUO L.Y., MANN G.E. & ELLORY J.C. *N*-Monomethyl-L-arginine (L-NMMA) transport in red cells from uraemic patients **487.P**, 98*P*, 1995

see ELLORY J.C., MENDES RIBEIRO A.C. & FLANAGAN G.J. **489.P**, 17*S*, 1995

MENDIZABAL M.V.

MENDIZABAL M.V., GAUDEN V. & MIZEN L.W. Transport of β-lactam antibiotics in rat renal cortical slices and brush-border membrane vesicles **482.P**, 39*P*, 1995

MENON R.A.

MENON R.A., ROLFE V.E., LINDLEY K.J., NAFTALIN R.J. & MILLA P.J. Phagocyte-derived lumenal superoxide induces water secretion in rat colon *in vivo* **489.P**, 129*P*, 1995

MENTIS G. *see* NAVARRETE R. & MENTIS G. **487.P**, 67*P*, 1995

MENTON K.

MENTON K., MARKHAM A. & PULLEN R.G.L. The effect of spermine on manganese homeostasis in rat brain mitochondria **482.P**, 32*P*, 1995

MENZEL R. *see* HARRISON J.B., SATTELLE D.B., SCHAFER S. & MENZEL R. **485.P**, 31*P*, 1995

MERCER E.A.J. *see* ABBOTT G.W., RAMESH B., MERCER E.A.J. & SRAI S.K.S. **489.P**, 74*P*, 1995

MEREDITH D.

MEREDITH D. Dipeptide transport by human placental brush-border membrane vesicles (BBMV) **487.P**, 99*P*, 1995

MEROT J. *see* LE MAOUT S., PONGS E.O. & MEROT J. **489.P**, 79*P*, 1995

MESSINA A.

MESSINA A., BAKHLE Y.S. & BELL C. Spinal sensory neuron numbers in the spontaneously hypertensive rat (SHR) **489.P**, 7*P*, 1995

MESSMER K. *see* CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K. **483.P**, 148*P*, 1995

MÉSZÁROS J.

MÉSZÁROS J., COUTINHO J.J., BRYANT S.M., RYDER K.O. & HART G. Calcium current in left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **487.P**, 131*P*, 1995

MÉSZÁROS J., COUTINHO J.J., BRYANT S.M., RYDER K.O. & HART G. Transient outward current is decreased in isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 143*P*, 1995

MEYER B.-U.

MEYER B.-U., ROERICHT S., WOICIECHOWSKY C. & BRANDT S.A. Interhemispheric inhibition induced by transcranial magnetic stimulation: localization of involved fibres studied in patients after partial callosotomy **487.P**, 68*P*, 1995

MEYRAND P. *see* COMBES D., SIMMERS J., MEYRAND P. & MOULINS M. **483.P**, 191*P*, 1995

MIALL R.C.

MIALL R.C., HAGGARD P.N., STEIN J.F. & COLE J.D. Alternating position and amplitude control in a deafferented man **483.P**, 34*P*, 1995

MICHEL C.C. *see* WANG W. & MICHEL C.C. **483.P**, 139*P*, 1995

see NEAL C.R. & MICHEL C.C. **483.P**, 140*P*, 1995

MICKELSON J.R. *see* LOUIS C.F. & MICKELSON J.R. **487.P**, 6*S*, 1995

MIHAILESCU S.

MIHAILESCU S., ABEL F. & NESTIANU V. Angiotensin II receptors of AT1 type mediate the cardiac actions of angiotensinogen **487.P**, 139*P*, 1995

MIKALA G. *see* ALLEN T.J.A., MIKALA G., WU X., SCHWARTZ A. & DOLPHIN A.C. **487.P**, 136*P*, 1995

MILBURN S. *see* MCARDLE A., CATAPANO M., DAVIS A., MILBURN S., EDWARDS R.H.T. & JACKSON M.J. **489.P**, 149*P*, 1995

MILEY H.E.

MILEY H.E., ALEXANDER P.D., LI S.W., JACOB T.J.C. & POLLARD C.E. Chloride conductance in freshly dissociated bovine pigmented ciliary body epithelial cells **489.P**, 97*P*, 1995

MILLA P.J. *see* ROLFE V., BRAND M., HEALES S., LINDLEY K.J. & MILLA P.J. **489.P**, 109*P*, 1995

see MENON R.A., ROLFE V.E., LINDLEY K.J., NAFTALIN R.J. & MILLA P.J. **489.P**, 129*P*, 1995

MILLARD C. *see* WELLER A., MILLARD C., STROUD M., GREENHAFF P. & MACDONALD I. **483.P**, 123*P*, 1995

see WELLER A., MILLARD C., STROUD M. & MACDONALD I. **489.P**, 39*P*, 1995

MILLEDGE J.S. *see* COLLIER D.J., NICKOL A., MILLEDGE J.S., DATTA A.K., COLLIER C.J. & WOLFF C.B. **487.P**, 109*P*, 1995

MILLEDGE J.S. *see* COLLIER D.J., NICKOL A., MILLEDGE J.S. & WOLFF C.B. **487.P**, 108*P*, 1995

MILLER B.A.

MILLER B.A. & WOOLF C.J. Low frequency, repetitive stimulation of high threshold primary afferents results in the temporal summation of excitatory currents recorded from rat dorsal horn neurones *in vitro* **483.P**, 56*P*, 1995

MILLER B.A. & WOOLF C.J. Very slow postsynaptic currents recorded from deep dorsal horn neurones in adult mouse spinal cord *in vitro* **487.P**, 215*P*, 1995

MILLER D.J. *see* O'DOWD A., O'DOWD J.J. & MILLER D.J. **483.P**, 112*P*, 1995

see MACFARLANE N.G., WILSON G. & MILLER D.J. **489.P**, 144*P*, 1995

MILLER K. *see* HUGHES P.M., WARD G.A., TSAO J.W., MILLER K. & BROWN M.C. **487.P**, 44*P*, 1995

MILLER L.E. *see* HOUK J.C. & MILLER L.E. **487.P**, 225*P*, 1995

MILLS E. *see* MOJET M.H., MILLS E. & DUCHEN M.R. **487.P**, 59*P*, 1995

MILLS J.D.

MILLS J.D., DAVID J.A. & PITMAN R.M. Pharmacological modulation of electrical events recorded from a cockroach (*Periplaneta americana*) motoneurone *in vitro* **483.P**, 187*P*, 1995

MILNER A.D. *see* AITON N.R., INGRAM D.M. & MILNER A.D. **487.P**, 112*P*, 1995

MILTON M.A. *see* SLUKA K.A., MILTON M.A., WESTLUND K.N. & WILLIS W.D. **483.P**, 152*P*, 1995

MIN M.-Y.

MIN M.-Y., APPENTENG K., LUTHER A. & CURTIS J.C. Changes in frequency and amplitude of spontaneous miniature EPSPs (mEPSPs) in rat trigeminal motoneurones following application of a $GABA_B$ receptor antagonist *in vitro* **483.P**, 28*P*, 1995

MIRAS-PORTUGAL M.T. *see* PANCHENKO V.A., PINTOR J., TSYNDRENKO A.YA., MIRAS-PORTUGAL M.T. & KRISHTAL O.A. **487.P**, 199*P*, 1995

MISHMAST-NEHI G.

MISHMAST-NEHI G. & WINLOW W. NMDA-like receptors on an identified molluscan neurone **489.P**, 71*P*, 1995

MITCHELL C.H.

MITCHELL C.H. & JACOB T.J.C. Hypotonically activated and GTPγS-activated chloride currents in bovine pigmented ciliary epithelial cells both require activity of phospholipase C **487.P**, 101*P*, 1995

MITCHELL G.S. *see* TURNER D.L. & MITCHELL G.S. **483.P**, 91*P*, 1995

MITCHELL I.J.

MITCHELL I.J., COOPER A.J., BROWN G.D.A. & WATERS C.M. Apoptosis of the neurons in the vestibular nuclei in the adult mouse is induced by prolonged rotation of the home cage **483.P**, 34*P*, 1995

MITCHELL M.A. *see* SANDERCOCK D.A. & MITCHELL M.A. **485.P**, 41*P*, 1995

MITCHESON J.S.
MITCHESON J.S., HANCOX J.C. & LEVI A.J. The density of L-type calcium current in isolated adult rabbit ventricular myocytes in short term culture **483.P**, 14*P*, 1995

MIZEN L.W. *see MENDIZABAL M.V., GAUDEN V. & MIZEN L.W.* **482.P**, 39*P*, 1995

MOBASHERI A.
MOBASHERI A., SMITH A.L., FRANCE S.J., URBAN J.P.G. & HALL A.C. Autoradiographic localization of Na^+–K^+-ATPase in bovine chondrocytes; correlation of density with tissue $[Na^+]$ **489.P**, 65*P*, 1995

MOBBS P. *see CATSICAS M., ALLCORN S. & MOBBS P.* **483.P**, 60*P*, 1995

MO F.M. *see BALLARD H.J. & MO F.M.* **487.P**, 174*P*, 1995

MOGHADAM H.F.
MOGHADAM H.F. & WINLOW W. Pentobarbitone inhibits K^+ currents in cultured neurons **483.P**, 191*P*, 1995

see MOROZ L.L., MOGHADAM H.F. & WINLOW W. **489.P**, 79*P*, 1995

MOJET M.H.
MOJET M.H., MILLS E. & DUCHEN M.R. Changes in mitochondrial function, $[Ca^{2+}]_i$ and catecholamine secretion in response to hypoxia in chromaffin cells dissociated from the newborn rat adrenal **487.P**, 59*P*, 1995

MOKASHI A. *see LAHIRI S., BUERK D.G., OSAI S., CHUGH D. & MOKASHI A.* **487.P**, 16*P*, 1995

MOMIYAMA A.
MOMIYAMA A., FELDMEYER D. & CULL-CANDY S.G. Single channel characteristics of NMDA receptors in Purkinje cells in thin slices of neonatal rat cerebellum **483.P**, 162*P*, 1995

MOMIYAMA T.
MOMIYAMA T., SIM J.A. & BROWN D.A. Presynaptic inhibition of excitatory inputs to rat magnocellular basal forebrain neurones by dopamine **487.P**, 50*P*, 1995

MONAGHAN A.S.
MONAGHAN A.S. & SEPÚLVEDA F.V. Trinitrophenyl-ATP causes a voltage-dependent blockade of the Cl^- channel of isolated guinea-pig small intestinal villus enterocytes **482.P**, 10*P*, 1995

MONTERO M. *see POZZAN T., MONTERO M., MARSAULT R., BRINI M. & RIZZUTO R.* **487.P**, 4*S*, 1995

MOODY W.J. *see SPRUCE A.E. & MOODY W.J.* **483.P**, 66*P*, 1995

MOORE D.J. *see BARNETT T.G., LOGAN J.G., MOORE D.J. & PATERSON J.M.H.* **487.P**, 170*P*, 1995

MOORE D.R.
MOORE D.R., JIANG Z.D., HINE J.E. & KING A.J. Effect of unilateral ear plugging in infancy or adulthood on free field binaural unmasking in ferrets **489.P**, 11*P*, 1995

MOOREN F.CH. *see WISDOM D.M., SINGH J., DOMSCHKE W., STOLL R. & MOOREN F. CH.* **485.P**, 36*P*, 1995

MOORHOUSE A.J.
MOORHOUSE A.J. & SPENCE I. Synaptic transmission, hypoxia and adenosine in the isolated neonatal rat spinal cord **489.P**, 23*P*, 1995

MOOSAVI A.H. *see WILLIAMS D.J., MOOSAVI A.H. & IMMS F.J.* **483.P**, 126*P*, 1995

MOOS F. *see DAYANITHI G., MOOS F. & RICHARD PH.* **489.P**, 184*P*, 1995

see ROSSI K., RICHARD PH. & MOOS F. **489.P**, 184*P*, 1995

MORELAND J.D.
MORELAND J.D. Entoptic visualization of macular pigment **485.P**, 4*P*, 1995

MORGAN A.J.
MORGAN A.J. & JACOB R. Store Ca^{2+}-ATPase inhibition enhances the rate of cytosolic Ca^{2+} removal in human umbilical vein endothelial cells **483.P**, 137*P*, 1995

MORGAN D.M.L. *see SOBREVIA L., MORGAN D.M.L., PEARSON J.D., JARVIS S.M., MANN G.E. & YUDILEVICH D.L.* **483.P**, 145*P*, 1995

MORGAN J.M. *see GILLESPIE J.I., MORGAN J.M. & DE SMEDT H.* **483.P**, 107*P*, 1995

see LYNN S., NICHOLLS J.A., MORGAN J.M., LAMB H.K. & GILLESPIE J.I. **483.P**, 108*P*, 1995

see AWAD S.S., MORGAN J.M., GILLESPIE J.I. & DUNLOP W. **487.P**, 93*P*, 1995

see GILLESPIE J.I. & MORGAN J.M. **487.P**, 6*S*, 1995

MORGAN J.P.
MORGAN J.P. Excitation–contraction defects in congestive heart failure **487.P**, 6*S*, 1995

MORGAN M.J. *see WUERGER S.M. & MORGAN M.J.* **485.P**, 23*P*, 1995

MORLAND A.B.
MORLAND A.B. & RUDDOCK K.H. A new abnormality of human vision: spreading inhibition elicited by moving stimuli **489.P**, 10*P*, 1995

MOROZ L.L.
MOROZ L.L., MOGHADAM H.F. & WINLOW W. Hydrogen peroxide and nitric oxide alter neuronal discharges and $[Ca^{2+}]_i$ in identified neurones of *Lymnaea stagnalis* **489.P**, 79*P*, 1995

MORRELL M.J. *see ADAMS L., EBERHARD A., WUYAM B., MORRELL M.J. & BENCHETRIT G.* **487.P**, 107*P*, 1995

MORRELL R.J. *see GAMBLE J., GARTSIDE I.B., MORRELL R.J. & CHRIST F.* **483.P**, 149*P*, 1995

MORRIS A.P. *see CUNNINGHAM S.A., FRIZZELL R.A. & MORRIS A.P.* **482.P**, 27*S*, 1995

MORRIS J.F. *see WANG H. & MORRIS J.F.* **489.P**, 177*P*, 1995

MORRISON J.F.B. *see JIANG W., KIBBLE A. & MORRISON J.F.B.* **487.P**, 119*P*, 1995

MORRIS R. *see SOYGUDER Z. & MORRIS R.* **483.P**, 160*P*, 1995

MORRIS S. *see FREESTONE C., FERGUSON E.A., HUTCHINGS H.A., MORRIS S., JAWAD M.S.M. & ECCLES R.* **487.P**, 2*P*, 1995

MORRIS S.J.
MORRIS S.J., SHORE A.C. & TOOKE J.E. Skin blood flow responses to acetylcholine and sodium nitroprusside in non-insulin-dependent diabetes **483.P**, 148*P*, 1995

MORRIS S.J. & SHORE A.C. The effect of acetylcholine on finger nailfold capillary pressure and pulse pressure amplitude in healthy volunteers **487.P**, 169*P*, 1995

MORTIMER P.S. *see STANTON A.W.B., HOLROYD B., NORTHFIELD J.W., LEVICK J.R. & MORTIMER P.S.* **487.P**, 181*P*, 1995

MORTON R.H. *see HATTON P.A., AGBENYEGA E.T., MORTON R.H. & WAREHAM A.C.* **489.P**, 168*P*, 1995

MOTAIS R. *see FIÉVET B., GABILLAT N., BORGESE F. & MOTAIS R.* **487.P**, 97*P*, 1995

MOTAWEI K.
MOTAWEI K., PYNER S. & COOTE J.H. Identification of discrete sympathetic functional pathways in the central nervous system **483.P**, 101*P*, 1995

see RANSON R.N., MOTAWEI K., PYNER S. & COOTE J.H. **489.P**, 164*P*, 1995

MOULINS M. *see COMBES D., SIMMERS J., MEYRAND P. & MOULINS M.* **483.P**, 191*P*, 1995

MOYNIHAN J.B. *see BREATHNACH C.S. & MOYNIHAN J.B.* **487.P**, 206*P*, 1995

see GRACE A., STAUNTON H.P., MOYNIHAN J.B. & BREATHNACH C.S. **489.P**, 38*P*, 1995

MTINANGI B.L. *see CROFT J.S., MTINANGI B.L., SELF D.A. & HAINSWORTH R.* **489.P**, 37*P*, 1995

MÜHLBAUER E.
MÜHLBAUER E., NING L., RUI W., REIPRICH K., JOZSA R. & GROSSMANN R. Development and regulation of growth hormone gene expression in the chicken **483.P**, 49*P*, 1995

MUKHOPADHYAY S.
MUKHOPADHYAY S., OLVER R.E., FYFE G.K. & KEMP P.J. Structure-dependent interactions of fatty acids (FA) with G proteins in fetal guinea-pig lung epithelium **489.P**, 108*P*, 1995

MULLIGAN I.P. *see JOHNS E.C., SIMNETT S.J., MULLIGAN I.P. & ASHLEY C.C.* **487.P**, 123*P*, 1995

MUNCK L.K.
MUNCK L.K. & GRØNDAHL M.L. β-Amino acid transport in pig small intestine *in vitro* by a high affinity, chloride-dependent carrier **482.P**, 25*P*, 1995

MUNDY A. *see CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B.* **489.P**, 40*P*, 1995

MUNDY A.R. *see CRAGGS M.D., SHERIFF M.K.M., SHAH P.J.R., MUNDY A.R. & FOWLER C.J.* **487.P**, 118*P*, 1995

MURDOCH R. *see RAKHIT S., PEDIANI J.D., MURDOCH R., ELDER H.Y. & WILSON S.M.* **487.P**, 100*P*, 1995

MURER H. *see THWAITES D.T., MARKOVICH D., MURER H. & SIMMONS N.L.* **489.P**, 107*P*, 1995

MURPHY J. *see LUCKWILL R.G. & MURPHY J.* **489.P**, 32*P*, 1995

MURPHY K. *see ROBERTS C.A., CORFIELD D.R., MURPHY K., ADAMS L. & GUZ A.* **487.P**, 107*P*, 1995

see CORFIELD D.R. & MURPHY K. **487.P**, 2*P*, 1995

MURPHY N.P.

MURPHY N. P., ONAKA T., KENDRICK K. & LENG G. Multiple sites of morphine dependence in the magnocellular oxytocin system of the urethane-anaesthetized rat **483.P**, 46*P*, 1995

see BROWN C. H., HAMBLIN L. J., MURPHY N. P., JOHNSTONE L. E., LENG G. & RUSSELL J. A. **489.P**, 179*P*, 1995

MURPHY P.R.

MURPHY P. R. & MARTIN H. A. Phase-dependent reflex responses of dynamic γ-efferents during locomotion in the decerebrate cat **487.P**, 66*P*, 1995

MURRAY H.

MURRAY H. & GILLIES G. GABAergic influences on dopamine secretion from rat hypothalamic cells in primary culture **483.P**, 47*P*, 1995

MURRAY I.J. *see NACER A., MURRAY I. J. & KULIKOWSKI J. J.* **485.P**, 21*P*, 1995

see CARDEN D., MURRAY I. J., PARRY N. R. A. & KULIKOWSKI J. J. **485.P**, 5*P*, 1995

MURRELL-LAGNADO R.D. *see ROBERTSON S. J., WOODWARD R., MCKENNA F., ROWE I. C. M., ASHFORD M. L. J. & MURRELL-LAGNADO R. D.* **489.P**, 58*P*, 1995

MUSA O.A. *see FAYEED O. M. H., POTTER A., MUSA O. A., LINDSAY A. R. G., LAU K. R. & CASE R. M.* **489.P**, 129*P*, 1995

MUTINELLI F. *see DONI M. G., PADOIN E., RESIDORI O. & MUTINELLI F.* **487.P**, 168*P*, 1995

MUTUNGI G.

MUTUNGI G. & RANATUNGA K. W. Tension responses to ramp stretch in resting intact slow twitch rat muscle fibres **483.P**, 80*P*, 1995

MUTUNGI G. & RANATUNGA K. W. Effects of temperature on the visco-elasticity of intact, relaxed, fast (rat) muscle fibres **487.P**, 153*P*, 1995

MUXWORTHY A. *see BRENNAN H., MUXWORTHY A., VIGNES M., PABBATHI V. K., HOLMES F. E. & HAYNES L. W.* **487.P**, 44*P*, 1995

MYERS D.S. *see DOE C. P. A., SELF D. A., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R.* **483.P**, 144*P*, 1995

NACER A.

NACER A., MURRAY I. J. & KULIKOWSKI J. J. Balancing sensitivity of human chromatic opponent mechanisms by adaptation **485.P**, 21*P*, 1995

NAFTALIN R.J.

NAFTALIN R. J. & PEDLEY K. C. The pericryptal fibroblast layer in rat descending colon sustains large transcryptal Na^+ gradients **482.P**, 3*P*, 1995

NAFTALIN R. J., PEDLEY K. C. & ZAMMIT P. S. The laxative action of paraffin **489.P**, 111*P*, 1995

see MENON R. A., ROLFE V. E., LINDLEY K. J., NAFTALIN R. J. & MILLA P. J. **489.P**, 129*P*, 1995

NAKAHARI T.

NAKAHARI T. & MARUNAKA Y. Cell volume changes induced by the β-agonist terbutaline in fetal distal lung epithelium (FDLE) cells **489.P**, 123*P*, 1995

NAKAMURA T.Y.

NAKAMURA T. Y., FAIVRE J.-F. & COETZEE W. A. Spontaneous and thiol group-induced changes in ATP-sensitivity of K_{ATP} channels from isolated guinea-pig ventricular myocytes **483.P**, 10*P*, 1995

NALLY J. *see KUMAR P., DAVIES D. A., NALLY J. & PEPPER D. R.* **485.P**, 3*P*, 1995

NAQVI R.U. *see CAMPBELL V., TERRACCIANO C. M. N., NAQVI R. U., BRICKLEY K., BALDWIN S. A., MACLEOD K. T. & DOLPHIN A. C.* **487.P**, 130*P*, 1995

NASSAR M. *see SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M., SCHOEPFER R. & COLQUHOUN D.* **487.P**, 208*P*, 1995

NATHANIELSZ P.W. *see GIUSSANI D. A., MECENAS C. A., JENKINS S. L., WINTER J. A., DERKS J. B. & NATHANIELSZ P. W.* **483.P**, 113*P*, 1995

see DERKS J. B., JENKINS S. L., WENTWORTH R., GIUSSANI D. A., VAN DAM L. M., VISSER G. H. A. & NATHANIELSZ P. W. **483.P**, 94*P*, 1995

NATH S. *see YUN C. H., TSE C.-M., NATH S., LEVINE S. L. & DONOWITZ M.* **482.P**, 18, 1995

NAVARRA P. *see KOSTOGLOU-ATHANASSIOU I., FORSLING M. L., NAVARRA P. & GROSSMAN A. B.* **489.P**, 177*P*, 1995

NAVARRETE R.

NAVARRETE R. & MENTIS G. Electrophysiological properties of ankle flexor motoneurones recorded *in vitro* following neonatal nerve injury in the rat **487.P**, 67*P*, 1995

NAZIR S.A.

NAZIR S. A., DICK D. J. & LAB M. J. Mechanoelectrical feedback and arrhythmia in the atrium of the isolated, Langendorff-perfused guinea-pig heart and its modulation by streptomycin **483.P**, 24*P*, 1995

NAZIR S. A. & LAB M. J. Effect of streptomycin on atrioventricular (AV) conduction in the isolated Langendorff perfused guinea-pig heart **487.P**, 148*P*, 1995

NAZIR S. A., DICK D. J., COEN B. A. & LAB M. J. Anti-arrhythmic action of streptomycin in the ventricle of the isolated, Langendorff perfused guinea-pig heart **489.P**, 166*P*, 1995

NEAL C.R.

NEAL C. R. & MICHEL C. C. Transcellular gaps in the endothelium of rat venules after perfusion with either A23187 or histamine **483.P**, 140*P*, 1995

NEAL D.E. *see CHAMBERS P., NEAL D. E., LAMB H. K. & GILLESPIE J. I.* **483.P**, 115*P*, 1995

see HASAN S. T. & NEAL D. E. **483.P**, 117*P*, 1995

NELSON C. *see AHMED B., ANDERSON J. C., DOUGLAS R. J., MARTIN K. A. C. & NELSON C.* **485.P**, 10*P*, 1995

NESTIANU V. *see MIHAILESCU S., ABEL F. & NESTIANU V.* **487.P**, 139*P*, 1995

NEVILL M.E.

NEVILL M. E., GARRETT A., MAXWELL N., PARSONS K. C. & NORWITZ A. Thermal strain of intermittent and continuous exercise at 10 and 35 °C in man **483.P**, 124*P*, 1995

NEWHAM D.J.

NEWHAM D. J., DAVIES J. M. & MAYSTON M. J. Voluntary force generation and activation in the knee muscles of stroke patients with mild spastic hemiparesis **483.P**, 128*P*, 1995

NEWLAND C.F.

NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J. Subconductance states produced by mutations in the pore lining region of human muscle ACh receptor expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995

NEWSOM-DAVIS J. *see NEWLAND C. F., BEESON D., VINCENT A. & NEWSOM-DAVIS J.* **487.P**, 208*P*, 1995

NEWTON I.P. *see ACEVEDO M. & NEWTON I. P.* **482.P**, 27*P*, 1995

NEYLON M.

NEYLON M., JOHNS E. J. & MARSHALL J. M. Effects of a neutral endopeptidase inhibitor on hypoxia-induced changes in renal function in the anaesthetized rat **483.P**, 172*P*, 1995

NG G.A.

NG G. A., HICKS M. N., COBBE S. M. & SMITH G. L. Slow changes in cardiac inotropy and output associated with step changes in pre-load in isolated working rabbit hearts **487.P**, 142*P*, 1995

NI CHIARDHA F.M.

NI CHIARDHA F. M., GEBRUERS E. M., HALL W. J. & HEGARTY D. A. The kaliuresis in man to an oral potassium load **489.P**, 36*P*, 1995

NICHOLLS J.A. *see LYNN S., NICHOLLS J. A., MORGAN J. M., LAMB H. K. & GILLESPIE J. I.* **483.P**, 108*P*, 1995

NICHOLS C.G.

NICHOLS C. G., FERRER J., PEARSON W., MAKHINA E. & PERMUTT A. M_2 muscarinic receptor-activated K^+ currents in oocytes co-expressing GIRK1, GIRK2 and CIR cDNAs **487.P**, 188*P*, 1995

see LOPATIN A. N. & NICHOLS C. G. **487.P**, 197*P*, 1995

see LOPATIN A. N. & NICHOLS C. G. **489.P**, 56*P*, 1995

NICKOL A. *see COLLIER D. J., NICKOL A., MILLEDGE J. S. & WOLFF C. B.* **487.P**, 108*P*, 1995

see COLLIER D. J., NICKOL A., MILLEDGE J. S., DATTA A. K., COLLIER C. J. & WOLFF C. B. **487.P**, 109*P*, 1995

NICLOS B.B. *see SARWAR R., NICLOS B. B. & RUTHERFORD O. M.* **483.P**, 128*P*, 1995

NICLOS B. B., WELSH L., SARWAR R. & RUTHERFORD O. M. Gender and age comparisons of the contractile properties of the human quadriceps muscle **483.P**, 131*P*, 1995

NICOL A.U.

NICOL A. U., HORN G. & BROWN M. W. Effects of subject–object distance on visual responses of neurons in a chick memory system **483.P**, 40*P*, 1995

NIELSEN C. *see THOMSEN L., PEARSON G. T., NIELSEN C. & SKADHAUGE E.* **482.P**, 47*P*, 1995

NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. Mutations in the γ_{2S} subunit alters mean open time of the $\alpha_3\beta_2\gamma_{2S}$ member of the human $GABA_A$ receptor family but not single channel conductance **489.P**, 63*P*, 1995

NIELSEN D.K. *see* HARBAK H., NIELSEN D. K., CHRISTENSEN S. & SIMONSEN L. O. **489.P**, 114*P*, 1995

NIELSEN J.

NIELSEN J. Non-invasive electrophysiological experiments in man: what have they added to our knowledge of spinal reflex pathways? **487.P**, 224*P*, 1995

NIELSEN M. *see* NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

NIKMARAM M.R.

NIKMARAM M. R., BOYETT M. R., KODAMA I. & SUZUKI R. Regional differences in the role of the hyperpolarization-activated current, i_f, in the pacemaker potential in the isolated sinoatrial node of the rabbit **487.P**, 126*P*, 1995

NIMMO M.A. *see* IREDALE K. F. & NIMMO M. A. **489.P**, 42*P*, 1995

NING L. *see* MÜHLBAUER E., NING L., RUI W., REIPRICH K., JOZSA R. & GROSSMANN R. **483.P**, 49*P*, 1995

NOBLE D. *see* HYDE J., WINSLOW R. L. & NOBLE D. **487.P**, 124*P*, 1995

see SPINDLER A. J., NOBLE S. J. & NOBLE D. **487.P**, 133*P*, 1995

see KOHL P. & NOBLE D. **487.P**, 139*P*, 1995

see LEI M., BROWN H. & NOBLE D. **487.P**, 148*P*, 1995

NOBLE E.G. *see* CHILIBECK P. D., PATERSON D. H., CUNNINGHAM D. A., TAYLOR A. W. & NOBLE E. G. **487.P**, 102*P*, 1995

NOBLE M.I.M. *see* CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J. **489.P**, 159*P*, 1995

NOBLE R. *see* LI F. & NOBLE R. **483.P**, 88*P*, 1995

see ACKLAND G. L., WAITES B. A., NOBLE R. & HANSON M. A. **483.P**, 89*P*, 1995

see WAITES B. A., ACKLAND G. L., NOBLE R. & HANSON M. A. **489.P**, 156*P*, 1995

NOBLE S.J. *see* SPINDLER A. J., NOBLE S. J. & NOBLE D. **487.P**, 133*P*, 1995

NOLAN P. *see* LANGDON M. G., NOLAN P., MCKEOGH D. & O'REGAN R. G. **487.P**, 171*P*, 1995

NONA S.N.

NONA S. N., STAFFORD C. A. & CRONLY-DILLON J. R. Glial repair in the goldfish visual system **485.P**, 18*P*, 1995

NOORMOHAMED F.H.

NOORMOHAMED F. H. & LANT A. F. Effects of arginine vasopressin on renal handling of calcium and magnesium in healthy hydrated man **489.P**, 86*P*, 1995

NORTHFIELD J.W. *see* STANTON A. W. B., HOLROYD B., NORTHFIELD J. W., LEVICK J. R. & MORTIMER P. S. **487.P**, 181*P*, 1995

NORTHOVER B.J. *see* WORKMAN A. J., MACKENZIE I. & NORTHOVER B. J. **483.P**, 19*P*, 1995

NORWITZ A. *see* NEVILL M. E., GARRETT A., MAXWELL N., PARSONS K. C. & NORWITZ A. **483.P**, 124*P*, 1995

NOSEK T.M.

NOSEK T. M., FOGAÇA R. T. H., ALLEE P. L., BROTTO M. A. P. & ROBERT E. G. Impaired function of the sarcoplasmic reticulum associated with a structural defect in the developing chick heart **487.P**, 14*P*, 1995

NOVAK I.

NOVAK I., HUG M. & PAHL C. Ca^{2+} influx pathways in duct cells of normal rat pancreas **489.P**, 119*P*, 1995

NOWICKY A.V. *see* LEYSSENS A., NOWICKY A. V., PATTERSON L., CROMPTON M. & DUCHEN M. R. **483.P**, 9*P*, 1995

NOWICKY A. V. & DUCHEN M. R. Inhibition of mitochondrial function induces a calcium-dependent potassium current in dissociated rat CA1 hippocampal neurons **487.P**, 60*P*, 1995

NUMANN R.E. *see* ROBERTSON B., OWEN D. G. & NUMANN R. E. **483.P**, 72*P*, 1995

NUSSBERGER S. *see* HEDIGER M. A., KANAI Y., YOU G. & NUSSBERGER S. **482.P**, 7*S*, 1995

NUTT D. *see* TOLCHARD S., HARE A. S., NUTT D. & CLARKE G. **489.P**, 176*P*, 1995

NYE P.C.G. *see* ALBARWANI S., HEINERT G., TURNER J. L., NYE P. C. G. & KOZLOWSKI R. Z. **483.P**, 110*P*, 1995

see HEINERT G., PAINTER R. & NYE P. C. G. **483.P**, 90*P*, 1995

see XIA N. & NYE P. C. G. **487.P**, 113*P*, 1995

OAKLEY N.R. *see* STARKEY S. J., OAKLEY N. R. & BERESFORD I. J. M. **483.P**, 57*P*, 1995

OBERLEITHNER H. *see* HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H. **489.P**, 90*P*, 1995

O'BOYLE D.J. *see* MCINTOSH R. D. & O'BOYLE D. J. **489.P**, 30*P*, 1995

O'BOYLE D.J.

O'BOYLE D.J., FREEMAN J. S. & CODY F. W. J. Sensorimotor synchronization during temporal tracking is impaired in patients with Parkinson's disease (PD) **485.P**, 15*P*, 1995

O'BYRNE K.T. *see* CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T. **489.P**, 179*P*, 1995

O'CALLAGHAN C. *see* BARRY P. W., MASON N. P. & O'CALLAGHAN C. **487.P**, 106*P*, 1995

O'CONNOR J.J. *see* MCGUIRE M., CAREY M. F. & O'CONNOR J. J. **489.P**, 149*P*, 1995

see CUNNINGHAM A., O'NEILL L. A. J. & O'CONNOR J. J. **489.P**, 6*P*, 1995

Ó'CRÓINÍN D. *see* URBACH V., Ó'CRÓINÍN D. & HARVEY B. J. **482.P**, 21*P*, 1995

ÖDBLOM M.

ÖDBLOM M. & WILLIAMSON R. Ionic currents in branchial heart myocytes of the squid, *Alloteuthis subulata* and *Loligo forbesi* **489.P**, 66*P*, 1995

O'DONNELL M.J. *see* DAVIES S. A., DOW J. A. T., HEUSMANN G. R., MADDRELL S. H. P., O'DONNELL M. J. & TUBLITZ N. J. **482.P**, 26*P*, 1995

O'DOWD A.

O'DOWD A., O'DOWD J. J. & MILLER D. J. The endogenous histidyl dipeptide carnosine is vasoactive as a conjugate with zinc in rabbit saphenous vein **483.P**, 112*P*, 1995

O'DOWD J.J. *see* O'DOWD A., O'DOWD J. J. & MILLER D. J. **483.P**, 112*P*, 1995

O'FLYNN A.M.J. *see* HONESS N. A., COSSINS A. R., GIBSON J. S. & O'FLYNN A. M. J. **482.P**, 7*P*, 1995

OGATA E. *see* YAMASHITA N., FUJITA H., OGATA E., KAWASHIMA H. & MATSUMOTO T. **487.P**, 200*P*, 1995

OGDEN D.C. *see* CHIZHMAKOV I. V., OGDEN D. C., GERAGHTY F. M., HAYHURST A., ANTONIOU M. & HAY A. J. **489.P**, 65*P*, 1995

OGILVIE J.A.

OGILVIE J. A., RIORDAN-EVA P., RUDDOCK K. H., SANDERS M. D. & WRIGHT J. R. Monocular diplopia with visual perseveration in a human subject **485.P**, 28*P*, 1995

O'HALLORAN K.D.

O'HALLORAN K. D., CURRAN A. K. & BRADFORD A. The effect of sympathetic nerve stimulation on upper airway resistance in the anaesthetized rat **489.P**, 161*P*, 1995

see CURRAN A. K., O'HALLORAN K. D. & BRADFORD A. **489.P**, 163*P*, 1995

OJEDA C. *see* CHORVATOVA A., GUYOT A., BILBAUT A., OJEDA C. & ROUGIER O. **487.P**, 189*P*, 1995

OKADA Y. *see* JAMES A. F., TOMINAGA M., TOMINAGA T. & OKADA Y. **489.P**, 63*P*, 1995

OLES M. *see* EWERT M., OLES M. & POTT L. **487.P**, 20*P*, 1995

OLIVIER E. *see* BAKER S. N., OLIVIER E. & LEMON R. N. **487.P**, 69*P*, 1995

OLVER R.E. *see* MUKHOPADHYAY S., OLVER R. E., FYFE G. K. & KEMP P. J. **489.P**, 108*P*, 1995

OLVER R. E., BAINES D. L. & KEMP P. J. G protein regulation of alveolar ion channels: implications for lung fluid transport **489.P**, 5*S*, 1995

OLYAEI G.R.

OLYAEI G. R. & BAXENDALE R. H. The effects of fatiguing voluntary activity of the quadriceps muscle on the soleus H reflex excitability in man **483.P**, 81*P*, 1995

O'MARA S.M.

O'MARA S. M., ROWAN M. & ANWYL R. Metabotropic glutamate receptors can mediate long-term depression of synaptic transmission in the dentate gyrus of rat hippocampal slices independently of NMDA receptor activation **483.P**, 71*P*, 1995

O'MARA S. M., ROWAN M. J. & ANWYL R. Dantrolene inhibits long-term depression and depotentiation of synaptic transmission in the dentate gyrus of rat hippocampal slices **487.P**, 55*P*, 1995

ONAKA T. *see* MURPHY N. P., ONAKA T., KENDRICK K. & LENG G. **483.P**, 46*P*, 1995

O'NEILL L.A.J. *see* CUNNINGHAM A., O'NEILL L. A. J. & O'CONNOR J. J. **489.P**, 6*P*, 1995

O'NEILL M.

O'NEILL M., SEARS C. E. & PATERSON D. J. Effect of cardiac sympathetic and vagal stimulation on noradrenaline-induced ventricular tachycardia in the anaesthetized pig **487.P**, 173*P*, 1995

O'NEILL S.C. *see* DÍAZ M. E., TRAFFORD A. W., O'NEILL S. C. & EISNER D. A. **487.P**, 131*P*, 1995

see COOK S. J., CHAMUNORWA J. P. & O'NEILL S. C. **487.P**, 133*P*, 1995

ORCHARD C.H. *see* HONGO K., WHITE E., LE GUENNEC J.-Y. & ORCHARD C. H. **483.P**, 17*P*, 1995

see BENNETT K. L., COLYER J. & ORCHARD C. H. **483.P**, 20*P*, 1995
see BENNETT K. L., ORCHARD C. H., DRAGO G. A. & COLYER J. **483.P**, 20*P*, 1995
see JANVIER N. C., BOYETT M. R., ORCHARD C. H. & YANG Z.-K. **487.P**, 127*P*, 1995
see YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. **487.P**, 127*P*, 1995
see HULME J. T., COLYER J. & ORCHARD C. H. **487.P**, 128*P*, 1995
see HUSSAIN M. & ORCHARD C. H. **487.P**, 132*P*, 1995
see HUSSAIN M. & ORCHARD C. H. **487.P**, 143*P*, 1995

O'REGAN R.G. *see* LANGDON M. G., NOLAN P., MCKEOGH D. & O'REGAN R. G. **487.P**, 171*P*, 1995

O'RIORDAN D.K.
O'RIORDAN D. K., SHARP P. A., EPSTEIN O., SRAI S. K. S. & DEBNAM E. S. Rats fed an iron-deficient diet have enhanced intestinal iron transfer and hyperpolarization of the duodenal brush-border membrane **482.P**, 29*P*, 1995
O'RIORDAN D. K., SHARP P. A., SRAI S.K.S. & DEBNAM E. S. Further evidence for the importance of brush-border potential difference as a driving force for duodenal iron uptake in guinea-pig **487.P**, 96*P*, 1995
O'RIORDAN D. K., SIMPSON R. J., TAYLOR E., SHARP P. A., DEBNAM E. S. & SRAI S. K. S. Hypoxia causes hyperpolarization of isolated rat duodenal brush-border membrane and increased iron absorption **489.P**, 124*P*, 1995

ORTEGA A. *see* GONZALEZ-SERRATOS H., ROZYCKA M. & ORTEGA A. **487.P**, 8*S*, 1995

OSAI S. *see* LAHIRI S., BUERK D. G., OSAI S., CHUGH D. & MOKASHI A. **487.P**, 16*P*, 1995

OSBORNE M.P.
OSBORNE M. P., COMIS S. D. & SPENCER A. J. Rapid technique for the measurement of the elemental composition of inner ear fluids using energy dispersive X-ray microanalysis **483.P**, 5*P*, 1995

OSIPENKO O.N. *see* SNETKOV V. A., GURNEY A. M., WARD J. P. T. & OSIPENKO O. N. **487.P**, 112*P*, 1995
see EVANS A. M., OSIPENKO O. N. & GURNEY A. M. **487.P**, 185*P*, 1995
OSIPENKO O. N., EVANS A. M. & GURNEY A. M. The oxygen-sensing K^+ conductance of isolated rabbit pulmonary artery smooth muscle **487.P**, 80*P*, 1995

OSSES N.
OSSES N., JARVIS S. M., PEARSON J. D. & YUDILEVICH D. L. Uptake of hypoxanthine by human vascular endothelial cells *in vitro* **482.P**, 47*P*, 1995

O'SULLIVAN G. *see* CUFFE J., MCNAMARA B., O'SULLIVAN G. & HARVEY B. **489.P**, 122*P*, 1995

O'SULLIVAN G.C. *see* MAGUIRE D., O'SULLIVAN G. C. & HARVEY B. J. **482.P**, 2*P*, 1995
see MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J. **489.P**, 101*P*, 1995

OTUN H.
OTUN H., WOOD P. G. & GILLESPIE J. I. Ca^{2+} mobilization from the endoplasmic reticulum of permeabilized bovine endothelial cells **483.P**, 150*P*, 1995
OTUN H., AIDULIS D. M. & GILLESPIE J. I. Ca^{2+}-induced Ca^{2+} release in permeabilized bovine aortic endothelial cells **487.P**, 22*P*, 1995

OUDE EGBRINK M.G.A. *see* SLAAF D. W., BOSMAN J., TANGELDER G.-J., OUDE EGBRINK M. G. A. & RENEMAN R. S. **483.P**, 4*S*, 1995

OUTTEN A.G.
OUTTEN A. G. & STOKES M. J. Test rig and software designed for recording force of the human quadriceps muscle **483.P**, 2*P*, 1995

OWEN D.G. *see* SOUTHAN A. P. & OWEN D. G. **483.P**, 70*P*, 1995
see ROBERTSON B., OWEN D. G. & NUMANN R. E. **483.P**, 72*P*, 1995
see MCEVOY M. P., OWEN D. G. & GARRATT J. C. **487.P**, 193*P*, 1995
see HEBLICH F., ROBERTSON B. & OWEN D. G. **487.P**, 196*P*, 1995
see STEPHENS G. J., OWEN D. G. & ROBERTSON B. **487.P**, 200*P*, 1995
see STEPHENS G. J., HEBLICH F., COCKETT M. I. & OWEN D. G. **489.P**, 75*P*, 1995

OWEN J.M.
OWEN J. M., LEACH R., QUINN C., FINDLAY J. B. C. & BOYETT M. R. Block of the inward rectifier K^+ channel, IRK1, expressed in *Xenopus* oocytes by extracellular divalent cations **489.P**, 51*P*, 1995

OWEN M. *see* BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K. **489.P**, 28*P*, 1995

OWENS G.K. *see* HANSEN-SMITH F. M., EGGINTON S., OWENS G. K. & HUDLICKA O. **489.P**, 165*P*, 1995

PABBATHI V.K. *see* BRENNAN H., MUXWORTHY A., VIGNES M., PABBATHI V. K., HOLMES F. E. & HAYNES L. W. **487.P**, 44*P*, 1995

PABLA R.
PABLA R. & CURTIS M. J. Sodium nitroprusside attenuates the pro-fibrillatory effects of L-NAME in the isolated rat heart by increasing nitric oxide levels **483.P**, 10*P*, 1995

PACEY A.A. *see* SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J. **482.P**, 45*P*, 1995

PACKARD A.
PACKARD A. Discrimination of coupled muscle fibre populations in the skin of squids (*Loligo vulgaris* and *L. opalescens*) following unilateral nerve section **489.P**, 134*P*, 1995

PADOIN E. *see* DONI M. G., PADOIN E., RESIDORI O. & MUTINELLI F. **487.P**, 168*P*, 1995

PAGE K. *see* BERROW N., TEDDER I., PAGE K., BRICE N., AMOS B. & DOLPHIN A. C. **489.P**, 52*P*, 1995

PAGE K.R.
PAGE K. R., DUNCAN J. I., ARMSTRONG-FISHER S. S., ABRAMOVICH D. R. & URBANIAK S. J. The transfer of anti-D immunoglobulin across the perfused human placental lobule **482.P**, 30*P*, 1995

PAGLIARO P. *see* GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & WESTERHOF N. **487.P**, 168*P*, 1995

PAHL C. *see* NOVAK I., HUG M. & PAHL C. **489.P**, 119*P*, 1995

PAINTER R. *see* HEINERT G., PAINTER R. & NYE P. C. G. **483.P**, 90*P*, 1995

PALLOT D. *see* JUMA L. M. O., SINGH J., PALLOT D. & ADEGHATE E. A. **489.P**, 109*P*, 1995

PALLOT D.J. *see* ADEGHATE E. & PALLOT D. J. **487.P**, 32*P*, 1995

PALMER A.R.
PALMER A. R., JIANG D. & MCALPINE D. Detectability index measures of binaural unmasking in the guinea-pig inferior colliculus **485.P**, 13*P*, 1995

PANAGIA V. *see* DAI J., WILLIAMS S. A., YU C. & PANAGIA V. **485.P**, 44*P*, 1995

PANCHENKO V.A.
PANCHENKO V. A., PINTOR J., TSYNDRENKO A. YA., MIRAS-PORTUGAL M. T. & KRISHTAL O. A. Potentiation of high voltage activated Ca^{2+} channels by diadenosine polyphosphates in isolated rat central neurons **487.P**, 199*P*, 1995

PAPPAS C.A.
PAPPAS C. A. & RANSOM B. R. The effects of metabolic inhibition on the viability of cultured rat astrocytes **487.P**, 45*P*, 1995

PARIENTE J.A.
PARIENTE J. A., ALCÓN S., SALIDO G. M. & POZO M. J. Histaminergic modulation on cholecystokinin-octapeptide-evoked exocrine pancreatic secretion in the anaesthetized guinea-pig **482.P**, 18*P*, 1995
see GONZALEZ A., PARIENTE J. A., SALIDO G. M., SINGH J. & WISDOM D. M. **482.P**, 33*P*, 1995

PARKER A.J. *see* GLENNERSTER A. & PARKER A. J. **485.P**, 28*P*, 1995

PARKER S.
PARKER S., BUCKLE A. D. & EDWARDS A. V. Involvement of nitric oxide (NO) in the control of protein secretion by the submandibular gland in the anaesthetized cat **483.P**, 180*P*, 1995

PARKES M.J.
PARKES M. J. & HARRIS M. C. The effects of raising body or hypothalamic temperature on ventilation in the anaesthetized rat **483.P**, 96*P*, 1995

PARKINSON N.A.
PARKINSON N. A. & HENDRY B. M. Thapsigargin-induced changes in intracellular pH in Madin–Darby canine kidney (MDCK) cells **489.P**, 88*P*, 1995

PARK M.K.
PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. Effects of dinitrophenol, cyanide, and acidosis on the contractility of isolated pulmonary and isolated ear artery of the rabbit **487.P**, 114*P*, 1995
PARK M. K., LEE S. H., HO W.-K. & EARM Y. E. Redox agents as a link between hypoxia and the responses of ionic channels in pulmonary vascular smooth muscle **487.P**, 12*S*, 1995

PARRATT J.
PARRATT J., SHEADER E., TAGGART M. & WRAY S. The relationship between extracellular pH (pH_o) and intracellular pH (pH_i) in *in vitro* human myometrium **483.P**, 108*P*, 1995
see HAMPSHIRE P., PARRATT J., TAGGART M. & WRAY S. **487.P**, 89*P*, 1995

PARRATT J.R. *see* AHMAD M., ZEITLIN I. J. & PARRATT J. R. **483.P**, 21*P*, 1995

PARRY N.R.A. *see* CARDEN D., MURRAY I. J., PARRY N. R. A. & KULIKOWSKI J. J. **485.P**, 5*P*, 1995

PARSONS K.C. *see* NEVILL M. E., GARRETT A., MAXWELL N., PARSONS K. C. & NORWITZ A. **483.P**, 124*P*, 1995

PARSONS P.P.

PARSONS P. P., GARLAND H. O. & HARPUR E. S. Effect of gentamicin on urinary recovery of ^{45}Ca from distal tubular microinfusions in the anaesthetized rat **483.P**, 168*P*, 1995

PATEL A. *see BOWTELL J. L., GELLY K., JACKMAN M. L., PATEL A. & RENNIE M. J.* **489.P**, 34*P*, 1995

PATEL R.

PATEL R., SHAH M. & SPRUCE A. E. Single inward rectifier potassium channels in *Xenopus laevis* embryonic myocytes **489.P**, 73*P*, 1995

PATEL S.

PATEL S. & TAYLOR C. W. Quantal Ca^{2+} mobilization by inositol 1,4,5-trisphosphate in rat hepatocytes is not mediated by changes in cytosolic Ca^{2+} concentration **485.P**, 40*P*, 1995

PATERSON D.H. *see CHILIBECK P. D., PATERSON D. H., CUNNINGHAM D. A., TAYLOR A. W. & NOBLE E. G.* **487.P**, 102*P*, 1995

see LUCY S. D., CUNNINGHAM D. A., KOWALCHUK J. M., PATERSON D. H. & HUGHSON R. L. **487.P**, 171*P*, 1995

see ST CROIX C. M., CUNNINGHAM D. A. & PATERSON D. H. **487.P**, 178*P*, 1995

PATERSON D.J. *see O'NEILL M., SEARS C. E. & PATERSON D. J.* **487.P**, 173*P*, 1995

see REID J. M. & PATERSON D. J. **487.P**, 175*P*, 1995

PATERSON J.M.

PATERSON J. M., SMITH S. M., SIMPSON J., HARMAR A. J. & ANTONI F. A. Control of a novel adenylyl cyclase by calcineurin in cultured AtT20 cells **487.P**, 210*P*, 1995

PATERSON J.M.H. *see BARNETT T. G., LOGAN J. G., MOORE D. J. & PATERSON J. M. H.* **487.P**, 170*P*, 1995

see HEAD K. N., LOGAN J. G., PATERSON J. M. H., PELLING C. W. A. & WYATT R. D. **487.P**, 181*P*, 1995

PATON J.F.R.

PATON J. F. R. & RICHTER D. W. Maturational changes in the respiratory rhythm of the mouse *in vitro* and *in vivo* **483.P**, 96*P*, 1995

PATON J. F. R. Role of β-adrenoceptor-mediated mechanisms within the nucleus of the solitary tract (NTS) for regulating baroreceptor reflex responsiveness in anaesthetized rats **487.P**, 173*P*, 1995

PATON J. F. R. A working heart–brainstem preparation of the mature mouse **489.P**, 155*P*, 1995

PATTERSON L. *see LEYSSENS A., NOWICKY A. V., PATTERSON L., CROMPTON M. & DUCHEN M. R.* **483.P**, 9*P*, 1995

PAULAIS M. *see TEULON J., GUINAMARD R., PAULAIS M. & CHRAÏBI A.* **489.P**, 17*S*, 1995

PAULSEN O. *see COBB S. R., BUHL E. H., HALASY K., PAULSEN O. & SOMOGYI P.* **487.P**, 53*P*, 1995

PAWLIK W.W.

PAWLIK W. W., SENDUR R. & KONTUREK S. J. Involvement of nitric oxide in the mediation of CCK and bile + oleate-induced intestinal vascular, metabolic and motor responses **487.P**, 37*P*, 1995

PEARCE S.

PEARCE S., HUDLICKA O. & EGGINTON S. Early stages in activity-induced angiogenesis in rat skeletal muscles: incorporation of bromodeoxyuridine into cells of the interstitium **483.P**, 146*P*, 1995

PEARLSTEIN E.

PEARLSTEIN E., CATTAERT D. & CLARAC F. Crayfish motoneurones and sensory terminals have different GABA receptors **483.P**, 195*P*, 1995

PEARSON G.T. *see THOMSEN L., PEARSON G. T., NIELSEN C. & SKADHAUGE E.* **482.P**, 47*P*, 1995

PEARSON H.A.

PEARSON H. A., HELD B. & DOLPHIN A. C. Actions of (−)-Bay K 8644 on Ca^{2+} channel tail currents and unitary L-type currents in isolated cerebellar granule neurones **487.P**, 185*P*, 1995

see HELD B., BABBS A. J. & PEARSON H. A. **489.P**, 67*P*, 1995

PEARSON J.D. *see OSSES N., JARVIS S. M., PEARSON J. D. & YUDILEVICH D. L.* **482.P**, 47*P*, 1995

see ISHII T., SIOW R. C. M., SWEIRY J. H., PEARSON J. D., BANNAI S. & MANN G. E. **483.P**, 138*P*, 1995

see SOBREVIA L., MORGAN D. M. L., PEARSON J. D., JARVIS S. M., MANN G. E. & YUDILEVICH D. L. **483.P**, 145*P*, 1995

PEARSON W. *see NICHOLS C. G., FERRER J., PEARSON W., MAKHINA E. & PERMUTT A.* **487.P**, 188*P*, 1995

PEDERSEN S. *see HOFFMANN E. K., JØRGENSEN N. K., THOROED S. M., PEDERSEN S. & LAMBERT I. H.* **489.P**, 11*S*, 1995

PEDIANI J.D.

PEDIANI J. D., WILSON S. M., GORDON J., DOMINICZAK A. F. & MCGRATH J. C. External ATP mobilizes Ca^{2+} from a thapsigargin-sensitive internal store in cultured, rat aortic smooth muscle cells **483.P**, 106*P*, 1995

see RAKHIT S., PEDIANI J. D., MURDOCH R., ELDER H. Y. & WILSON S. M. **487.P**, 100*P*, 1995

PEDIANI J. D., MCGRATH J. C. & WILSON S. M. Activation of protein kinase C causes desensitization of P_{2U} receptor-mediated responses in cultured, rat aortic smooth muscle cells **489.P**, 135*P*, 1995

PEDLEY K.C. *see NAFTALIN R. J. & PEDLEY K. C.* **482.P**, 3*P*, 1995

see NAFTALIN R. J., PEDLEY K. C. & ZAMMIT P. S. **489.P**, 111*P*, 1995

PEERS C. *see MCDONALD R. L., BECK-SICKINGER A. G., VAUGHAN P. F. T. & PEERS C.* **483.P**, 163*P*, 1995

see HATTON C. J. & PEERS C. **489.P**, 72*P*, 1995

PEERS C., WYATT C. N. & BEE D. Ca^{2+} channel currents in isolated type I carotid body cells of normoxic and chronically hypoxic rats **489.P**, 73*P*, 1995

PELC R. *see RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J.* **487.P**, 154*P*, 1995

PELLEGRINO D. *see GATTUSO A., PELLEGRINO D., MAZZA R. & TOTA B.* **483.P**, 185*P*, 1995

PELLEGRINO M.A. *see HARRIDGE S. D. R., BOTTINELLI R., REGGIANI C., PELLEGRINO M. A., CANEPARI M. & SALTIN B.* **487.P**, 152*P*, 1995

PELLING C.W.A. *see HEAD K. N., LOGAN J. G., PATERSON J. M. H., PELLING C. W. A. & WYATT R. D.* **487.P**, 181*P*, 1995

PELZER D.J. *see WANG J. & PELZER D. J.* **489.P**, 50*P*, 1995

PENG W. *see WARD J. P. T., PRIEST R. M. & PENG W.* **487.P**, 80*P*, 1995

PEPPER D.R. *see LANDAUER R. C., PEPPER D. R. & KUMAR P.* **483.P**, 103*P*, 1995

PEPPER D. R., LANDAUER R. C. & KUMAR P. Effects of K^+ upon hypoxic chemosensitivity in the neonatal and adult rat carotid body, *in vitro* **483.P**, 91*P*, 1995

see KUMAR P., DAVIES D. A., NALLY J. & PEPPER D. R. **485.P**, 3*P*, 1995

see LANDAUER R. C., PEPPER D. R. & KUMAR P. **487.P**, 176*P*, 1995

PEPPER D. R., LANDAUER R. C. & KUMAR P. Effect of charybdotoxin on hypoxic chemosensitivity in the adult rat carotid body, *in vitro* **487.P**, 177*P*, 1995

see LANDAUER R. C., PEPPER D. R. & KUMAR P. **489.P**, 162*P*, 1995

PERMUTT A. *see NICHOLS C. G., FERRER J., PEARSON W., MAKHINA E. & PERMUTT A.* **487.P**, 188*P*, 1995

PERRINS R. *see SOFFE S. R. & PERRINS R.* **483.P**, 197*P*, 1995

PERRY A.J. *see KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A.* **483.P**, 120*P*, 1995

PERRY M.J.M.

PERRY M. J. M., SCOTT C., KEEN P. & LISNEY S. J. W. Galanin content of normal and regenerated rat saphenous nerves **483.P**, 157*P*, 1995

see SCOTT C., PERRY M. J. M., KEEN P. & LISNEY S. J. W. **483.P**, 158*P*, 1995

see MAHONEY S.-A., PERRY M. J. M., SEDDON A., BOHLEN P. & HAYNES L. W. **487.P**, 45*P*, 1995

PETER G.J. *see AHMED A., PETER G. J., HARPER A. A., TAYLOR P. M. & RENNIE M. J.* **482.P**, 5*P*, 1995

PETER G. J., DAVIDSON I. G., AHMED A., FORRESTER A. R. & TAYLOR P. M. Inhibition studies using 2-trifluoromethyl-L-histidine (TFMH) reveal multiple components of arginine transport expressed in NBAT-cRNA-injected oocytes **489.P**, 125*P*, 1995

PETER K. *see CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K.* **483.P**, 148*P*, 1995

PETERSEN T. *see CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., FOWLER C. J. & PETERSEN T.* **483.P**, 127*P*, 1995

PETERSEN O.H. *see LIWEI W., PETERSEN O. H. & GALLACHER D. V.* **489.P**, 113*P*, 1995

see WARD J. B., SUTTON R. & PETERSEN O. H. **489.P**, 54*P*, 1995

PETERSEN O. H. Intracellular calcium mobilization and IP_3 receptors in pancreatic acini **489.P**, 14*S*, 1995

PETERSEN S.A. *see TUFFNELL C. S., PETERSEN S. A. & WAILOO M. P.* **485.P**, 53*P*, 1995

PETERS J.R. *see ISSA B. G., LEWIS B. M., SRINIVASAN J., KNOTT N., PETERS J. R. & SCANLON M. F.* **489.P**, 182*P*, 1995

PETERSON D.A. *see ARCHER S. L., REEVE H. L., HAMPL V., HUANG J., PETERSON D. A. & WEIR E. K.* **487.P**, 11*S*, 1995

PETIT J. *see EMONET-DÉNAND F., LAPORTE Y. & PETIT J.* **487.P**, 66*P*, 1995

PETZEL D. *see VAN KERKHOVE E. & PETZEL D.* **482.P**, 29*P*, 1995

PHENNA S. *see JANE S. D., PHENNA S., TUNWELL R. E. A., LAI F. A. & CHAD J. E.* **487.P**, 21*P*, 1995

PIANTÀ P.G. *see TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P.* **483.P**, 95*P*, 1995

PIEPOLI M. *see PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S.* **487.P**, 170*P*, 1995

PINELIS V. *see VERGUN O., STOROZHEVYKH T., VINSKAYA N., FAJUK D., ARSENJEVA E., PINELIS V. & KHODOROV B.* **487.P**, 58*P*, 1995

PINNOCK R.D.

PINNOCK R. D., WOODRUFF G. N., WEBDALE L. & SUMAN-CHAUHAN N. Tachykinin receptor-induced increases in $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing human NK-3 receptors are caused by Ca^{2+} release from phospholipid-sensitive intracellular stores **482.P**, 39*P*, 1995

PINNOCK R. D., HOLLAND S., HALL M. D. & WOODRUFF G. N. Events following activation of human Neuromedin B receptors expressed in *Xenopus* oocytes **489.P**, 49*P*, 1995

PINTOR J. *see PANCHENKO V. A., PINTOR J., TSYNDRENKO A. YA., MIRAS-PORTUGAL M. T. & KRISHTAL O. A.* **487.P**, 199*P*, 1995

PIRIE L. *see DALLAK M., LUAN X., BROWN H. & PIRIE L.* **483.P**, 96*P*, 1995

PIRIE L. & DAVIES A. Pulmonary receptors in the spontaneously breathing anaesthetized rat **483.P**, 97*P*, 1995

see DAVIES A. & PIRIE L. **487.P**, 111*P*, 1995

PIRIE L. & DAVIES A. Pattern of breathing and lung reflexes in anaesthetized emphysematous rats **487.P**, 111*P*, 1995

PIROTTE B. *see KANE C., HARDING E. A., PIROTTE B., LEBRUN P. & DUNNE M. J.* **482.P**, 11*P*, 1995

PITMAN R.M. *see MILLS J. D., DAVID J. A. & PITMAN R. M.* **483.P**, 187*P*, 1995

see PROTHERO L. S. & PITMAN R. M. **483.P**, 198*P*, 1995

PITSILADIS Y.P. *see LEIPER J. B., PITSILADIS Y. P. & MAUGHAN R. J.* **483.P**, 123*P*, 1995

PLANGE-RHULE J. *see JACOBS S. & PLANGE-RHULE J.* **489.P**, 86*P*, 1995

PLOCKINGER U. *see HAM J., IVAN M., PLOCKINGER U. & SCANLON M. F.* **489.P**, 181*P*, 1995

PLUCIENNIK F. *see VERRECCHIA F., PLUCIENNIK F., DÉLÈZE J. & HERVÉ J. C.* **487.P**, 140*P*, 1995

PLUMB J.A. *see WILSON S. M., WHITEFORD M. L., PLUMB J. A. & BOVELL D. L.* **482.P**, 13*P*, 1995

POKORNÝ J. *see ROKYTA R., BENEŠ V., ŠŤASTNÝ F., DRUGA R., TROJAN S. & POKORNÝ J.* **489.P**, 7*P*, 1995

POLLARD B.J. *see WILLARD T., BRYAN A. & POLLARD B. J.* **483.P**, 4*P*, 1995

POLLARD C.E. *see MILEY H. E., ALEXANDER P. D., LI S. W., JACOB T. J. C. & POLLARD C. E.* **489.P**, 97*P*, 1995

POLLARD H.B. *see HE X., KUIJPERS G. A., POLLARD H. B. & BAUM B. J.* **482.P**, 35*P*, 1995

POLLOCK K. *see MCNAMARA B., CUFFE J., BYRNES D., POLLOCK K., O'SULLIVAN G. C., BUTT A. G. & HARVEY B. J.* **489.P**, 101*P*, 1995

see SNOW H. M. & POLLOCK K. **489.P**, 2*P*, 1995

PONGS E.O. *see LE MAOUT S., PONGS E. O. & MEROT J.* **489.P**, 79*P*, 1995

PONIKOWSKI P.

PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S. Thermoregulation is unlikely to produce a local generation of low frequency rhythms in heart rate and blood pressure in man **487.P**, 170*P*, 1995

PONT M.J. *see WONG K. S. & PONT M. J.* **485.P**, 31*P*, 1995

see SEWELL D. R. & PONT M. J. **485.P**, 32*P*, 1995

POSTON L. *see COCKELL A. P. & POSTON L.* **487.P**, 83*P*, 1995

see SMIRNOV S. V., JONES G. D., POSTON L. & AARONSON P. I. **487.P**, 85*P*, 1995

see KNOCK G. A. & POSTON L. **487.P**, 86*P*, 1995

POTTER A. *see FAYEED O. M. H., POTTER A., MUSA O. A., LINDSAY A. R. G., LAU K. R. & CASE R. M.* **489.P**, 129*P*, 1995

POTTER B.V.L. *see RAKOVIC S., GALIONE A., ASHAMU G. A., POTTER B. V. L. & TERRAR D. A.* **483.P**, 17*P*, 1995

POTT L. *see BÜNEMANN M. & POTT L.* **487.P**, 134*P*, 1995

see EWERT M., OLES M. & POTT L. **487.P**, 20*P*, 1995

POTTS D.J. *see BURRY J. S., MARSOLAIS M., POTTS D. J. & LAPRADE R.* **489.P**, 84*P*, 1995

see AHMAD N., LODGE J. P. A. & POTTS D. J. **489.P**, 91*P*, 1995

POTTS J.R. *see HALL J. A., KIRK J., POTTS J. R., RAE C. D., VANDENBERG J. I. & KIRK K.* **487.P**, 96*P*, 1995

POUCHER S.M. *see WICKENDEN A. D., POUCHER S. M. & KUMAR P.* **483.P**, 127*P*, 1995

POULIN M.J.

POULIN M. J., LIANG P.-J. & ROBBINS P. A. Dynamics of the cerebral blood flow response to hypercapnia in young humans **487.P**, 176*P*, 1995

POWER A. *see COONEY A. S., GARRETT E., POWER A. & FITZSIMONS J. T.* **489.P**, 89*P*, 1995

POWERS N. *see WALSH E. G., DAVIES A. S. & POWERS N.* **487.P**, 73*P*, 1995

POWIS D.A. *see BROAD L. M., POWIS D. A. & TAYLOR C. W.* **487.P**, 22*P*, 1995

POYNER D.R. *see GOSLING M., SMITH J. W. & POYNER D. R.* **483.P**, 173*P*, 1995

see GOSLING M., SMITH J. W. & POYNER D. R. **487.P**, 190*P*, 1995

POZO M.J. *see PARIENTE J. A., ALCÓN S., SALIDO G. M. & POZO M. J.* **482.P**, 18*P*, 1995

POZZAN T.

POZZAN T., MONTERO M., MARSAULT R., BRINI M. & RIZZUTO R. Measuring Ca^{2+} concentration in organelles with recombinant chimeric aequorins **487.P**, 4*S*, 1995

PRABHAKAR E.

PRABHAKAR E., BARNES T. & SPRUCE A. E. Labile sodium current expression in *Xenopus* embryonic myocytes **487.P**, 199*P*, 1995

PRESTON M.R.

PRESTON M. R., PUBLICOVER S. J. & EL HAJ A. J. Investigation of the mechanism of voltage-induced T-current recruitment in cultured bone marrow stromal cells **483.P**, 163*P*, 1995

PRIESTLEY J.V. *see AL-SALIHI O., AVERILL S., PRIESTLEY J. V. & MCMAHON S. B.* **483.P**, 154*P*, 1995

PRIEST R.M.

PRIEST R. M. & WARD J. P. T. α_2-Adrenoreceptor-mediated vasorelaxation in isolated pulmonary arteries of the rat **483.P**, 116*P*, 1995

see WARD J. P. T., PRIEST R. M. & PENG W. **487.P**, 80*P*, 1995

PROKS P.

PROKS P. & ASHCROFT F. M. Different types of membrane retrieval in single mouse pancreatic β-cells **487.P**, 32*P*, 1995

PROTHERO L.S.

PROTHERO L. S. & PITMAN R. M. Recording from acutely isolated cell bodies of an identified locust (*Schistocerca gregaria*) motoneurone **483.P**, 198*P*, 1995

PROVERBIO F. *see HOFFMAN J. F., PROVERBIO F. & GEIBEL J. P.* **489.P**, 10*S*, 1995

PUBLICOVER S.J. *see PRESTON M. R., PUBLICOVER S. J. & EL HAJ A. J.* **483.P**, 163*P*, 1995

see BREAKWELL N. A., BEHNISCH T., PUBLICOVER S. J. & REYMANN K. G. **483.P**, 64*P*, 1995

PUENTE E.

PUENTE E., SUNER M.-M. & WINDASS J. D. Comparative sequence analysis of the C-terminal tract of a ryanodine receptor from the insect pest *Heliothis virescens* **487.P**, 17*P*, 1995

PULLEN R.G.L. *see MENTON K., MARKHAM A. & PULLEN R. G. L.* **482.P**, 32*P*, 1995

PULLEN R. G. L. & FRANKLIN P. A. Brain uptake of mercury in the anaesthetized rat **482.P**, 33*P*, 1995

see SCHOFIELD M. & PULLEN R. G. L. **482.P**, 34*P*, 1995

PURI B.K. *see DAVEY N. J., PURI B. K., LEWIS H. S., LEWIS S. W. & ELLAWAY P. H.* **489.P**, 31*P*, 1995

PURNELLE G. *see BOURGUIGNON J. P., GÉRARD A., ALVAREZ GONZALEZ M. L., PURNELLE G. & FRANCHIMONT P.* **483.P**, 14*S*, 1995

PUSCH M. *see JENTSCH T. J., GÜNTHER W., PUSCH M. & SCHWAPPACH B.* **482.P**, 19*S*, 1995

PYLAEV A. *see KAMKIN A., KISELEVA I., PYLAEV A., LAB M. J. & KOHL P.* **483.P**, 24*P*, 1995

PYNER S. *see MOTAWEI K., PYNER S. & COOTE J. H.* **483.P**, 101*P*, 1995

see RANSON R. N., MOTAWEI K., PYNER S. & COOTE J. H. **489.P**, 164*P*, 1995

PYTKO-POLONCZYK J. *see KONTUREK S. J., BRZOZOWSKI T. & PYTKO-POLONCZYK J.* **487.P**, 36*P*, 1995

QAZZAZ M.

QAZZAZ M. & WINLOW W. Differential effects of volatile anaesthetics and barbiturates on electrical coupling between identified molluscan neurones **489.P**, 21*P*, 1995

QI A. *see SHIMONI Y., QI A., SEVERSON D. & GILES W. R.* **485.P**, 43*P*, 1995

QIAN Y.

QIAN Y. & BOURREAU J.-P. Access of extracellular calcium to internal stores in bovine trachealis muscle **487.P**, 17*P*, 1995

QUIANG Q. *see COOPER A., QUIANG Q., SCHUMACHER U. & JOHNSON C.* **487.P**, 222*P*, 1995

QUINN A. *see* JULU P. O. O., QUINN A. & JAMAL G. A. **483.P**, 93*P*, 1995

QUINN C. *see* OWEN J. M., LEACH R., QUINN C., FINDLAY J. B. C. & BOYETT M. R. **489.P**, 51*P*, 1995

QUINTON R. *see* MAYSTON M. J., HARRISON L. M., JOBLING L., QUINTON R., STEPHENS J. A. & BOULOUX P.-M. **483.P**, 33*P*, 1995

RADDA G.K. *see* BOEHM E. A., RADDA G. K. & CLARK J. F. **487.P**, 82*P*, 1995

RADEMAKER A. *see* SANT'ANA PEREIRA J. A. A., RADEMAKER A., VAN MECHELEN W., DE HAAN A. & SARGEANT A. J. **487.P**, 154*P*, 1995

RAE C.D. *see* HALL J. A., KIRK J., POTTS J. R., RAE C. D., VANDENBERG J. I. & KIRK K. **487.P**, 96*P*, 1995

RAITHEL P. *see* CHRIST F., RAITHEL P., GUENZEL M., GARTSIDE I., GAMBLE J., PETER K. & MESSMER K. **483.P**, 148*P*, 1995

RAKHIT S.

RAKHIT S., PEDIANI J. D., MURDOCH R., ELDER H. Y. & WILSON S. M. P_{2U} receptors permit inhibitory control of cAMP production in cultured equine sweat gland cells **487.P**, 100*P*, 1995

RAKOVIC S.

RAKOVIC S., GALIONE A., ASHAMU G. A., POTTER B. V. L. & TERRAR D. A. Inhibition of excitation–contraction coupling in guinea-pig isolated ventricular myocytes by an antagonist of cyclic ADP-ribose **483.P**, 17*P*, 1995

RAKOVIC S. & TERRAR D. A. Depletion of calcium in intracellular stores by abbreviation of action potential duration in myocytes isolated from guinea-pig ventricle **487.P**, 137*P*, 1995

RAKOVIC S., ANNETTS C., FLAXMAN P., CUI Y. & TERRAR D. A. Measurement of cytosolic calcium transients in myocytes isolated from guinea-pig ventricle **487.P**, 7*P*, 1995

see GALIONE A., RAKOVIC S. & TERRAR D. A. **487.P**, 48*S*, 1995

RAMAGE A.G. *see* DANDO S. B., JORDAN D. & RAMAGE A. G. **489.P**, 156*P*, 1995

see WANG Y., RAMAGE A. G. & JORDAN D. **489.P**, 158*P*, 1995

RAMESH B. *see* ABBOTT G. W., RAMESH B., MERCER E. A. J. & SRAI S. K. S. **489.P**, 74*P*, 1995

RANATUNGA K.W. *see* MUTUNGI G. & RANATUNGA K. W. **483.P**, 80*P*, 1995

see MUTUNGI G. & RANATUNGA K. W. **487.P**, 153*P*, 1995

see VAWDA F., RANATUNGA K. W. & GEEVES M. A. **487.P**, 153*P*, 1995

RANDALL A.D.

RANDALL A. D. On the blockade of neuronal Na^+ and K^+ conductances by the Ca^{2+} channel antagonist Ro 405967 **485.P**, 49*P*, 1995

RANDALL A. D. A comparison of the activation of rat low- and high-voltage-activated Ca^{2+} channels by action potential-like voltage transitions *in vitro* **487.P**, 56*P*, 1995

see WEBB A. V., COMPSTON D. A. S. & RANDALL A. D. **489.P**, 55*P*, 1995

RANSOM B.R. *see* PAPPAS C. A. & RANSOM B. R. **487.P**, 45*P*, 1995

RANSON R.N.

RANSON R. N., MOTAWEI K., PYNER S. & COOTE J. H. Evidence for a direct pathway between hypothalamic paraventricular neurones and spinal sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **489.P**, 164*P*, 1995

RAPP G.

RAPP G., ASHLEY C. C., PELC R., CECCHI G., BAGNI M. A., MAÉDA Y. & GRIFFITHS P. J. Equatorial intensity changes resulting from skinning of single skeletal muscle fibres of *Rana temporaria* **487.P**, 154*P*, 1995

RASIDAKI A. *see* GREENWOOD S. L., RASIDAKI A., KELLY M. K. & SIBLEY C. P. **482.P**, 16*P*, 1995

RASMUSSEN P.B. *see* NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

RASTOGHI R. *see* LEYSSENS A., ANDERSON M., CRASKE M., RASTOGHI R., CROMPTON M. & DUCHEN M. R. **487.P**, 123*P*, 1995

RATCLIFF R. *see* VERDON B., EVANS M. J., COLLEDGE W. H., RATCLIFF R., ARGENT B. E. & GRAY M. A. **489.P**, 115*P*, 1995

RATHOD H.

RATHOD H., GILLESPIE J. I. & DATTA H. K. Evidence for parathyroid hormone-induced mobilization of intracellular calcium in rat osteoclasts **489.P**, 71*P*, 1995

RAUH J.J. *see* SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. **483.P**, 193*P*, 1995

see BUCKINGHAM S. D., BAI D., HOLYOKE C. W., RAUH J. J. & SATTELLE D. B. **483.P**, 194*P*, 1995

RAUT S. *see* BOUTCHER P. A., GAFFNEY P. J., RAUT S. & MCLOUGHLIN P. **489.P**, 164*P*, 1995

RAWANA S.P.

RAWANA S. P., CHARLES C. & JEN K. L. C. Effects of dietary fibre on fructose ingestion in pregnant and lactating rats **489.P**, 41*P*, 1995

RAWLINGS J.M. *see* MCEWAN G. T. A., ROBERTSON L. M., RAWLINGS J. M. & HEYLINGS J. R. **489.P**, 118*P*, 1995

RAY D.E. *see* LIU X. & RAY D. E. **483.P**, 29*P*, 1995

REAPE T.J. *see* KANCZLER J. M., THOMAS C. R., BURNAND K. G., WARD J. P. T. & REAPE T. J. **483.P**, 116*P*, 1995

REED H.E.

REED H. E. & SMITH P. M. Calcium influx and extrusion measured in odontoblasts acutely isolated from rat incisors **487.P**, 23*P*, 1995

see SMITH P. M. & REED H. E. **487.P**, 23*P*, 1995

REED J.W. *see* SUBHAN M. M. F. & REED J. W. **483.P**, 95*P*, 1995

REES A. *see* WUNDER M. A., GREEN G. G. R. & REES A. **485.P**, 15*P*, 1995

REES H.

REES H., SLUKA K. A., TSURUOKA M., CHEN P. S. & WILLIS W. D. The effects of NK1 and NK2 receptor antagonists on the sensitization of STT cells following acute inflammation in the anaesthetized primate **483.P**, 152*P*, 1995

REEVE H.L.

REEVE H. L., ARCHER S. L. & WEIR E. K. (+) Fenfluramine, an anorexic agent, inhibits K^+ channel currents in isolated rat pulmonary artery smooth muscle cells **487.P**, 186*P*, 1995

see ARCHER S. L., REEVE H. L., HAMPL V., HUANG J., PETERSON D. A. & WEIR E. K. **487.P**, 11*S*, 1995

REGAN M.C. *see* YOUNG L. S., BARRY M. K., REGAN M. C., GERAGHTY J. G. & FITZPATRICK J. M. **489.P**, 87*P*, 1995

REGGIANI C. *see* HARRIDGE S. D. R., BOTTINELLI R., REGGIANI C., PELLEGRINO M. A., CANEPARI M. & SALTIN B. **487.P**, 152*P*, 1995

REHMAN A.

REHMAN A. & JOHNS E. J. Renal functional responses to saline volume expansion in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 90*P*, 1995

REID B.

REID B. & LAGNADO L. Fluorescence measurements of endocytosis and exocytosis in the synaptic terminal of dissociated bipolar cells of the goldfish retina **485.P**, 49*P*, 1995

REID G.

REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R. Changes in intracellular calcium in response to thyrotropin-releasing hormone and dopamine in lactotrophs from lactating rats **487.P**, 11*P*, 1995

REID J.M.

REID J. M. & PATERSON D. J. Role of extracellular K^+ in the regulation of cerebral blood flow during hypoxia in the anaesthetized rat **487.P**, 175*P*, 1995

REID K.R. *see* BEVAN R. M., BOYD I. L., BUTLER P. J., REID K. R. & WOAKES A. J. **483.P**, 193*P*, 1995

REID N.A.

REID N. A., GRIBBLE S. M., BOYD C. A. R. & SHIRAZI-BEECHEY S. P. Immunodetection of facilitative glucose transporter proteins in the human placental syncytiotrophoblast brush-border and basal membranes **482.P**, 46*P*, 1995

REIDY D. *see* HIGGINS T., HORWITZ E. & REIDY D. **489.P**, 119*P*, 1995

REILLY M. *see* ECCLES R., REILLY M. & ECCLES K. S. J. **487.P**, 106*P*, 1995

REIPRICH K. *see* MÜHLBAUER E., NING L., RUI W., REIPRICH K., JOZSA R. & GROSSMANN R. **483.P**, 49*P*, 1995

REITH C.A.

REITH C. A. & SILLAR K. T. A role for GABAergic neurotransmission during swimming in *Xenopus laevis* larvae **483.P**, 186*P*, 1995

RENARD S. *see* BARBRY P., LINGUEGLIA E., VOILLEY N., CHAMPIGNY G., WALDMANN R., RENARD S., BASSILANA F., LE NÉCHET S. & LAZDUNSKI M. **489.P**, 4*S*, 1995

RENAUD L.P. *see* LOGAN S. D., RENAUD L. P. & SPANSWICK D. **489.P**, 157*P*, 1995

see SPANSWICK D., RENAUD L. P. & LOGAN S. D. **489.P**, 157*P*, 1995

RENEMAN R.S. *see* SLAAF D. W., BOSMAN J., TANGELDER G.-J., OUDE EGBRINK M. G. A. & RENEMAN R. S. **483.P**, 4*S*, 1995

RENKIN E.M.

RENKIN E. M. The role of Q/PS heterogeneity in controlling capillary transport **483.P**, 2*S*, 1995

RENNIE M.J. *see* BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S. **482.P**, 23*P*, 1995

see AHMED A., PETER G. J., HARPER A. A., TAYLOR P. M. & RENNIE M. J. **482.P**, 5*P*, 1995

see BOWTELL J. L., GELLY K., JACKMAN M. L., PATEL A. & RENNIE M. J. **489.P**, 34*P*, 1995

RENSHAW D. *see* CONDE G. L., RENSHAW D., LIGHTMAN S. L. & HARBUZ M. S. **489.P**, 180*P*, 1995

RESIDORI O. *see* DONI M. G., PADOIN E., RESIDORI O. & MUTINELLI F. **487.P**, 168*P*, 1995

REUSS L.

REUSS L., ALTENBERG G. A., VANOYE C. G. & HAN E. S. The P-glycoprotein of multidrug-resistant cells: solute pump and transporter regulator **489.P**, 12*S*, 1995

REVELL W.J.

REVELL W. J. & BROOKES M. The use of inexpensive resin particles to measure blood flow rates to hindlimb bones in the anaesthetized rat **483.P**, 145*P*, 1995

REYMANN K.G. *see* BREAKWELL N. A., BEHNISCH T., PUBLICOVER S. J. & REYMANN K. G. **483.P**, 64*P*, 1995

see MANAHAN-VAUGHAN D. & REYMANN K. G. **483.P**, 69*P*, 1995

RIACH R.A. *see* WILLIAMS M. R., DUNCAN G., THOMAS G. & RIACH R. A. **487.P**, 11*P*, 1995

RIBARIC S. *see* FREESTONE N. S., RIBARIC S., SOMASUNDARAM B. & MASON W. T. **487.P**, 144*P*, 1995

RIBCHESTER R.R. *see* MACKINTOSH C. L. & RIBCHESTER R. R. **483.P**, 57*P*, 1995

see BARRY J. A. & RIBCHESTER R. R. **489.P**, 78*P*, 1995

RICE J.J.

RICE J. J., WINSLOW R. L. & KOHL P. Conduction velocity in a model strand of cardiomyocytes is linearly related to intracellular sodium concentration **487.P**, 15*P*, 1995

RICHARD D. *see* BOURQUE C. W., HU B., RICHARD D. & KIRKPATRICK K. **483.P**, 9*S*, 1995

RICHARD PH. *see* DAYANITHI G., MOOS F. & RICHARD PH. **489.P**, 184*P*, 1995

see ROSSI K., RICHARD PH. & MOOS F. **489.P**, 184*P*, 1995

RICHARDSON H.C. *see* GARDNER E., RICHARDSON H. C. & BANKS J. **489.P**, 29*P*, 1995

see RYAN W. G., RICHARDSON H. C., MARSH D. R. & BANKS A. J. **489.P**, 33*P*, 1995

RICHARDSON P.J. *see* LEE K., DIXON A. K., ROWE I. C. M., ASHFORD M. L. J. & RICHARDSON P. J. **483.P**, 66*P*, 1995

RICHARDS W.G. *see* DOUGHTY S. W., BLANEY F. E. & RICHARDS W. G. **489.P**, 69*P*, 1995

RICHES C.

RICHES C. Amino acid transporter gene expression in the immortalized keratinocyte cell line LSDM3 **487.P**, 212*P*, 1995

RICHMOND S.

RICHMOND S. & RIDGE R. M. A. P. Calcium may enter neonatal rat muscle fibres by Na^+–Ca^{2+} exchange to cause twitch potentiation **489.P**, 69*P*, 1995

RICHTER D.W. *see* PATON J. F. R. & RICHTER D. W. **483.P**, 96*P*, 1995

RICHTER S. *see* BERNHARDT I., ELLORY J. C., BOGDANOVA A. Y., CULLIFORD S. J., HAMANN J. & RICHTER S. **489.P**, 101*P*, 1995

RICKARDS C.

RICKARDS C. & CODY F. W. J. Bilateral asymmetry of vibration-induced errors of human wrist movements in patients with asymmetrical parkinsonism **489.P**, 31*P*, 1995

RIDDELL J.S.

RIDDELL J. S. & HADIAN M. R. Topographical organization of spinal neurones in group II reflex pathways of the anaesthetized rat **483.P**, 37*P*, 1995

RIDGE R.M.A.P. *see* RICHMOND S. & RIDGE R. M. A. P. **489.P**, 69*P*, 1995

RILEY G.

RILEY G., TAGGART M. J. & WRAY S. Gestational differences in the ability of L-arginine to inhibit contractions of isolated rat uterine smooth muscle **487.P**, 89*P*, 1995

RIND F.C.

RIND F. C. & SIMMONS P. J. Collision avoidance in the locust *Locusta migratoria*: biological and artificial neural networks for range determination **483.P**, 188*P*, 1995

RIORDAN-EVA P. *see* OGILVIE J. A., RIORDAN-EVA P., RUDDOCK K. H., SANDERS M. D. & WRIGHT J. R. **485.P**, 28*P*, 1995

RIVAS M.

RIVAS M., SKRONE J., CLARIDGE E., JAKEMAN P. & EGGINTON S. GASPAR: task-specific image analysis software for use with human muscle histology **483.P**, 3*P*, 1995

RIZZUTO R. *see* POZZAN T., MONTERO M., MARSAULT R., BRINI M. & RIZZUTO R. **487.P**, 4*S*, 1995

ROBBINS J.

ROBBINS J., BOWDEN S., HIGASHIDA H. & BROWN D. A. 8-Amino-cyclic adenosine diphosphate-ribose (8-NH_2-cADPR) inhibits $I_{K(M)}$ modulation by acetycholine in m1 receptor-transformed rodent NG108-15 cells **489.P**, 61*P*, 1995

ROBBINS P.A. *see* LIANG P.-J., BASCOM D. A. & ROBBINS P. A. **487.P**, 109*P*, 1995

see POULIN M. J., LIANG P.-J. & ROBBINS P. A. **487.P**, 176*P*, 1995

ROBERT E.G. *see* NOSEK T. M., FOGAÇA R. T. H., ALLEE P. L., BROTTO M. A. P. & ROBERT E. G. **487.P**, 14*P*, 1995

ROBERTS C.A.

ROBERTS C. A., CORFIELD D. R., MURPHY K., ADAMS L. & GUZ A. Effects of P_{CO_2} on voluntary control of ventilation in humans **487.P**, 107*P*, 1995

ROBERTS M.H.T. *see* HAWORTH P. A. & ROBERTS M. H. T. **483.P**, 156*P*, 1995

see LI H. S. & ROBERTS M. H. T. **483.P**, 156*P*, 1995

ROBERTS N.B. *see* MENDES RIBEIRO A. C., ROBERTS N. B., LANE C., YACOOB M. & ELLORY J. C. **483.P**, 175*P*, 1995

ROBERTSON B.

ROBERTSON B., OWEN D. G. & NUMANN R. E. Actions of some potassium channel-selective toxins on a human cloned potassium channel (hKv1·1) expressed in oocytes from *Xenopus laevis* **483.P**, 72*P*, 1995

see HEBLICH F., ROBERTSON B. & OWEN D. G. **487.P**, 196*P*, 1995

see STEPHENS G. J., OWEN D. G. & ROBERTSON B. **487.P**, 200*P*, 1995

ROBERTSON F. *see* CLARK M., ROBERTSON F. & TANSEY E. M. **483.P**, 6*P*, 1995

ROBERTSON L.M. *see* MCEWAN G. T. A., ROBERTSON L. M., RAWLINGS J. M. & HEYLINGS J. R. **489.P**, 118*P*, 1995

ROBERTSON S.J.

ROBERTSON S. J., WOODWARD R., MCKENNA F., ROWE I. C. M., ASHFORD M. L. J. & MURRELL-LAGNADO R. D. Expression of heteromeric inwardly rectifying K^+ channels of the Kir3 family in *Xenopus* oocytes **489.P**, 58*P*, 1995

ROBINSON J. *see* BARLAS P., CRAIG J., ROBINSON J., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 84*P*, 1995

ROBINSON J.I. *see* MCDOWELL B. C., ROBINSON J. I., CHERRY H. R., WALSH D. M., BAXTER G. D. & ALLEN J. M. **483.P**, 85*P*, 1995

ROBSON A.G.

ROBSON A. G. & KULIKOWSKI J. J. Verification of human visual evoked potentials (VEPs) elicited by gratings containing tritanopic pairs of hues **485.P**, 22*P*, 1995

ROBSON L.

ROBSON L. & HUNTER M. Role of phosphorylation in regulation of a K^+ conductance in single proximal tubule cells isolated from frog kidney **482.P**, 37*P*, 1995

ROBSON L. & HUNTER M. ATP regulates a quinidine-sensitive K^+ conductance in single proximal tubule cells isolated from frog kidney **489.P**, 103*P*, 1995

RODEN L.D. *see* EAGER K. R., RODEN L. D. & DULHUNTY A. F. **489.P**, 79*P*, 1995

RODGERS J.F. *see* TAYLOR A., DURBABA R. & RODGERS J. F. **487.P**, 76*P*, 1995

RODRIGUEZ A.B.

RODRIGUEZ A. B., IBARS C. B. & LEA R. W. Effect of *in vitro* and *in vivo* prolactin upon phagocytic function in the ring dove (*Streptopelia risoria*) **483.P**, 52*P*, 1995

ROERICHT S. *see* MEYER B.-U., ROERICHT S., WOICIECHOWSKY C. & BRANDT S. A. **487.P**, 68*P*, 1995

ROKYTA R.

ROKYTA R., BENEŠ V., ŠŤASTNÝ F., DRUGA R., TROJAN S. & POKORNÝ J. Plasticity of spinal cord after crush, and of hippocampus after injection of neuron suspensions **489.P**, 7*P*, 1995

ROLFE V.

ROLFE V. & LEVIN R. J. Neural and non-neural receptor sites for 5-hydroxytryptamine in the activation of electrogenic secretion in muscle-stripped and intact rat ileum *in vitro* **483.P**, 182*P*, 1995

ROLFE V. & LEVIN R. J. Ileal *E. coli* STa activates jejunal but not colonic fluid secretion by a vagal reflex in the rat *in vivo* **487.P**, 36*P*, 1995

Rolfe V., Brand M., Heales S., Lindley K. J. & Milla P. J. Characterization of electrogenic secretion in tetrahydrobiopterin-deficient mouse ileum *in vitro* **489.P**, 109*P*, 1995

Rolfe V.E. *see Menon R. A., Rolfe V. E., Lindley K. J., Naftalin R. J. & Milla P. J.* **489.P**, 129*P*, 1995

Rosenberg J.R. *see Conway B. A., Halliday D. M., Shahani U., Maas P., Weir A. I., Rosenberg J. R. & Farmer S. F.* **483.P**, 35*P*, 1995

see Halliday D. M., Amjad A. M., Conway B. A., Farmer S. F. & Rosenberg J. R. **487.P**, 76*P*, 1995

Rosie R. *see Grahame L., Sumner B. E. H., Rosie R. & Fink G.* **483.P**, 53*P*, 1995

Ross H.F. *see Ahmed S. K., Egginton S., Ross H. F., Mannion A. F. & Jakeman P. M.* **483.P**, 134*P*, 1995

Rossi K.

Rossi K., Richard Ph. & Moos F. Regulation by *N*-methyl-D-aspartate (NMDA) receptors of basal and bursting activities of supraoptic oxytocin neurones in suckled rats **489.P**, 184*P*, 1995

Rothwell J.C.

Rothwell J. C., Branston N., Corcos D., Asselman P., Sieradzan K. & Thomas D. Stimulation and recording from the nucleus ventralis intermedius (Vim) in a patient with Parkinson's disease **483.P**, 32*P*, 1995

see Bostock H. & Rothwell J. C. **487.P**, 47*P*, 1995

Rougier O. *see Chorvatova A., Guyot A., Bilbaut A., Ojeda C. & Rougier O.* **487.P**, 189*P*, 1995

Round J.M. *see Winter E. M., Brookes F. B. C., Jones D. A. & Round J. M.* **483.P**, 82*P*, 1995

Rowan M. *see O'Mara S. M., Rowan M. & Anwyl R.* **483.P**, 71*P*, 1995

see Breakwell N. A., Rowan M. & Anwyl R. **489.P**, 15*P*, 1995

Rowan M.J. *see Doyle C., Rowan M. J. & Anwyl R.* **483.P**, 68*P*, 1995

see O'Mara S. M., Rowan M. J. & Anwyl R. **487.P**, 55*P*, 1995

Rowe I.C.M. *see Lee K., Dixon A. K., Rowe I. C. M., Ashford M. L. J. & Richardson P. J.* **483.P**, 66*P*, 1995

see Lee K., Rowe I. C. M. & Ashford M. L. J. **483.P**, 67*P*, 1995

Rowe I. C. M., Lee K., Lloyd C. & Ashford M. L. J. α-Antagonists inhibit BK_{Ca} channel activity in rat isolated cortical neurones **487.P**, 196*P*, 1995

see Robertson S. J., Woodward R., McKenna F., Rowe I. C. M., Ashford M. L. J. & Murrell-Lagnado R. D. **489.P**, 58*P*, 1995

Rowland M. *see Collett A., Sims E., He Y.-L., Rowland M. & Warhurst G.* **482.P**, 34*P*, 1995

Rozycka M. *see Gonzalez-Serratos H., Rozycka M. & Ortega A.* **487.P**, 8*S*, 1995

Rubin L.J. *see Yuan X.-J., Tod M. L., Rubin L. J. & Blaustein M. P.* **487.P**, 10*S*, 1995

Ruddock K.H. *see Hankins M. W., Jones R. J. M. & Ruddock K. H.* **483.P**, 42*P*, 1995

see Kohler P., Mannan S., Ruddock K. H. & Wooding D. S. **485.P**, 25*P*, 1995

see Ogilvie J. A., Riordan-Eva P., Ruddock K. H., Sanders M. D. & Wright J. R. **485.P**, 28*P*, 1995

see Morland A. B. & Ruddock K. H. **489.P**, 10*P*, 1995

Rui W. *see Mühlbauer E., Ning L., Rui W., Reiprich K., Jozsa R. & Grossmann R.* **483.P**, 49*P*, 1995

Rush A.M. *see Bräu M. E., Rush A. M. & Elliott J. R.* **487.P**, 184*P*, 1995

Rush A. M. & Elliott J. R. Effects of internal trypsin and papain on tetrodotoxin-resistant sodium currents (TTX-r I_{Na}) in small cells isolated from adult (200–350 g) rat dorsal root ganglia (DRG) **487.P**, 184*P*, 1995

Russell J.A. *see Brown C. H., Blackburn R. E., Leng G., Russell J. A. & Verbalis J. G.* **483.P**, 46*P*, 1995

see Douglas A. J., Shields C. W. & Russell J. A. **489.P**, 178*P*, 1995

see Brown C. H., Hamblin L. J., Murphy N. P., Johnstone L. E., Leng G. & Russell J. A. **489.P**, 179*P*, 1995

see Johnstone L. E. & Russell J. A. **489.P**, 180*P*, 1995

Rusznák Z.

Rusznák Z., Forsythe I. D. & Stanfield P. R. Membrane properties of granule cells of the rat ventral cochlear nucleus (VCN) in a thin slice preparation **485.P**, 14*P*, 1995

Rutherford O.M. *see Sarwar R., Niclos B. B. & Rutherford O. M.* **483.P**, 128*P*, 1995

see Niclos B. B., Welsh L., Sarwar R. & Rutherford O. M. **483.P**, 131*P*, 1995

Ryan W.G.

Ryan W. G., Richardson H. C., Marsh D. R. & Banks A. J. Electromyographic (EMG) responses to tibial displacement in human anterior cruciate ligament-deficient knees **489.P**, 33*P*, 1995

Ryder K.O. *see Mészáros J., Coutinho J. J., Bryant S. M., Ryder K. O. & Hart G.* **487.P**, 131*P*, 1995

see Shipsey S. J., Ryder K. O., Bryant S. M. & Hart G. **489.P**, 142*P*, 1995

see Mészáros J., Coutinho J. J., Bryant S. M., Ryder K. O. & Hart G. **489.P**, 143*P*, 1995

Sage S.O. *see Usachev Y. M., Marchenko S. M. & Sage S. O.* **483.P**, 137*P*, 1995

see MacKenzie A. B., Sage S. O. & Mahaut-Smith M. P. **489.P**, 62*P*, 1995

Sagoo M.S.

Sagoo M. S. & Lagnado L. Calcium regulates the cyclic GMP-activated current in isolated rod photoreceptors of the tiger salamander **483.P**, 59*P*, 1995

Saha S. *see Batten T. F. C., Saha S. & McWilliam P. N.* **489.P**, 163*P*, 1995

Sainsbury K. *see Wilson C. F., Hood A. J. C., Johl S. & Sainsbury K.* **487.P**, 33*P*, 1995

St Croix C.M.

St Croix C. M., Cunningham D. A. & Paterson D. H. Effect of hyperoxia on ventilatory control in moderate intensity exercise **487.P**, 178*P*, 1995

Saint D.A. *see Ju Y.-K., Saint D. A. & Gage P. W.* **489.P**, 143*P*, 1995

St Lambert J.H.

St Lambert J. H., Thomas T. & Spyer K. M. Role of brainstem adenosine A_1 receptors on the hypothalamic defence response in the anaesthetized rat **489.P**, 154*P*, 1995

see Thomas T., St Lambert J. H. & Spyer K. M. **489.P**, 155*P*, 1995

Sakai H.

Sakai H., Ikari A., Kumano E. & Takeguchi N. DQ-2511 and PGE_2 regulate positively the housekeeping Cl^- channel in the basolateral membrane of isolated rabbit parietal cells by production of cGMP **487.P**, 101*P*, 1995

Sakura H. *see Ashcroft F. M., Coles B., Gummerson N., Sakura H. & Smith P. A.* **487.P**, 192*P*, 1995

see Ämmälä C., Ashfield R., Gribble F., Sakura H. & Ashcroft F. M. **489.P**, 57*P*, 1995

Sala Newby G.B. *see Kendall J. M., Badminton M. N., Sala Newby G. B., Wilkinson G., Dormer R. L. & Campbell A. K.* **487.P**, 19*P*, 1995

see Campbell A. K., Badminton M. N., Kendall J. M., Sala Newby G. B. & Wilkinson G. **487.P**, 7*S*, 1995

Salido G.M. *see Pariente J. A., Alcón S., Salido G. M. & Pozo M. J.* **482.P**, 18*P*, 1995

see Gonzalez A., Pariente J. A., Salido G. M., Singh J. & Wisdom D. M. **482.P**, 33*P*, 1995

see Jennings L., Lea R. W., Davison J. S., Salido G. M. & Singh J. **483.P**, 180*P*, 1995

Salter K.J.

Salter K. J. & Kozlowski R. Z. Endothelin-1 activates Ca^{2+}-activated Cl^- currents in smooth muscle cells isolated from the pulmonary arterial tree of the rat **487.P**, 81*P*, 1995

see Albarwani S., Salter K. J., Turner J. L., Clapp L. H. & Kozlowski R. Z. **487.P**, 11*S*, 1995

Salter K. J. & Kozlowski R. Z. Effects of endothelin-1 on outward currents in isolated rat pulmonary arterial smooth muscle cells **489.P**, 138*P*, 1995

Saltin B. *see Harridge S. D. R., Bottinelli R., Reggiani C., Pellegrino M. A., Canepari M. & Saltin B.* **487.P**, 152*P*, 1995

Salt T.E. *see Binns K. E. & Salt T. E.* **485.P**, 11*P*, 1995

Sampson B. *see Shirley D. G., Walter S. J. & Sampson B.* **489.P**, 85*P*, 1995

Sandercock D.A.

Sandercock D. A. & Mitchell M. A. The possible roles of Na^+ and Ca^{2+} overload in the mechanism of monensin-induced myotoxicity in isolated avian (*Gallus domesticus*) skeletal muscle **485.P**, 41*P*, 1995

Sanders D.J. *see Janahmadi M., Hearne P. G., Thompson I. M., Bal R., Manchanda S., Sanders D. J. & Green G. G. R.* **487.P**, 187*P*, 1995

see Janahmadi M., Hearne P. G., Thompson I. M., Green G. G. R. & Sanders D. J. **487.P**, 58*P*, 1995

Sanders M.D. *see Ogilvie J. A., Riordan-Eva P., Ruddock K. H., Sanders M. D. & Wright J. R.* **485.P**, 28*P*, 1995

SANDERSON T.C.

SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J. Purification and N-terminal sequence analysis of human pro-corticotropin releasing hormone precursor **489.P**, 183*P*, 1995

SANDHU S. *see CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T.* **489.P**, 179*P*, 1995

SANDLE G.I. *see LOMAX R. B., WARHURST G. & SANDLE G. I.* **482.P**, 43*P*, 1995

see BUTTERFIELD I. & SANDLE G. I. **487.P**, 39*P*, 1995

see BUTTERFIELD I. & SANDLE G. I. **489.P**, 121*P*, 1995

SANFORD P.A. *see BALLAL M. A. & SANFORD P. A.* **489.P**, 37*P*, 1995

SANSOM M.S.P. *see KERR I. D. & SANSOM M. S. P.* **487.P**, 194*P*, 1995

SANT'AMBROGIO G.

SANT'AMBROGIO G. & WIDDICOMBE J. G. Respiratory reflexes in the nineteenth century **487.P**, 204*P*, 1995

SANT'ANA PEREIRA J.A.A.

SANT'ANA PEREIRA J. A. A., RADEMAKER A., VAN MECHELEN W., DE HAAN A. & SARGEANT A. J. Short-term fatiguing exercise in humans: metabolic responses in pure and hybrid myosin heavy chain (MyHC)-based fibre types **487.P**, 154*P*, 1995

SANTELLO M. *see COOK C. S., SANTELLO M. & MCDONAGH M. J. N.* **483.P**, 86*P*, 1995

SANUSI J.

SANUSI J., GREENSMITH L., LOWRIE M. B. & VRBOVÁ G. Increased locomotor activity in newborn rats causes motoneurone death **483.P**, 40*P*, 1995

SARDINI A.

SARDINI A., SEPÚLVEDA F. V. & MCNAUGHTON P. A. Intracellular calcium increases in response to swelling in HeLa cells **482.P**, 11*P*, 1995

SARGEANT A.J. *see SANT'ANA PEREIRA J. A. A., RADEMAKER A., VAN MECHELEN W., DE HAAN A. & SARGEANT A. J.* **487.P**, 154*P*, 1995

SARKER M.H.

SARKER M. H. & FRASER P. A. Bradykinin and des-Arg^9-bradykinin increase permeability of single cerebral microvessels by different mechanisms in the anaesthetized rat **483.P**, 141*P*, 1995

SARWAR R.

SARWAR R., NICLOS B. B. & RUTHERFORD O. M. The effect of the menstrual cycle on the human quadriceps strength, contractile properties and fatiguability **483.P**, 128*P*, 1995

see NICLOS B. B., WELSH L., SARWAR R. & RUTHERFORD O. M. **483.P**, 131*P*, 1995

SATTELLE D.B.

SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. A bicyclic dinitrile radioligand for studying GABA-gated Cl^- channels **483.P**, 193*P*, 1995

see BUCKINGHAM S. D., BAI D., HOLYOKE C. W., RAUH J. J. & SATTELLE D. B. **483.P**, 194*P*, 1995

see HARRISON J. B., SATTELLE D. B., SCHAFER S. & MENZEL R. **485.P**, 31*P*, 1995

SAUNDERS H.C. *see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J.* **483.P**, 171*P*, 1995

see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **489.P**, 92*P*, 1995

SAXTON J.M. *see BROWN S. J., CHILD R. B., DONNELLY A. E., SAXTON J. M. & DAY S. H.* **483.P**, 121*P*, 1995

see CHILD R. B., BROWN S. J., DONNELLY A. E., SAXTON J. M. & DAY S. H. **483.P**, 129*P*, 1995

SCALLY S. *see BECK M. J., LARK S. D., MCCLUSKEY D. R., SCALLY S. & WALLACE W. F. M.* **483.P**, 120*P*, 1995

SCANLON M.F. *see HAM J., IVAN M., PLOCKINGER U. & SCANLON M. F.* **489.P**, 181*P*, 1995

see HEPBURN P. J., HAM J., LEWIS M. D., DAVIES J. S. & SCANLON M. F. **489.P**, 181*P*, 1995

see ISSA B. G., LEWIS B. M., SRINIVASAN J., KNOTT N., PETERS J. R. & SCANLON M. F. **489.P**, 182*P*, 1995

see LEWIS M. D., DAVIES J. S., HEPBURN P. J., HAM J., WEBSTER J. & SCANLON M. F. **489.P**, 182*P*, 1995

SCANNELL J.W.

SCANNELL J. W., SENGPIEL F., BLAKEMORE C. & YOUNG M. P. Non-retinotopic visual area with a putative motion map in extrastriate cortex of the anaesthetized cat **485.P**, 9*P*, 1995

SCHAFER S. *see HARRISON J. B., SATTELLE D. B., SCHAFER S. & MENZEL R.* **485.P**, 31*P*, 1995

SCHNEE M.E. *see SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J.* **483.P**, 193*P*, 1995

SCHNEIDER S. *see HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H.* **489.P**, 90*P*, 1995

SCHNUPP J.W.H.

SCHNUPP J. W. H. & KING A. J. A topographic representation of sound azimuth in the nucleus of the brachium of the inferior colliculus of the anaesthetized ferret **485.P**, 14*P*, 1995

SCHOEPFER R. *see SIVILOTTI L. G., MCNEIL D. K., LEWIS T. M., NASSAR M., SCHOEPFER R. & COLQUHOUN D.* **487.P**, 208*P*, 1995

SCHOFIELD M.

SCHOFIELD M. & PULLEN R. G. L. Manganese flux from cerebrospinal fluid to brain in the anaesthetized rat: application of multiple-time uptake analysis **482.P**, 34*P*, 1995

SCHOLFIELD C.N. *see SPIERS J. P., KELSO E. J., MCDERMOTT B. J., SCHOLFIELD C. N. & SILKE B.* **489.P**, 167*P*, 1995

SCHOLFIELD C. N. & TOFIGHY A. Vulnerability of somata compared with resistance of synaptic transmission to anoxia in slices of rat olfactory cortex **489.P**, 23*P*, 1995

see TOFIGHY A. & SCHOLFIELD C. N. **489.P**, 70*P*, 1995

SCHULTZ S.G.

SCHULTZ S. G. The pump-leak parallelism in sodium-absorbing epithelial cells: some recent insights **489.P**, 9*S*, 1995

SCHUMACHER U. *see COOPER A., QUIANG Q., SCHUMACHER U. & JOHNSON C.* **487.P**, 222*P*, 1995

SCHWAPPACH B. *see JENTSCH T. J., GÜNTHER W., PUSCH M. & SCHWAPPACH B.* **482.P**, 19*S*, 1995

SCHWARTZ A. *see ALLEN T. J. A., MIKALA G., WU X., SCHWARTZ A. & DOLPHIN A. C.* **487.P**, 136*P*, 1995

SCHWARTZSTEIN R.M. *see HARTY H. R., CORFIELD D. R., SCHWARTZSTEIN R. M. & ADAMS L.* **489.P**, 161*P*, 1995

SCHWARZ J.R. *see REID G., BAUER C. K., CORRETTE B. J., BUNTING R., MASON W. T. & SCHWARZ J. R.* **487.P**, 11*P*, 1995

SCHWIENING C.J. *see THOMAS R. C., SCHWIENING C. J. & KENNEDY H. J.* **487.P**, 5*S*, 1995

SCHWIENING C. J., KENNEDY H. J. & THOMAS R. C. Calcium muffling in snail neurones: intracellular buffering, sequestration and extrusion **489.P**, 15*S*, 1995

SCIARRONE A. *see TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P.* **483.P**, 95*P*, 1995

SCIOTE J.J.

SCIOTE J. J. & KENTISH J. C. Unloaded shortening velocity of type I, II and α-cardiac fibres isolated from rabbit skeletal muscles **487.P**, 152*P*, 1995

SCOTT C. *see PERRY M. J. M., SCOTT C., KEEN P. & LISNEY S. J. W.* **483.P**, 157*P*, 1995

SCOTT C., PERRY M. J. M., KEEN P. & LISNEY S. J. W. Improvements to the extraction of substance P from small segments of rat saphenous nerves prior to radioimmunoassay **483.P**, 158*P*, 1995

SCOTT E.L. *see GIBSON J. S., SCOTT E. L. & COSSINS A. R.* **489.P**, 100*P*, 1995

SCOTT K.T. *see LONG Q., DOORLY D. J., TARNAWSKI M., SCOTT K. T., DUMOULIN C. L. & CARO C. G.* **485.P**, 6*P*, 1995

SCOTT O.M. *see CRAMP M. C., MANUEL J. A. & SCOTT O. M.* **483.P**, 82*P*, 1995

SCOTT R.H. *see CRAWFORD J. H., WOOTTON J. F., SEABROOK G. R. & SCOTT R. H.* **487.P**, 12*P*, 1995

SEABROOK G.R. *see CRAWFORD J. H., WOOTTON J. F., SEABROOK G. R. & SCOTT R. H.* **487.P**, 12*P*, 1995

SEARS C.E. *see O'NEILL M., SEARS C. E. & PATERSON D. J.* **487.P**, 173*P*, 1995

SEBZDA T. *see PONIKOWSKI P., CHUA T. P., HARRINGTON D., AMADI A., SEBZDA T., CERQUETANI E., PIEPOLI M. & COATS A. J. S.* **487.P**, 170*P*, 1995

SEDDON A. *see MAHONEY S.-A., PERRY M. J. M., SEDDON A., BOHLEN P. & HAYNES L. W.* **487.P**, 45*P*, 1995

SEDGWICK E.M. *see WEERASINGHE V. S. & SEDGWICK E. M.* **483.P**, 157*P*, 1995

SEGAL M.B. *see SMART K. A. & SEGAL M. B.* **489.P**, 121*P*, 1995

SELF D.A. *see DOE C. P. A., SELF D. A., DRINKHILL M. J., MYERS D. S. & HAINSWORTH R.* **483.P**, 144*P*, 1995

SELF D.A. *see CROFT J. S., MTINANGI B. L., SELF D. A. & HAINSWORTH R.* **489.P**, 37*P*, 1995

SELYANKO A.A.

SELYANKO A. A. & BROWN D. A. Inhibition of potassium M-channels by intracellular calcium in membrane patches from rat sympathetic cells **489.P**, 60*P*, 1995

SEMENENKO F.M.

SEMENENKO F. M. & LUMB B. M. Excitatory inputs from the rostral hypothalamus to neurones in the periaqueductal grey with identified medullary projections in the rat **487.P**, 218*P*, 1995

SEN A.

SEN A., SENGPIEL F. & BLAKEMORE C. Orientation selectivity of surround inhibition in area 17 of the anaesthetized cat **485.P**, 29*P*, 1995

SENDUR R. *see PAWLIK W. W., SENDUR R. & KONTUREK S. J.* **487.P**, 37*P*, 1995

SENGPIEL F.

SENGPIEL F., FREEMAN T. C. B. & BLAKEMORE C. Is interocular suppression in the visual cortex of the anaesthetized cat orientation selective? **485.P**, 24*P*, 1995

see SEN A., SENGPIEL F. & BLAKEMORE C. **485.P**, 29*P*, 1995

see SCANNELL J. W., SENGPIEL F., BLAKEMORE C. & YOUNG M. P. **485.P**, 9*P*, 1995

SENOK S.S.

SENOK S. S., HALATA Z. & BAUMANN K. I. Chloroquine specifically impairs Merkel cell receptors in isolated rat sinus hairs **483.P**, 154*P*, 1995

SEO J.T.

SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. Isoprenaline induces cell swelling by activating Na^+–K^+–$2Cl^-$ co-transport in isolated perfused rat mandibular salivary glands **482.P**, 22*P*, 1995

SEO J. T., CASE R. M. & STEWARD M. C. Anion dependence of cell volume and intracellular pH in isolated perfused rat salivary glands **489.P**, 118*P*, 1995

SEPÚLVEDA F.V. *see MONAGHAN A. S. & SEPÚLVEDA F. V.* **482.P**, 10*P*, 1995

see SARDINI A., SEPÚLVEDA F. V. & MCNAUGHTON P. A. **482.P**, 11*P*, 1995

SEVERSON D. *see SHIMONI Y., QI A., SEVERSON D. & GILES W. R.* **485.P**, 43*P*, 1995

SEWELL D.A.

SEWELL D. A. Plasma ammonia and lactate responses to high intensity exercise after sodium bicarbonate ingestion in man **483.P**, 122*P*, 1995

see GREEN A. L., SEWELL D. A., SIMPSON L., HULTMAN E. & GREENHAFF P. L. **489.P**, 27*P*, 1995

SEWELL D.R.

SEWELL D. R. & PONT M. J. Extensions to a time domain model of cochlear mechanics **485.P**, 32*P*, 1995

SHAHANI U. *see CONWAY B. A., HALLIDAY D. M., SHAHANI U., MAAS P., WEIR A. I., ROSENBERG J. R. & FARMER S. F.* **483.P**, 35*P*, 1995

SHAH M. *see PATEL R., SHAH M. & SPRUCE A. E.* **489.P**, 73*P*, 1995

SHAH P.J.R. *see CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., FOWLER C. J. & PETERSEN T.* **483.P**, 127*P*, 1995

see CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., MUNDY A. R. & FOWLER C. J. **487.P**, 118*P*, 1995

SHALMI M. *see KIBBLE J. D. & SHALMI M.* **483.P**, 172*P*, 1995

SHARP P.A.

SHARP P. A., SRAI S. K. S. & DEBNAM E. S. Insulin treatment of diabetic rats causes rapid changes in SGLT1-mediated glucose uptake at the jejunal brush-border membrane (BBM) but does not affect GLUT2-mediated transport at the basolateral membrane (BLM) **482.P**, 23*P*, 1995

see O'RIORDAN D. K., SHARP P. A., EPSTEIN O., SRAI S. K. S. & DEBNAM E. S. **482.P**, 29*P*, 1995

see DEBNAM E. S., SHARP P. A. & SRAI S. K. **487.P**, 40*P*, 1995

see O'RIORDAN D. K., SHARP P. A., SRAI S.K.S. & DEBNAM E. S. **487.P**, 96*P*, 1995

see O'RIORDAN D. K., SIMPSON R. J., TAYLOR E., SHARP P. A., DEBNAM E. S. & SRAI S. K. S. **489.P**, 124*P*, 1995

see BOYER S., BALDWIN S. A., SHARP P. A., DEBNAM E. S. & SRAI S. K. **489.P**, 127*P*, 1995

SHARP P. A., SMITH M. W., SRAI S. K. S. & DEBNAM E. S. Dietary glucose alters GLUT2 expression by rat jejunal enterocytes **489.P**, 128*P*, 1995

SHAUNAK S.D.

SHAUNAK S. D., DAVEY N. J., HAWKEN M. B., HENDERSON L. & KENNARD C. Spatial inaccuracy of remembered saccades induced by transcranial magnetic stimulation over dorsolateral prefrontal cortex in man **489.P**, 29*P*, 1995

SHAYEGHI M.

SHAYEGHI M. & JARVIS S. M. Sodium-dependent nucleobase transport in renal epithelial cells and *Xenopus laevis* oocytes **489.P**, 126*P*, 1995

SHEADER E. *see PARRATT J., SHEADER E., TAGGART M. & WRAY S.* **483.P**, 108*P*, 1995

SHEADER E.A.

SHEADER E. A., BROWN P. D. & BEST L. Volume regulation in cells of the RINm5F insulin-secreting cell line **487.P**, 197*P*, 1995

see BEST L., SHEADER E. A. & BROWN P. D. **489.P**, 64*P*, 1995

SHELLARD R. *see SMITH R. P., SHELLARD R., DHILLON D. P., WINTER J. H. & MEHTA A.* **489.P**, 113*P*, 1995

SHELTON C.J.

SHELTON C. J. & DANIELS S. Insensitivity of $GABA_A$ receptors to hydrostatic pressure when expressed in *Xenopus* oocytes **489.P**, 76*P*, 1995

SHELTON D. *see BENNETT D., SHELTON D. & MCMAHON S. B.* **487.P**, 216*P*, 1995

SHELTON P.A. *see ABRAMS C. J., DAVIES N. W., SHELTON P. A., CONLEY E. C. & STANFIELD P. R.* **489.P**, 58*P*, 1995

SHEPPARD D.N.

SHEPPARD D. N. Relationship between cystic fibrosis mutations and CFTR Cl^- channel dysfunction **489.P**, 2*S*, 1995

SHERIDAN D.J. *see WALLIS W. R. J., COOKLIN M., SHERIDAN D. J. & FRY C. H.* **483.P**, 22*P*, 1995

see WALLIS W. R. J., WU C., COOKLIN M., SHERIDAN D. J. & FRY C. H. **485.P**, 42*P*, 1995

see COOKLIN M., WALLIS W. R. J., SHERIDAN D. J. & FRY C. H. **485.P**, 44*P*, 1995

SHERIFF M.K.M. *see CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., FOWLER C. J. & PETERSEN T.* **483.P**, 127*P*, 1995

see CRAGGS M. D., SHERIFF M. K. M., SHAH P. J. R., MUNDY A. R. & FOWLER C. J. **487.P**, 118*P*, 1995

SHIELDS C.W. *see DOUGLAS A. J., SHIELDS C. W. & RUSSELL J. A.* **489.P**, 178*P*, 1995

SHIMONI Y.

SHIMONI Y., QI A., SEVERSON D. & GILES W. R. Diabetes-induced changes in α-adrenergic modulation of K^+ currents in rat ventricular myocytes **485.P**, 43*P*, 1995

SHINDO M.

SHINDO M., SIMMONS N. L. & GRAY M. A. Characterization of whole-cell chloride conductances in a mouse inner medullary collecting duct cell line IMCD-3 **482.P**, 9*P*, 1995

SHINER R.A.

SHINER R. A., HUDLICKA O. & WATTS I. S. The effect of ischaemia and chronic stimulation on dilatation of arterioles in rat fast skeletal muscle **483.P**, 143*P*, 1995

SHIPSEY S.J.

SHIPSEY S. J., RYDER K. O., BRYANT S. M. & HART G. Regional action potential changes in isolated ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 142*P*, 1995

SHIPSTON M.J.

SHIPSTON M. J. & ARMSTRONG D. L. Activation of protein kinase C inhibits large conductance calcium-activated potassium channels in clonal (GH_4C_1) rat anterior pituitary cells **482.P**, 10*P*, 1995

SHIPSTON M. J., ANTONI F. A. & KELLY J. S. Glucocorticoids prevent cAMP-mediated inhibition of potassium currents in a clonal pituitary corticotroph cell line, AtT20 D16 : 16 **489.P**, 173*P*, 1995

SHIRAZI-BEECHEY S.P. *see REID N. A., GRIBBLE S. M., BOYD C. A. R. & SHIRAZI-BEECHEY S. P.* **482.P**, 46*P*, 1995

SHIRLEY D.G. *see WALTER S. J., UNWIN R. J. & SHIRLEY D. G.* **483.P**, 168*P*, 1995

see CHAMBERLAIN R. M. & SHIRLEY D. G. **483.P**, 170*P*, 1995

see WALTER S. J., UNWIN R. J. & SHIRLEY D. G. **489.P**, 84*P*, 1995

SHIRLEY D. G., WALTER S. J. & SAMPSON B. Distal tubular lithium reabsorption in anaesthetized, potassium-depleted rats **489.P**, 85*P*, 1995

SHIRREFFS S.M.

SHIRREFFS S. M. & MAUGHAN R. J. The effect of alcohol consumption on fluid retention following exercise-induced dehydration in man **489.P**, 33*P*, 1995

SHMIGOL A.

SHMIGOL A., EISNER D. & VERKHRATSKY A. Cyclic ADP ribose enhances Ca^{2+}-induced Ca^{2+} release in isolated mouse sensory neurones **483.P**, 63*P*, 1995

Shmigol A., Kostyuk P. & Verkhratsky A. Thapsigargin blocks plasmalemmal voltage-operated calcium channels in isolated mouse DRG neurones **483.P**, 64*P*, 1995

Shore A.C. *see Morris S. J., Shore A. C. & Tooke J. E.* **483.P**, 148*P*, 1995

see Morris S. J. & Shore A. C. **487.P**, 169*P*, 1995

Short C.

Short C., Gochard C. & Lever M. J. Interstitial fluid transport through wall tissue of isolated rabbit arteries and veins **483.P**, 146*P*, 1995

Shuba M.F. *see Belevich A. E., Zima A. V. & Shuba M. F.* **487.P**, 198*P*, 1995

see Zima A. V., Belevich A. E. & Shuba M. F. **487.P**, 198*P*, 1995

Shui Z.

Shui Z., Boyett M. R. & Zang W.-J. Desensitization of the muscarinic K^+ channel in rat atrial cells – dependence on intracellular ATP **487.P**, 129*P*, 1995

Shui Z. & Boyett M. R. A novel background potassium channel in atrial cells isolated from the rat heart **487.P**, 135*P*, 1995

Sibley C.P. *see Greenwood S. L., Rasidaki A., Kelly M. K. & Sibley C. P.* **482.P**, 16*P*, 1995

see Doughty I. M., Glazier J. D., Greenwood S. L. & Sibley C. P. **482.P**, 36*P*, 1995

see Clarson L. H., Glazier J. D. & Sibley C. P. **482.P**, 6*P*, 1995

Sieradzan K. *see Rothwell J. C., Branston N., Corcos D., Asselman P., Sieradzan K. & Thomas D.* **483.P**, 32*P*, 1995

Signorelli S. *see Martini R., Di Pino L., Signorelli S. & Andreozzi G. M.* **483.P**, 143*P*, 1995

Silke B. *see Spiers J. P., Kelso E. J., McDermott B. J., Scholfield C. N. & Silke B.* **489.P**, 167*P*, 1995

Sillar K.T. *see Reith C. A. & Sillar K. T.* **483.P**, 186*P*, 1995

Silver R.A.

Silver R. A., Cull-Candy S. G. & Takahashi T. Non-NMDA receptor occupancy during transmission at rat cerebellar mossy fibre–granule cell synapses with only one functional release site **489.P**, 16*P*, 1995

Sim J.A. *see Momiyama T., Sim J. A. & Brown D. A.* **487.P**, 50*P*, 1995

Simmers J. *see Combes D., Simmers J., Meyrand P. & Moulins M.* **483.P**, 191*P*, 1995

Simmons A. *see Craggs M., Mundy A., Bellringer J., Williams S., Simmons A., Andrew C. & Leaker B.* **489.P**, 40*P*, 1995

Simmons N.L. *see Collares-Buzato C. B., Jepson M. A., Simmons N. L. & Hirst B. H.* **482.P**, 32*P*, 1995

see Shindo M., Simmons N. L. & Gray M. A. **482.P**, 9*P*, 1995

see Thwaites D. T. & Simmons N. L. **487.P**, 33*P*, 1995

see Thwaites D. T., Markovich D., Murer H. & Simmons N. L. **489.P**, 107*P*, 1995

Simmons P.J. *see Rind F. C. & Simmons P. J.* **483.P**, 188*P*, 1995

Simmons P. J. Variation in postsynaptic potential amplitude at synapses between neurones in the ocellar pathway of the locust, *Schistocerca gregaria* **483.P**, 188*P*, 1995

Simnett S.J. *see Johns E. C., Simnett S. J., Mulligan I. P. & Ashley C. C.* **487.P**, 123*P*, 1995

Simonsen L.O. *see Harbak H. & Simonsen L. O.* **482.P**, 12*P*, 1995

see Harbak H., Nielsen D. K., Christensen S. & Simonsen L. O. **489.P**, 114*P*, 1995

Simpson J. *see Paterson J. M., Smith S. M., Simpson J., Harmar A. J. & Antoni F. A.* **487.P**, 210*P*, 1995

Simpson L. *see Green A. L., Sewell D. A., Simpson L., Hultman E. & Greenhaff P. L.* **489.P**, 27*P*, 1995

Simpson R.J. *see O'Riordan D. K., Simpson R. J., Taylor E., Sharp P. A., Debnam E. S. & Srai S. K. S.* **489.P**, 124*P*, 1995

Sims E. *see Collett A., Sims E., He Y.-L., Rowland M. & Warhurst G.* **482.P**, 34*P*, 1995

Sinclair J. *see Vogiatzis I., Spurway N. C., Jennett S., Wilson J. & Sinclair J.* **483.P**, 132*P*, 1995

Singh J. *see Howarth F. C., Singh J., Waring J. J. & Hustler B. I.* **482.P**, 17*P*, 1995

see Gonzalez A., Pariente J. A., Salido G. M., Singh J. & Wisdom D. M. **482.P**, 33*P*, 1995

see Jennings L., Lea R. W., Davison J. S., Salido G. M. & Singh J. **483.P**, 180*P*, 1995

see Djali P. K., Singh J. & Adeghate E. A. **485.P**, 36*P*, 1995

see Wisdom D. M., Singh J., Domschke W., Stoll R. & Mooren F. Ch. **485.P**, 36*P*, 1995

see Juma L. M. O., Singh J., Pallot D. & Adeghate E. A. **489.P**, 109*P*, 1995

see Hustler B. I., Waring J. J., Singh J., Beresford L. A. & Howarth F. C. **489.P**, 142*P*, 1995

Siow R.C.M. *see Ishii T., Siow R. C. M., Sweiry J. H., Pearson J. D., Bannai S. & Mann G. E.* **483.P**, 138*P*, 1995

Sitsapesan R. *see Kermode H., Sitsapesan R. & Williams A. J.* **487.P**, 144*P*, 1995

Sivilotti L.G.

Sivilotti L. G., McNeil D. K., Lewis T. M., Nassar M., Schoepfer R. & Colquhoun D. Single-channel recording from neuronal nicotinic receptors: a comparison between receptors from rat superior cervical ganglion (SCG) and recombinant receptors expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995

Skadhauge E. *see Thomsen L., Pearson G. T., Nielsen C. & Skadhauge E.* **482.P**, 47*P*, 1995

Skidmore N.J. *see Dyke J. C., Skidmore N. J. & Finchan D. A.* **482.P**, 40*P*, 1995

Skingsley D.R.

Skingsley D. R. & Elliott C. J. H. Photoinactivation of cardio-respiratory interneurons in the pond snail, *Lymnaea stagnalis* **483.P**, 189*P*, 1995

Skinner M.R.

Skinner M. R. & Marshall J. M. The role of nitric oxide in vasodilatation induced in skeletal muscle of the anaesthetized rat by acute systemic hypoxia **487.P**, 86*P*, 1995

Skrone J. *see Rivas M., Skrone J., Claridge E., Jakeman P. & Egginton S.* **483.P**, 3*P*, 1995

Slaaf D.W.

Slaaf D. W., Bosman J., Tangelder G.-J., oude Egbrink M. G. A. & Reneman R. S. Skeletal muscle microcirculation and low perfusion pressure **483.P**, 4*S*, 1995

Slack J.R. *see King A. E. & Slack J. R.* **487.P**, 217*P*, 1995

Slater B.J.

Slater B. J., Chambers P., Varma J. S. & Gillespie J. I. The effect of glyceryl trinitrate (GTN) on the frequency and amplitude of agonist-induced contractions in human colonic smooth muscle **487.P**, 92*P*, 1995

Slater C.R.

Slater C. R., Fawcett P. R. W., Gardner-Medwin D., Lyons P. R., Walls T. J., Wood S. J. & Young C. Defects of the neuromuscular junction associated with impaired neuromuscular transmission in limb-girdle myasthenias in man **489.P**, 150*P*, 1995

see Wood S. J. & Slater C. R. **489.P**, 150*P*, 1995

Sluka K.A. *see Rees H., Sluka K. A., Tsuruoka M., Chen P. S. & Willis W. D.* **483.P**, 152*P*, 1995

Sluka K. A., Milton M. A., Westlund K. N. & Willis W. D. Involvement of neurokinin receptors in the joint inflammation and heat hyperalgesia following acute inflammation in unanaesthetized rats **483.P**, 152*P*, 1995

Smalley K. *see Lal H., Smalley K., Woodward B. & Williams K. I.* **483.P**, 147*P*, 1995

Smart K.A.

Smart K. A. & Segal M. B. Ammonium ions alter the uptake of potassium to brain, choroid plexus and CSF of the rat *in vivo* **489.P**, 121*P*, 1995

Smart T.G. *see Wooltorton J. R. A., Whiting P. & Smart T. G.* **489.P**, 80*P*, 1995

Smirnov S.V.

Smirnov S. V. & Aaronson P. I. Modulatory effects of arachidonic acid on the voltage-gated K^+ current in isolated rat pulmonary arterial myocytes **483.P**, 109*P*, 1995

Smirnov S. V., Jones G. D., Poston L. & Aaronson P. I. Membrane currents in single smooth muscle cells freshly isolated from pregnant human myometrium **487.P**, 85*P*, 1995

Smith A.B.

Smith A. B. & Cunnane T. C. ω-conotoxin GVIA-resistant neurotransmitter release can be modulated through presynaptic α_2-adrenoceptors in the guinea-pig isolated vas deferens **489.P**, 132*P*, 1995

Smith A.L.

Smith A. L. & Thompson I. D. Developmental changes in excitatory amino acid receptor distributions in primary visual cortex are correlated with the ingrowth of the geniculocortical pathway in the anaesthetized ferret **485.P**, 8*P*, 1995

see Mobasheri A., Smith A. L., France S. J., Urban J. P. G. & Hall A. C. **489.P**, 65*P*, 1995

Smith G.L. *see Crichton C. A., McCarron J. G. & Smith G. L.* **483.P**, 112*P*, 1995

see Steele D. S., McAinsh A. M. & Smith G. L. **483.P**, 15*P*, 1995

Smith G. L., McAinsh A. M. & Steele D. S. Ca^{2+} content of rat cardiac muscle SR equilibrated with high concentrations of caffeine **483.P**, 18*P*, 1995

see Ng G. A., Hicks M. N., Cobbe S. M. & Smith G. L. **487.P**, 142*P*, 1995

see Crichton C. A. & Smith G. L. **487.P**, 88*P*, 1995

see McCarron J. G., Crichton C. A., Langton P. D., McKenzie A. & Smith G. L. **489.P**, 133*P*, 1995

Smith I.C.H.

Smith I. C. H. & Hashim H. Repletion of calcium stores sensitive to noradrenaline in the rat vas deferens **487.P**, 18*P*, 1995

Smith J.W. *see Gosling M., Smith J. W. & Poyner D. R.* **483.P**, 173*P*, 1995

see Gosling M., Smith J. W. & Poyner D. R. **487.P**, 190*P*, 1995

Smith M.E. *see Evans A. A. L. & Smith M. E.* **483.P**, 78*P*, 1995

see Khan S. & Smith M. E. **483.P**, 78*P*, 1995

see Evans A. A. L. & Smith M. E. **487.P**, 162*P*, 1995

see Khan S. & Smith M. E. **487.P**, 163*P*, 1995

Smith M.W. *see Sharp P. A., Smith M. W., Srai S. K. S. & Debnam E. S.* **489.P**, 128*P*, 1995

Smith P.A. *see Ashcroft F. M., Coles B., Gummerson N., Sakura H. & Smith P. A.* **487.P**, 192*P*, 1995

see Chapman S., Smith P. A. & Ashcroft F. M. **487.P**, 12*P*, 1995

Smith P. A., Willmott N. & Gallione A. Nitric oxide mobilizes intracellular calcium in rat pancreatic β-cells **487.P**, 13*P*, 1995

Smith P.D.

Smith P. D., Hopkins P. M., Ellis F. R., Halsall P. J. & Bridges L. R. The different caffeine sensitivities of skinned muscle fibre types are due to differences in calcium sensitivity rather than calcium release **489.P**, 24*P*, 1995

Smith P.M. *see Reed H. E. & Smith P. M.* **487.P**, 23*P*, 1995

Smith P. M. & Reed H. E. Amplification of the thapsigargin-evoked increase in $[Ca^{2+}]_i$ by acetylcholine in acutely isolated mouse submandibular acinar cells **487.P**, 23*P*, 1995

see Graham J., Thomas M. V. & Smith P. M. **487.P**, 7*P*, 1995

Smith R.E. *see Whipp B. J., Ward S. A., Smith R. E. & Hussain S. T.* **483.P**, 130*P*, 1995

Smith R.P.

Smith R. P., Dhillon D. P., Winter J. & Mehta A. Asymmetrical interaction of cyclic AMP and calcium-dependent pathways regulating ciliary beat frequency in human respiratory epithelium *in vitro* **482.P**, 44*P*, 1995

Smith R. P., Shellard R., Dhillon D. P., Winter J. H. & Mehta A. Protein kinase A modifies the calcium-dependent human nasal ciliary response to the tachykinin Substance P *in vitro* **489.P**, 113*P*, 1995

Smith S.M. *see Paterson J. M., Smith S. M., Simpson J., Harmar A. J. & Antoni F. A.* **487.P**, 210*P*, 1995

Snetkov V.A.

Snetkov V. A., Hirst S. J., Twort C. H. C. & Ward J. P. T. Potassium currents in freshly isolated human bronchial smooth muscle cells **483.P**, 110*P*, 1995

Snetkov V. A., Gurney A. M., Ward J. P. T. & Osipenko O. N. Inward rectification of the large conductance potassium channels in smooth muscle cells isolated from rabbit pulmonary artery **487.P**, 112*P*, 1995

Snitsarev V.A.

Snitsarev V. A., McNulty T. J. & Taylor C. W. Endogenous heavy metal ions quench fura-2 fluorescence in mouse pancreatic acinar cells and rat hepatocytes **487.P**, 20*P*, 1995

Snow H.M.

Snow H. M. & Pollock K. Mechanical components of the stimulus releasing nitric oxide (NO) from the endothelium in the anaesthetized dog **489.P**, 2*P*, 1995

Sobrevia L.

Sobrevia L. & Fuentes O. Diabetes elevates arginine transport in rabbit isolated gastric glands **482.P**, 24*P*, 1995

Sobrevia L., Yudilevich D. L. & Mann G. E. Insulin modulates diabetes-induced stimulation of L-arginine transport in human umbilical vein endothelial cells **483.P**, 136*P*, 1995

Sobrevia L., Morgan D. M. L., Pearson J. D., Jarvis S. M., Mann G. E. & Yudilevich D. L. Diabetic pregnancy alters nucleoside transporter function, cell growth and prostacyclin release in human umbilical vein endothelial cells **483.P**, 145*P*, 1995

see Fuentes O., Jara A., Contreras R. & Sobrevia L. **487.P**, 38*P*, 1995

Sobrevia L., Fuentes O. & Mann G. E. Agonist-induced stimulation of L-arginine/nitric oxide pathway in rabbit isolated gastric glands **487.P**, 41*P*, 1995

Soffe S.R.

Soffe S. R. & Perrins R. Influence of glycinergic inhibition on spinal neurone spiking during amphibian embryo swimming **483.P**, 197*P*, 1995

Sohma Y.

Sohma Y., Gray M. A., Imai Y. & Argent B. E. Effects of apical Cl^- conductance on HCO_3^- secretion by a computer model of rat pancreatic duct cells **482.P**, 31*P*, 1995

So I.

So I., Kang T. M. & Kim K. W. Caffeine- and histamine-induced oscillations of $K_{(Ca)}$ current in single smooth muscle cells of rabbit cerebral artery **487.P**, 16*P*, 1995

Solomonia R.O.

Solomonia R. O., McCabe B. J. & Horn G. A time-dependent, learning-specific increase in the amount of neural cell adhesion molecules (NCAMs) in chick forebrain after visual imprinting **485.P**, 8*P*, 1995

Somasundaram B. *see Freestone N. S., Ribaric S., Somasundaram B. & Mason W. T.* **487.P**, 144*P*, 1995

see Floto R. A., Somasundaram B., Allen J. M. & Mahaut-Smith M. P. **487.P**, 190*P*, 1995

Somogyi P. *see Buhl E. H., Tamas G. & Somogyi P.* **487.P**, 51*P*, 1995

see Cobb S. R., Buhl E. H., Halasy K., Paulsen O. & Somogyi P. **487.P**, 53*P*, 1995

see Tamas G., Buhl E. H. & Somogyi P. **487.P**, 63*P*, 1995

Sørensen J.B.

Sørensen J. B. & Larsen E. H. Chloride channel heterogeneity in apical membrane of isolated mitochondria-rich cells from toad skin **482.P**, 8*P*, 1995

Sørensen J. B. & Larsen E. H. A population of small conductance Cl^- channels in the apical membrane of isolated mitochondria-rich cells from toad skin **489.P**, 116*P*, 1995

see Larsen E. H., Sørensen J. B. & Willumsen N. J. **489.P**, 188*S*, 1995

Southan A.P.

Southan A. P. & Owen D. G. Actions of potassium channel blockers on synaptic transmission in the *in vitro* rat hippocampal slice **483.P**, 70*P*, 1995

Soyguder Z.

Soyguder Z. & Morris R. Algesic chemical stimulation of the skin activates c-*fos* expression in dorsal horn neurones via both AMPA and NMDA receptors in the rat **483.P**, 160*P*, 1995

Spanou S. *see Jones M., Spanou S., Hughes S. & Szatkowski M.* **487.P**, 51*P*, 1995

Spanswick D. *see Logan S. D., Renaud L. P. & Spanswick D.* **489.P**, 157*P*, 1995

Spanswick D., Renaud L. P. & Logan S. D. Descending synaptic inputs to rat sympathetic preganglionic neurones in a longitudinal spinal cord slice preparation **489.P**, 157*P*, 1995

Speake P.F.

Speake P. F. & Green R. Increased atrial natriuretic peptide (ANP) secretion from *in vitro* guinea-pig atria by β-adrenoceptor activation **483.P**, 169*P*, 1995

Spence I. *see Moorhouse A. J. & Spence I.* **489.P**, 23*P*, 1995

Spencer A.J.

Spencer A. J., Wood J. A., Freeman M. S., Saunders H. C. & Lote C. J. Deposition of aluminium in kidney following aluminium chloride or citrate administration in conscious rats **483.P**, 171*P*, 1995

see Osborne M. P., Comis S. D. & Spencer A. J. **483.P**, 5*P*, 1995

Spencer A. J., Wood J. A., Freeman M. S., Saunders H. C. & Lote C. J. Electron probe X-ray microanalysis of kidney thick ascending limb cells following aluminium chloride or citrate administration in conscious rats **489.P**, 92*P*, 1995

Spiers J.P.

Spiers J. P., Kelso E. J., McDermott B. J., Scholfield C. N. & Silke B. The effects of endothelins on peak L-type calcium current in rabbit isolated ventricular cardiomyocytes **489.P**, 167*P*, 1995

Spindler A.J.

Spindler A. J., Noble S. J. & Noble D. Gating and amplitude of guinea-pig ventricular i_{K1} is modified by extracellular Na^+ **487.P**, 133*P*, 1995

Spitzer K.W. *see Levi A. J., Li J., Spitzer K. W. & Bridge J. H. B.* **487.P**, 14*P*, 1995

Spraggs C.F. *see Baxendale A. J., Dimaline R. & Spraggs C. F.* **487.P**, 35*P*, 1995

SPRUCE A.E.

SPRUCE A. E. & MOODY W. J. Influence of expression of a mammalian K^+ channel, Kv1·1, on the electrical development of *Xenopus laevis* embryonic cells **483.P**, 66*P*, 1995

see PRABHAKAR E., BARNES T. & SPRUCE A. E. **487.P**, 199*P*, 1995

see PATEL R., SHAH M. & SPRUCE A. E. **489.P**, 73*P*, 1995

SPURWAY N.C. *see VOGIATZIS I., SPURWAY N. C., JENNETT S., WILSON J. & SINCLAIR J.* **483.P**, 132*P*, 1995

SPYER K.M. *see BRADLEY A., ZAGON A. & SPYER K. M.* **483.P**, 101*P*, 1995

see ZAGON A., BRADLEY A. I. & SPYER K. M. **487.P**, 172*P*, 1995

see ST LAMBERT J. H., THOMAS T. & SPYER K. M. **489.P**, 154*P*, 1995

see THOMAS T., ST LAMBERT J. H. & SPYER K. M. **489.P**, 155*P*, 1995

SQUIRES P.E.

SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J. Purinergic receptor-mediated increases in intracellular Ca^{2+} in single isolated epithelial cells of the human uterine tube **482.P**, 45*P*, 1995

see DUNNE M. J., KANE C., SQUIRES P. E., LINDLEY K. J., JOHNSON P. R. V. & JAMES R. F. L. **489.P**, 7*S*, 1995

SRAI S.K. *see DEBNAM E. S., SHARP P. A. & SRAI S. K.* **487.P**, 40*P*, 1995

see BOYER S., BALDWIN S. A., SHARP P. A., DEBNAM E. S. & SRAI S. K. **489.P**, 127*P*, 1995

SRAI S.K.S. *see SHARP P. A., SRAI S. K. S. & DEBNAM E. S.* **482.P**, 23*P*, 1995

see O'RIORDAN D. K., SHARP P. A., EPSTEIN O., SRAI S. K. S. & DEBNAM E. S. **482.P**, 29*P*, 1995

see O'RIORDAN D. K., SIMPSON R. J., TAYLOR E., SHARP P. A., DEBNAM E. S. & SRAI S. K. S. **489.P**, 124*P*, 1995

see SHARP P. A., SMITH M. W., SRAI S. K. S. & DEBNAM E. S. **489.P**, 128*P*, 1995

see ABBOTT G. W., RAMESH B., MERCER E. A. J. & SRAI S. K. S. **489.P**, 74*P*, 1995

SRAI S.K.S. *see O'RIORDAN D. K., SHARP P. A., SRAI S.K.S. & DEBNAM E. S.* **487.P**, 96*P*, 1995

SRINIVASAN J. *see ISSA B. G., LEWIS B. M., SRINIVASAN J., KNOTT N., PETERS J. R. & SCANLON M. F.* **489.P**, 182*P*, 1995

STAFFORD C.A. *see NONA S. N., STAFFORD C. A. & CRONLY-DILLON J. R.* **485.P**, 18*P*, 1995

STANDEN N.B. *see BARRETT-JOLLEY R., COMTOIS A., DAVIES N. W., STANFIELD P. R. & STANDEN N. B.* **483.P**, 164*P*, 1995

STANFIELD P.R. *see BARRETT-JOLLEY R., COMTOIS A., DAVIES N. W., STANFIELD P. R. & STANDEN N. B.* **483.P**, 164*P*, 1995

see RUSZNÁK Z., FORSYTHE I. D. & STANFIELD P. R. **485.P**, 14*P*, 1995

see ABRAMS C. J., DAVIES N. W., SHELTON P. A., CONLEY E. C. & STANFIELD P. R. **489.P**, 58*P*, 1995

STANFORD I.M.

STANFORD I. M. & LACEY M. G. A sulphonylurea-sensitive potassium conductance regulated by intracellular adenosine triphosphate in rat substantia nigra zona reticulata neurones **483.P**, 68*P*, 1995

STANLEY C.S. *see BARNETT T. G., LOGAN J. G., STANLEY C. S. & TOFTS L.* **489.P**, 43*P*, 1995

STANLEY M.S. *see ATTWELL N. A., CLEMENT D. J., STANLEY M. S., CLIPSON N. J. W., HOOLEY P. & FINCHAM D. A.* **489.P**, 104*P*, 1995

STANTON A.W.B.

STANTON A. W. B., HOLROYD B., NORTHFIELD J. W., LEVICK J. R. & MORTIMER P. S. Comparison of a mercury strain gauge with an optoelectronic volumeter to record human arm swelling rates in venous occlusion plethysmography (VOP) **487.P**, 181*P*, 1995

STAPLETON M.

STAPLETON M. & ALLSHIRE A. 2,3-Butanedione monoxime (BDM) dephosphorylation myofibrillar proteins in isolated rat cardiomyocytes **489.P**, 145*P*, 1995

STARKEY S.J.

STARKEY S. J., OAKLEY N. R. & BERESFORD I. J. M. An unusual rhythm of neuronal discharge activity in the guinea-pig suprachiasmatic nuclei (SCN) brain slice over 24 h **483.P**, 57*P*, 1995

STARK G. *see WRIGHT I. K., BLAYLOCK N. A., STARK G., KENDALL D. A. & WILSON V. G.* **483.P**, 111*P*, 1995

STARKS I.

STARKS I. & HALL A. C. Activation of K^+ transport pathways of isolated bovine articular chondrocytes following osmotic perturbation **482.P**, 18*P*, 1995

ŠŤASTNÝ F. *see ROKYTA R., BENEŠ V., ŠŤASTNÝ F., DRUGA R., TROJAN S. & POKORNÝ J.* **489.P**, 7*P*, 1995

STAUNTON H.P. *see GRACE A., STAUNTON H. P., MOYNIHAN J. B. & BREATHNACH C. S.* **489.P**, 38*P*, 1995

STEDMAN A.

STEDMAN A. & DAVEY N. J. Facilitation of hand muscle responses to transcranial magnetic stimulation of the brain during voluntary contraction of the contralateral homonymous muscle in man **483.P**, 30*P*, 1995

STEELE C.R.

STEELE C. R. Three-dimensional mechanical modelling of the cochlea **485.P**, 33*P*, 1995

STEELE D.S.

STEELE D. S., MCAINSH A. M. & SMITH G. L. Ca^{2+} release from the SR induced by inorganic phosphate and ADP is insensitive to ryanodine in isolated saponin skinned rat heart **483.P**, 15*P*, 1995

see SMITH G. L., MCAINSH A. M. & STEELE D. S. **483.P**, 18*P*, 1995

STEELS P. *see VANSCHOONBEEK I., STEELS P. & KERKHOVE E. V.* **489.P**, 117*P*, 1995

STEFFENSEN J.F.

STEFFENSEN J. F. Possible limitations of speed and size of swimming fish schools, based on oxygen consumption of herring, *Clupea harengus*, measured at different swimming speeds **483.P**, 192*P*, 1995

STEIN J. *see MCANALLY K. & STEIN J.* **487.P**, 218*P*, 1995

STEIN J.F. *see MIALL R. C., HAGGARD P. N., STEIN J. F. & COLE J. D.* **483.P**, 34*P*, 1995

STEPHENS G.J.

STEPHENS G. J., OWEN D. G. & ROBERTSON B. Modulation of the rat cloned potassium channel Kv1.4 in HEK293 cells by sulphydryl reagents **487.P**, 200*P*, 1995

STEPHENS G. J., HEBLICH F., COCKETT M. I. & OWEN D. G. Modulation of the inactivation of the mouse cloned potassium channel mKv1.1 by the $Kv\beta_1$ subunit and effects of synthetic $Kv\beta_1$ and Kv1.4 peptides **489.P**, 75*P*, 1995

STEPHENS J.A. *see MAYSTON M. J., HARRISON L. M., JOBLING L., QUINTON R., STEPHENS J. A. & BOULOUX P.-M.* **483.P**, 33*P*, 1995

STEPHENSON D.G. *see STEPHENSON G. M. M. & STEPHENSON D. G.* **487.P**, 159*P*, 1995

see CHICK J. J. & STEPHENSON D. G. **487.P**, 87*P*, 1995

STEPHENSON D. G., LAMB G. D., STEPHENSON G. M. M. & FRYER M. W. Storage of Ca^{2+} in the sarcoplasmic reticulum and endogenous modifiers of E–C coupling in skeletal muscle fibres from cane toad and rat **487.P**, 8*S*, 1995

STEPHENSON G.M.M.

STEPHENSON G. M. M. & STEPHENSON D. G. Rapid effect of D-glucose-6 phosphate on the excitation–contraction–relaxation cycle in fast-twitch muscle fibres of the rat **487.P**, 159*P*, 1995

see STEPHENSON D. G., LAMB G. D., STEPHENSON G. M. M. & FRYER M. W. **487.P**, 8*S*, 1995

STEPHENS R.H.

STEPHENS R. H., BENJAMIN A. R. & WALTERS D. V. Evidence that endogenously produced cyclic GMP has no effect on transepithelial liquid transport in *in situ* perfused postnatal sheep lungs **489.P**, 112*P*, 1995

STEVENS E.B.

STEVENS E. B. & DOWNING J. E. G. Voltage- and Ca^{2+}-dependence of membrane currents recorded from isolated thymic nurse cells of BALB/c mouse **482.P**, 26*P*, 1995

STEVENS K.D.

STEVENS K. D. & VAUGHAN-JONES R. D. Intracellular H^+ buffering power in isolated pulmonary arterial smooth muscle cells of rabbit **487.P**, 88*P*, 1995

STEWARD M.C. *see ISHIGURO H., LINDSAY A. R. G., STEWARD M. C. & CASE R. M.* **482.P**, 22*P*, 1995

see SEO J. T., LARCOMBE-MCDOUALL J. B., CASE R. M. & STEWARD M. C. **482.P**, 22*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **487.P**, 40*P*, 1995

see SEO J. T., CASE R. M. & STEWARD M. C. **489.P**, 118*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **489.P**, 96*P*, 1995

STEZHKA V.V.

STEZHKA V. V. & LOVICK T. A. High incidence of dye coupling between neurones in the dorsal raphe nucleus in the rat: studies *in vitro* **483.P**, 71*P*, 1995

STOKES M.J. *see OUTTEN A. G. & STOKES M. J.* **483.P**, 2*P*, 1995

STOLL R. *see* WISDOM D. M., SINGH J., DOMSCHKE W., STOLL R. & MOOREN F. CH. **485.P**, 36*P*, 1995

STOROZHEVYKH T. *see* VERGUN O., STOROZHEVYKH T., VINSKAYA N., FAJUK D., ARSENJEVA E., PINELIS V. & KHODOROV B. **487.P**, 58*P*, 1995

STROUD M. *see* WELLER A., MILLARD C., STROUD M., GREENHAFF P. & MACDONALD I. **483.P**, 123*P*, 1995

see WELLER A., MILLARD C., STROUD M. & MACDONALD I. **489.P**, 39*P*, 1995

STRUTTON P. *see* CAGAMPANG F. R. A., SANDHU S., BUTLER J. A., STRUTTON P., COEN C. W. & O'BYRNE K. T. **489.P**, 179*P*, 1995

STUBBS T. A. *see* KEARNEY M. T., STUBBS T. A., PERRY A. J., EVANS A., HAWKINS M. A., COWLEY A. J. & MACDONALD I. A. **483.P**, 120*P*, 1995

see KEARNEY M. T., STUBBS T. A., COWLEY A. J. & MACDONALD I. A. **489.P**, 42*P*, 1995

SUBHAN M. M. F.

SUBHAN M. M. F. & REED J. W. Effect of repetitive testing on breathlessness in man **483.P**, 95*P*, 1995

SUH Y.-H. *see* FRASER S. P., DJAMGOZ M. B. A., CHONG Y. H. & SUH Y.-H. **489.P**, 66*P*, 1995

SUI G.-P.

SUI G.-P., WU C. & FRY C. H. Effects of levcromakalim (BRL 38227) on isolated guinea-pig detrusor smooth muscle **483.P**, 114*P*, 1995

SULEIMAN M.-S. *see* BELL N. J., CARTER J. M. & SULEIMAN M.-S. **487.P**, 145*P*, 1995

SULEIMAN M.-S., WALLACE D., BIRKETT S. & ANGELINI G. D. A fall in the intracellular concentration of glutamine and glutamate in human saphenous vein during surgical preparation for coronary artery bypass grafting **487.P**, 91*P*, 1995

SUMAN-CHAUHAN N. *see* PINNOCK R. D., WOODRUFF G. N., WEBDALE L. & SUMAN-CHAUHAN N. **482.P**, 39*P*, 1995

SUMNER B. E. H.

SUMNER B. E. H. & FINK G. Oestradiol-17β in its positive feedback mode significantly increases 5-HT_{2A} receptor density in the frontal, cingulate and piriform cortex of the female rat **483.P**, 52*P*, 1995

see GRAHAME L., SUMNER B. E. H., ROSIE R. & FINK G. **483.P**, 53*P*, 1995

SUNER M.-M. *see* PUENTE E., SUNER M.-M. & WINDASS J. D. **487.P**, 17*P*, 1995

SUN W. *see* JARRY H., KIM K., SUN W., WUTTKE W. & LEONHARDT S. **483.P**, 12*S*, 1995

SUTTON R. *see* WARD J. B., SUTTON R. & PETERSEN O. H. **489.P**, 54*P*, 1995

SUZUKI M. *see* FRANCIS K., SUZUKI M., BAKER B. & LEVY A. **489.P**, 178*P*, 1995

SUZUKI R. *see* NIKMARAM M. R., BOYETT M. R., KODAMA I. & SUZUKI R. **487.P**, 126*P*, 1995

SWEIRY J. H. *see* ISHII T., SIOW R. C. M., SWEIRY J. H., PEARSON J. D., BANNAI S. & MANN G. E. **483.P**, 138*P*, 1995

see TROWELL S. N., MANN G. E. & SWEIRY J. H. **489.P**, 108*P*, 1995

SYKES B. D. *see* FERGUSON R. E., MARTIN S. R., BRANDMEIER B. D., KENDRICK-JONES J., HODGES R. S., SYKES B. D., CORRIE J. E. T., IRVING M. & TRENTHAM D. R. **487.P**, 161*P*, 1995

SYMONDS M. E. *see* LYKE S. J., BIRD J. A., LOMAX M. A. & SYMONDS M. E. **483.P**, 98*P*, 1995

see BIRD J. A., LYKE S. J., ANDREWS D. C., LOMAX M. A. & SYMONDS M. E. **483.P**, 99*P*, 1995

SYMONS M. C. R. *see* MCARDLE A., VAN DER MEULEN J. H., CATAPANO M., SYMONS M. C. R., FAULKNER J. A. & JACKSON M. J. **487.P**, 157*P*, 1995

SZATKOWSKI M. *see* JONES M., SPANOU S., HUGHES S. & SZATKOWSKI M. **487.P**, 51*P*, 1995

SZENTESI P. *see* KOVÁCS L., SZENTESI P. & CSERNOCH L. **487.P**, 159*P*, 1995

TAGGART M. *see* PARRATT J., SHEADER E., TAGGART M. & WRAY S. **483.P**, 108*P*, 1995

see HAMPSHIRE P., PARRATT J., TAGGART M. & WRAY S. **487.P**, 89*P*, 1995

TAGGART M. J. *see* RILEY G., TAGGART M. J. & WRAY S. **487.P**, 89*P*, 1995

TAIBJEE S.

TAIBJEE S. & JOHNS E. J. Effect of saline volume expansion on renal nerve activity in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 88*P*, 1995

TAKAHASHI M.

TAKAHASHI M. & ATTWELL D. Electrogenic glutamate uptake in Purkinje cells in rat cerebellar slices **483.P**, 62*P*, 1995

TAKAHASHI M. & ATTWELL D. Postsynaptic glutamate uptake helps shape the EPSC at climbing fibre to Purkinje cell synapses in rat cerebellar slices **487.P**, 49*P*, 1995

TAKAHASHI T. *see* SILVER R. A., CULL-CANDY S. G. & TAKAHASHI T. **489.P**, 16*P*, 1995

TAKAMJANI I. E.

TAKAMJANI I. E. & BAXENDALE R. H. Spectral analysis of acoustic and electromyogram at three different lengths of human tibialis anterior **483.P**, 81*P*, 1995

TAKEDA K. *see* BARBARA J.-G. & TAKEDA K. **487.P**, 192*P*, 1995

TAKEGUCHI N. *see* SAKAI H., IKARI A., KUMANO E. & TAKEGUCHI N. **487.P**, 101*P*, 1995

TAMAS G. *see* BUHL E. H., TAMAS G. & SOMOGYI P. **487.P**, 51*P*, 1995

TAMAS G., BUHL E. H. & SOMOGYI P. High degree of self-innervation by GABAergic basket cells in the visual cortex of the cat as revealed *in vitro* **487.P**, 63*P*, 1995

TAN E. *see* WRIGHT I. K., TAN E., CORRY B. & WILSON V. G. **487.P**, 84*P*, 1995

TANGELDER G.-J. *see* SLAAF D. W., BOSMAN J., TANGELDER G.-J., OUDE EGBRINK M. G. A. & RENEMAN R. S. **483.P**, 4*S*, 1995

TANSEY E. M. *see* CLARK M., ROBERTSON F. & TANSEY E. M. **483.P**, 6*P*, 1995

TANSEY E. M. Adrenalin, adrenaline and epinephrine: the role of the Physiological Society? **487.P**, 205*P*, 1995

TARNAWSKI M. *see* LONG Q., DOORLY D. J., TARNAWSKI M., SCOTT K. T., DUMOULIN C. L. & CARO C. G. **485.P**, 6*P*, 1995

TARRAN R.

TARRAN R., GRAY M. A. & ARGENT B. E. A hyperpolarization-activated chloride current in ciliated cells isolated from murine nasal epithelium **489.P**, 97*P*, 1995

TASHANI O. A.

TASHANI O. A. & LEEK B. F. Effect of anaesthesia, CO_2 and vagotomy on the respiratory function of chickens **483.P**, 184*P*, 1995

TAVI P. *see* LAINE M., TAVI P., ID L., VUOLTEENAHO O. & WECKSTRÖM M. **487.P**, 143*P*, 1995

TAVI P. & WECKSTRÖM M. Stretch-induced electrophysiological changes in rat atrial myocytes **487.P**, 147*P*, 1995

TAYLOR A. *see* TURNER M. R. & TAYLOR A. **483.P**, 167*P*, 1995

TAYLOR A., DURBABA R. & RODGERS J. F. Evidence for separate central control of bag_2 and chain intrafusal fibres in the cat **487.P**, 76*P*, 1995

TAYLOR A. W. *see* CHILIBECK P. D., PATERSON D. H., CUNNINGHAM D. A., TAYLOR A. W. & NOBLE E. G. **487.P**, 102*P*, 1995

TAYLOR A. R. *see* AYDAR E., TAYLOR A. R., BEADLE D. J. & BERMUDEZ I. **483.P**, 190*P*, 1995

TAYLOR C. J. *see* BEESLEY A. H., HARDCASTLE J., HARDCASTLE P. T. & TAYLOR C. J. **489.P**, 96*P*, 1995

TAYLOR C. W. *see* PATEL S. & TAYLOR C. W. **485.P**, 40*P*, 1995

see MADGE L. A., MARSHALL I. C. B. & TAYLOR C. W. **485.P**, 41*P*, 1995

see SNITSAREV V. A., MCNULTY T. J. & TAYLOR C. W. **487.P**, 20*P*, 1995

see BROAD L. M., POWIS D. A. & TAYLOR C. W. **487.P**, 22*P*, 1995

TAYLOR E. *see* O'RIORDAN D. K., SIMPSON R. J., TAYLOR E., SHARP P. A., DEBNAM E. S. & SRAI S. K. S. **489.P**, 124*P*, 1995

TAYLOR E. W.

TAYLOR E. W., MCKENZIE D. J., BOLIS L. & BRONZI P. Chemoreceptor responses in the adriatic sturgeon, *Acipenser naccarii* **483.P**, 184*P*, 1995

see BEAUMONT M. W., BUTLER P. J. & TAYLOR E. W. **483.P**, 197*P*, 1995

see AL-GHAMDI M. S., JONES J. F. X. & TAYLOR E. W. **483.P**, 6*P*, 1995

TAYLOR P. M. *see* LOW S. Y. & TAYLOR P. M. **482.P**, 16*P*, 1995

see AHMED A., PETER G. J., HARPER A. A., TAYLOR P. M. & RENNIE M. J. **482.P**, 5*P*, 1995

see PETER G. J., DAVIDSON I. G., AHMED A., FORRESTER A. R. & TAYLOR P. M. **489.P**, 125*P*, 1995

TAYLOR S. J. G. *see* BASSEY E. J., LITTLEWOOD J. J. & TAYLOR S. J. G. **489.P**, 45*P*, 1995

TEDDER I. *see* BERROW N., TEDDER I., PAGE K., BRICE N., AMOS B. & DOLPHIN A. C. **489.P**, 52*P*, 1995

TEMPLE C. S.

TEMPLE C. S., BOYD C. A. R., BRONK J. R. & BAILEY P. D. A comparison of the uptake kinetics of a neutral and anionic dipeptide into rat renal cortex brush-borber membrane vesicles: effect of membrane potential and proton gradient **487.P**, 26*P*, 1995

TENG G. Q.

TENG G. Q. & BARER G. R. Chronic NO synthase inhibition: changed vasomotor effects of hypoxia on rat lung vessels *in vitro* **483.P**, 92*P*, 1995

TENG G. Q. & BARER G. R. Hypoxic pulmonary vasoconstriction (HPV): stimulus–response relation to P_{O_2} in small isolated rat lung vessels **487.P**, 110*P*, 1995

TERAKAWA S.

TERAKAWA S., KUMAKURA K. & DUCHEN M. R. Spatio-temporal analysis of quantal secretory events from single bovine adrenal chromaffin cells in culture **487.P**, 59*P*, 1995

TERENZI M.G. *see HOUSHAM S. J., TERENZI M. G. & INGRAM C. D.* **489.P**, 176*P*, 1995

TERRACCIANO C.M.N. *see CAMPBELL V., TERRACCIANO C. M. N., NAQVI R. U., BRICKLEY K., BALDWIN S. A., MACLEOD K. T. & DOLPHIN A. C.* **487.P**, 130*P*, 1995

TERRACCIANO C. M. N. & MACLEOD K. T. Effects of lactate on calcium regulation mechanisms in isolated guinea-pig ventricular myocytes **487.P**, 138*P*, 1995

TERRAR D.A. *see RAKOVIC S., GALIONE A., ASHAMU G. A., POTTER B. V. L. & TERRAR D. A.* **483.P**, 17*P*, 1995

see HEATH B. M. & TERRAR D. A. **485.P**, 43*P*, 1995

see MAMAS M. A. & TERRAR D. A. **487.P**, 137*P*, 1995

see RAKOVIC S. & TERRAR D. A. **487.P**, 137*P*, 1995

see RAKOVIC S., ANNETTS C., FLAXMAN P., CUI Y. & TERRAR D. A. **487.P**, 7*P*, 1995

see GALIONE A., RAKOVIC S. & TERRAR D. A. **487.P**, 4*S*, 1995

see MAMAS M. A. & TERRAR D. A. **489.P**, 167*P*, 1995

TEULON J. *see VAN DEN ABBEELE T., TRAN BA HUY P. & TEULON J.* **489.P**, 62*P*, 1995

see CHRAÏBI A. & TEULON J. **489.P**, 77*P*, 1995

TEULON J., GUINAMARD R., PAULAIS M. & CHRAÏBI A. Cl^- channels in the mouse thick ascending limb of the loop of Henle **489.P**, 17*S*, 1995

THEWLES A. *see WILLMOTT K. L., THEWLES A. & LOTE C. J.* **489.P**, 91*P*, 1995

THOMAS C.R. *see KANCZLER J. M., THOMAS C. R., BURNAND K. G., WARD J. P. T. & REAPE T. J.* **483.P**, 116*P*, 1995

THOMAS D. *see ROTHWELL J. C., BRANSTON N., CORCOS D., ASSELMAN P., SIERADZAN K. & THOMAS D.* **483.P**, 32*P*, 1995

THOMAS G. *see WILLIAMS M. R., DUNCAN G., THOMAS G. & RIACH R. A.* **487.P**, 11*P*, 1995

THOMAS G.P.L.

THOMAS G. P. L., MCKENZIE D. N. & DYBALL R. E. J. Reduction of the osmoresponsiveness of the rat supraoptic nucleus by kynurenate **487.P**, 48*P*, 1995

THOMAS M.V. *see GRAHAM J., THOMAS M. V. & SMITH P. M.* **487.P**, 7*P*, 1995

THOMAS N.

THOMAS N. & THORNHILL R. A. Theory of cross-bridge noise in fibrillar insect flight muscle **483.P**, 185*P*, 1995

THOMAS N. & THORNHILL R. A. Relaxation of tension in fibrillar insect flight muscle **483.P**, 195*P*, 1995

THOMAS N. & THORNHILL R. A. Monte Carlo simulation of cross-bridge noise in actomyosin **487.P**, 156*P*, 1995

THOMAS N. & THORNHILL R. A. Simulation of the effect of ADP on the response of rigorized cross-bridges to the release of caged ATP **487.P**, 156*P*, 1995

THOMAS R.C.

THOMAS R. C., SCHWIENING C. J. & KENNEDY H. J. Calcium homeostasis in nerve cells **487.P**, 5*S*, 1995

see SCHWIENING C. J., KENNEDY H. J. & THOMAS R. C. **489.P**, 15*S*, 1995

THOMAS T. *see ST LAMBERT J. H., THOMAS T. & SPYER K. M.* **489.P**, 154*P*, 1995

THOMAS T., ST. LAMBERT J. H. & SPYER K. M. Source of central adenosine important in modulating the cardiovascular response to hypothalamic defence area stimulation in the rat **489.P**, 155*P*, 1995

THOMPSON D.G. *see HIGHAM A. D., THOMPSON D. G. & DOCKRAY G. J.* **487.P**, 34*P*, 1995

THOMPSON I.

THOMPSON I. & GRAHAM M. The representation of the visual field in the visual cortex of anaesthetized albino ferrets **489.P**, 10*P*, 1995

THOMPSON I.D. *see SMITH A. L. & THOMPSON I. D.* **485.P**, 8*P*, 1995

see KRUG K., TREVELYAN A. J. & THOMPSON I. D. **485.P**, 9*P*, 1995

THOMPSON I.M. *see JANAHMADI M., HEARNE P. G., THOMPSON I. M., BAL R., MANCHANDA S., SANDERS D. J. & GREEN G. G. R.* **487.P**, 187*P*, 1995

see JANAHMADI M., HEARNE P. G., THOMPSON I. M., GREEN G. G. R. & SANDERS D. J. **487.P**, 58*P*, 1995

THOMSEN L.

THOMSEN L., PEARSON G. T., NIELSEN C. & SKADHAUGE E. Electrophysiological characterization of enteric neurones in the isolated submucous plexus of porcine jejunum: implications for neural control of ion secretion **482.P**, 47*P*, 1995

see NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

THOMSON A.M. *see DEUCHARS J., WEST D. C. & THOMSON A. M.* **483.P**, 59*P*, 1995

see DEUCHARS J. & THOMSON A. M. **487.P**, 52*P*, 1995

see BARCLAY A., DEUCHARS J. & THOMSON A. M. **487.P**, 64*P*, 1995

see DEUCHARS J., HAHN J. D. & THOMSON A. M. **489.P**, 19*P*, 1995

THOMSON M.G.A.

THOMSON M. G. A. & FOSTER D. H. Human perception of spatial phase in natural images **485.P**, 25*P*, 1995

THORNBURY K.D. *see COTTON K. D., HOLLYWOOD M. A., MCHALE N. G. & THORNBURY K. D.* **489.P**, 137*P*, 1995

see HOLLYWOOD M. A., COTTON K. D., THORNBURY K. D. & MCHALE N. G. **489.P**, 137*P*, 1995

THORNHILL R.A. *see THOMAS N. & THORNHILL R. A.* **483.P**, 185*P*, 1995

see THOMAS N. & THORNHILL R. A. **483.P**, 195*P*, 1995

see THOMAS N. & THORNHILL R. A. **487.P**, 156*P*, 1995

see THOMAS N. & THORNHILL R. A. **487.P**, 156*P*, 1995

THORNTON S.K. *see INGHAM N. J., THORNTON S. K., MCCROSSAN D. & WITHINGTON D. J.* **485.P**, 12*P*, 1995

THORNTON S. K., WITHINGTON D. J., INGHAM N. J. & MCCROSSAN D. The external nucleus of the inferior colliculus is important for the construction of a map of auditory space in the superior colliculus of the guinea-pig **485.P**, 12*P*, 1995

THOROED S.M. *see HOFFMANN E. K., JØRGENSEN N. K., THOROED S. M., PEDERSEN S. & LAMBERT I. H.* **489.P**, 11*S*, 1995

THWAITES D.T.

THWAITES D. T. & SIMMONS N. L. Distinct H^+-coupled solute transporters are expressed at the brush border of human intestinal epithelial (Caco-2) cells **487.P**, 33*P*, 1995

THWAITES D. T., MARKOVICH D., MURER H. & SIMMONS N. L. Na^+-independent lysine transport in human intestinal epithelial (Caco-2) cells **489.P**, 107*P*, 1995

TIFFERT T.

TIFFERT T., HOCKADAY A. R. & LEW V. L. Cytoskeletal protein changes and morphology during spontaneous inside-out vesiculation of human red cell membranes **487.P**, 99*P*, 1995

TILMAN V. *see WENDT-GALLITELLI M.-F., TILMAN V. & ISENBERG G.* **487.P**, 13*P*, 1995

TIMM M. *see DASHWOOD M. R., TIMM M. & KASKI J. C.* **483.P**, 136*P*, 1995

see DASHWOOD M. R., TIMM M., JEREMY J. Y., IZZAT M. B., BRYAN A. J. & ANGELINI G. D. **489.P**, 158*P*, 1995

TOBIN G. *see EDWARDS A. V., TOBIN G., EKSTRÖM J. & BLOOM S. R.* **487.P**, 118*P*, 1995

TOD M.L. *see YUAN X.-J., TOD M. L., RUBIN L. J. & BLAUSTEIN M. P.* **487.P**, 10*S*, 1995

TODROS T.

TODROS T., GUIOT C., SCIARRONE A., PIANTÀ P. G., LOSANO G., KOSANKE G., KOHNEN G. & KAUFMANN P. Interpretation of morphometric data on placental vasculature by mathematical model parameters **483.P**, 95*P*, 1995

TOESCU E.C. *see CAMELLO P. J. & TOESCU E. C.* **483.P**, 181*P*, 1995

TOFIGHY A. *see SCHOLFIELD C. N. & TOFIGHY A.* **489.P**, 23*P*, 1995

TOFIGHY A. & SCHOLFIELD C. N. Long-term NMDA desensitization in isolated rat brain **489.P**, 70*P*, 1995

TOFTS L. *see BARNETT T. G., LOGAN J. G., STANLEY C. S. & TOFTS L.* **489.P**, 43*P*, 1995

TOLCHARD S.

TOLCHARD S., HARE A. S., NUTT D. & CLARKE G. The involvement of medullary catecholaminergic neurones in the interaction of the immune and central nervous systems **489.P**, 176*P*, 1995

TOMINAGA M. *see JAMES A. F., TOMINAGA M., TOMINAGA T. & OKADA Y.* **489.P**, 63*P*, 1995

TOMINAGA T. *see JAMES A. F., TOMINAGA M., TOMINAGA T. & OKADA Y.* **489.P**, 63*P*, 1995

TOMLINS K.S. *see KOLSTON P. J., GEE L. F. & TOMLINS K. S.* **485.P**, 4*P*, 1995

TOMLINSON D.R. *see AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J.* **483.P**, 139*P*, 1995

TONG K.K.

TONG K. K., KONJE J. C., ISAM T. & MCARDLE H. J. Copper transport and metabolism during human gestation **482.P**, 41*P*, 1995

Tong K. K. & McArdle H. J. Characteristics of Cu uptake pathway in cytotrophoblast **482.P**, 42*P*, 1995

Tooke J.E. *see Morris S. J., Shore A. C. & Tooke J. E.* **483.P**, 148*P*, 1995

Török K. *see Boyde A., Walter M., Unwin R. & Török K.* **489.P**, 3*P*, 1995

Torrance R.W.

Torrance R. W. Oxygen secretion – or carbon monoxide excretion rather? **487.P**, 204*P*, 1995

Tota B. *see Gattuso A., Pellegrino D., Mazza R. & Tota B.* **483.P**, 185*P*, 1995

Townend J. *see Forkins A. S., Al-Ani M., Townend J. & Coote J. H.* **483.P**, 100*P*, 1995

Townsend P. *see Brown M. D., Davies M. K., Hudlicka O., Townsend P. & Egginton S.* **483.P**, 93*P*, 1995

Trafford A.W. *see Díaz M. E., Trafford A. W., O'Neill S. C. & Eisner D. A.* **487.P**, 131*P*, 1995

Tran Ba Huy P. *see Van den Abbeele T., Tran Ba Huy P. & Teulon J.* **489.P**, 62*P*, 1995

Treacher D.F. *see Kostoglou-Athanassiou I., Treacher D. F., Wheeler M. J. & Forsling M. L.* **485.P**, 52*P*, 1995

Treacher D.F. *see Kostoglou-Athanassiou I., Treacher D.F. & Forsling M. L.* **489.P**, 173*P*, 1995

Treharne K.J. *see Marshall L. J., Treharne K. J. & Mehta A.* **482.P**, 31*P*, 1995

Trentham D.R. *see Ferguson R. E., Martin S. R., Brandmeier B. D., Kendrick-Jones J., Hodges R. S., Sykes B. D., Corrie J. E. T., Irving M. & Trentham D. R.* **487.P**, 161*P*, 1995

Trepte N. *see Turton A., Wroe S., Trepte N., Fraser C. & Lemon R. N.* **487.P**, 68*P*, 1995

Trevelyan A.J. *see Krug K., Trevelyan A. J. & Thompson I. D.* **485.P**, 9*P*, 1995

Triglia J.-M. *see Barbry P., Champigny G., Triglia J.-M., Castillo L., Gribkoff V. & Lazdunski M.* **489.P**, 99*P*, 1995

Tripathy S.P.

Tripathy S. P. & Levi D. M. Long-range dichoptic interactions in human vision around a pathological retinal scotoma **485.P**, 27*P*, 1995

Trojan S. *see Rokyta R., Beneš V., Šťastný F., Druga R., Trojan S. & Pokorný J.* **489.P**, 7*P*, 1995

Trowell S.N.

Trowell S. N., Mann G. E. & Sweiry J. H. Inhibition of γ-glutamyl cysteine synthetase enhances cystine, but not glutamate, uptake by human pancreatic PaTu 8902 cells: implications for intracellular regulation of glutathione **489.P**, 108*P*, 1995

Troy J.B.

Troy J. B., Bohnsack D. L., Diller L. C., Zhan X. J. & Enroth-Cugell Ch. Photopic and scotopic spatiotemporal frequency responses of retinal ganglion cells of the urethane-anaesthetized cat **485.P**, 10*P*, 1995

Tsai K.-L.

Tsai K.-L., Chen C.-C. & Wu M.-L. The acidification of intracellular pH induced by hydrogen peroxide in C_6 glioma cells **487.P**, 57*P*, 1995

Tsao J.W. *see Hughes P. M., Ward G. A., Tsao J. W., Miller K. & Brown M. C.* **487.P**, 44*P*, 1995

Tsaturyan A.K. *see Bershitsky S. Y. & Tsaturyan A. K.* **483.P**, 76*P*, 1995

Tsaturyan A. K. & Bershitsky S. Y. Force generation and shortening initiated by temperature jump in cross-linked muscle fibres isolated from the rabbit **483.P**, 76*P*, 1995

Tse C.-M. *see Yun C. H., Tse C.-M., Nath S., Levine S. L. & Donowitz M.* **482.P**, 18, 1995

Tse H.-W. *see Cao C. Q., Evans R. H., Headley P. M., Jane D. J. & Tse H.-W.* **483.P**, 159*P*, 1995

Tsuruoka M. *see Rees H., Sluka K. A., Tsuruoka M., Chen P. S. & Willis W. D.* **483.P**, 152*P*, 1995

Tsyndrenko A. Ya. *see Panchenko V. A., Pintor J., Tsyndrenko A. Ya., Miras-Portugal M. T. & Krishtal O. A.* **487.P**, 199*P*, 1995

Tublitz N.J. *see Davies S. A., Dow J. A. T., Heusmann G. R., Maddrell S. H. P., O'Donnell M. J. & Tublitz N. J.* **482.P**, 26*P*, 1995

Tucker J.F. *see Wayman C. P., McFadzean I., Gibson A. & Tucker J. F.* **489.P**, 134*P*, 1995

Tudor-Jones G.

Tudor-Jones G., Kumar P., Marshall J. M. & Coote J. H. Studies on oxygen and its lack. From Priestley to the present day in Birmingham **483.P**, 103*P*, 1995

Tuffery A.R. *see Comerford Q. & Tuffery A. R.* **489.P**, 2*P*, 1995

Tuffnell C.S.

Tuffnell C. S., Petersen S. A. & Wailoo M. P. Breast-fed babies lose heat more rapidly than bottle fed babies during sleep **485.P**, 53*P*, 1995

Tunwell R.E.A. *see Jane S. D., Phenna S., Tunwell R. E. A., Lai F. A. & Chad J. E.* **487.P**, 21*P*, 1995

see Jane S. D., Brownlee D. J. A., Chad J. E., Fairweather I., Tunwell R. E. A., Lai F.A., Holden-Dye L. M. & Walker R. J. **487.P**, 24*P*, 1995

Turner D.L.

Turner D. L. & Mitchell G. S. Long-term facilitation of ventilation following episodic hypoxia in awake goats **483.P**, 91*P*, 1995

Turner J.L.

Turner J. L., Clapp L. H. & Kozlowski R. Z. Photoreleased Ca^{2+} activates Cl^- currents in isolated rat pulmonary arterial smooth muscle cells **483.P**, 106*P*, 1995

see Albarwani S., Heinert G., Turner J. L., Nye P. C. G. & Kozlowski R. Z. **483.P**, 110*P*, 1995

see Albarwani S., Salter K. J., Turner J. L., Clapp L. H. & Kozlowski R.Z. **487.P**, 11*S*, 1995

Turner M.R.

Turner M. R. & Taylor A. Effects of mercurial compounds on cyclic AMP-stimulated osmotic permeability of isolated cortical collecting tubules from rabbit kidney **483.P**, 167*P*, 1995

Turner R.J. *see Evans R. L. & Turner R. J.* **482.P**, 7*P*, 1995

Turton A.

Turton A., Wroe S., Trepte N., Fraser C. & Lemon R. N. Ipsilateral EMG responses to transcranial magnetic stimulation during recovery of arm and hand function after stroke in man **487.P**, 68*P*, 1995

Twort C.H.C. *see Snetkov V. A., Hirst S. J., Twort C. H. C. & Ward J. P. T.* **483.P**, 110*P*, 1995

Unwin R. *see Boyde A., Walter M., Unwin R. & Török K.* **489.P**, 3*P*, 1995

Unwin R.J. *see Walter S. J., Unwin R. J. & Shirley D. G.* **483.P**, 168*P*, 1995

see Walter S. J., Unwin R. J. & Shirley D. G. **489.P**, 84*P*, 1995

Urbach V.

Urbach V., Ó'Cróinín D. & Harvey B. J. Mechanosensitive calcium entry in renal A6 cells **482.P**, 21*P*, 1995

Urbach V., Leguen I. & Harvey B. J. Volume- and mechanosensitive calcium entry and release in renal A6 cells **489.P**, 87*P*, 1995

see Leguen I., Urbach V. & Harvey B. J. **489.P**, 92*P*, 1995

see Walsh D., Urbach V. & Harvey B. J. **489.P**, 98*P*, 1995

Urbaniak S.J. *see Page K. R., Duncan J. I., Armstrong-Fisher S. S., Abramovich D. R. & Urbaniak S. J.* **482.P**, 30*P*, 1995

Urban J.P.G. *see Bartels E. M., Bergel D., Etherington P., Fairbank J. C., Urban J. P. G. & Winlove C. P.* **483.P**, 126*P*, 1995

see Mobasheri A., Smith A. L., France S. J., Urban J. P. G. & Hall A. C. **489.P**, 65*P*, 1995

Usachev Y.

Usachev Y. & Verkhratsky A. IBMX induces Ca^{2+} release from internal stores and affects K^+ channels in isolated rat sensory neurones **483.P**, 67*P*, 1995

Usachev Y.M.

Usachev Y. M., Marchenko S. M. & Sage S. O. Agonist-evoked changes in cytosolic calcium concentration in the endothelium of excised intact rat aorta **483.P**, 137*P*, 1995

Vaillant C. *see Dockray G. J., Henry J., Macro J., Voronina S., Vaillant C. & Varro A.* **487.P**, 34*P*, 1995

Valkanov M.A. *see Martin R. J. & Valkanov M. A.* **482.P**, 8*P*, 1995

Valverde M.A. *see Hardy S. P., deFelipe C. & Valverde M. A.* **487.P**, 194*P*, 1995

Van Dam L.M. *see Derks J. B., Jenkins S. L., Wentworth R., Giussani D. A., Van Dam L. M., Visser G. H. A. & Nathanielsz P. W.* **483.P**, 94*P*, 1995

Van den Abbeele T.

Van den Abbeele T., Tran Ba Huy P. & Teulon J. Antagonistic effects of adenosine and ATP on a cation channel in outer hair cells of the guinea-pig cochlea **489.P**, 62*P*, 1995

van den Berg G.J. *see Bingham M. J., van den Berg G. J. & McArdle H. J.* **489.P**, 125*P*, 1995

Vandenberg J.I. *see Hall J. A., Kirk J., Potts J. R., Rae C. D., Vandenberg J. I. & Kirk K.* **487.P**, 96*P*, 1995

Van der Meulen J.H. *see McArdle A., Van der Meulen J. H., Catapano M., Symons M. C. R., Faulkner J. A. & Jackson M. J.* **487.P**, 157*P*, 1995

Van der Meulen J. H., McArdle A., Jackson M. J. & Faulkner J. A. Lack of effect of vitamin E on contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 158*P*, 1995

Vandier C.

Vandier C., Argibay J. & Bonnet P. Effects of NS-004 on pulmonary artery K^+ channels **489.P**, 59*P*, 1995

Van Kerkhove E.

Van Kerkhove E. & Petzel D. Accuracy of intracellular pH measurement with BCECF in a Malpighian tubule: can the pH_{null} or weak acid/base method be used as a control? **482.P**, 29*P*, 1995

van Lieburg A.F. *see van Os C. H., Deen P. M. T., van Lieburg A. F. & Knoers N. V. A. M.* **489.P**, 16*S*, 1995

van Mechelen W. *see Sant'Ana Pereira J. A. A., Rademaker A., van Mechelen W., de Haan A. & Sargeant A. J.* **487.P**, 154*P*, 1995

van Os C.H.

van Os C. H., Deen P. M. T., van Lieburg A. F. & Knoers N. V. A. M. Cell biology of mutated aquaporin-2 proteins in autosomal recessive nephrogenic diabetes insipidus **489.P**, 16*S*, 1995

Vanoye C.G. *see Reuss L., Altenberg G. A., Vanoye C. G. & Han E. S.* **489.P**, 12*S*, 1995

Vanschoonbeek I.

Vanschoonbeek I., Steels P. & Kerkhove E. V. Anions in urine secretion by the isolated Malpighian tubule of *Formica* **489.P**, 117*P*, 1995

Varma J.S. *see Slater B. J., Chambers P., Varma J. S. & Gillespie J. I.* **487.P**, 92*P*, 1995

Varro A. *see Dockray G. J., Henry J., Macro J., Voronina S., Vaillant C. & Varro A.* **487.P**, 34*P*, 1995

Vaughan-Jones R.D. *see Loh S.-H. & Vaughan-Jones R. D.* **487.P**, 147*P*, 1995

see Stevens K. D. & Vaughan-Jones R. D. **487.P**, 88*P*, 1995

Vaughan P.F.T. *see McDonald R. L., Beck-Sickinger A. G., Vaughan P. F. T. & Peers C.* **483.P**, 163*P*, 1995

Vawda F.

Vawda F., Ranatunga K. W. & Geeves M. A. Tension transients following rapid decompression of intact frog muscle fibres **487.P**, 153*P*, 1995

Verbalis J.G. *see Brown C. H., Blackburn R. E., Leng G., Russell J. A. & Verbalis J. G.* **483.P**, 46*P*, 1995

Verdon B.

Verdon B., Evans M. J., Colledge W. H., Ratcliff R., Argent B. E. & Gray M. A. Regulation and expression of volume-activated Cl^- channels in mouse pancreatic duct cells are independent of CFTR **489.P**, 115*P*, 1995

Vergnet M. *see Lebrun F., Vergnet M. & Griffiths N. M.* **482.P**, 38*P*, 1995

Vergun O.

Vergun O., Storozhevykh T., Vinskaya N., Fajuk D., Arsenjeva E., Pinelis V. & Khodorov B. External alkalinity exacerbates the glutamate-induced destabilization of Ca^{2+} homeostasis in cultured rat cerebellar granule cells: role of calcium–hydrogen exchange **487.P**, 58*P*, 1995

Verkhratsky A. *see Kirischuk S. & Verkhratsky A.* **483.P**, 63*P*, 1995

see Shmigol A., Eisner D. & Verkhratsky A. **483.P**, 63*P*, 1995

see Shmigol A., Kostyuk P. & Verkhratsky A. **483.P**, 64*P*, 1995

see Usachev Y. & Verkhratsky A. **483.P**, 67*P*, 1995

Verrecchia F.

Verrecchia F., Pluciennik F., Délèze J. & Hervé J. C. Reversible inhibition of gap junctional communication elicited by sex steroids in cultured rat cardiac cells **487.P**, 140*P*, 1995

Vignes M. *see Brennan H., Muxworthy A., Vignes M., Pabbathi V. K., Holmes F. E. & Haynes L. W.* **487.P**, 44*P*, 1995

Vincent A. *see Newland C. F., Beeson D., Vincent A. & Newsom-Davis J.* **487.P**, 208*P*, 1995

Vinskaya N. *see Vergun O., Storozhevykh T., Vinskaya N., Fajuk D., Arsenjeva E., Pinelis V. & Khodorov B.* **487.P**, 58*P*, 1995

Virag L.

Virag L., Furukawa T. & Hiraoka M. Lactate fails to activate ATP-sensitive potassium current in membrane patches excised from guinea-pig ventricular myocytes **489.P**, 74*P*, 1995

Visser G.H.A. *see Derks J. B., Jenkins S. L., Wentworth R., Giussani D. A., Van Dam L. M., Visser G. H. A. & Nathanielsz P. W.* **483.P**, 94*P*, 1995

Vogiatzis I.

Vogiatzis I., Spurway N. C., Jennett S., Wilson J. & Sinclair J. Respiratory and metabolic responses during successive bouts of isometric exercise (simulated dinghy sailing) in humans **483.P**, 132*P*, 1995

Voilley N. *see Barbry P., Linguenglia E., Voilley N., Champigny G., Waldmann R., Renard S., Bassilana F., Le Néchet S. & Lazdunski M.* **489.P**, 4*S*, 1995

Voisin D.L.

Voisin D. L. Role of GABA in regulating rat magnocellular neurones **483.P**, 10*S*, 1995

Voronina S. *see Dockray G. J., Henry J., Macro J., Voronina S., Vaillant C. & Varro A.* **487.P**, 34*P*, 1995

Vrbova G.

Vrbova G. Increased activity changes the phenotype and blood supply of fast rabbit and rat muscles **483.P**, 6*S*, 1995

Vrbová G. *see Sanusi J., Greensmith L., Lowrie M. B. & Vrbová G.* **483.P**, 40*P*, 1995

see White C. M. & Vrbová G. **487.P**, 161*P*, 1995

see Emanuel A. O., Greensmith L. & Vrbová G. **487.P**, 46*P*, 1995

Vugler A. *see Emery C. & Vugler A.* **487.P**, 110*P*, 1995

Vuolteenaho O. *see Laine M., Tavi P., Id L., Vuolteenaho O. & Weckström M.* **487.P**, 143*P*, 1995

Wachter Ch.H.

Wachter Ch. H., Heinemann A., Jocic M. & Holzer P. Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **487.P**, 38*P*, 1995

Wadiche J.I.

Wadiche J. I., Amara S. G. & Kavanaugh M. P. A ligand-gated chloride current mediated by human excitatory amino acid transporters **487.P**, 191*P*, 1995

Wailoo M.P. *see Tuffnell C. S., Petersen S. A. & Wailoo M. P.* **485.P**, 53*P*, 1995

Wain E.M.

Wain E. M. & Ward J. The effect of whole-body and local temperature on the hand skin vascular responses to posture and deep breaths in man **483.P**, 125*P*, 1995

Waites B.A. *see Ackland G. L., Waites B. A., Noble R. & Hanson M. A.* **483.P**, 89*P*, 1995

Waites B. A., Ackland G. L., Noble R. & Hanson M. A. Microinjection of L-glutamate in the red nucleus produces inhibition of respiratory output in decerebrate neonatal rabbits **489.P**, 156*P*, 1995

Waldmann R. *see Barbry P., Linguenglia E., Voilley N., Champigny G., Waldmann R., Renard S., Bassilana F., Le Néchet S. & Lazdunski M.* **489.P**, 4*S*, 1995

Walker R.J. *see Brownlee D., Holden-Dye L. & Walker R. J.* **483.P**, 196*P*, 1995

see Jane S. D., Brownlee D. J. A., Chad J. E., Fairweather I., Tunwell R. E. A., Lai F. A., Holden-Dye L. M. & Walker R. J. **487.P**, 24*P*, 1995

Walker T. *see McDowell H. E., Walker T., Downes C. P. & Hundal H. S.* **482.P**, 5*P*, 1995

Wallace D. *see Suleiman M.-S., Wallace D., Birkett S. & Angelini G. D.* **487.P**, 91*P*, 1995

Wallace W.F.M. *see Beck M. J., Lark S. D., McCluskey D. R., Scally S. & Wallace W. F. M.* **483.P**, 120*P*, 1995

see Brown C. M. & Wallace W. F. M. **489.P**, 38*P*, 1995

Wallis W.R.J.

Wallis W. R. J., Cooklin M., Sheridan D. J. & Fry C. H. Electrophysiological changes to isolated guinea-pig ventricular myocytes during progressive hypertrophy **483.P**, 22*P*, 1995

Wallis W. R. J., Wu C., Cooklin M., Sheridan D. J. & Fry C. H. The effect of left ventricular hypertrophy on intracellular pH and intracellular H^+ buffering capacity, in isolated guinea-pig myocytes **485.P**, 42*P*, 1995

see Cooklin M., Wallis W. R. J., Sheridan D. J. & Fry C. H. **485.P**, 44*P*, 1995

see Wu C., Wallis W. R. J. & Fry C. H. **489.P**, 136*P*, 1995

Wallis T.J. *see Slater C. R., Fawcett P. R. W., Gardner-Medwin D., Lyons P. R., Wallis T. J., Wood S. J. & Young C.* **489.P**, 150*P*, 1995

Walsh D.

Walsh D., Urbach V. & Harvey B. J. UTP effect on calcium mobilization in human normal and cystic fibrosis airway epithelia **489.P**, 98*P*, 1995

Walsh D.M. *see Barlas P., Craig J., Robinson J., Walsh D. M., Baxter G. D. & Allen J. M.* **483.P**, 84*P*, 1995

see Barlas P., Walsh D. M., Baxter G. D. & Allen J. M. **483.P**, 85*P*, 1995

see McDowell B. C., Robinson J. I., Cherry H. R., Walsh D. M., Baxter G. D. & Allen J. M. **483.P**, 85*P*, 1995

see BARLAS P., LOWE A. S., WALSH D. M., BAXTER G. D. & ALLEN J. M. **489.P**, 44*P*, 1995

WALSH E. G.
WALSH E. G., DAVIES A. S. & POWERS N. Automated measurements of the knee jerk in students and rowers **487.P**, 73*P*, 1995

WALTER M. *see* BOYDE A., WALTER M., UNWIN R. & TÖRÖK K. **489.P**, 3*P*, 1995

WALTER S. J.
WALTER S. J., UNWIN R. J. & SHIRLEY D. G. Lithium reabsorption in loops of Henle of anaesthetized rats: inhibitory effect of low-sodium perfusate **483.P**, 168*P*, 1995
see BAILEY M. A. & WALTER S. J. **483.P**, 176*P*, 1995
WALTER S. J., UNWIN R. J. & SHIRLEY D. G. Impaired natriuretic response to frusemide in sodium-depleted, anaesthetized rats: role of the loop of Henle **489.P**, 84*P*, 1995
see BAILEY M. A. & WALTER S. J. **489.P**, 85*P*, 1995
see SHIRLEY D. G., WALTER S. J. & SAMPSON B. **489.P**, 85*P*, 1995

WALTERS D. V. *see* STEPHENS R. H., BENJAMIN A. R. & WALTERS D. V. **489.P**, 112*P*, 1995

WANG H.
WANG H. & MORRIS J. F. A study of constitutive nitric oxide synthase (cNOS) in the hypothalami of normal and hereditary diabetes insipidus rats and mice: evidence of involvement of nitric oxide in osmotic regulation **489.P**, 177*P*, 1995

WANG J.
WANG J. & PELZER D. J. Contribution of β_1 and β_2 adrenoceptors to the sympathetic stimulation of L-type Ca^{2+} current in isolated guinea-pig ventricular cardiomyocytes **489.P**, 50*P*, 1995

WANG N. *see* SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J. **489.P**, 183*P*, 1995

WANG W.
WANG W. & MICHEL C. C. A simplified mathematical model for the transcapillary exchange of fluid and albumin in the renal medulla **483.P**, 139*P*, 1995
see GIEBISCH G., WANG W., MCNICHOLAS C. M., KUBOKAWA M., YANG Y. & HEBERT S. **489.P**, 168*S*, 1995

WANG Y. *see* JONES J. F. X., WANG Y. & JORDAN D. **483.P**, 89*P*, 1995
WANG Y., RAMAGE A. G. & JORDAN D. The effects of bicuculline and strychnine on the activity of dorsal vagal preganglionic neurones that respond to vagus nerve stimulation: an *in vivo* ionophoretic study in anaesthetized rats **489.P**, 158*P*, 1995

WAN H.
WAN H. & CAHUSAC P. M. B. L(+)-2-amino-4-phosphonobutyric acid (L-AP4) causes disinhibition of neuronal responses in primary somatosensory (SI) cortex of the urethane-anaesthetized adult rat **483.P**, 155*P*, 1995

WARD B. J. *see* AL-HABOUBI H. A., TOMLINSON D. R. & WARD B. J. **483.P**, 139*P*, 1995

WARD D. G.
WARD D. G. & CAVIERES J. D. Inactivation of pig kidney Na^+–K^+-ATPase by fluorescein 5′-isothiocyanate: further evidence for two ATP sites **482.P**, 42*P*, 1995

WARD G. A. *see* HUGHES P. M., WARD G. A., TSAO J. W., MILLER K. & BROWN M. C. **487.P**, 44*P*, 1995

WARD J. *see* WAIN E. M. & WARD J. **483.P**, 125*P*, 1995

WARD J. B.
WARD J. B., SUTTON R. & PETERSEN O. H. Disruption of normal acinar cell calcium signalling is an early feature of caerulein-induced experimental acute pancreatitis in mice **489.P**, 54*P*, 1995

WARD J. P. T. *see* SNETKOV V. A., HIRST S. J., TWORT C. H. C. & WARD J. P. T. **483.P**, 110*P*, 1995
see KANCZLER J. M., THOMAS C. R., BURNAND K. G., WARD J. P. T. & REAPE T. J. **483.P**, 116*P*, 1995
see PRIEST R. M. & WARD J. P. T. **483.P**, 116*P*, 1995
see SNETKOV V. A., GURNEY A. M., WARD J. P. T. & OSIPENKO O. N. **487.P**, 112*P*, 1995
WARD J. P. T., PRIEST R. M. & PENG W. An extracellular L-arginine-dependent relaxation mechanism in isolated pulmonary arteries of the rat **487.P**, 80*P*, 1995
WARD J. P. T. Endothelial dependence of hypoxic pulmonary vasoconstriction **487.P**, 10*S*, 1995

WARD S. A. *see* WHIPP B. J., WARD S. A., SMITH R. E. & HUSSAIN S. T. **483.P**, 130*P*, 1995

WAREHAM A. C. *see* HATTON P. A., AGBENYEGA E. T., MORTON R. H. & WAREHAM A. C. **489.P**, 168*P*, 1995

WAREING M.
WAREING M., WILSON R. W. & GREEN R. An estimate of the potassium reflection coefficient in the proximal convoluted tubule (PCT) of the anaesthetized rat **483.P**, 167*P*, 1995
see WILSON R. W., WAREING M. & GREEN R. **483.P**, 174*P*, 1995
see WILSON R. W., WAREING M. & GREEN R. **489.P**, 84*P*, 1995
see COCKBURN M. F., WAREING M., WILSON R. & GREEN R. **489.P**, 94*P*, 1995

WARHURST G. *see* COLLETT A., SIMS E., HE Y.-L., ROWLAND M. & WARHURST G. **482.P**, 34*P*, 1995
see LOMAX R. B., WARHURST G. & SANDLE G. I. **482.P**, 43*P*, 1995

WARING J. J. *see* HOWARTH F. C., SINGH J., WARING J. J. & HUSTLER B. I. **482.P**, 17*P*, 1995
see HUSTLER B. I., WARING J. J., SINGH J., BERESFORD L. A. & HOWARTH F. C. **489.P**, 142*P*, 1995

WARNER S. M.
WARNER S. M. & KANE M. T. Uptake of *myo*-inositol by pre-implantation rabbit blastocysts *in vitro* **489.P**, 124*P*, 1995

WARREN M. A. *see* SQUIRES P. E., HILL C. J., PACEY A. A., LI T. C., COOKE I. D., WARREN M. A. & DUNNE M. J. **482.P**, 45*P*, 1995

WARTH J. D.
WARTH J. D., HART P., HOROWITZ B. & HUME J. R. CFTR anti-sense oligodeoxynucleotides reduce cAMP-dependent Cl^- currents in cultured guinea-pig ventricular myocytes **487.P**, 128*P*, 1995

WATERS C. M. *see* MITCHELL I. J., COOPER A. J., BROWN G. D. A. & WATERS C. M. **483.P**, 34*P*, 1995

WATKINS C. S.
WATKINS C. S. & MATHIE A. Effects of a membrane-permeable analogue of the Ca^{2+} chelator BAPTA on K^+ currents in rat cultured cerebellar granule neurons **489.P**, 61*P*, 1995

WATSON M. K. *see* SATTELLE D. B., HOLYOKE C. W., SCHNEE M. E., CORDOVA D., BENNER E. A., WATSON M. K., BAI D., BUCKINGHAM S. D., HUTTON M. L., HAMON A. & RAUH J. J. **483.P**, 193*P*, 1995

WATT P. W. *see* BLAKEMORE S. J., JAMES J., LUCOCQ J. M., WATT P. W., RENNIE M. J. & HUNDAL H. S. **482.P**, 23*P*, 1995

WATTS A. E.
WATTS A. E., WILLIAMS J. T. & HENDERSON G. Baclofen inhibition of the hyperpolarization-activated cation current, I_h, in rat substantia nigra neurones *in vitro* may be secondary to potassium channel activation **487.P**, 61*P*, 1995

WATTS I. S. *see* SHINER R. A., HUDLICKA O. & WATTS I. S. **483.P**, 143*P*, 1995

WAYMAN C. P.
WAYMAN C. P., MCFADZEAN I., GIBSON A. & TUCKER J. F. Sodium nitroprusside inhibits calcium-dependent chloride current activation by cyclopiazonic acid in mouse anococcygeus cells **489.P**, 134*P*, 1995

WEAVER Y. R.
WEAVER Y. R. & COSSINS A. R. Protein tyrosine phosphorylation regulates the KCl co-transporter in trout red cells **489.P**, 100*P*, 1995

WEBB A. C. *see* BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C. **483.P**, 41*P*, 1995
see BRADLEY P. M., BURNS B. D., KING T. M. & WEBB A. C. **483.P**, 41*P*, 1995

WEBB A. V.
WEBB A. V., COMPSTON D. A. S. & RANDALL A. D. On the voltage-dependent ion channel complement of the neonatal rat O-2A progenitor *in vitro* **489.P**, 55*P*, 1995

WEBDALE L. *see* PINNOCK R. D., WOODRUFF G. N., WEBDALE L. & SUMAN-CHAUHAN N. **482.P**, 39*P*, 1995

WEBSTER J. *see* LEWIS M. D., DAVIES J. S., HEPBURN P. J., HAM J., WEBSTER J. & SCANLON M. F. **489.P**, 182*P*, 1995

WECKSTRÖM M. *see* LAINE M., TAVI P., ID L., VUOLTEENAHO O. & WECKSTRÖM M. **487.P**, 143*P*, 1995
see TAVI P. & WECKSTRÖM M. **487.P**, 147*P*, 1995

WEERASINGHE V. S.
WEERASINGHE V. S. & SEDGWICK E. M. Evidence that the fronto-parietal N_{30}–P_{30} component of the somatosensory evoked potential (SEP) in man is generated in the sensorimotor cortex **483.P**, 157*P*, 1995

WEIR A. I. *see* CONWAY B. A., HALLIDAY D. M., SHAHANI U., MAAS P., WEIR A. I., ROSENBERG J. R. & FARMER S. F. **483.P**, 35*P*, 1995

WEIR E. K. *see* REEVE H. L., ARCHER S. L. & WEIR E. K. **487.P**, 186*P*, 1995

see ARCHER S. L., REEVE H. L., HAMPL V., HUANG J., PETERSON D. A. & WEIR E. K. **487.P**, 11*S*, 1995

WEISS J.B. *see* HANCHARD N. C. A., BATE A. S., WEISS J. B. & COOPER R. G. **483.P**, 80*P*, 1995

WELLER A.

WELLER A., MILLARD C., STROUD M., GREENHAFF P. & MACDONALD I. The influence of cold-exposure on the metabolic and thermoregulatory responses to prolonged intermittent walking exercise in man **483.P**, 123*P*, 1995

WELLER A., MILLARD C., STROUD M. & MACDONALD I. Does cold exposure influence the metabolic and thermoregulatory responses to prolonged low intensity walking in man? **489.P**, 39*P*, 1995

WELSH L. *see* NICLOS B. B., WELSH L., SARWAR R. & RUTHERFORD O. M. **483.P**, 131*P*, 1995

WENDT-GALLITELLI M.-F.

WENDT-GALLITELLI M.-F., TILMAN V. & ISENBERG G. Calcium stores of smooth muscle cells: electron probe microanalysis (EPMA) in guinea-pig urinary bladder cells **487.P**, 13*P*, 1995

WENTWORTH R. *see* DERKS J. B., JENKINS S. L., WENTWORTH R., GIUSSANI D. A., VAN DAM L. M., VISSER G. H. A. & NATHANIELSZ P. W. **483.P**, 94*P*, 1995

WEST D.C. *see* DEUCHARS J., WEST D. C. & THOMSON A. M. **483.P**, 59*P*, 1995

WESTERBLAD H. *see* KATZ A. & WESTERBLAD H. **483.P**, 77*P*, 1995

WESTERHOF N. *see* GATTULLO D., LINDEN R. J., LOSANO G., PAGLIARO P. & WESTERHOF N. **487.P**, 168*P*, 1995

WESTH-HANSEN S.E. *see* NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

WESTLUND K.N. *see* SLUKA K. A., MILTON M. A., WESTLUND K. N. & WILLIS W. D. **483.P**, 152*P*, 1995

WHEELER M.J. *see* KOSTOGLOU-ATHANASSIOU I., TREACHER D. F., WHEELER M. J. & FORSLING M. L. **485.P**, 52*P*, 1995

WHIPP B.J.

WHIPP B. J., WARD S. A., SMITH R. E. & HUSSAIN S. T. The dynamics of pulmonary O_2 uptake and femoral artery blood flow during moderate intensity exercise in humans **483.P**, 130*P*, 1995

WHITE C.M.

WHITE C. M. & VRBOVÁ G. L-type calcium channel blockade enhances functional muscle recovery following partial denervation of neonatal rat soleus muscle **487.P**, 161*P*, 1995

WHITE E.

WHITE E. The lack of effect of increasing cell length on L-type calcium current in isolated ferret ventricular myocytes **483.P**, 13*P*, 1995

see HONGO K., WHITE E., LE GUENNEC J.-Y. & ORCHARD C. H. **483.P**, 17*P*, 1995

see HONGO K., AUCLERC C., CAZORLA O., GAVNIER D., LE GUENNEC J.-Y. & WHITE E. **487.P**, 132*P*, 1995

see BENNETT K. L., WHITE E. & COLYER J. **487.P**, 141*P*, 1995

WHITEFORD M.L. *see* WILSON S. M., WHITEFORD M. L., PLUMB J. A. & BOVELL D. L. **482.P**, 13*P*, 1995

WHITEHEAD S.

WHITEHEAD S. & LACEY M. Dexamethasone reverses the inhibitory action of co-cultured macrophages on progesterone release from rat granulosa cells at a site distal to cAMP generation **489.P**, 110*P*, 1995

WHITE N.S. *see* ERRINGTON R. J., HALL A. C., FRICKER M. D. & WHITE N. S. **487.P**, 3*P*, 1995

WHITE S. *see* ELHAMRI M., KHAN B., WOOLF A. & WHITE S. **489.P**, 130*P*, 1995

see LI Q., COPE G., HORNBY D. & WHITE S. **489.P**, 93*P*, 1995

WHITE S.J. *see* HENDERSON R. M., SCHNEIDER S., LI Q., HORNBY D., WHITE S. J. & OBERLEITHNER H. **489.P**, 90*P*, 1995

WHITING P. *see* WOOLTORTON J. R. A., WHITING P. & SMART T. G. **489.P**, 80*P*, 1995

WHITTINGTON M.A. *see* FINNERTY G. T., WHITTINGTON M. A. & JEFFERYS J. G. R. **487.P**, 54*P*, 1995

WICKENDEN A.D.

WICKENDEN A. D., POUCHER S. M. & KUMAR P. The effect of cromakalim on ATP depletion in the isolated, metabolically inhibited guinea-pig peroneus longus **483.P**, 127*P*, 1995

WIDDAS W.F.

WIDDAS W. F. & BAKER G. F. A kinetic relationship of the red cell carbonic anhydrase and anion exchanger **482.P**, 36*P*, 1995

WIDDAS W. F. & BAKER G. F. A red cell bicarbonate permeability independent of the band 3 anion exchanger **487.P**, 97*P*, 1995

WIDDICOMBE J.G. *see* SANT'AMBROGIO G. & WIDDICOMBE J. G. **487.P**, 204*P*, 1995

WIDMER H.

WIDMER H., AMERDEIL H. & DESARMÉNIEN M. G. Postnatal development of action potential and ionic currents in freshly dissociated hypothalamic magnocellular neurones of the rat supraoptic nucleus **489.P**, 185*P*, 1995

WILKINSON D.J. *see* DAWSON D. C., MANSOURA M. K. & WILKINSON D. J. **489.P**, 2*S*, 1995

WILKINSON G. *see* KENDALL J. M., BADMINTON M. N., SALA NEWBY G. B., WILKINSON G., DORMER R. L. & CAMPBELL A. K. **487.P**, 19*P*, 1995

see CAMPBELL A. K., BADMINTON M. N., KENDALL J. M., SALA NEWBY G. B. & WILKINSON G. **487.P**, 7*S*, 1995

WILKINS R.J.

WILKINS R. J., YAMAZAKI N. & HALL A. C. Stimulation of cation transport in isolated bovine articular chondrocytes following hypertonic shock **489.P**, 107*P*, 1995

see HALL A. C., WILKINS R. J., ERRINGTON R. J., HORWITZ E. & HARVEY B. J. **489.P**, 19*S*, 1995

WILLARD T.

WILLARD T., BRYAN A. & POLLARD B. J. A computer-controlled, varying stimulus train pattern stimulator with digital recorder and display system for use in anaesthetized humans **483.P**, 4*P*, 1995

WILLARS C. *see* EVANS P., WILLARS C. & HARRISON P. J. **487.P**, 73*P*, 1995

WILLER J. *see* AMASSIAN V. E., CRACCO R. Q., MACCABEE P. J., HASSAN N., WILLER J. & EBERLE L. **483.P**, 42*P*, 1995

WILLIAMS A.J. *see* KERMODE H., SITSAPESAN R. & WILLIAMS A. J. **487.P**, 144*P*, 1995

WILLIAMS D.J.

WILLIAMS D. J., MOOSAVI A. H. & IMMS F. J. Nitric oxide contributes to local heat-induced vasodilatation in man **483.P**, 126*P*, 1995

WILLIAMS J.T. *see* WATTS A. E., WILLIAMS J. T. & HENDERSON G. **487.P**, 61*P*, 1995

WILLIAMS K.I. *see* LAL H., SMALLEY K., WOODWARD B. & WILLIAMS K. I. **483.P**, 147*P*, 1995

WILLIAMS M.R.

WILLIAMS M. R., DUNCAN G., THOMAS G. & RIACH R. A. Physiological consequences of calcium mobilization by muscarinic receptor activation in human lens cells **487.P**, 11*P*, 1995

WILLIAMSON R. *see* ÖDBLOM M. & WILLIAMSON R. **489.P**, 66*P*, 1995

WILLIAMS S. *see* CRAGGS M., MUNDY A., BELLRINGER J., WILLIAMS S., SIMMONS A., ANDREW C. & LEAKER B. **489.P**, 40*P*, 1995

WILLIAMS S.A. *see* DAI J., WILLIAMS S. A., YU C. & PANAGIA V. **485.P**, 44*P*, 1995

WILLIAMS S.R.

WILLIAMS S. R., ANDERSON C. M. & CRUNELLI V. Electrophysiological and morphological properties of local circuit interneurones of the rat dorsal lateral geniculate nucleus *in vitro* **483.P**, 58*P*, 1995

WILLIS W.D. *see* REES H., SLUKA K. A., TSURUOKA M., CHEN P. S. & WILLIS W. D. **483.P**, 152*P*, 1995

see SLUKA K. A., MILTON M. A., WESTLUND K. N. & WILLIS W. D. **483.P**, 152*P*, 1995

WILLMOTT K.L.

WILLMOTT K. L., THEWLES A. & LOTE C. J. Urinary calcium and aluminium excretion in the conscious rat following gentamicin administration **489.P**, 91*P*, 1995

WILLMOTT N. *see* SMITH P. A., WILLMOTT N. & GALLIONE A. **487.P**, 13*P*, 1995

WILLUMSEN N.J.

WILLUMSEN N. J. & LARSEN E. H. Chloride channels in the basolateral membrane of mitochondria-rich cells of toad skin epithelium **489.P**, 116*P*, 1995

see LARSEN E. H., SØRENSEN J. B. & WILLUMSEN N. J. **489.P**, 18*S*, 1995

WILSON C.F.

WILSON C. F., HOOD A. J. C., JOHL S. & SAINSBURY K. Inhibition of guinea-pig gall-bladder contraction by electrical field stimulation *in vitro* **487.P**, 33*P*, 1995

WILSON G. *see* MACFARLANE N. G., WILSON G. & MILLER D. J. **489.P**, 144*P*, 1995

WILSON J. *see* VOGIATZIS I., SPURWAY N. C., JENNETT S., WILSON J. & SINCLAIR J. **483.P**, 132*P*, 1995

WILSON K. *see* BASSEY E. J., COATES L., CULPAN J., LITTLEWOOD J. J., OWEN M. & WILSON K. **489.P**, 28*P*, 1995

WILSON L.R. *see* GANDEVIA S. C., INGLIS J. T., WILSON L. R. & BURKE D. **487.P**, 72*P*, 1995

WILSON R. *see* COCKBURN M. F., WAREING M., WILSON R. & GREEN R. **489.P**, 94*P*, 1995

WILSON R. W. *see* WAREING M., WILSON R. W. & GREEN R. **483.P**, 167*P*, 1995

WILSON R. W., WAREING M. & GREEN R. The effect of luminally applied K^+–H^+ ATPase inhibitor on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 174*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **487.P**, 40*P*, 1995

WILSON R. W., WAREING M. & GREEN R. Effect of fluid reabsorption on potassium permeability in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 84*P*, 1995

see ISHIGURO H., WILSON R. W., STEWARD M. C. & CASE R. M. **489.P**, 96*P*, 1995

WILSON S. M.

WILSON S. M., WHITEFORD M. L., PLUMB J. A. & BOVELL D. L. Anion ($^{125}I^-$) efflux from osmotically swollen ovarian adenocarcinoma cells: effects of P-glycoprotein expression **482.P**, 13*P*, 1995

see PEDIANI J. D., WILSON S. M., GORDON J., DOMINICZAK A. F. & MCGRATH J. C. **483.P**, 106*P*, 1995

see RAKHIT S., PEDIANI J. D., MURDOCH R., ELDER H. Y. & WILSON S. M. **487.P**, 100*P*, 1995

see BOVELL D. L. & WILSON S. M. **489.P**, 114*P*, 1995

see PEDIANI J. D., MCGRATH J. C. & WILSON S. M. **489.P**, 135*P*, 1995

WILSON S. M. Purinergic receptors and intracellular calcium signalling in sweat gland cells **489.P**, 148, 1995

WILSON V. G. *see* WRIGHT I. K., BLAYLOCK N. A., STARK G., KENDALL D. A. & WILSON V. G. **483.P**, 111*P*, 1995

see LOT T. & WILSON V. G. **487.P**, 82*P*, 1995

see WRIGHT I. K., TAN E., CORRY B. & WILSON V. G. **487.P**, 84*P*, 1995

WINDASS J. D. *see* PUENTE E., SUNER M.-M. & WINDASS J. D. **487.P**, 17*P*, 1995

WING A. M. *see* JENNER J. R., KIRKER S. & WING A. M. **487.P**, 74*P*, 1995

see KIRKER S., JENNER J. R. & WING A. M. **487.P**, 74*P*, 1995

WINLOVE C. P. *see* BARTELS E. M., BERGEL D., ETHERINGTON P., FAIRBANK J. C., URBAN J. P. G. & WINLOVE C. P. **483.P**, 126*P*, 1995

WINLOW W. *see* AHMED I. A. & WINLOW W. **483.P**, 190*P*, 1995

see MOGHADAM H. F. & WINLOW W. **483.P**, 191*P*, 1995

see QAZZAZ M. & WINLOW W. **489.P**, 21*P*, 1995

see AHMED I. A., HOPKINS P. M. & WINLOW W. **489.P**, 22*P*, 1995

see MISHMAST-NEHI G. & WINLOW W. **489.P**, 71*P*, 1995

see MOROZ L. L., MOGHADAM H. F. & WINLOW W. **489.P**, 79*P*, 1995

WINOKUROV A. A.

WINOKUROV A. A. & CHAPMAN R. A. The protective effect of elevated $[Na^+]_o$ on the calcium paradox in Langendorff-perfused guinea-pig heart is dependent on the metabolic substrate **483.P**, 23*P*, 1995

WINSLOW R. L. *see* HYDE J., WINSLOW R. L. & NOBLE D. **487.P**, 124*P*, 1995

see ZHANG H. & WINSLOW R. L. **487.P**, 125*P*, 1995

WINSLOW R. L. & JONGSMA H. J. Role of tissue geometry and spatial localization of gap junctions in generation of the pacemaker potential **487.P**, 126*P*, 1995

see RICE J. J., WINSLOW R. L. & KOHL P. **487.P**, 15*P*, 1995

WINTER E. M.

WINTER E. M., BROOKES F. B. C., JONES D. A. & ROUND J. M. Voluntary and stimulated electromechanical delays in m. triceps surae of men and women **483.P**, 82*P*, 1995

WINTER J. *see* SMITH R. P., DHILLON D. P., WINTER J. & MEHTA A. **482.P**, 44*P*, 1995

WINTER J. A. *see* GIUSSANI D. A., MECENAS C. A., JENKINS S. L., WINTER J. A., DERKS J. B. & NATHANIELSZ P. W. **483.P**, 113*P*, 1995

WINTER J. H. *see* SMITH R. P., SHELLARD R., DHILLON D. P., WINTER J. H. & MEHTA A. **489.P**, 113*P*, 1995

WISDEN W.

WISDEN W. The molecular biology of excitatory and inhibitory amino acid receptors with a special focus on the hypothalamus **483.P**, 78, 1995

WISDOM D. M. *see* GONZALEZ A., PARIENTE J. A., SALIDO G. M., SINGH J. & WISDOM D. M. **482.P**, 33*P*, 1995

WISDOM D. M., SINGH J., DOMSCHKE W., STOLL R. & MOOREN F. CH. Regulation of cholecystokinin-octapeptide-evoked magnesium transport in single mouse pancreatic acinar cells **485.P**, 36*P*, 1995

WITHINGTON D. J. *see* INGHAM N. J., THORNTON S. K., MCCROSSAN D. & WITHINGTON D. J. **485.P**, 12*P*, 1995

see THORNTON S. K., WITHINGTON D. J., INGHAM N. J. & MCCROSSAN D. **485.P**, 12*P*, 1995

WITT M. R. *see* NIELSEN C., THOMSEN L., NIELSEN M., WESTH-HANSEN S. E., WITT M. R., RASMUSSEN P. B., HASTRUP S. & LARSEN E. H. **489.P**, 63*P*, 1995

WOAKES A. J. *see* BEVAN R. M., BOYD I. L., BUTLER P. J., REID K. R. & WOAKES A. J. **483.P**, 193*P*, 1995

WOICIECHOWSKY C. *see* MEYER B.-U., ROERICHT S., WOICIECHOWSKY C. & BRANDT S. A. **487.P**, 68*P*, 1995

WOLEDGE R. C. *see* LINARI M. & WOLEDGE R. C. **483.P**, 77*P*, 1995

see BUSCHMAN H. P. J., ELZINGA G. & WOLEDGE R. C. **483.P**, 79*P*, 1995

WOLFF C. B. *see* COLLIER D. J., NICKOL A., MILLEDGE J. S. & WOLFF C. B. **487.P**, 108*P*, 1995

see COLLIER D. J., NICKOL A., MILLEDGE J. S., DATTA A. K., COLLIER C. J. & WOLFF C. B. **487.P**, 109*P*, 1995

WONG K. S.

WONG K. S. & PONT M. J. A simple computational model of the medial superior olivary complex **485.P**, 31*P*, 1995

WONG P. S. K.

WONG P. S. K. & JOHNS E. J. Effect of amiloride on the action of angiotensin II on intracellular sodium content of rat renal proximal tubules **483.P**, 176*P*, 1995

WONG P. Y. D. *see* HUANG Y., KO W. H., CHUNG Y. W. & WONG P. Y. D. **487.P**, 187*P*, 1995

see KO W. H., CHAN H. C., CHEW S. B. C. & WONG P. Y. D. **489.P**, 105*P*, 1995

see KO W. H., CHAN H. C., CHEW S. B. C. & WONG P. Y. D. **489.P**, 68, 1995

WONG T. M. *see* YANG Z., CHAN Y. S. & WONG T. M. **487.P**, 180*P*, 1995

WOODING D. S. *see* KOHLER P., MANNAN S., RUDDOCK K. H. & WOODING D. S. **485.P**, 25*P*, 1995

WOOD J. A. *see* SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **483.P**, 171*P*, 1995

see SPENCER A. J., WOOD J. A., FREEMAN M. S., SAUNDERS H. C. & LOTE C. J. **489.P**, 92*P*, 1995

WOODNUTT G. *see* BURGESS W. J., BRYANT J. & WOODNUTT G. **482.P**, 41*P*, 1995

WOOD P. G. *see* OTUN H., WOOD P. G. & GILLESPIE J. I. **483.P**, 150*P*, 1995

WOODRUFF G. N. *see* PINNOCK R. D., WOODRUFF G. N., WEBDALE L. & SUMAN-CHAUHAN N. **482.P**, 39*P*, 1995

see PINNOCK R. D., HOLLAND S., HALL M. D. & WOODRUFF G. N. **489.P**, 49*P*, 1995

see IBBOTSON T., WOODRUFF G. N. & BODEN P. **489.P**, 70*P*, 1995

WOOD S. J. *see* SLATER C. R., FAWCETT P. R. W., GARDNER-MEDWIN D., LYONS P. R., WALLS T. J., WOOD S. J. & YOUNG C. **489.P**, 150*P*, 1995

WOOD S. J. & SLATER C. R. Safety factor for neuromuscular transmission in rat isolated soleus muscle **489.P**, 150*P*, 1995

WOODS R. *see* BAIGENT S., WOODS R., KEMP F. & LOWRY P. **489.P**, 183*P*, 1995

WOODS R. J. *see* SANDERSON T. C., WANG N., KEEN J., GIBBINS J., KEMP F., WOODS R. J. & LOWRY P. J. **489.P**, 183*P*, 1995

WOODWARD B. *see* LAL H., SMALLEY K., WOODWARD B. & WILLIAMS K. I. **483.P**, 147*P*, 1995

WOODWARD R. *see* ROBERTSON S. J., WOODWARD R., MCKENNA F., ROWE I. C. M., ASHFORD M. L. J. & MURRELL-LAGNADO R. D. **489.P**, 58*P*, 1995

WOOLF A. *see* ELHAMRI M., KHAN B., WOOLF A. & WHITE S. **489.P**, 130*P*, 1995

WOOLF C. J. *see* MILLER B. A. & WOOLF C. J. **483.P**, 56*P*, 1995

see MILLER B. A. & WOOLF C. J. **487.P**, 215*P*, 1995

WOOLTORTON J. R. A.

WOOLTORTON J. R. A., WHITING P. & SMART T. G. Anion permeability of human recombinant $GABA_A$-gated chloride channels expressed in *Xenopus* oocytes **489.P**, 80*P*, 1995

WOOTTON J. F. *see* CRAWFORD J. H., WOOTTON J. F., SEABROOK G. R. & SCOTT R. H. **487.P**, 12*P*, 1995

WORKMAN A. J.

WORKMAN A. J., MACKENZIE I. & NORTHOVER B. J. Suction electrode-recorded action potentials from two sites in rat isolated hearts **483.P**, 19*P*, 1995

WRAY S. *see* PARRATT J., SHEADER E., TAGGART M. & WRAY S. **483.P**, 108*P*, 1995

see HAMPSHIRE P., PARRATT J., TAGGART M. & WRAY S. **487.P**, 89*P*, 1995

see RILEY G., TAGGART M. J. & WRAY S. **487.P**, 89*P*, 1995

see HARRISON N., LARCOMBE-MCDOUALL J. B. & WRAY S. **489.P**, 133*P*, 1995

WRIGHT I.K.

WRIGHT I. K., BLAYLOCK N. A., STARK G., KENDALL D. A. & WILSON V. G. Neuropeptide Y-induced modulation of cyclic adenosine monophosphate and contractile responses in porcine isolated blood vessels **483.P**, 111*P*, 1995

WRIGHT I. K., TAN E., CORRY B. & WILSON V. G. Dissociation of β-adrenoceptor-mediated relaxation and cyclic adenosine monophosphate metabolism by echothiopate in the porcine isolated coronary artery **487.P**, 84*P*, 1995

WRIGHT J.R. *see OGILVIE J. A., RIORDAN-EVA P., RUDDOCK K. H., SANDERS M. D. & WRIGHT J. R.* **485.P**, 28*P*, 1995

WROE S. *see TURTON A., WROE S., TREPTE N., FRASER C. & LEMON R. N.* **487.P**, 68*P*, 1995

WU C. *see SUI G.-P., WU C. & FRY C. H.* **483.P**, 114*P*, 1995

WU C. & FRY C. H. The effects of extracellular and intracellular pH on carbachol-induced intracellular Ca^{2+} transients in guinea-pig detrusor smooth muscle **485.P**, 40*P*, 1995

see WALLIS W. R. J., WU C., COOKLIN M., SHERIDAN D. J. & FRY C. H. **485.P**, 42*P*, 1995

WU C., WALLIS W. R. J. & FRY C. H. Purinergic activation induces a transient rise of intracellular Ca^{2+} in isolated human detrusor myocytes **489.P**, 136*P*, 1995

WUERGER S.M.

WUERGER S. M. & MORGAN M. J. Orientation discrimination in humans as a function of chromatic content and spatial frequency **485.P**, 23*P*, 1995

WU M.-L. *see TSAI K.-L., CHEN C.-C. & WU M.-L.* **487.P**, 57*P*, 1995

WUNDER M.A.

WUNDER M. A., GREEN G. G. R. & REES A. Evoked potentials to phase-modulated tones in humans **485.P**, 15*P*, 1995

WUTTKE W. *see JARRY H., KIM K., SUN W., WUTTKE W. & LEONHARDT S.* **483.P**, 12*S*, 1995

WU X. *see ALLEN T. J. A., MIKALA G., WU X., SCHWARTZ A. & DOLPHIN A. C.* **487.P**, 136*P*, 1995

WUYAM B. *see ADAMS L., EBERHARD A., WUYAM B., MORRELL M. J. & BENCHETRIT G.* **487.P**, 107*P*, 1995

WYATT C.N. *see PEERS C., WYATT C. N. & BEE D.* **489.P**, 73*P*, 1995

WYATT R.D. *see HEAD K. N., LOGAN J. G., PATERSON J. M. H., PELLING C. W. A. & WYATT R. D.* **487.P**, 181*P*, 1995

XIA J. *see DULING B. R., XIA J., LITTLE T. & DOYLE M.* **483.P**, 6*S*, 1995

XIA N.

XIA N. & NYE P. C. G. Effects of an endothelin receptor blocker on constriction of small pulmonary arteries isolated from the rat **487.P**, 113*P*, 1995

XIANG J.-Z.

XIANG J.-Z. & KENTISH J. C. Influence of pH on Ca^{2+}- and caffeine-induced Ca^{2+} release from the sarcoplasmic reticulum in isolated rat skinned cardiac muscle **483.P**, 15*P*, 1995

XIA R.P.

XIA R. P. & BUSH B. M. H. Co-ordination of human hand muscles during rhythmic finger movements related to writing **483.P**, 133*P*, 1995

YACOOB M. *see MENDES RIBEIRO A. C., ROBERTS N. B., LANE C., YACOOB M. & ELLORY J. C.* **483.P**, 175*P*, 1995

YACOUB M.H. *see CORBETT J. M., COBB M. A., NOBLE M. I. M., DRAKE-HOLLAND A. J., CLARKE S., YACOUB M. H. & DUNN M. J.* **489.P**, 159*P*, 1995

YAMASHITA N.

YAMASHITA N., FUJITA H., OGATA E., KAWASHIMA H. & MATSUMOTO T. Activation of Cl^- channels by extracellular Ca^{2+} in freshly isolated rabbit osteoclasts **487.P**, 200*P*, 1995

YAMAZAKI N. *see WILKINS R. J., YAMAZAKI N. & HALL A. C.* **489.P**, 107*P*, 1995

YANG H.-W.

YANG H.-W., APPENTENG K. & BATTEN T. F. C. Ultrastructural evidence for GABA-mediated presynaptic control of glutamate release in the rat trigeminal motor nucleus **483.P**, 36*P*, 1995

see GRIMWOOD P. D., APPENTENG K., HENDERSON Z. & YANG H.-W. **483.P**, 56*P*, 1995

YANG W.

YANG W., BENJAMIN I. S. & ALEXANDER B. The isolated dual perfused rat liver preparation: a new model for the study of the control of hepatic vascular tone **487.P**, 42*P*, 1995

YANG Y. *see GIEBISCH G., WANG W., MCNICHOLAS C. M., KUBOKAWA M., YANG Y. & HEBERT S.* **489.P**, 16*S*, 1995

YANG Z.

YANG Z., JANVIER N. C. & BOYETT M. R. Differences in the inotropic responses of cells isolated from the sub-epicardium, mid-wall and sub-endocardium of the canine ventricle to ACh **483.P**, 8*P*, 1995

YANG Z., CHAN Y. S. & WONG T. M. Tonic influence of the caudal ventrolateral medulla on the rostral ventrolateral medulla in anaesthetized spontaneously hypertensive and normotensive Wistar Kyoto rats **487.P**, 180*P*, 1995

YANG Z.-K. *see JANVIER N. C., BOYETT M. R., ORCHARD C. H. & YANG Z.-K.* **487.P**, 127*P*, 1995

YANG Z.-K., BOYETT M. R., JANVIER N. C., HULME J. T., ORCHARD C. H. & COLYER J. Differences in the time course of contraction in sub-epicardial and sub-endocardial cells isolated from the left ventricle of the dog and ferret **487.P**, 127*P*, 1995

YASIN S.A.

YASIN S. A. & FORSLING M. L. The effect of excitatory amino acids on oxytocin release from the rat hypothalamus *in vitro* **483.P**, 48*P*, 1995

YOU G. *see HEDIGER M. A., KANAI Y., YOU G. & NUSSBERGER S.* **482.P**, 7*S*, 1995

YOUNG C. *see SLATER C. R., FAWCETT P. R. W., GARDNER-MEDWIN D., LYONS P. R., WALLS T. J., WOOD S. J. & YOUNG C.* **489.P**, 150*P*, 1995

YOUNG L.S.

YOUNG L. S., BARRY M. K., REGAN M. C., GERAGHTY J. G. & FITZPATRICK J. M. Measurement of intrarenal blood flow after unilateral nephrectomy in the rat using an autoradiographic technique **489.P**, 87*P*, 1995

YOUNG M.P. *see SCANNELL J. W., SENGPIEL F., BLAKEMORE C. & YOUNG M. P.* **485.P**, 9*P*, 1995

YUAN X.-J.

YUAN X.-J., TOD M. L., RUBIN L. J. & BLAUSTEIN M. P. Hypoxic and metabolic regulation of voltage-gated K^+ channels in pulmonary arterial smooth muscle cells **487.P**, 10*S*, 1995

YU C. *see DAI J., WILLIAMS S. A., YU C. & PANAGIA V.* **485.P**, 44*P*, 1995

YUDILEVICH D.L. *see OSSES N., JARVIS S. M., PEARSON J. D. & YUDILEVICH D. L.* **482.P**, 47*P*, 1995

see SOBREVIA L., YUDILEVICH D. L. & MANN G. E. **483.P**, 136*P*, 1995

see SOBREVIA L., MORGAN D. M. L., PEARSON J. D., JARVIS S. M., MANN G. E. & YUDILEVICH D. L. **483.P**, 145*P*, 1995

YUN C.H.

YUN C. H., TSE C.-M., NATH S., LEVINE S. L. & DONOWITZ M. Structure/function studies of mammalian Na–H exchangers – an update **482.P**, 1*S*, 1995

YUNG W.-H. *see CHAN E., YUNG W.-H. & BAUMANN K. I.* **487.P**, 214*P*, 1995

ZAGON A. *see BRADLEY A., ZAGON A. & SPYER K. M.* **483.P**, 101*P*, 1995

ZAGON A., BRADLEY A. I. & SPYER K. M. 22–26 Hz oscillations in neurones of the ventrolateral medulla oblongata in anaesthetized rats **487.P**, 172*P*, 1995

ZAMMIT P.S. *see NAFTALIN R. J., PEDLEY K. C. & ZAMMIT P. S.* **489.P**, 111*P*, 1995

ZANG W.-J. *see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R.* **483.P**, 13*P*, 1995

ZANG W.-J. *see SHUI Z., BOYETT M. R. & ZANG W.-J.* **487.P**, 129*P*, 1995

ZANG W.-J. *see MCMORN S. O., HARRISON S. M., ZANG W.-J. & BOYETT M. R.* **487.P**, 145*P*, 1995

ZEITLIN I.J. *see AHMAD M., ZEITLIN I. J. & PARRATT J. R.* **483.P**, 21*P*, 1995

ZETES D.E. *see FURNESS D. N., HACKNEY C. M. & ZETES D. E.* **485.P**, 16*P*, 1995

ZHANG H.

ZHANG H. & WINSLOW R. L. The role of shift of the vulnerable window in initiation of re-entrant excitation in a model of inhomogeneous atrial tissue **487.P**, 125*P*, 1995

ZHANG H. & BOLTON T. B. Two types of potassium channels inhibited and stimulated by intracellular ATP in isolated rat portal vein smooth muscle cells **487.P**, 93*P*, 1995

ZHANG J.J.

ZHANG J. J. & JACOB T. J. C. The involvement of chloride channels in bovine lens volume regulation and cataract **489.P**, 64*P*, 1995

ZHANG T.

ZHANG T. & JOHNS E. J. Effect of cardiac receptors on patterns of activity within the renal sympathetic nerves of anaesthetized rats **483.P**, 94*P*, 1995

Zhang T. & Johns E. J. Renal nerve responses to pain and their modulation by cardiopulmonary receptors in Wistar and stroke-prone spontaneously hypertensive rats (SPSHR) **487.P**, 179*P*, 1995

Zhang T. & Johns E. J. Role of cardiopulmonary receptors in mediating changes in renal nerve activity in anaesthetized stroke-prone spontaneously hypertensive rats (SPSHR) **489.P**, 168*P*, 1995

Zhang Y. *see Hamill O. P., Chen M., Zhang Y. & McBride D. W. Jr* **483.P**, 162*P*, 1995

Zhan X.J. *see Troy J. B., Bohnsack D. L., Diller L. C., Zhan X. J. & Enroth-Cugell Ch.* **485.P**, 10*P*, 1995

Zhao J. *see Brown J. & Zhao J.* **487.P**, 28*P*, 1995

Zhao W.

Zhao W. & Evans E. F. The distribution of unit types in the dorsal cochlear nucleus of chloralose anaesthetized guinea-pigs **485.P**, 29*P*, 1995

Zheng F. *see Hammond P. & Zheng F.* **489.P**, 11*P*, 1995

Zhou S.-Y. *see Li J., Zhou S.-Y., Izzo P. N. & Gilbey M. P.* **483.P**, 102*P*, 1995

Zia S.

Zia S. & Cody F. W. J. Evidence of impairment of human joint position sense in Parkinson's disease **489.P**, 45*P*, 1995

Zima A.V. *see Belevich A. E., Zima A. V. & Shuba M. F.* **487.P**, 198*P*, 1995

Zima A. V., Belevich A. E. & Shuba M. F. Dual action of nitric oxide on Ca^{2+} current in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

Zimprich F.

Zimprich F. & Bolsover S. R. A higher density of L-type calcium channels at the tip of neuroblastoma growth cones in culture causes a gradient of Ca^{2+} influx **489.P**, 14*P*, 1995

Subject Index

The Journal of Physiology
Proceedings of The Physiological Society
Volumes 482 – 489

(January – December 1995)

Accommodation
Red–green opponent channel mediation of control of human ocular accommodation **482**, 697, 1995

Acetylcholine
Inhibition of acetylcholine release from mouse motor nerve by a P-type calcium channel blocker, ω-agatoxin IVA **482**, 283, 1995
Nicotinamide–adenine dinucleotide regulates muscarinic receptor-coupled K^+ (M) channels in rodent NG108-15 cells **482**, 317, 1995
Baclofen enhancement of acetylcholine release from amacrine cells in the rabbit retina by reducing glycinergic inhibition **482**, 363, 1995
Neurotransmitter release evoked by nerve impulses without Ca^{2+} entry through Ca^{2+} channels in frog motor nerve endings **482**, 511, 1995
Differences in the inotropic responses of cells isolated from the sub-epicardium, mid-wall and sub-endocardium of the canine ventricle to ACh **483.P**, 8*P*, 1995
Responses of guinea-pig SA node/atria to acetylcholine and adrenaline in the presence of blockers of i_f and $i_{K,ACh}$ **483.P**, 21*P*, 1995
Inotropic effects of acetylcholine on frog hearts with intact and damaged endocardial endothelium **483.P**, 185*P*, 1995
Cholinergic and electrical synapses between synergistic spinal motoneurones in the *Xenopus laevis* embryo **485**, 135, 1995
Effects of changing external calcium on a potassium current activated by acetylcholine in guinea-pig outer hair cells **485.P**, 17*P*, 1995
Immunocytochemical localization of muscarinic acetylcholine receptors in antennal lobe glomeruli of *Drosophila melanogaster* and *Apis mellifera* **485.P**, 31*P*, 1995
β-Adrenergic and cholinergic modulation of inward rectifier K^+ channel function and phosphorylation in guinea-pig ventricle **486**, 661, 1995
Receptor kinase-dependent desensitization of the muscarinic K^+ current in rat atrial cells **487**, 359, 1995
Induction of transmitter release at the neuromuscular junction prevents motoneurone death after axotomy in neonatal rats **487.P**, 46*P*, 1995
The source of Ca^{2+} in acetylcholine and caffeine-induced contractions of the 'catch' muscle of *Mytilus edulis* **487.P**, 87*P*, 1995
The effect of acetylcholine on finger nailfold capillary pressure and pulse pressure amplitude in healthy volunteers **487.P**, 169*P*, 1995
Excitatory cholinergic synaptic transmission in thin tissue slices from rat adrenal medulla **487.P**, 192*P*, 1995
Two distinct modes of Ca^{2+} signalling by ACh in rat pancreatic β-cells: concentration, glucose dependence and Ca^{2+} origin **488**, 13, 1995
Inhibition of ACh release at an *Aplysia* synapse by neurotoxic phospholipases A_2: specific receptors and mechanisms of action **489**, 29, 1995
Colocalization of ATP and nicotinic ACh receptors in the identified vagal preganglionic neurone of rat **489**, 519, 1995
Synthesis and release of an actylcholine-like compound by human myoblasts and myotubes **489**, 791, 1995
Potentiation of neurotransmitter release by activation of presynaptic glutamate receptors at developing neuromuscular synapses of *Xenopus* **489**, 813, 1995

Acetylcholine receptor
The difference in shape of spontaneous and uniquantal evoked synaptic potentials in frog muscle **482**, 641, 1995
Number of junctional acetylcholine receptors: control by neural and muscular influences in the rat **483**, 397, 1995
Activation of recombinant mouse acetylcholine receptors by acetylcholine, carbamylcholine and tetramethylammonium **486**, 189, 1995
Single-channel recording from neuronal nicotinic receptors: a comparison between receptors from rat superior cervical ganglion (SCG) and recombinant receptors expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995
Subconductance states produced by mutations in the pore lining region of human muscle ACh receptor expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995
Functional and non-functional isoforms of the human muscle acetylcholine receptor **489**, 767, 1995
Activation of nicotinic acetylcholine receptors increases the rate of fusion of cultured human myoblasts **489**, 779, 1995

Acetylcholinesterase
Effect of picrotoxin on the long-lasting potentiation produced by acetylcholinesterase in guinea-pig hippocampal slices *in vitro* **483.P**, 69*P*, 1995

Acid–base balance
Acid–base transport by the basolateral membrane of the reabsorptive duct of the human sweat gland studied *in vitro* **482.P**, 2*P*, 1995
Involvement of renal kallikrein in the regulation of bicarbonate excretion in rats **488**, 163, 1995

Acidosis
Adenosine mediates metabolic and cardiovascular responses to hypoxia in fetal sheep **488**, 761, 1995

Acinar cell
Volume-activated chloride channels in rat parotid acinar cells **484**, 677, 1995

Actin
Cyclic AMP-independent regulation of cystic fibrosis transmembrane conductance regulator (CFTR) by the actin cytoskeleton **489.P**, 6*S*, 1995

Action potential
Dendritic calcium transients evoked by single back-propagating action potentials in rat neocortical pyramidal neurons **485**, 1, 1995
Calcium and sodium currents evoked by action potential waveforms in rat sympathetic neurones **485**, 43, 1995
Action potential generation in rat slow- and fast-twitch muscles **486**, 401, 1995
Time course of calcium influx during the cardiac action potential recorded from isolated guinea-pig ventricular myocytes **487.P**, 18*P*, 1995
Regional action potential changes in isolated ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 142*P*, 1995

Activity
Thermogenesis associated with spontaneous activity: an important component of thermoregulatory needs in rats **488**, 779, 1995

Acupuncture
Effect of acupuncture upon experimentally induced ischaemic pain in humans **489.P**, 44*P*, 1995

A-current
A-current modifies the spike of C-type neurones in the rabbit nodose ganglion **486**, 439, 1995

Adaptation
cAMP accelerates the decay of stretch-activated inward currents in guinea-pig urinary bladder myocytes **482**, 143, 1995
Evidence for two different heat transduction mechanisms in nociceptive primary afferents innervating monkey skin **483**, 747, 1995
The filtering of slowly moving images by the photoreceptor membrane of *Tipula paludosa* **483.P**, 189*P*, 1995
Adaptation of the coronary vascular bed to altered load in the light of new paradigms of vascular control **483.P**, 5*S*, 1995
Light adaptation and the rising phase of the flash photocurrent of salamander retinal rods **487**, 441, 1995
The role of endogenous nitric oxide in cardiopulmonary adaptation in the human infant at birth **487.P**, 112*P*, 1995

Adenine nucleotide
Pivotal role of phosphate chain length in vasoconstrictor *versus* vasodilator actions of adenine dinucleotides in rat mesenteric arteries **483**, 703, 1995

Adenosine
Effect of systemic hypoxia upon circulation of the cerebral cortex in the anaesthetized rat **483.P**, 88*P*, 1995
The effect of adenosine and GTP on K_{ATP} channels of rat isolated skeletal muscle fibres **483.P**, 164*P*, 1995
Contribution of ATP-sensitive potassium channels to the electrophysiological effects of adenosine in guinea-pig atrial cells **484**, 629, 1995
Slowing of shortening velocity of rat cardiac myocytes by adenosine receptor stimulation regardless of β-adrenergic stimulation **486**, 679, 1995
A study on rats of the effects of chronic hypoxia from birth on respiratory and cardiovascular responses evoked by acute hypoxia **487**, 513, 1995
The role of nitric oxide in vasodilatation induced in skeletal muscle of the anaesthetized rat by acute systemic hypoxia **487.P**, 86*P*, 1995
Activation of atrial $I_{K(ACh)}$ by adenosine is limited by density of A_1 receptors in cultured myocytes **487.P**, 134*P*, 1995
The role of adenosine in cerebral cortical vasodilatation induced by acute systemic hypoxia in normoxic and chronically hypoxic rats under anaesthesia **487.P**, 174*P*, 1995
Effect of adenosine on CO_2 chemosensitivity in the rat carotid body, *in vitro* **487.P**, 176*P*, 1995
Adenosine-induced apoptosis in chick embryonic sympathetic neurons: a new physiological role for adenosine **488**, 123, 1995

The role of adenosine in mediating vasodilatation in mesenteric circulation of the rat in acute and chronic hypoxia **489**, 225, 1995
Synaptic transmission, hypoxia and adenosine in the isolated neonatal rat spinal cord **489.P**, 23*P*, 1995
Antagonistic effects of adenosine and ATP on a cation channel in outer hair cells of the guinea-pig cochlea **489.P**, 62*P*, 1995
Role of brainstem adenosine A_1 receptors on the hypothalamic defence response in the anaesthetized rat **489.P**, 154*P*, 1995
Source of central adenosine important in modulating the cardiovascular response to hypothalamic defence area stimulation in the rat **489.P**, 155*P*, 1995
Adenosine is mitogenic for epithelial and endothelial cell lines **489.P**, 181*P*, 1995

Adenosine diphosphate (ADP)
Ca^{2+} release from the SR induced by inorganic phosphate and ADP is insensitive to ryanodine in isolated saponin skinned rat heart **483.P**, 15*P*, 1995
ADP and inorganic phosphate activate the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **487.P**, 144*P*, 1995

Adenosine receptor
Down-regulation of A_1 adenosine receptors coupled to muscarinic K^+ current in cultured guinea-pig atrial myocytes **482**, 81, 1995
A-type potassium current modulated by A_1 adenosine receptor in frog melanotrophs **489**, 431, 1995

Adenosine triphosphatase (ATPase)
Identification of an ATP-dependent copper transport system in endoplasmic reticulum vesicles isolated from rat liver **482**, 583, 1995
Store Ca^{2+}-ATPase inhibition enhances the rate of cytosolic Ca^{2+} removal in human umbilical vein endothelial cells **483.P**, 137*P*, 1995

Adenosine triphosphate (ATP)
ATP utilization for calcium uptake and force production in skinned muscle fibres of *Xenopus laevis* **482**, 109, 1995
Spontaneous and thiol group-induced changes in ATP-sensitivity of K_{ATP} channels from isolated guinea-pig ventricular myocytes **483.P**, 10*P*, 1995
External ATP mobilizes Ca^{2+} from a thapsigargin-sensitive internal store in cultured, rat aortic smooth muscle cells **483.P**, 106*P*, 1995
The effect of ATP on Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human vascular smooth muscle cells **483.P**, 114*P*, 1995
Effects of a neutral endopeptidase inhibitor on hypoxia-induced changes in renal function in the anaesthetized rat **483.P**, 172*P*, 1995
Electrophysiological properties of P_{2X}-purinoceptors in rat superior cervical, nodose and guinea-pig coeliac neurones **484**, 385, 1995
An ATP-sensitive potassium conductance in rabbit arterial endothelial cells **485**, 595, 1995
Phosphocreatine and ATP modulate Ca^{2+}-activated force in α-toxin-treated isolated rabbit portal vein and mesenteric artery **487.P**, 88*P*, 1995
ATP produced from mitochondrial oxidative phosphorylation modulates Ca^{2+} current in single ventricular cells of rabbit **487.P**, 136*P*, 1995
Relative permeability to monovalent organic cations of heterologously expressed rat vas deferens and PC12 P_{2X} receptors **487.P**, 193*P*, 1995
Colocalization of ATP and nicotinic ACh receptors in the identified vagal preganglionic neurone of rat **489**, 519, 1995
The effects of age on the release of adenine nucleosides and nucleotides from rat caudal artery **489**, 841, 1995
Electrical stimulation releases ATP non-synaptically in slices of rat hippocampus, cerebellum and habenula **489.P**, 18*P*, 1995
Antagonistic effects of adenosine and ATP on a cation channel in outer hair cells of the guinea-pig cochlea **489.P**, 62*P*, 1995
Purinergic activation induces a transient rise of intracellular Ca^{2+} in isolated human detrusor myocytes **489.P**, 136*P*, 1995
ATP increases Ca^{2+}-activated K^+ channel activity in isolated rat arterial smooth muscle cells **489.P**, 138*P*, 1995
Effects of ATP and adenosine on sympathetic preganglionic neurones in a neonatal rat brainstem–spinal cord preparation **489.P**, 154*P*, 1995
Source of central adenosine important in modulating the cardiovascular response to hypothalamic defence area stimulation in the rat **489.P**, 155*P*, 1995
Membrane compartmentalized ATP drives the red cell Na^+ and Ca^{2+} pumps **489.P**, 108, 1995

Adenosine triphosphate-dependent potassium channel
Spontaneous and thiol group-induced changes in ATP-sensitivity of K_{ATP} channels from isolated guinea-pig ventricular myocytes **483.P**, 10*P*, 1995

Adenylyl cyclase
β-Adrenergic and cholinergic modulation of the inwardly rectifying K^+ current in guinea-pig ventricular myocytes **486**, 647, 1995

Adhesion
A time-dependent, learning-specific increase in the amount of neural cell adhesion molecules (NCAMs) in chick forebrain after visual imprinting **485.P**, 8*P*, 1995

Adrenal cortex
Voltage-dependent currents and modulation of calcium channel expression in zona fasciculata cells from rat adrenal gland **488**, 609, 1995
Increased sodium appetite in apparent mineralocorticoid excess induced by glycyrrhizic acid in rat depends on the adrenal cortex **489.P**, 89*P*, 1995

Adrenal gland
Excitatory cholinergic synaptic transmission in thin tissue slices from rat adrenal medulla **487.P**, 192*P*, 1995

Adrenal medulla
Contribution of SK and BK channels in the control of catecholamine release by electrical stimulation of the cat adrenal gland **486**, 427, 1995

Adrenalectomy
Febrile responses induced in adrenalectomized rats by administration of interleukin-1β or prostaglandin E_2 **484**, 767, 1995
The effect of bilateral fetal adrenalectomy on fluid balance in the ovine fetus **489**, 235, 1995

Adrenaline
Responses of guinea-pig SA node/atria to acetylcholine and adrenaline in the presence of blockers of i_f and $i_{K,ACh}$ **483.P**, 21*P*, 1995
Adrenalin, adrenaline and epinephrine: the role of the Physiological Society? **487.P**, 205*P*, 1995

Adrenergic response
Local modulation of adrenergic responses in the hindlimb vasculature of the intact conscious rat **485**, 817, 1995

α-Adrenoceptor
$α_2$-Adrenoreceptor-mediated vasorelaxation in isolated pulmonary arteries of the rat **483.P**, 116*P*, 1995
Inhibition by 5-hydroxytryptamine and noradrenaline in substantia gelatinosa of guinea-pig spinal trigeminal nucleus **485**, 113, 1995
Trophic control of survival and proliferation in cultured rat embryo forebrain germinal cells by $α_1$-adrenoreceptors **487.P**, 44*P*, 1995
α-Adrenergic inhibition of the β-adrenoceptor-dependent chloride current in guinea-pig ventricular myocytes **489**, 95, 1995
The effects of age on the release of adenine nucleosides and nucleotides from rat caudal artery **489**, 841, 1995
Effects of K^+ channel blockers on prejunctional $α_2$-adrenoceptor-mediated responses in rat isolated vas deferens **489.P**, 132*P*, 1995
ω-conotoxin GVIA-resistant neurotransmitter release can be modulated through presynaptic $α_2$-adrenoceptors in the guinea-pig isolated vas deferens **489.P**, 132*P*, 1995

β-Adrenoceptor
Increased atrial natriuretic peptide (ANP) secretion from *in vitro* guinea-pig atria by β-adrenoceptor activation **483.P**, 169*P*, 1995
Dissociation of β-adrenoceptor-mediated relaxation and cyclic adenosine monophosphate metabolism by echothiopate in the porcine isolated coronary artery **487.P**, 84*P*, 1995
α-Adrenergic inhibition of the β-adrenoceptor-dependent chloride current in guinea-pig ventricular myocytes **489**, 95, 1995
Contribution of $β_1$ and $β_2$ adrenoceptors to the sympathetic stimulation of L-type Ca^{2+} current in isolated guinea-pig ventricular cardiomyocytes **489.P**, 50*P*, 1995

Adrenocorticotrophin hormone (ACTH)
Voltage-dependent currents and modulation of calcium channel expression in zona fasciculata cells from rat adrenal gland **488**, 609, 1995

Aequorin
Focal $[Ca^{2+}]_i$ increases detected by aequorin but not by fura-2 in histamine- and caffeine-stimulated swine carotid artery **488**, 549, 1995

Afferent nerve fibre
Stimulation of guinea-pig tracheal afferent fibres by non-isosmotic and low-chloride stimuli and the effect of frusemide **482**, 179, 1995
Prevention of the excitatory actions of bradykinin by inhibition of PGI_2 formation in nodose neurones of the guinea-pig **483**, 735, 1995
Functional classification of afferent phrenic nerve fibres and diaphragmatic receptors in cats **483**, 759, 1995

Dorsal medullary neurones activated by stimulation of the cardiac vagal branch of the anaesthetized rat, and their behaviour during the pulmonary chemoreflex **483.P**, 89*P*, 1995
David T. Barry on respiratory afferents (1913) **487.P**, 206*P*, 1995

After-discharge
Cellular mechanisms of 4-aminopyridine-induced synchronized after-discharges in the rat hippocampal slice **489**, 127, 1995

After-hyperpolarization
Effects of neurotensin on rat supraoptic nucleus neurones *in vitro* **482**, 373, 1995
The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity **482**, 609, 1995
The slow Ca^{2+}-activated K^+ current, I_{AHP}, in the rat sympathetic neurone **483**, 15, 1995
Prevention of the excitatory actions of bradykinin by inhibition of PGI_2 formation in nodose neurones of the guinea-pig **483**, 735, 1995
Excitability of human upper limb motoneurones during rhythmic discharge tested with transcranial magnetic stimulation **485**, 257, 1995
Inhibition of N- and P-type calcium currents and the after-hyperpolarization in rat motoneurones by serotonin **485**, 635, 1995
Ca^{2+}-induced Ca^{2+} release and its activation in response to a single action potential in rabbit otic ganglion cells **486**, 177, 1995
Repetitive firing properties of developing rat brainstem motoneurones **486**, 745, 1995
Evidence for a Ca^{2+}-dependent K^+ conductance in rat hippocampal CA1 pyramidal cell dendrites **487.P**, 60*P*, 1995

ω-Agatoxin IVA
Distinct ω-agatoxin-sensitive calcium currents in somata and axon terminals of rat supraoptic neurones **489**, 383, 1995

Ageing
Intracellular spontaneous activity recorded *in vitro* from an area of the chick brain which is essential for early learning: age and NMDA dependence **483.P**, 41*P*, 1995
Gender and age comparisons of the contractile properties of the human quadriceps muscle **483.P**, 131*P*, 1995
Central *versus* peripheral control of oxygen uptake kinetics in old and young humans **487.P**, 102*P*, 1995
The effects of age on the release of adenine nucleosides and nucleotides from rat caudal artery **489**, 841, 1995
The effect of age on three human cardiac vagal responses **489.P**, 38*P*, 1995
The effect of age upon the lactate threshold in untrained men aged 26–48 years **489.P**, 42*P*, 1995

α_2 Agonist
Selective depression of medium-latency leg and foot muscle responses to stretch by an α_2-agonist in humans **484**, 803, 1995

Airway
A proton pump contributes to acid secretion by sheep tracheal epithelium **482.P**, 27*P*, 1995
Potassium currents in freshly isolated human bronchial smooth muscle cells **483.P**, 110*P*, 1995
Ozone-induced oxygen radical release from bronchoalveolar lavage cells and airway hyper-responsiveness in dogs **486**, 257, 1995
Role of airway receptors in the reflex responses of human inspiratory muscles to airway occlusion **487**, 273, 1995
Access of extracellular calcium to internal stores in bovine trachealis muscle **487.P**, 17*P*, 1995
Ca^{2+} signals evoked by endothelin-1 in an immortalized human tracheal epithelial cell line **487.P**, 20*P*, 1995
Heart rate responses to upper airway negative pressure in the anaesthetized paralysed rabbit **487.P**, 171*P*, 1995
Regional difference in the distribution of L-NAME-sensitive and -insensitive NANC relaxations in cat airway **488**, 709, 1995
The effect of sympathetic nerve stimulation on upper airway resistance in the anaesthetized rat **489.P**, 161*P*, 1995
Developmental changes in the effect of airway CO_2 on ventilation in anaesthetized guinea-pigs **489.P**, 163*P*, 1995

Albinism
The representation of the visual field in the visual cortex of anaesthetized albino ferrets **489.P**, 10*P*, 1995

Aldose reductase inhibitor
Voltage-dependent calcium currents are enhanced in dorsal root ganglion neurones from the Bio Bred/Worchester diabetic rat **486**, 313, 1995

Aldosterone
Activation of basolateral K^+ channels by aldosterone in isolated human colon **482.P**, 2*P*, 1995

Alkalinization
Amino acid-induced alkalinization of rat jejunal mucosal surface pH *in vitro* **482.P**, 46*P*, 1995

Aluminium
Deposition of aluminium in kidney following aluminium chloride or citrate administration in conscious rats **483.P**, 171*P*, 1995
Urinary calcium and aluminium excretion in the conscious rat following gentamicin administration **489.P**, 91*P*, 1995
Electron probe X-ray microanalysis of kidney thick ascending limb cells following aluminium chloride or citrate administration in conscious rats **489.P**, 92*P*, 1995

Amiloride
Primary culture of human apocrine sweat gland; some electrophysiological characteristics **482.P**, 43*P*, 1995
Assessment of drug effects on leucocyte adhesion and capillary endothelial swelling in ischaemic and non-ischaemic muscles **483.P**, 3*P*, 1995
Effect of amiloride on the action of angiotensin II on intracellular sodium content of rat renal proximal tubules **483.P**, 176*P*, 1995
Control of the amiloride-sensitive Na^+ current in mouse salivary ducts by intracellular anions is mediated by a G protein **487**, 549, 1995
Incorporation of cation channels from purified apical membrane of fetal guinea-pig lung type II cells into planar lipid bilayers **487.P**, 195*P*, 1995

Amino acid
Membrane currents associated with neutral and cationic amino acid transport expressed in NBAA-Tr cRNA-injected *Xenopus laevis* oocytes **482.P**, 5*P*, 1995
Leucine induces System A amino acid transport in L6 rat skeletal muscle cells **482.P**, 19*P*, 1995
β-Amino acid transport in pig small intestine *in vitro* by a high affinity, chloride-dependent carrier **482.P**, 25*P*, 1995
Photolysis-dependent irreversible inhibition by *p*-nitro-L-phenylalanine of amino acid transport system *asc* in pig erythrocytes **482.P**, 40*P*, 1995
Amino acid-induced alkalinization of rat jejunal mucosal surface pH *in vitro* **482.P**, 46*P*, 1995
Influences of extracellular pH (pH_o) upon the fall of intracellular amino acids induced by Ca^{2+}-free perfusion of the isolated guinea-pig heart **483.P**, 11*P*, 1995
The molecular biology of excitatory and inhibitory amino acid receptors with a special focus on the hypothalamus **483.P**, 7*S*, 1995
Inhibitory and excitatory amino acid regulation of luteinizing hormone secretion in the female rat **483.P**, 12*S*, 1995
A role for γ-glutamyl transpeptidase and the amino acid transport system x_c^- in cystine transport by a human pancreatic duct cell line **485**, 167, 1995
Chimeric L-type Ca^{2+} channels expressed in *Xenopus laevis* oocytes reveal role of repeats III and IV in activation gating **486**, 131, 1995
Amino acid-induced $[Ca^{2+}]_i$ oscillations in single mouse pancreatic islets of Langerhans **486**, 361, 1995
Ingestion of branched-chain amino acids and tryptophan during sustained exercise in man: failure to affect performance **486**, 789, 1995
Distinct H^+-coupled solute transporters are expressed at the brush border of human intestinal epithelial (Caco-2) cells **487.P**, 33*P*, 1995
Effect of diabetes on neutral amino acid transport in rabbit isolated gastric glands **487.P**, 38*P*, 1995
Amino acid levels in the cerebral cortex of hydrocephalic rat pups with and without cerebrospinal fluid diversion: a ^{1}H-NMR spectroscopy study **487.P**, 47*P*, 1995
A fall in the intracellular concentration of glutamine and glutamate in human saphenous vein during surgical preparation for coronary artery bypass grafting **487.P**, 91*P*, 1995
Involvement of proteins of the band 3 (AE) family in passive taurine transport **487.P**, 97*P*, 1995
Differential effect of low ionic strength on the two transport systems for cationic amino acids in human erythrocytes **487.P**, 98*P*, 1995
Cationic amino acid transport in activated human lymphocytes following transfection with antisense oligonucleotides to H13 and 4F2 genes **487.P**, 100*P*, 1995
Changes in intracellular concentration of taurine, glutamine, glutamate and alanine in isolated Langendorff-perfused guinea-pig heart during simulated ischaemia **487.P**, 145*P*, 1995

Amino acid transporter gene expression in the immortalized keratinocyte cell line LSDM3 **487.P**, 212*P*, 1995
Diabetes-induced activation of system y^+ and nitric oxide synthase in human endothelial cells: association with membrane hyperpolarization **489**, 183, 1995
Deamination of amino acids as a source for ammonia production in human skeletal muscle during prolonged exercise **489**, 251, 1995
The effect of histidine and cysteine on zinc influx into rat and human erythrocytes **489**, 73, 1995

γ-Aminobutyric acid (GABA)
Central inhibitory effects of muscimol and bicuculline on the milk ejection reflex in the anaesthetized rat **483**, 211, 1995
Changes in frequency and amplitude of spontaneous miniature EPSPs (mEPSPs) in rat trigeminal motoneurones following application of a $GABA_B$ receptor antagonist *in vitro* **483.P**, 28*P*, 1995
Ultrastructural evidence for GABA-mediated presynaptic control of glutamate release in the rat trigeminal motor nucleus **483.P**, 36*P*, 1995
GABAergic influences on dopamine secretion from rat hypothalamic cells in primary culture **483.P**, 47*P*, 1995
Increased GABA concentrations alter mRNA expression of a $GABA_A$ receptor α-subunit in rat cerebral cortex but not supraoptic nucleus (SON) **483.P**, 50*P*, 1995
A role for GABAergic neurotransmission during swimming in *Xenopus laevis* larvae **483.P**, 186*P*, 1995
A bicyclic dinitrile radioligand for studying GABA-gated Cl^- channels **483.P**, 193*P*, 1995
Actions of BIDN, a bicyclic dinitrile, on *in situ* and expressed insect GABA receptors **483.P**, 194*P*, 1995
Crayfish motoneurones and sensory terminals have different GABA receptors **483.P**, 195*P*, 1995
Role of GABA in regulating rat magnocellular neurones **483.P**, 108*S*, 1995
Different mechanisms for use-dependent depression of two $GABA_A$-mediated IPSCs in rat hippocampus **484**, 425, 1995
Gramicidin-perforated patch recording: GABA response in mammalian neurones with intact intracellular chloride **484**, 77, 1995
Whole-cell and single-channel currents activated by GABA and glycine in granule cells of the rat cerebellum **485**, 419, 1995
Synaptic $GABA_A$ activation induces Ca^{2+} rise in pyramidal cells and interneurons from rat neonatal hippocampal slices **487**, 319, 1995
GABAergic and glutamatergic effects on behaviour in fetal sheep **487**, 677, 1995
Apparent heterogeneity of extrasynaptic $GABA_A$ receptors in granule cells of the rat cerebellum **487.P**, 52*P*, 1995
GABA-induced facilitation of the periodic bursting activity of oxytocin neurones in suckled rats **488**, 103, 1995
Depolarizing GABA-activated Cl^- channels in embryonic rat spinal and olfactory bulb cells **488**, 371, 1995
GABA transport and calcium dynamics in horizontal cells from the skate retina **488**, 565, 1995
Cyclic AMP-dependent modulation of giant depolarizing potentials by metabotropic glutamate receptors in the rat hippocampus **489**, 115, 1995
Dependence of the $GABA_A$ receptor gating kinetics on the α-subunit isoform: implications for structure–function relations and synaptic transmission **489**, 529, 1995
Benzodiazepine modulation of GABA-activated currents in granule cells of the rat cerebellum **489.P**, 17*P*, 1995
GABA-mediated changes in extracellular potassium: a developmental study in the isolated rat optic nerve **489.P**, 76*P*, 1995
GABA-mediated synaptic transmission in rat sympathetic preganglionic neurones innervating the superior cervical ganglion **489.P**, 157*P*, 1995

γ-Aminobutyric acid receptor
A novel electropharmacological profile of insect GABA receptors **483.P**, 190*P*, 1995
$GABA_B$ receptor-mediated presynaptic inhibition in guinea-pig hippocampus is caused by reduction of presynaptic Ca^{2+} influx **485**, 649, 1995
Depolarizing GABA-activated Cl^- channels in embryonic rat spinal and olfactory bulb cells **488**, 371, 1995
Mutations in the γ_{2S} subunit alters mean open time of the $\alpha_3\beta_2\gamma_{2S}$ member of the human $GABA_A$ receptor family but not single channel conductance **489.P**, 63*P*, 1995
Insensitivity of $GABA_A$ receptors to hydrostatic pressure when expressed in *Xenopus* oocytes **489.P**, 76*P*, 1995

Aminopyridine
Bi-stable block by 4-aminopyridine of a transient K^+ channel (Kv1.4) cloned from ferret ventricle and expressed in *Xenopus* oocytes **485**, 59, 1995
The effects of 4-aminopyridine and dendrotoxins on an endogenous outward current and a heterologously expressed K^+ channel (rKv1.1) in HEK-293 cells **487.P**, 196*P*, 1995
Effects of K^+ channel blockers on prejunctional α_2-adrenoceptor-mediated responses in rat isolated vas deferens **489.P**, 132*P*, 1995
Potassium currents underlying the oscillatory response in hair cells of the goldfish sacculus **489**, 443, 1995

Ammonia
Deamination of amino acids as a source for ammonia production in human skeletal muscle during prolonged exercise **489**, 251, 1995

AMPA receptor
Calcium entry through a subpopulation of AMPA receptors desensitized neighbouring NMDA receptors in rat dorsal horn neurons **485**, 373, 1995
Block of native Ca^{2+}-permeable AMPA receptors in rat brain by intracellular polyamines generates double rectification **486**, 305, 1995

Amygdala
Region-specific regulation of neuropeptide mRNAs in rat limbic forebrain neurones by aldosterone and corticosterone **484**, 721, 1995

Anaesthesia
Effects of anaesthesia on periodic changes in limb circumference (volumotion, Vm) in patients with vascular disease **483.P**, 148*P*, 1995
Effect of anaesthesia, CO_2 and vagotomy on the respiratory function of chickens **483.P**, 184*P*, 1995
Halothane raises intracellular calcium concentration ($[Ca^{2+}]_i$) in cultured molluscan neurones **483.P**, 190*P*, 1995
Pentobarbitone inhibits K^+ currents in cultured neurons **483.P**, 191*P*, 1995
Differential effects of volatile anaesthetics and barbiturates on electrical coupling between identified molluscan neurones **489.P**, 21*P*, 1995

Angiogenesis
Hypoxia-induced brain angiogenesis in the adult rat **485**, 525, 1995
Growth of arterioles in chronically stimulated rat fast muscles **489.P**, 165*P*, 1995

Angiotensin
Angiotensin II activation of a chloride current in rabbit cardiac myocytes **483**, 119, 1995
Sodium appetite induced by adrenalectomy but not by DOCA treatment is mediated by the angiotensin AT_1 receptor in the rat **483.P**, 171*P*, 1995
Effect of amiloride on the action of angiotensin II on intracellular sodium content of rat renal proximal tubules **483.P**, 176*P*, 1995
Transient outward current in adult rat supraoptic neurones with slice patch-clamp technique: inhibition by angiotensin II **485**, 87, 1995
Effects of angiotensin II in fetal sheep and modification of its actions by indomethacin **487**, 147, 1995
Angiotensin II receptors of AT1 type mediate the cardiac actions of angiotensinogen **487.P**, 139*P*, 1995
Effect of angiotensin II (AII) on membrane potential and background conductances of isolated bovine zona fasciculata adrenal cells in primary culture **487.P**, 189*P*, 1995

Anion
Anion permeability of human recombinant $GABA_A$-gated chloride channels expressed in *Xenopus* oocytes **489.P**, 80*P*, 1995

Anion channel
Swelling-activated Cl^- channels in the human neuroblastoma cell line CHP-100 **489.P**, 77*P*, 1995

Anion exchange
A kinetic relationship of the red cell carbonic anhydrase and anion exchanger **482.P**, 36*P*, 1995

Anion transport
A chloride channel in isolated muscle vesicles from *Ascaris suum* conducts products of anaerobic metabolism, suggesting a role in excretion of organic anions **482.P**, 8*P*, 1995
Anion ($^{125}I^-$) efflux from osmotically swollen ovarian adenocarcinoma cells: effects of P-glycoprotein expression **482.P**, 13*P*, 1995
Anions in urine secretion by the isolated Malpighian tubule of *Formica* **489.P**, 117*P*, 1995

Ankle
Perception of movement at the human ankle: effects of leg position **488**, 243, 1995

Anoxia

Inhibition of mitochondrial function induces a calcium-dependent potassium current in dissociated rat CA1 hippocampal neurons **487.P**, 60*P*, 1995

Vulnerability of somata compared with resistance of synaptic transmission to anoxia in slices of rat olfactory cortex **489.P**, 23*P*, 1995

Antibody

Distribution of ryanodine receptor antibody binding in *Fasciola hepatica* **487.P**, 24*P*, 1995

Antioxidant system

Effects of hypobaric hypoxia on antioxidant enzymes in rats **489**, 869, 1995

Aorta

Evidence that prostacyclin relaxes isolated guinea-pig aortic muscle strips through activation of Ca^{2+}-activated K^+ channels **483.P**, 115*P*, 1995

Agonist-evoked changes in cytosolic calcium concentration in the endothelium of excised intact rat aorta **483.P**, 137*P*, 1995

Cytosolic calcium concentration in resting and stimulated endothelium of excised intact rat aorta **489**, 309, 1995

Apnoea

Respiratory phase resetting and airflow changes induced by swallowing in humans **483**, 273, 1995

Opioid depression of respiration in neonatal rats **485**, 845, 1995

Arachidonic acid

Cytochrome P450 mono-oxygenase-regulated signalling of Ca^{2+} entry in human and bovine endothelial cells **482**, 259, 1995

Arachidonic acid activation of a new family of K^+ channels in cultured rat neuronal cells **484**, 643, 1995

Roles of arachidonic acid, lipoxygenases and phosphatases in calcium-dependent modulation of M-current in bullfrog sympathetic neurons **487**, 797, 1995

Arachidonic acid inhibits the response of glomerular cyclic 3,5 guanosine monophosphate to atrial natriuretic peptide in the rat **487.P**, 28*P*, 1995

Modulation by arachidonic acid of a volume-sensitive chloride current in ROS 17/2.8 osteoblast-like cells **487.P**, 190*P*, 1995

Effects of arachidonic acid on the cloned potassium channel mKv1.2 in CHO cells **487.P**, 193*P*, 1995

The synergism between arachidonic acid and ACPD on glutamate release in dentate gyrus is occluded by induction of long-term potentiation **489.P**, 6*P*, 1995

Arginine

Diabetes elevates arginine transport in rabbit isolated gastric glands **482.P**, 24*P*, 1995

Alterations of L-arginine transport in uraemic patients on regular haemodialysis **482.P**, 27*P*, 1995

Accumulation of the nitric oxide antagonist *N*-monomethyl-L-arginine in end stage renal failure patients on regular haemodialysis **483.P**, 175*P*, 1995

An extracellular L-arginine-dependent relaxation mechanism in isolated pulmonary arteries of the rat **487.P**, 80*P*, 1995

Gestational differences in the ability of L-arginine to inhibit contractions of isolated rat uterine smooth muscle **487.P**, 89*P*, 1995

N-Monomethyl-L-arginine (L-NMMA) transport in red cells from uraemic patients **487.P**, 98*P*, 1995

Two cationic amino acid transporters expressed in pancreatic β-cells **487.P**, 192*P*, 1995

Effects of arginine vasopressin on renal handling of calcium and magnesium in healthy hydrated man **489.P**, 86*P*, 1995

Arginine interactions with the Na^+–H^+ antiporter in protoplasts from *Aspergillus nidulans* **489.P**, 104*P*, 1995

Inhibition studies using 2-trifluoromethyl-L-histidine (TFMH) reveal multiple components of arginine transport expressed in NBAT-cRNA-injected oocytes **489.P**, 125*P*, 1995

Arrhythmia

Mechanoelectrical feedback and arrhythmia in the atrium of the isolated, Langendorff-perfused guinea-pig heart and its modulation by streptomycin **483.P**, 24*P*, 1995

Effect of manipulation of potassium concentration on stretch-induced arrhythmia in the isolated Langendorff rabbit heart **487.P**, 140*P*, 1995

Effect of streptomycin on atrioventricular (AV) conduction in the isolated Langendorff perfused guinea-pig heart **487.P**, 148*P*, 1995

Effect of cardiac sympathetic and vagal stimulation on noradrenaline-induced ventricular tachycardia in the anaesthetized pig **487.P**, 173*P*, 1995

Arteriole

Flow-dependent regulation of arteriolar diameter in skeletal muscle *in situ*: role of endothelium-derived relaxing factor and prostanoids **483**, 715, 1995

Artery

Hyperbolic fitting of carotid body discharge excited by ramps of CO_2 and O_2 in the anaesthetized cat **483.P**, 90*P*, 1995

Splanchnic arterial reflexes may contribute to control of vascular resistance in the anaesthetized dog **483.P**, 144*P*, 1995

Interstitial fluid transport through wall tissue of isolated rabbit arteries and veins **483.P**, 146*P*, 1995

Functional properties of isolated, pressurized mesenteric resistance arteries, from a vasopressin-deficient rat model of genetic hypertension **487.P**, 92*P*, 1995

Mesenteric blood pressure profile of conscious, freely moving rats **488**, 753, 1995

Blood volume expansion and hyperthermia influence a sympathetic rhythm recorded from the caudal ventral artery of the anaesthetized rat **489.P**, 160*P*, 1995

Arthritis

The role of glutamate and GABA receptors in the generation of dorsal root reflexes by acute arthritis in the anaesthetized rat **484**, 437, 1995

Neuropeptide gene expression and capsaicin-sensitive primary afferents: maintenance and spread of adjuvant arthritis in the rat **486**, 473, 1995

Ascaris

A chloride channel in isolated muscle vesicles from *Ascaris suum* conducts products of anaerobic metabolism, suggesting a role in excretion of organic anions **482.P**, 8*P*, 1995

The effects of the peptide KSAYMRFamide (Lys-Ser-Ala-Tyr-Met-Arg-Phe-amide) on 5-HT-stimulated pharyngeal pumping in the parasitic nematode *Ascaris suum* **483.P**, 196*P*, 1995

Aspartate

Glutamate and aspartate release from normal and diabetic rat hypothalami *in vitro* **489.P**, 182*P*, 1995

Asthma

Pre-activity warm-up attenuates exercise-induced asthma in human beings **483.P**, 130*P*, 1995

Ozone-induced oxygen radical release from bronchoalveolar lavage cells and airway hyper-responsiveness in dogs **486**, 257, 1995

Astrocyte

The effects of metabolic inhibition on the viability of cultured rat astrocytes **487.P**, 45*P*, 1995

ATP-dependent potassium channel

Changes in intracellular magnesium and ATP-regulated K^+ channel activity with changing metabolic state in isolated rat cardiomyocytes **483.P**, 9*P*, 1995

Sulphonylurea-sensitive K_{ATP} channels on a novel isolated nerve terminal preparation of rat motor cortex **483.P**, 66*P*, 1995

Amino acid-induced $[Ca^{2+}]_i$ oscillations in single mouse pancreatic islets of Langerhans **486**, 361, 1995

Modification by protons of frog skeletal muscle K_{ATP} channels: effects on ion conduction and nucleotide inhibition **486**, 629, 1995

ATP-sensitive potassium channel

Two types of potassium channels inhibited and stimulated by intracellular ATP in isolated rat portal vein smooth muscle cells **487.P**, 93*P*, 1995

Lactate fails to activate ATP-sensitive potassium current in membrane patches excised from guinea-pig ventricular myocytes **489.P**, 74*P*, 1995

Effects of indomethacin on K^+_{ATP} channel activation in immature porcine intrapulmonary vessels **489.P**, 169*P*, 1995

Atrial myocyte

Activation of muscarinic K^+ current in guinea-pig atrial myocytes by sphingosine-1-phosphate **489**, 701, 1995

Atrial natriuretic factor

Atrial natriuretic factor release during pregnancy in rats **488**, 509, 1995

Atrial natriuretic peptide

Stretch-induced peptide hormone synthesis and release in rat heart: role of stretch-activated ion channels **487.P**, 143*P*, 1995

Ventilatory response to atrial natriuretic peptide (ANP) in anaesthetized normoxic and chronically hypoxic rats **487.P**, 177*P*, 1995

Atropine

Paralysis of accommodation is ineffective at preventing form deprivation myopia in the marmoset *Callithrix jacchus jacchus* **485.P**, 26*P*, 1995

Auditory system

AMPA receptors with high Ca^{2+} permeability mediate synaptic transmission in the avian auditory pathway **482**, 309, 1995

A computational model of the cochlea and cochlear nerve for teaching and research **485.P**, 2*P*, 1995

Muscarinic receptor blockade affects the development of spatially tuned auditory responses in the guinea-pig superior colliculus **485.P**, 12*P*, 1995
The external nucleus of the inferior colliculus is important for the construction of a map of auditory space in the superior colliculus of the guinea-pig **485.P**, 12*P*, 1995
Detectability index measures of binaural unmasking in the guinea-pig inferior colliculus **485.P**, 13*P*, 1995
A topographic representation of sound azimuth in the nucleus of the brachium of the inferior colliculus of the anaesthetized ferret **485.P**, 14*P*, 1995
The distribution of unit types in the dorsal cochlear nucleus of chloralose anaesthetized guinea-pigs **485.P**, 29*P*, 1995
Auditory temporal coding in dyslexia **487.P**, 218*P*, 1995
Effect of unilateral ear plugging in infancy or adulthood on free field binaural unmasking in ferrets **489.P**, 11*P*, 1995
Modulation of calcium channel currents by metabotropic glutamate receptor agonists in dissociated neurones from rat ventral cochlear nucleus (VCN) **489.P**, 54*P*, 1995

Auditory thalamus
Cellular basis of temporal synaptic signalling: an *in vitro* electrophysiological study in rat auditory thalamus **483**, 167, 1995

Autonomic nervous system
Abnormal cardiovascular and catecholamine responses to supine exercise in human subjects with sympathetic dysfunction **484**, 255, 1995
Differential secretion of proteins by rat submandibular acini and granular ducts on graded autonomic nerve stimulations **485**, 503, 1995
Effect of cardiac sympathetic and vagal stimulation on noradrenaline-induced ventricular tachycardia in the anaesthetized pig **487.P**, 173*P*, 1995
Single-channel recording from neuronal nicotinic receptors: a comparison between receptors from rat superior cervical ganglion (SCG) and recombinant receptors expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995

Autonomic reflex
In vivo activity of B- and C-neurones in the paravertebral sympathetic ganglia of the bullfrog **485**, 797, 1995

Axon terminal
Distinct ω-agatoxin-sensitive calcium currents in somata and axon terminals of rat supraoptic neurones **489**, 383, 1995

Axotomy
Electrophysiological properties of ankle flexor motoneurones recorded *in vitro* following neonatal nerve injury in the rat **487.P**, 67*P*, 1995

Baclofen
Modulation by different $GABA_B$ receptor types of voltage-activated calcium currents in rat thalamocortical neurones , 29, 1995
Baclofen enhancement of acetylcholine release from amacrine cells in the rabbit retina by reducing glycinergic inhibition **482**, 363, 1995
Inhibition of the interaction of G protein G_o with calcium channels by the calcium channel β-subunit in rat neurones **485**, 365, 1995
Baclofen inhibition of the hyperpolarization-activated cation current, I_h, in rat substantia nigra neurones *in vitro* may be secondary to potassium channel activation **487.P**, 61*P*, 1995

Balance
Muscle activation patterns following brief and sustained forward forces at the pelvis in man **487.P**, 74*P*, 1995
Muscle activation patterns following sideways force at the pelvis in man **487.P**, 74*P*, 1995
Control of centre of mass trajectory during human stepping **487.P**, 75*P*, 1995

Barbiturate
Electrophysiological and metabolic effects of a convulsant barbiturate on dissociated mouse primary sensory neurons **483**, 407, 1995

Baroreceptor
Baroreceptor influence on the relationships between discharges of different sympathetic nerves of the cat **482**, 687, 1995
Baroreceptor modulation of cutaneous vasodilator and sudomotor responses to thermal stress in humans **483**, 537, 1995
Splanchnic arterial reflexes may contribute to control of vascular resistance in the anaesthetized dog **483.P**, 144*P*, 1995
Chemical mediators of spinal inhibition of rat sympathetic neurones on stimulation in the nucleus tractus solitarii **486**, 483, 1995
Urinary bladder distension: its effects on carotid baroreceptor reflex left ventricular inotropic response in the dog **489**, 857, 1995
Recovery of sympathetic efferent activity following stimulation of coronary and carotid baroreceptors in anaesthetized dogs **489.P**, 160*P*, 1995

Baroreceptor reflex
Involvement of vasodilator mechanisms in arterial pressure lability after sino-aortic baroreceptor denervation in rat **482**, 435, 1995
'Non-hypotensive' hypovolaemia reduces ascending aortic dimensions in humans **483**, 289, 1995
Role of β-adrenoceptor-mediated mechanisms within the nucleus of the solitary tract (NTS) for regulating baroreceptor reflex responsiveness in anaesthetized rats **487.P**, 173*P*, 1995
Facilitation of the arterial baroreflex by the preoptic area in anaesthetized rats **488**, 521, 1995
On the origin of low-frequency blood pressure variability in the conscious dog **489**, 215, 1995
Effect of noxious stimulation on sympathetic vasoconstrictor outflow to human muscles **489**, 885, 1995

Basal ganglia
Motor effects of stimulating the human cerebellar thalamus **489**, 287, 1995

Basolateral membrane
Acid–base transport by the basolateral membrane of the reabsorptive duct of the human sweat gland studied *in vitro* **482.P**, 2*P*, 1995
The delayed basolateral membrane hyperpolarization of the bovine retinal pigment epithelium: mechanism of generation **484**, 53, 1995
Differential temporal relations between electrogenic ion secretion and the K^+ conductance of the basolateral membranes of rat proximal and distal colon activated by cholinergic agonists or dibutyryl cyclic AMP *in vitro* **485.P**, 37*P*, 1995

Bicarbonate
Plasma ammonia and lactate responses to high intensity exercise after sodium bicarbonate ingestion in man **483.P**, 122*P*, 1995
Bicarbonate secretion detected by BCECF-dextran fluorescence in interlobular ducts isolated from the guinea-pig pancreas **487.P**, 40*P*, 1995
A red cell bicarbonate permeability independent of the band 3 anion exchanger **487.P**, 97*P*, 1995
Agonist-stimulated bicarbonate secretion in interlobular ducts isolated from guinea-pig pancreas **489.P**, 96*P*, 1995
Distinct pathways for bicarbonate and chloride secretion in cultured epithelia **489.P**, 6*S*, 1995

Binocular vision
Is interocular suppression in the visual cortex of the anaesthetized cat orientation selective? **485.P**, 24*P*, 1995
How many spatial-frequency tuned 'channels' are there for human stereo vision? **485.P**, 28*P*, 1995

Bladder
The suppression of unstable detrusor reflex activity by functional magnetic stimulation in man **487.P**, 118*P*, 1995
The effect of capsaicin on pelvic afferent inputs from the urinary bladder of anaesthetized rats **487.P**, 119*P*, 1995
Urinary bladder distension: its effects on carotid baroreceptor reflex left ventricular inotropic response in the dog **489**, 857, 1995
Differences in detrusor muscle function in women with neuropathic and non-neuropathic bladder instability **489.P**, 40*P*, 1995
Evans Blue enhances outward current in isolated smooth muscle cells of the sheep bladder **489.P**, 137*P*, 1995
Modulation by Evans Blue of Ca^{2+}-dependent K^+ current in isolated smooth muscle cells from the sheep bladder **489.P**, 137*P*, 1995

Blood–brain barrier
Bradykinin and des-Arg^9-bradykinin increase permeability of single cerebral microvessels by different mechanisms in the anaesthetized rat **483.P**, 141*P*, 1995
Developmental changes in blood–brain barrier potassium permeability in the rat: relation to brain growth **488**, 439, 1995
Ammonium ions alter the uptake of potassium to brain, choroid plexus and CSF of the rat *in vivo* **489.P**, 121*P*, 1995

Blood flow
Variations of blood flow at optic nerve head induced by sinusoidal flicker stimulation in cats **482**, 189, 1995
Flow-dependent regulation of arteriolar diameter in skeletal muscle *in situ*: role of endothelium-derived relaxing factor and prostanoids **483**, 715, 1995
Nitric oxide contributes to local heat-induced vasodilatation in man **483.P**, 126*P*, 1995
The use of inexpensive resin particles to measure blood flow rates to hindlimb bones in the anaesthetized rat **483.P**, 145*P*, 1995
Skin blood flow responses to acetylcholine and sodium nitroprusside in non-insulin-dependent diabetes **483.P**, 148*P*, 1995

Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **487.P**, 38*P*, 1995

Thermoregulation is unlikely to produce a local generation of low frequency rhythms in heart rate and blood pressure in man **487.P**, 170*P*, 1995

Lactate and H^+ uptake in inactive muscles during intense exercise in man **488**, 219, 1995

Measurement of intrarenal blood flow after unilateral nephrectomy in the rat using an autoradiographic technique **489.P**, 87*P*, 1995

The effects of graded reductions of uterine blood flow on spontaneous contractions and intracellular pH (pH_i) **489.P**, 133*P*, 1995

Blood pressure

Baroreceptor influence on the relationships between discharges of different sympathetic nerves of the cat **482**, 687, 1995

'Non-hypotensive' hypovolaemia reduces ascending aortic dimensions in humans **483**, 289, 1995

Arteriolar vasodilatation in the cirrhotic conscious rat: a role for nitric oxide **487.P**, 168*P*, 1995

Influence of systemic arterial pressure on production of nitric oxide in deep brain structures in anaesthetized rat **487.P**, 169*P*, 1995

The effects of anaemia on heart, placenta and body weight, and blood pressure in fetal and neonatal rats **488**, 515, 1995

Mesenteric blood pressure profile of conscious, freely moving rats **488**, 753, 1995

Adenosine mediates metabolic and cardiovascular responses to hypoxia in fetal sheep **488**, 761, 1995

On the origin of low-frequency blood pressure variability in the conscious dog **489**, 215, 1995

Blood vessel

Analysis of responses observed in mesenteric microcirculation of the rat during systemic hypoxia **482**, 669, 1995

Natriuretic peptides inhibit neointimal development in the rabbit **483.P**, 144*P*, 1995

Blood volume

Extracellular volume and blood volume in chronically catheterized fetal sheep **485**, 835, 1995

Modulation of erythropoietin formation by changes in blood volume in conscious dogs **488**, 181, 1995

Changes in blood volume distribution during orthostasis and at presyncope in humans **489.P**, 37*P*, 1995

Bone

The use of inexpensive resin particles to measure blood flow rates to hindlimb bones in the anaesthetized rat **483.P**, 145*P*, 1995

Investigation of the mechanism of voltage-induced T-current recruitment in cultured bone marrow stromal cells **483.P**, 163*P*, 1995

Voltage-dependent potentiation of low-voltage-activated Ca^{2+} channel currents in cultured rat bone marrow cells **489**, 649, 1995

Bradykinin

Prevention of the excitatory actions of bradykinin by inhibition of PGI_2 formation in nodose neurones of the guinea-pig **483**, 735, 1995

A bradykinin antagonist prevents cerebral microvascular permeability increase following reperfusion in anaesthetized rats **483.P**, 140*P*, 1995

Bradykinin and des-Arg^9-bradykinin increase permeability of single cerebral microvessels by different mechanisms in the anaesthetized rat **483.P**, 141*P*, 1995

Bradykinin evokes a calcium-activated chloride current in fibroblasts isolated from rat dorsal root ganglia **485.P**, 48*P*, 1995

Brain

The effect of spermine on manganese homeostasis in rat brain mitochondria **482.P**, 32*P*, 1995

Brain uptake of mercury in the anaesthetized rat **482.P**, 33*P*, 1995

Bilateral lesions in the red nucleus abolish the biphasic respiratory response to hypoxia in decerebrate newborn rabbits **483.P**, 89*P*, 1995

Latency of effects evoked by electrical and magnetic brain stimulation in lower limb motoneurones in man **484**, 791, 1995

Hypoxia-induced brain angiogenesis in the adult rat **485**, 525, 1995

Repetitive firing properties of developing rat brainstem motoneurones **486**, 745, 1995

Rhythmical bursts induced by NMDA in guinea-pig cholinergic nucleus basalis neurones *in vitro* **487**, 623, 1995

Ipsilateral EMG responses to transcranial magnetic stimulation during recovery of arm and hand function after stroke in man **487.P**, 68*P*, 1995

Influence of systemic arterial pressure on production of nitric oxide in deep brain structures in anaesthetized rat **487.P**, 169*P*, 1995

Characterization of a novel ligand for hCRH binding protein in sheep brain **489.P**, 183*P*, 1995

Brainstem

Adenosinergic modulation of respiratory neurones and hypoxic responses in the anaesthetized cat **483**, 769, 1995

Acute changes in tyrosine hydroxylase (TH) gene expression in the brainstem of late pregnant rats **483.P**, 50*P*, 1995

Medullary-evoked EPSPs in neonatal rat sympathetic preganglionic neurones *in vitro* **487**, 453, 1995

Role of brainstem adenosine A_1 receptors on the hypothalamic defence response in the anaesthetized rat **489.P**, 154*P*, 1995

A working heart–brainstem preparation of the mature mouse **489.P**, 155*P*, 1995

The role of central 5-HT_3 receptors in the modulation of the response to upper airway stimulation in the anaesthetized rabbit **489.P**, 156*P*, 1995

The effects of bicuculline and strychnine on the activity of dorsal vagal preganglionic neurones that respond to vagus nerve stimulation: an *in vivo* ionophoretic study in anaesthetized rats **489.P**, 158*P*, 1995

Changes in the expression of *c-fos* induced by lipopolysaccharide in the PVN and the A1/A2 brainstem noradrenergic cell groups **489.P**, 180*P*, 1995

Breast feeding

Breast-fed babies lose heat more rapidly than bottle fed babies during sleep **485.P**, 53*P*, 1995

Breathing

Imagination of dynamic exercise produced ventilatory responses which were more apparent in competitive sportsmen **482**, 713, 1995

Stability of breathing patterns in men, rats and rabbits **483.P**, 96*P*, 1995

α_1- and α_2-adrenoreceptor actions of phentolamine and prazosin on breathing movements in fetal sheep *in utero* **486**, 249, 1995

Respiratory flow profiles during different forms of ventilatory stimulation in humans **487.P**, 107*P*, 1995

Pattern of breathing and lung reflexes in anaesthetized emphysematous rats **487.P**, 111*P*, 1995

Carbonic anhydrase and control of breathing: different effects of benzolamide and methazolamide in the anaesthetized cat **488**, 767, 1995

ECG changes associated with breath-holding in a man **489.P**, 37*P*, 1995

Breathlessness

Effect of repetitive testing on breathlessness in man **483.P**, 95*P*, 1995

Brush-border membrane

Rats fed an iron-deficient diet have enhanced intestinal iron transfer and hyperpolarization of the duodenal brush-border membrane **482.P**, 29*P*, 1995

Transport of β-lactam antibiotics in rat renal cortical slices and brush-border membrane vesicles **482.P**, 39*P*, 1995

Further evidence for the importance of brush-border potential difference as a driving force for duodenal iron uptake in guinea-pig **487.P**, 96*P*, 1995

A Cl^- conductance co-localized with Na^+–glucose co-transport in brush-border membrane vesicles (BBMVs) prepared from enterocytes from rat small intestine **489.P**, 96*P*, 1995

Hypoxia causes hyperpolarization of isolated rat duodenal brush-border membrane and increased iron absorption **489.P**, 124*P*, 1995

Burst firing

Regenerative properties of pyramidal cell dendrites in area CA1 of the rat hippocampus **483**, 421, 1995

C fibre

Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: correlation with pain threshold in humans **485**, 767, 1995

Activity-dependent slowing of conduction velocity in different classes of C-fibre in the anaesthetized rat **487.P**, 214*P*, 1995

Heart rate responses to selective stimulation of cardiac vagal C fibres in anaesthetized cats, rats and rabbits **489**, 203, 1995

Caesarean section

Effect of ambient temperature on extra-uterine adaptation in near-term lambs delivered by Caesarean section **483.P**, 99*P*, 1995

Caffeine

Ca^{2+} content of rat cardiac muscle SR equilibrated with high concentrations of caffeine **483.P**, 18*P*, 1995

Pharmacological modulation of electrical events recorded from a cockroach (*Periplaneta americana*) motoneurone *in vitro* **483.P**, 187*P*, 1995

Intracellular calcium and its sodium-independent regulation in voltage-clamped snail neurones **484**, 533, 1995

The effects of caffeine on intracellular calcium, force and the rate of relaxation of mouse skeletal muscle **487**, 331, 1995
Mobilization of intracellular calcium by caffeine in single mouse pancreatic β-cells **487.P**, 12*P*, 1995
Caffeine- and histamine-induced oscillations of $K_{(Ca)}$ current in single smooth muscle cells of rabbit cerebral artery **487.P**, 16*P*, 1995
Propagating calcium waves initiated by local caffeine application in rat ventricular myocytes **489**, 319, 1995
Effects of low concentrations of caffeine on intracellular calcium concentration of cultured, identified, molluscan neurones in the presence and absence of extracellular calcium **489.P**, 22*P*, 1995
The different caffeine sensitivities of skinned muscle fibre types are due to differences in calcium sensitivity rather than calcium release **489.P**, 24*P*, 1995

Caged calcium

The use of caged calcium in studying rapid kinetics of calcium uptake by SR vesicles from frog skeletal muscle **487.P**, 5*P*, 1995

Calcineurin

Suppression of $GABA_A$ receptor responses by NMDA application in hippocampal neurones acutely isolated from the adult guinea-pig **482**, 353, 1995

Calcium

Suppression of $GABA_A$ receptor responses by NMDA application in hippocampal neurones acutely isolated from the adult guinea-pig **482**, 353, 1995
Effect of hypoxia on force, intracellular pH and Ca^{2+} concentration in rat cerebral and mesenteric small arteries **482**, 409, 1995
Neurotransmitter release evoked by nerve impulses without Ca^{2+} entry through Ca^{2+} channels in frog motor nerve endings **482**, 511, 1995
Calcium-dependent inactivation of heteromeric NMDA receptor–channels expressed in human embryonic kidney cells **482**, 567, 1995
Intracellular calcium increases in response to swelling in HeLa cells **482.P**, 11*P*, 1995
Histamine increases intracellular calcium in isolated porcine chondrocytes **482.P**, 20*P*, 1995
The role of Ca^{2+} ions in the volume-regulatory efflux of amino acids from hyposmotically stressed rat cerebral cortical cells *in vitro* **482.P**, 20*P*, 1995
Mechanosensitive calcium entry in renal A6 cells **482.P**, 21*P*, 1995
Tachykinin receptor-induced increases in $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing human NK-3 receptors are caused by Ca^{2+} release from phospholipid-sensitive intracellular stores **482.P**, 39*P*, 1995
Calcium influx through L-type calcium channels provides the major trigger for calcium-induced calcium release in guinea-pig ventricular myocytes **483.P**, 14*P*, 1995
Ca^{2+} content of rat cardiac muscle SR equilibrated with high concentrations of caffeine **483.P**, 18*P*, 1995
Differential phosphorylation of serine-16 and threonine-17 of phospholamban in cardiac muscle isolated from rats, guinea-pigs and rabbits **483.P**, 20*P*, 1995
The effect of stimulation rate and bathing $[Ca^{2+}]$ on the phosphorylation of phospholamban in isolated rat ventricular myocytes **483.P**, 20*P*, 1995
Calcium regulates the cyclic GMP-activated current in isolated rod photoreceptors of the tiger salamander **483.P**, 59*P*, 1995
Mechanisms of Ca^{2+} mobilization in cerebellar Bergmann glial cells **483.P**, 63*P*, 1995
External ATP mobilizes Ca^{2+} from a thapsigargin-sensitive internal store in cultured, rat aortic smooth muscle cells **483.P**, 106*P*, 1995
Interactions between Ca^{2+}, inositol trisphospate (IP_3)-sensitive Ca^{2+} release and Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human myometrial smooth muscle cells **483.P**, 107*P*, 1995
Intracellular calcium buffering power of rat cerebral artery smooth muscle determined with voltage clamp and simultaneous calcium measurements **483.P**, 107*P*, 1995
Comparison of the Ca^{2+}-induced Ca^{2+} release processes (CICR) in cultured human vascular and myometrial smooth muscle cells **483.P**, 108*P*, 1995
Intracellular Ca^{2+} release via inositol trisphosphate (IP_3) and Ca^{2+}-induced Ca^{2+} release (CICR) in human cultured bladder smooth muscle cells **483.P**, 115*P*, 1995
Agonist-evoked changes in cytosolic calcium concentration in the endothelium of excised intact rat aorta **483.P**, 137*P*, 1995
Ca^{2+} mobilization from the endoplasmic reticulum of permeabilized bovine endothelial cells **483.P**, 150*P*, 1995
Effect of gentamicin on urinary recovery of ^{45}Ca from distal tubular microinfusions in the anaesthetized rat **483.P**, 168*P*, 1995
Combined effect of cyclic nucleotides on Ca^{2+} signalling in mouse pancreatic acinar cells **483.P**, 181*P*, 1995
Effects of lowered cytoplasmic calcium concentration and light on the responses of salamander rod photoreceptors **484**, 267, 1995
Ca^{2+} modulation of the cGMP-gated channel of bullfrog retinal rod photoreceptors **484**, 69, 1995
Vasopressin stimulation of Ca^{2+} mobilization, two bivalent cation entry pathways and Ca^{2+} efflux in A7r5 rat smooth muscle cells **485**, 455, 1995
Microdomains of elevated Ca^{2+} concentration due to clustered ion channels at presynaptic active zones of hair cells from the bullfrog sacculus **485.P**, 17*P*, 1995
Relaxation of cyclase velocity parallels the recovery of circulating current after a bright flash in rods isolated from the tiger salamander retina **485.P**, 18*P*, 1995
Cytosolic Ca^{2+} attenuates Ca^{2+} signals evoked by capacitative Ca^{2+} entry in calf pulmonary artery endothelial (CPAE) cells **485.P**, 41*P*, 1995
The possible roles of Na^+ and Ca^{2+} overload in the mechanism of monensin-induced myotoxicity in isolated avian (*Gallus domesticus*) skeletal muscle **485.P**, 41*P*, 1995
Histamine and ATP mobilize calcium by activation of H_1 and P_{2u} receptors in human lens epithelial cells **486**, 273, 1995
Imaging of calcium variations in livi. g dendritic spines of cultured rat hippocampal neurons **486**, 283, 1995
Amino acid-induced $[Ca^{2+}]_i$ oscillations in single mouse pancreatic islets of Langerhans **486**, 361, 1995
Modulation of the cGMP-gated ion channel in frog rods by calmodulin and an endogenous inhibitory factor **486**, 533, 1995
Characteristics of Na^+–Ca^{2+} exchange in frog skeletal muscle **486**, 615, 1995
Visible wavelength ratiometric measurement of cytosolic calcium concentration using fluo-3 and sulphorhodamine 101 **487.P**, 4*P*, 1995
Simultaneous high-speed photometric fluorescence measurements on several independently selectable regions of a microscope image **487.P**, 7*P*, 1995
Physiological consequences of calcium mobilization by muscarinic receptor activation in human lens cells **487.P**, 11*P*, 1995
Nitric oxide mobilizes intracellular calcium in rat pancreatic β-cells **487.P**, 13*P*, 1995
Endogenous heavy metal ions quench fura-2 fluorescence in mouse pancreatic acinar cells and rat hepatocytes **487.P**, 20*P*, 1995
Caffeine-induced elevations of intracellular Ca^{2+} in rat hippocampal neurones and immunohistological evidence for the RyR2 ryanodine receptor isoform **487.P**, 21*P*, 1995
Differentiation of mouse BC_3H_1 smooth muscle cells changes the bivalent cation selectivity of the capacitative Ca^{2+} entry pathway **487.P**, 22*P*, 1995
Amplification of the thapsigargin-evoked increase in $[Ca^{2+}]_i$ by acetylcholine in acutely isolated mouse submandibular acinar cells **487.P**, 23*P*, 1995
Distribution of ryanodine receptor antibody binding in *Fasciola hepatica* **487.P**, 24*P*, 1995
The effects of metabolic inhibition on the viability of cultured rat astrocytes **487.P**, 45*P*, 1995
Properties of metabotropic receptor-mediated Ca^{2+} oscillations in cultured rat hippocampal neurons **487.P**, 56*P*, 1995
Calcium currents in cultured neurones of *Helix aspersa* **487.P**, 58*P*, 1995
External alkalinity exacerbates the glutamate-induced destabilization of Ca^{2+} homeostasis in cultured rat cerebellar granule cells: role of calcium–hydrogen exchange **487.P**, 58*P*, 1995
Effects of carbachol and Mastoparan on guanylate cyclase activity in dialysed axons of the squid, *Loligo forbesi* **487.P**, 62*P*, 1995
The source of Ca^{2+} in acetylcholine and caffeine-induced contractions of the 'catch' muscle of *Mytilus edulis* **487.P**, 87*P*, 1995
The effect of extracellular pH (pH_o) on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated human myometrium **487.P**, 89*P*, 1995
Reconstitution of single ryanodine-sensitive cation channels from rat myometrial microsomal membranes **487.P**, 90*P*, 1995
Transient depolarizations of mitochondria localized to discrete areas of single rat cardiomyocytes caused by free radicals and local calcium release: a model for free radical-induced cell injury **487.P**, 123*P*, 1995
Rhythmic oscillations emerge in a model of the guinea-pig ventricular cell **487.P**, 124*P*, 1995
Intracellular calcium oscillations contribute to cellular calcium balance in the face of increased Ca^{2+} influx in isolated rat ventricular myocytes **487.P**, 131*P*, 1995
Effects of lactate on calcium regulation mechanisms in isolated guinea-pig ventricular myocytes **487.P**, 138*P*, 1995

Rate-dependent changes in the duration of the Ca^{2+} transient persist under voltage clamp in isolated rat ventricular myocytes **487.P**, 143*P*, 1995
The positive inotropic action of insulin-like growth factor-I (IGF-I) on isolated rat cardiac muscle **487.P**, 144*P*, 1995
Electrical measurements of calcium activation in isolated rabbit muscle myofilaments **487.P**, 157*P*, 1995
The effects of cyclopiazonic acid and thapsigargin on Ca^{2+} uptake by sarcoplasmic reticulum vesicles from frog skeletal muscle **487.P**, 160*P*, 1995
Activation of Cl^- channels by extracellular Ca^{2+} in freshly isolated rabbit osteoclasts **487.P**, 200*P*, 1995
Mechanical stimuli induce increases in intracellular Ca^{2+} concentrations in functioning rat Merkel cells of an isolated vibrissal hair preparation **487.P**, 214*P*, 1995
Measuring Ca^{2+} concentration in organelles with recombinant chimeric aequorins **487.P**, 4*S*, 1995
Calcium homeostasis in nerve cells **487.P**, 5*S*, 1995
Summation of stochastic calcium sparks gives rise to calcium transients in isolated rat cardiac myocytes **487.P**, 5*S*, 1995
The defect in malignant hyperthermia **487.P**, 6*S*, 1995
Free Ca^{2+} in cellular compartments studied using targeted aequorin **487.P**, 7*S*, 1995
Storage of Ca^{2+} in the sarcoplasmic reticulum and endogenous modifiers of E–C coupling in skeletal muscle fibres from cane toad and rat **487.P**, 8*S*, 1995
Ca^{2+}-activated Cl^- and K^+ channels in pulmonary arterial smooth muscle of the rat **487.P**, 11*S*, 1995
Two distinct modes of Ca^{2+} signalling by ACh in rat pancreatic β-cells: concentration, glucose dependence and Ca^{2+} origin **488**, 13, 1995
The effects of extracellular pH and calcium change on force and intracellular calcium in rat vascular smooth muscle **488**, 281, 1995
GABA transport and calcium dynamics in horizontal cells from the skate retina **488**, 565, 1995
Voltage-dependent currents and modulation of calcium channel expression in zona fasciculata cells from rat adrenal gland **488**, 609, 1995
Cytosolic calcium concentration in resting and stimulated endothelium of excised intact rat aorta **489**, 309, 1995
Distinct effects of Ca^{2+} and voltage on the activation and deactivation of cloned Ca^{2+}-activated K^+ channels **489**, 403, 1995
Tension-dependent changes of the intracellular Ca^{2+} transients in ferret ventricular muscles **489**, 617, 1995
Calcium in the nerve terminals of chick ciliary ganglia during facilitation, augmentation and potentiation **489**, 637, 1995
The different caffeine sensitivities of skinned muscle fibre types are due to differences in calcium sensitivity rather than calcium release **489.P**, 24*P*, 1995
Events following activation of human Neuromedin B receptors expressed in *Xenopus* oocytes **489.P**, 49*P*, 1995
Disruption of normal acinar cell calcium signalling is an early feature of caerulein-induced experimental acute pancreatitis in mice **489.P**, 54*P*, 1995
A comparison of the blocking actions of Cs^+ and Rb^+ on wild-type and mutant inward rectifier K^+ channels (IRK1) **489.P**, 58*P*, 1995
Inhibition of potassium M-channels by intracellular calcium in membrane patches from rat sympathetic cells **489.P**, 60*P*, 1995
Effects of a membrane-permeable analogue of the Ca^{2+} chelator BAPTA on K^+ currents in rat cultured cerebellar granule neurons **489.P**, 61*P*, 1995
Ion channel activation and increases in cytosolic free calcium induced by P_2 purinergic receptor stimulation in human platelets **489.P**, 62*P*, 1995
Hydrogen peroxide and nitric oxide alter neuronal discharges and $[Ca^{2+}]_i$ in identified neurones of *Lymnaea stagnalis* **489.P**, 79*P*, 1995
Effects of arginine vasopressin on renal handling of calcium and magnesium in healthy hydrated man **489.P**, 86*P*, 1995
Volume- and mechanosensitive calcium entry and release in renal A6 cells **489.P**, 87*P*, 1995
Thapsigargin-induced changes in intracellular pH in Madin–Darby canine kidney (MDCK) cells **489.P**, 88*P*, 1995
Urinary calcium and aluminium excretion in the conscious rat following gentamicin administration **489.P**, 91*P*, 1995
UTP effect on calcium mobilization in human normal and cystic fibrosis airway epithelia **489.P**, 98*P*, 1995
Ca^{2+} influx pathways in duct cells of normal rat pancreas **489.P**, 119*P*, 1995

Calcium-activated potassium channel

The K^+ channels activated during regulatory volume decrease (RVD) are distinct from those activated by Ca^{2+}-mobilizing agonists in Ehrlich mouse ascites tumour cells **482.P**, 12*P*, 1995
α-Antagonists inhibit BK_{Ca} channel activity in rat isolated cortical neurones **487.P**, 196*P*, 1995
Characterization of an ATP-modulated large conductance Ca^{2+}-activated K^+ channel present in rat cortical neurones **488**, 319, 1995
Effects of Ca^{2+} and K^+ channel blockers on nerve impulses recorded from guinea-pig postganglionic sympathetic nerve terminals **489**, 389, 1995
Distinct effects of Ca^{2+} and voltage on the activation and deactivation of cloned Ca^{2+}-activated K^+ channels **489**, 403, 1995

Calcium buffer

Measurement of the calcium buffering capacity of neuronal cytosol using the photolabile calcium chelator NP-EGTA **487.P**, 10*P*, 1995
Pre- and postsynaptic whole-cell recordings in the medial nucleus of the trapezoid body of the rat **489**, 825, 1995
Calcium muffling in snail neurones: intracellular buffering, sequestration and extrusion **489.P**, 15*S*, 1995

Calcium channel

Veratridine-induced oscillations of cytosolic calcium and membrane potential in bovine chromaffin cells **482**, 15, 1995
Inhibition of acetylcholine release from mouse motor nerve by a P-type calcium channel blocker, ω-agatoxin IVA **482**, 283, 1995
Antisense depletion of β-subunits modulates the biophysical and pharmacological properties of neuronal calcium channels **482**, 481, 1995
Characterization of Ca^{2+} channel currents in cultured rat cerebellar granule neurones **482**, 493, 1995
Nitric oxide donors enhanced Ca^{2+} currents and blocked noradrenaline-induced Ca^{2+} current inhibition in rat sympathetic neurons **482**, 521, 1995
A sustained inward current activated at the diastolic potential range in rabbit sino-atrial node cells **483**, 1, 1995
Skeletal muscle DHP receptor mutations alter calcium currents in human hypokalaemic periodic paralysis myotubes **483**, 299, 1995
Muscarine inhibits high-threshold calcium currents with two distinct modes in rat embryonic hippocampal neurons **483**, 347, 1995
Immunoglobulin E receptor-activated calcium conductance in rat mast cells **483**, 59, 1995
Activation of calcium current in voltage-clamped rat glomerulosa cells by potassium ions **483**, 67, 1995
Comparison of ultra-slow voltage-dependent inactivation of the L-type Ca^{2+} channel current in isolated ferret ventricular myocytes with Ca^{2+} or Ba^{2+} as the charge carrier **483.P**, 13*P*, 1995
The lack of effect of increasing cell length on L-type calcium current in isolated ferret ventricular myocytes **483.P**, 13*P*, 1995
The introduction of trypsin into the sarcoplasm of isolated guinea-pig ventricular myocytes eliminates the inhibition of the L-type Ca^{2+} current caused by BDM **483.P**, 19*P*, 1995
Thapsigargin blocks plasmalemmal voltage-operated calcium channels in isolated mouse DRG neurones **483.P**, 64*P*, 1995
Investigation of the mechanism of voltage-induced T-current recruitment in cultured bone marrow stromal cells **483.P**, 163*P*, 1995
Calcium-activated potassium channels in human platelets **484**, 15, 1995
Sustained calcium influx activated by basic fibroblast growth factor in Balb-c 3T3 fibroblasts **484**, 557, 1995
Inhibitory effect of muscarinic receptor activation on Ca^{2+} channel current in smooth muscle cells of guinea-pig ileum **484**, 567, 1995
Two distinct functional effects of protein phosphatase inhibitors on guinea-pig cardiac L-type Ca^{2+} channels **484**, 583, 1995
Inhibition of the interaction of G protein G_o with calcium channels by the calcium channel β-subunit in rat neurones **485**, 365, 1995
Fractional calcium currents through recombinant GluR channels of the NMDA, AMPA and kainate receptor subtypes **485**, 403, 1995
Subunit regulation of the neuronal α_{1A} Ca^{2+} channel expressed in *Xenopus* oocytes **485**, 619, 1995
Chimeric L-type Ca^{2+} channels expressed in *Xenopus laevis* oocytes reveal role of repeats III and IV in activation gating **486**, 131, 1995
ATP-activated inward current and calcium-permeable channels in rat macrophage plasma membranes **486**, 323, 1995
ATP-operated calcium-permeable channels activated via a guanine nucleotide-dependent mechanism in rat macrophages **486**, 339, 1995
Properties and roles of an intramembranous charge mobilized at high voltages in frog skeletal muscle **486**, 385, 1995

Voltage-gated calcium currents in the magnocellular neurosecretory cells of the rat supraoptic nucleus **486**, 571, 1995
Effects of Ca^{2+} channel blockers on transmitter release and presynaptic currents at the frog neuromuscular junction **486**, 695, 1995
Residual Ca^{2+} channel current modulation by megestrol acetate via a G-protein α_S-subunit in rat hypothalamic neurones **487**, 291, 1995
Different spatial patterns of $[Ca^{2+}]$ increase caused N- and L-type Ca^{2+} channel activation in frog olfactory bulb neurones **487**, 305, 1995
Roles of L-type Ca^{2+} channel and reverse Na^+–Ca^{2+} exchange in triggering intracellular Ca^{2+} release in isolated guinea-pig myocytes **487.P**, 14*P*, 1995
A comparison of the activation of rat low- and high-voltage-activated Ca^{2+} channels by action potential-like voltage transitions *in vitro* **487.P**, 56*P*, 1995
Metabolic dependence of Ca^{2+} current in isolated single smooth muscle cells of guinea-pig basilar artery **487.P**, 81*P*, 1995
M_4 muscarinic receptor activation modulates voltage-dependent calcium conductances in isolated rat intracardiac neurones **487.P**, 122*P*, 1995
Possible mechanism of L-type calcium channel blockade by gadolinium in isolated guinea-pig ventricular myocytes **487.P**, 129*P*, 1995
An antibody to L-type calcium channels reduces voltage-dependent calcium current in guinea-pig cardiac myocytes in a voltage-dependent manner **487.P**, 130*P*, 1995
Do consensus cAMP-dependent phosphorylation sites within the human L-type cardiac calcium channel expressed in *Xenopus* oocytes affect sensitivity to 2,3-butanedione monoxime inhibition? **487.P**, 136*P*, 1995
The effect of temperature on the rate-dependent decrease of the L-type Ca^{2+} current in isolated rat ventricular myocytes **487.P**, 145*P*, 1995
Effect of streptomycin on atrioventricular (AV) conduction in the isolated Langendorff perfused guinea-pig heart **487.P**, 148*P*, 1995
L-type calcium channel blockade enhances functional muscle recovery following partial denervation of neonatal rat soleus muscle **487.P**, 161*P*, 1995
Actions of (−)-Bay K 8644 on Ca^{2+} channel tail currents and unitary L-type currents in isolated cerebellar granule neurones **487.P**, 185*P*, 1995
Potentiation of high voltage activated Ca^{2+} channels by diadenosine polyphosphates in isolated rat central neurons **487.P**, 199*P*, 1995
Endogenous calcium channels in human embryonic kidney (HEK) 293 cells **487.P**, 209*P*, 1995
Skeletal muscle L-type calcium channelopathy: hypokalaemic periodic paralysis **487.P**, 3*S*, 1995
Inhibition of calcium currents and exocytosis by Lambert–Eaton syndrome antibodies in human lung cancer cells **488**, 303, 1995
Phenotype-specific expression of T-type calcium channels in neurons of the major pelvic ganglion of the adult male rat **489**, 363, 1995
Effects of Ca^{2+} and K^+ channel blockers on nerve impulses recorded from guinea-pig postganglionic sympathetic nerve terminals **489**, 389, 1995
Ca^{2+} current enhancement by $\alpha 2/\delta$ and β subunit in *Xenopus* oocytes: contribution of changes in channel gating and $\alpha 1$ protein level **489**, 55, 1995
Voltage-dependent potentiation of low-voltage-activated Ca^{2+} channel currents in cultured rat bone marrow cells **489**, 649, 1995
L- and N-type Ca^{2+} channels in adult rat carotid body chemoreceptor type I cells **489**, 689, 1995
A higher density of L-type calcium channels at the tip of neuroblastoma growth cones in culture causes a gradient of Ca^{2+} influx **489.P**, 14*P*, 1995
Internal Mg^{2+} block of Ca^{2+} channels and its inhibition by ATP in single smooth muscle cells from guinea-pig basilar artery **489.P**, 51*P*, 1995
Properties of α_{1A} calcium channel currents expressed in the COS-7 cell line **489.P**, 52*P*, 1995
p21-ras is involved in calcium channel regulation in rat dorsal root ganglion neurones **489.P**, 53*P*, 1995
Modulation of calcium channel currents by metabotropic glutamate receptor agonists in dissociated neurones from rat ventral cochlear nucleus (VCN) **489.P**, 54*P*, 1995
On the voltage-dependent ion channel complement of the neonatal rat O-2A progenitor *in vitro* **489.P**, 55*P*, 1995
Differences between unitary L-type Ca^{2+} channel currents of central and peripheral neurones **489.P**, 67*P*, 1995
The cation permeability of the calcium-conducting channel in sarcoplasmic reticulum (SR) blebs of frog skeletal muscle **489.P**, 68*P*, 1995
Models of the ion pore in N-type voltage-gated calcium channels **489.P**, 69*P*, 1995
Effect of cytochrome P-450 inhibitors on ionic currents in isolated neonatal rat type I carotid body cells **489.P**, 72*P*, 1995
Ca^{2+} channel currents in isolated type I carotid body cells of normoxic and chronically hypoxic rats **489.P**, 73*P*, 1995
Cytochalasin effect on mechanosensitive calcium channel activity and cell swelling-induced calcium mobilization in renal A6 cells **489.P**, 92*P*, 1995

Calcium current

Modulation by different $GABA_B$ receptor types of voltage-activated calcium currents in rat thalamocortical neurones **485**, 29, 1995
The density of L-type calcium current in isolated adult rabbit ventricular myocytes in short term culture **483.P**, 14*P*, 1995
Electrophysiological changes to isolated guinea-pig ventricular myocytes during progressive hypertrophy **483.P**, 22*P*, 1995
Effects of a novel cyclic neuropeptide Y analogue on Ca^{2+} channel currents in human neuroblastoma (SH-SY5Y) cells **483.P**, 163*P*, 1995
Contractions in guinea-pig ventricular myocytes triggered by a calcium-release mechanism separate from Na^+ and L-currents **484**, 107, 1995
Efficacy of peak Ca^{2+} currents (I_{Ca}) as trigger of sarcoplasmic reticulum Ca^{2+} release in myocytes from the guinea-pig coronary artery **484**, 287, 1995
Enhancement by muscarinic agonists of a high voltage-activated Ca^{2+} current via phosphorylation in a snail neuron **485**, 21, 1995
Voltage-dependent calcium currents are enhanced in dorsal root ganglion neurones from the Bio Bred/Worchester diabetic rat **486**, 313, 1995
Target-derived factors regulate the expression of Ca^{2+}-activated K^+ currents in developing chick sympathetic neurones **486**, 605, 1995
Calcium current in left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **487.P**, 131*P*, 1995
The modulation by cyclic GMP of the calcium current in rabbit ventricular myocytes **487.P**, 135*P*, 1995
ATP produced from mitochondrial oxidative phosphorylation modulates Ca^{2+} current in single ventricular cells of rabbit **487.P**, 136*P*, 1995
Contribution of T-type calcium current to the pacemaker depolarization of rabbit isolated SA node cells **487.P**, 148*P*, 1995
Augmentation of potential-activated calcium current by GTPγS-activated G proteins in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995
Dual action of nitric oxide on Ca^{2+} current in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995
Activation of store-operated calcium influx at resting $InsP_3$ levels by sensitization of the $InsP_3$ receptor in rat basophilic leukaemia cells **489**, 377, 1995
Excessive repolarization-dependent calcium currents induced by strong depolarizations in rat skeletal myoballs **489**, 41, 1995
Contribution of β_1 and β_2 adrenoceptors to the sympathetic stimulation of L-type Ca^{2+} current in isolated guinea-pig ventricular cardiomyocytes **489.P**, 50*P*, 1995
Changes in peak inward Ca^{2+} current during progression of the cell cycle in early mouse embryos **489.P**, 52*P*, 1995
Evidence for the contribution of a novel low voltage-activated Ca^{2+} current in regulating pacemaker activity of insect neurosecretory cells **489.P**, 67*P*, 1995
A metabotropic glutamate receptor agonist activates a high-threshold calcium current in rat CA1 neurones *in vitro* **489.P**, 70*P*, 1995
Influence of 8-Br cGMP on basal and isoprenaline-stimulated L-type calcium currents in guinea-pig isolated ventricular myocytes **489.P**, 167*P*, 1995
The effects of endothelins on peak L-type calcium current in rabbit isolated ventricular cardiomyocytes **489.P**, 167*P*, 1995

Calcium-dependent chloride current

Activation of Ca^{2+}-dependent Cl^- currents in cultured rat sensory neurones by flash photolysis of DM-nitrophen **482**, 291, 1995

Calcium-dependent potassium channel

Hyperpolarization induced by vasoactive substances in intact guinea-pig endocardial endothelial cells **484**, 25, 1995
The suppression of Ca^{2+}- and voltage-dependent K^+ current during mAChR activation in rat adrenal chromaffin cells **485**, 297, 1995
Contribution of SK and BK channels in the control of catecholamine release by electrical stimulation of the cat adrenal gland **486**, 427, 1995

Calcium entry

A highly calcium-selective cation current activated by intracellular calcium release in MDCK cells **486**, 557, 1995
Focal $[Ca^{2+}]_i$ increases detected by aequorin but not by fura-2 in histamine- and caffeine-stimulated swine carotid artery **488**, 549, 1995

Calcium imaging

Hyperosmotic modulation of the cytosolic calcium concentration in a rat osteoblast-like cell line **486**, 97, 1995

Different spatial patterns of $[Ca^{2+}]$ increase caused N- and L-type Ca^{2+} channel activation in frog olfactory bulb neurones **487**, 305, 1995
Changes in intracellular calcium in response to thyrotropin-releasing hormone and dopamine in lactotrophs from lactating rats **487.P**, 11*P*, 1995

Calcium influx

$GABA_B$ receptor-mediated presynaptic inhibition in guinea-pig hippocampus is caused by reduction of presynaptic Ca^{2+} influx **485**, 649, 1995
Control of Ca^{2+} entry into rat lactotrophs by thyrotrophin-releasing hormone **486**, 349, 1995
Non-selective cation current of guinea-pig endocardial endothelial cells **487**, 407, 1995
Time course of calcium influx during the cardiac action potential recorded from isolated guinea-pig ventricular myocytes **487.P**, 18*P*, 1995
Muscarinic receptor activation of Ca^{2+} entry in SH-SY5Y human neuroblastoma cells **487.P**, 57*P*, 1995
A higher density of L-type calcium channels at the tip of neuroblastoma growth cones in culture causes a gradient of Ca^{2+} influx **489.P**, 14*P*, 1995

Calcium oscillation

Veratridine-induced oscillations of cytosolic calcium and membrane potential in bovine chromaffin cells **482**, 15, 1995
Ca^{2+} influx during agonist and Ins(2,4,5)P_3-evoked Ca^{2+} oscillations in HeLa epithelial cells **482**, 275, 1995

Calcium paradox

Influences of extracellular pH (pH_o) upon the fall of intracellular amino acids induced by Ca^{2+}-free perfusion of the isolated guinea-pig heart **483.P**, 11*P*, 1995
The protective effect of elevated $[Na^+]_o$ on the calcium paradox in Langendorff-perfused guinea-pig heart is dependent on the metabolic substrate **483.P**, 23*P*, 1995

Calcium–potassium pump

The antagonistic effect of K_o^+ and dihydro-ouabain on the Na^+ pump current of single rat and guinea-pig cardiac cells **484**, 617, 1995

Calcium pump

Effect of intracellular magnesium on calcium extrusion by the plasma membrane calcium pump of intact human red cells **489**, 63, 1995

Calcium regulation

Ca^{2+} regulation in the presynaptic terminals of goldfish retinal bipolar cells **483**, 79, 1995

Calcium release

Potentiation of Ca^{2+} transients in the presynaptic terminals of goldfish retinal bipolar cells **482**, 7, 1995
Quantal puffs of intracellular Ca^{2+} evoked by inositol trisphosphate in *Xenopus* oocytes **482**, 533, 1995
Activation of P_2-purinoreceptors triggered Ca^{2+} release from InsP_3-sensitive internal stores in mammalian oligodendrocytes **483**, 41, 1995
Influence of pH on Ca^{2+}- and caffeine-induced Ca^{2+} release from the sarcoplasmic reticulum in isolated rat skinned cardiac muscle **483.P**, 15*P*, 1995
Cyclic ADP ribose enhances Ca^{2+}-induced Ca^{2+} release in isolated mouse sensory neurones **483.P**, 63*P*, 1995
IBMX induces Ca^{2+} release from internal stores and affects K^+ channels in isolated rat sensory neurones **483.P**, 67*P*, 1995
The effect of ATP on Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human vascular smooth muscle cells **483.P**, 114*P*, 1995
Efficacy of peak Ca^{2+} currents (I_{Ca}) as trigger of sarcoplasmic reticulum Ca^{2+} release in myocytes from the guinea-pig coronary artery **484**, 287, 1995
Release of Ca^{2+} by noradrenaline and ATP from the same Ca^{2+} store sensitive to both InsP_3 and Ca^{2+} in rat portal vein myocytes **484**, 549, 1995
Suppression of calcium release by calcium or procaine in voltage clamped rat skeletal muscle fibres **485**, 437, 1995
Quantal Ca^{2+} mobilization by inositol 1,4,5-trisphosphate in rat hepatocytes is not mediated by changes in cytosolic Ca^{2+} concentration **485.P**, 40*P*, 1995
Involvement of dihydropyridine receptors in terminating Ca^{2+} release in rat skeletal myotubes **486**, 105, 1995
Ca^{2+}-induced Ca^{2+} release and its activation in response to a single action potential in rabbit otic ganglion cells **486**, 177, 1995
Ryanodine receptor-mediated intracellular calcium release in rat cerebellar Purkinje neurones **487**, 1, 1995
The effects of caffeine on intracellular calcium, force and the rate of relaxation of mouse skeletal muscle **487**, 331, 1995
Enhancing effect of calmodulin on Ca^{2+}-induced Ca^{2+} release in the sarcoplasmic reticulum of rabbit skeletal muscle fibres **487**, 573, 1995
Modulation of cardiac ryanodine receptors of swine and rabbit by a phosphorylation–dephosphorylation mechanism **487**, 609, 1995
Mobilization of intracellular calcium by caffeine in single mouse pancreatic β-cells **487.P**, 12*P*, 1995
Roles of L-type Ca^{2+} channel and reverse Na^+–Ca^{2+} exchange in triggering intracellular Ca^{2+} release in isolated guinea-pig myocytes **487.P**, 14*P*, 1995
Intracellular calcium store-dependent coupling between O_2 chemoreception and chemosensory discharge in the isolated perfused cat carotid body **487.P**, 16*P*, 1995
Ca^{2+}-induced Ca^{2+} release in permeabilized bovine aortic endothelial cells **487.P**, 22*P*, 1995
Ca^{2+} release in smooth muscle cells **487.P**, 3*S*, 1995
Effects of low doses of caffeine on $[Ca^{2+}]_i$ in voltage-clamped snail (*Helix aspersa*) neurones **489**, 19, 1995
Ca^{2+} activation and Ca^{2+} inactivation of canine reconstituted cardiac sarcoplasmic reticulum Ca^{2+}-release channels **489**, 337, 1995
Raised intracellular $[Ca^{2+}]$ abolishes excitation–contraction coupling in skeletal muscle fibres of rat and toad **489**, 349, 1995
Activation of store-operated calcium influx at resting InsP_3 levels by sensitization of the InsP_3 receptor in rat basophilic leukaemia cells **489**, 377, 1995
Calcium-induced calcium release in rat sensory neurons **489**, 627, 1995

Calcium sensitivity

Length dependence of Ca^{2+} sensitivity of tension in mouse cardiac myocytes expressing skeletal troponin C **483**, 131, 1995
Resting load regulates cytosolic calcium–force relationship of the contraction of bovine cerebovascular smooth muscle **484**, 123, 1995

Calcium sequestration

Store Ca^{2+}-ATPase inhibition enhances the rate of cytosolic Ca^{2+} removal in human umbilical vein endothelial cells **483.P**, 137*P*, 1995

Calcium store

Ca^{2+} traffic between external medium and Ca^{2+} stores is Ca^{2+} regulated in fibroblasts **487.P**, 10*P*, 1995
Physiological consequences of calcium mobilization by muscarinic receptor activation in human lens cells **487.P**, 11*P*, 1995
Calcium stores of smooth muscle cells: electron probe microanalysis (EPMA) in guinea-pig urinary bladder cells **487.P**, 13*P*, 1995
Access of extracellular calcium to internal stores in bovine trachealis muscle **487.P**, 17*P*, 1995
Repletion of calcium stores sensitive to noradrenaline in the rat vas deferens **487.P**, 18*P*, 1995
Changes in free Ca^{2+} in organelles monitored by targeted recombinant aequorin; use of replication-deficient adenovirus vectors **487.P**, 19*P*, 1995
Mobilization of calcium stores by cADP-ribose: E–C coupling in cardiac muscle and cADP-ribose **487.P**, 4*S*, 1995
Major difference between rat and guinea-pig ureter in the ability of agonists and caffeine to release Ca^{2+} and influence force **489**, 327, 1995
Sodium nitroprusside inhibits calcium-dependent chloride current activation by cyclopiazonic acid in mouse anococcygeus cells **489.P**, 134*P*, 1995

Calcium transient

Two components of $[Ca^{2+}]_i$-activated Cl^- current during large $[Ca^{2+}]_i$ transients in single rabbit heart Purkinje cells **483**, 319, 1995
Stimulation of repetitive calcium transients in mouse eggs **483**, 331, 1995
Inhibition of excitation–contraction coupling in guinea-pig isolated ventricular myocytes by an antagonist of cyclic ADP-ribose **483.P**, 17*P*, 1995
Dendritic calcium transients evoked by single back-propagating action potentials in rat neocortical pyramidal neurons **485**, 1, 1995
Suppression of calcium release by calcium or procaine in voltage clamped rat skeletal muscle fibres **485**, 437, 1995
Spatial profile of dendritic calcium transients evoked by action potentials in rat neocortical pyramidal neurones **487**, 583, 1995
Local Ca^{2+} transients (Ca^{2+} sparks) originate at transverse tubules in rat heart cells **487**, 601, 1995
Measurement of cytosolic calcium transients in myocytes isolated from guinea-pig ventricle **487.P**, 7*P*, 1995
Depletion of calcium in intracellular stores by abbreviation of action potential duration in myocytes isolated from guinea-pig ventricle **487.P**, 137*P*, 1995
Kinetic comparison of isometric tension and intracellular calcium concentration changes in frog skeletal muscle fibres **487.P**, 159*P*, 1995

Na^+–Ca^{2+} exchange in amphibian skeletal muscle fibres **487.P**, 160*P*, 1995
Summation of stochastic calcium sparks gives rise to calcium transients in isolated rat cardiac myocytes **487.P**, 5*S*, 1995
Cardiac cells control transmitter release and calcium homeostasis in sympathetic neurons cultured from embryonic chick **488**, 587, 1995
Species differences in the activity of the Na^+–Ca^{2+} exchanger in mammalian cardiac myocytes **488**, 623, 1995
Calcium decline following short depolarizations is multiphasic in isolated gastric myocytes from *Bufo marinus* **489.P**, 135*P*, 1995

Calcium transport
Calcium influx and extrusion measured in odontoblasts acutely isolated from rat incisors **487.P**, 23*P*, 1995

Caldesmon
Phosphorylation of caldesmon by mitogen-activated protein kinase with no effect on Ca^{2+} sensitivity in rabbit smooth muscle **487**, 289, 1995

Calmodulin
Enhancing effect of calmodulin on Ca^{2+}-induced Ca^{2+} release in the sarcoplasmic reticulum of rabbit skeletal muscle fibres **487**, 573, 1995
Modulation of cardiac ryanodine receptors of swine and rabbit by a phosphorylation–dephosphorylation mechanism **487**, 609, 1995

Calyx of Held
Pre- and postsynaptic glutamate receptors at a giant excitatory synapse in rat auditory brainstem slices **488**, 387, 1995
Pre- and postsynaptic whole-cell recordings in the medial nucleus of the trapezoid body of the rat **489**, 825, 1995

Capillary
Scaling of muscle capillary supply in humans: effect of strength training **483.P**, 134*P*, 1995
Early stages in activity-induced angiogenesis in rat skeletal muscles: incorporation of bromodeoxyuridine into cells of the interstitium **483.P**, 146*P*, 1995
Network geometry as a determinant of capillary flow **483.P**, 2*S*, 1995
The role of Q/PS heterogeneity in controlling capillary transport **483.P**, 2*S*, 1995
Capillary pressure during and after incremental venous pressure elevation in man **485**, 213, 1995
Evidence that cell surface charge reduction modifes capillary red cell velocity–flux relationships in hamster cremaster muscle **489**, 193, 1995

Capillary permeability
A bradykinin antagonist prevents cerebral microvascular permeability increase following reperfusion in anaesthetized rats **483.P**, 140*P*, 1995
Bradykinin and des-Arg^9-bradykinin increase permeability of single cerebral microvessels by different mechanisms in the anaesthetized rat **483.P**, 141*P*, 1995

Capsaicin
Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **486**, 505, 1995
The effect of capsaicin on pelvic afferent inputs from the urinary bladder of anaesthetized rats **487.P**, 119*P*, 1995

Carbachol
Primary culture of human apocrine sweat gland; some electrophysiological characteristics **482.P**, 43*P*, 1995
Inhibitory effect of muscarinic receptor activation on Ca^{2+} channel current in smooth muscle cells of guinea-pig ileum **484**, 567, 1995
Effects of divalent cations on muscarinic receptor cationic current in smooth muscle from guinea-pig small intestine **486**, 67, 1995

Carbon dioxide
The production of CO_2, measured by a transcutaneous technique, as an index of tissue adaptability to ischaemia **483.P**, 143*P*, 1995
Localization of chemosensitive structures in the isolated brainstem of adult guinea-pig **485**, 203, 1995
Carbonic anhydrase and control of breathing: different effects of benzolamide and methazolamide in the anaesthetized cat **488**, 767, 1995
Evidence for limbic system activation during CO_2-stimulated breathing in man **488**, 77, 1995
Discrimination of coupled muscle fibre populations in the skin of squids (*Loligo vulgaris* and *L. opalescens*) following unilateral nerve section **489.P**, 134*P*, 1995
Maturation of carotid chemoreceptor responses to CO_2 in the anaesthetized newborn lamb **489.P**, 162*P*, 1995
Developmental changes in the effect of airway CO_2 on ventilation in anaesthetized guinea-pigs **489.P**, 163*P*, 1995

Carbon monoxide
Carbon monoxide modulates neurohypophysial hormone release from the rat hypothalamus *in vitro* **489.P**, 177*P*, 1995

Carbonic anhydrase
The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity **482**, 609, 1995

Carbonic anhydride
Carbonic anhydrase and control of breathing: different effects of benzolamide and methazolamide in the anaesthetized cat **488**, 767, 1995

Cardiac cell
Change of Na^+ pump current reversal potential in sheep cardiac Purkinje cells with varying free energy of ATP hydrolysis **484**, 605, 1995
The antagonistic effect of K_o^+ and dihydro-ouabain on the Na^+ pump current of single rat and guinea-pig cardiac cells **484**, 617, 1995
Activation of atrial $I_{K(ACh)}$ by adenosine is limited by density of A_1 receptors in cultured myocytes **487.P**, 134*P*, 1995

Cardiac function
Cardiac performance in the anaesthetized pig after long-term pacing-induced bradycardia **483.P**, 93*P*, 1995
Coronary microcirculation and its relation to cardiac function **483.P**, 5*S*, 1995

Cardiac ganglion
Different types of ganglion cell in the cardiac plexus of guinea-pigs **486**, 453, 1995

Cardiac glycoside
The antagonistic effect of K_o^+ and dihydro-ouabain on the Na^+ pump current of single rat and guinea-pig cardiac cells **484**, 617, 1995

Cardiac muscle
The effects of mechanical loading and changes of length on single guinea-pig ventricular myocytes **482**, 93, 1995
The role of the Na^+–Ca^{2+} exchanger in the rate-dependent increase in contraction in guinea-pig ventricular myocytes **482**, 555, 1995
Ca^{2+} content of rat cardiac muscle SR equilibrated with high concentrations of caffeine **483.P**, 18*P*, 1995
Differential phosphorylation of serine-16 and threonine-17 of phospholamban in cardiac muscle isolated from rats, guinea-pigs and rabbits **483.P**, 20*P*, 1995
The effect of stimulation rate and bathing $[Ca^{2+}]$ on the phosphorylation of phospholamban in isolated rat ventricular myocytes **483.P**, 20*P*, 1995
Relationship between intracellular protons and calcium in isolated rat ventricular myocytes **485.P**, 42*P*, 1995
Signalling role of *cis*-unsaturated fatty acids via phosphatidylcholine-specific phospholipase D in rat cardiac cell membrane **485.P**, 44*P*, 1995
Estimate of net calcium fluxes and sarcoplasmic reticulum calcium content during systole in rat ventricular myocytes **486**, 581, 1995
TnI phosphorylation does not increase the rate of relaxation following photolysis of diazo-2 in skinned ventricular trabeculae from guinea-pig **487.P**, 123*P*, 1995
Differences in the time course of contraction in sub-epicardial and sub-endocardial cells isolated from the left ventricle of the dog and ferret **487.P**, 127*P*, 1995
The use of the action potential clamp technique to study the negative inotropic effect of ACh on isolated ferret ventricular cells **487.P**, 127*P*, 1995
The effects of acidosis on the phosphorylation of Ser^{16} and Thr^{17} of phospholamban in rat cardiac muscle **487.P**, 128*P*, 1995
Desensitization of the muscarinic K^+ channel in rat atrial cells – dependence on intracellular ATP **487.P**, 129*P*, 1995
The effect of isoprenaline on calcium-induced calcium release in isolated rat ventricular myocytes **487.P**, 132*P*, 1995
A novel background potassium channel in atrial cells isolated from the rat heart **487.P**, 135*P*, 1995
Rate-dependent changes in the duration of the Ca^{2+} transient persist under voltage clamp in isolated rat ventricular myocytes **487.P**, 143*P*, 1995
The positive inotropic action of insulin-like growth factor-I (IGF-I) on isolated rat cardiac muscle **487.P**, 144*P*, 1995
Mobilization of calcium stores by cADP-ribose: E–C coupling in cardiac muscle and cADP-ribose **487.P**, 4*S*, 1995
Comparison of subsarcolemmal and bulk calcium concentration during spontaneous calcium release in rat ventricular myocytes **488**, 577, 1995

Cardiac myocyte
Down-regulation of A_1 adenosine receptors coupled to muscarinic K^+ current in cultured guinea-pig atrial myocytes **482**, 81, 1995

Angiotensin II activation of a chloride current in rabbit cardiac myocytes **483**, 119, 1995
Length dependence of Ca^{2+} sensitivity of tension in mouse cardiac myocytes expressing skeletal troponin C **483**, 131, 1995
Effects of intracellular calcium on sodium current density in cultured neonatal rat cardiac myocytes **483**, 307, 1995
Changes in intracellular magnesium and ATP-regulated K^+ channel activity with changing metabolic state in isolated rat cardiomyocytes **483.P**, 9*P*, 1995
The lack of effect of increasing cell length on L-type calcium current in isolated ferret ventricular myocytes **483.P**, 13*P*, 1995
The effects of stretching isolated rat ventricular myocytes on $[Ca^{2+}]_i$ and α_{Na}^i **483.P**, 17*P*, 1995
Slowing of shortening velocity of rat cardiac myocytes by adenosine receptor stimulation regardless of β-adrenergic stimulation **486**, 679, 1995
An antibody to L-type calcium channels reduces voltage-dependent calcium current in guinea-pig cardiac myocytes in a voltage-dependent manner **487.P**, 130*P*, 1995
Influence of nitric oxide on contraction and L-type calcium currents in guinea-pig isolated ventricular myocytes **487.P**, 137*P*, 1995
Reversible inhibition of gap junctional communication elicited by sex steroids in cultured rat cardiac cells **487.P**, 140*P*, 1995
Summation of stochastic calcium sparks gives rise to calcium transients in isolated rat cardiac myocytes **487.P**, 58, 1995
Extracellular osmotic pressure modulates sodium–calcium exchange in isolated guinea-pig ventricular myocytes **488**, 293, 1995
Species differences in the activity of the Na^+–Ca^{2+} exchanger in mammalian cardiac myocytes **488**, 623, 1995
Na^+ current and Ca^{2+} release from the sarcoplasmic reticulum during action potentials in guinea-pig ventricular myocytes **489**, 1, 1995
Distribution of cAMP-dependent chloride current and CFTR mRNA in the guinea-pig heart **489.P**, 63*P*, 1995
2,3-Butanedione monoxime (BDM) dephosphorylation myofibrillar proteins in isolated rat cardiomyocytes **489.P**, 145*P*, 1995
The effects of endothelins on peak L-type calcium current in rabbit isolated ventricular cardiomyocytes **489.P**, 167*P*, 1995

Cardiac neurone

Potassium currents in adult rat intracardiac neurones **486**, 15, 1995
Discharge characteristics of neonatal rat intracardiac neurones *in vitro*: the effect of potassium channel inhibitors **487.P**, 122*P*, 1995
M_4 muscarinic receptor activation modulates voltage-dependent calcium conductances in isolated rat intracardiac neurones **487.P**, 122*P*, 1995

Cardiac output

Haemodynamic measurements in humans and anaesthetized sheep by transients in blood sound velocity **487.P**, 3*P*, 1995

Cardiac ventricle

Measurement of cytosolic calcium transients in myocytes isolated from guinea-pig ventricle **487.P**, 7*P*, 1995
Depletion of calcium in intracellular stores by abbreviation of action potential duration in myocytes isolated from guinea-pig ventricle **487.P**, 137*P*, 1995
C-type inactivation controls recovery in a fast inactivating cardiac K^+ channel (Kv1.4) **489**, 709, 1995

Cardiovascular regulation

Cardiovascular and thermoregulatory adjustments associated with flying and diving in the free-ranging blue-eyed shag, *Phalacrocorax atriceps* **483.P**, 193*P*, 1995
Abnormal cardiovascular and catecholamine responses to supine exercise in human subjects with sympathetic dysfunction **484**, 255, 1995
On the origin of low-frequency blood pressure variability in the conscious dog **489**, 215, 1995

Cardiovascular response

The effects of betamethasone (Beta) and dexamethasone (Dex) administration to unanaesthetized fetal sheep at 125 days gestation (dGA) on fetal blood pressure (FBP), heart rate (FHR) and heart rate variation (FHRvar) **483.P**, 94*P*, 1995
Cardiovascular (CV) responses to a high fat (HF) and high carbohydrate (HC) meal in orthotopic cardiac transplant (CT) recipients **483.P**, 120*P*, 1995
A study on rats of the effects of chronic hypoxia from birth on respiratory and cardiovascular responses evoked by acute hypoxia **487**, 513, 1995
Renal nerve responses to pain and their modulation by cardiopulmonary receptors in Wistar and stroke-prone spontaneously hypertensive rats (SPSHR) **487.P**, 179*P*, 1995

Carotid body

Ca^{2+}-activated K^+ channels in isolated type I cells of the neonatal rat carotid body **483**, 559, 1995
Effects of K^+ upon hypoxic chemosensitivity in the neonatal and adult rat carotid body, *in vitro* **483.P**, 91*P*, 1995
Chronic hypoxaemia from birth and chemosensitivity in the rat carotid body *in vitro* **483.P**, 103*P*, 1995
Postnatal development of CO_2–O_2 interaction in the rat carotid body *in vitro* **485**, 531, 1995
Effect of chronic hypoxaemia from birth upon chemosensitivity in the adult rat carotid body *in vitro* **485**, 543, 1995
NMDA receptor-mediated transmission of carotid body chemoreceptor input to expiratory bulbospinal neurones in dogs **487**, 639, 1995
Intracellular calcium store-dependent coupling between O_2 chemoreception and chemosensory discharge in the isolated perfused cat carotid body **487.P**, 16*P*, 1995
Effect of adenosine on CO_2 chemosensitivity in the rat carotid body, *in vitro* **487.P**, 176*P*, 1995
Effect of charybdotoxin on hypoxic chemosensitivity in the adult rat carotid body, *in vitro* **487.P**, 177*P*, 1995
Ventilatory response to atrial natriuretic peptide (ANP) in anaesthetized normoxic and chronically hypoxic rats **487.P**, 177*P*, 1995
Modulation of glomus cell membrane currents of intact rat carotid body **489**, 677, 1995
L- and N-type Ca^{2+} channels in adult rat carotid body chemoreceptor type I cells **489**, 689, 1995
Effects of hypoxia on resting (leak) potassium conductance in carotid body type-I cells of the neonatal rat **489.P**, 56*P*, 1995
Effect of cytochrome P-450 inhibitors on ionic currents in isolated neonatal rat type I carotid body cells **489.P**, 72*P*, 1995
Ca^{2+} channel currents in isolated type I carotid body cells of normoxic and chronically hypoxic rats **489.P**, 73*P*, 1995
Interaction of temperature and CO_2 in the adult rat carotid body, *in vitro* **489.P**, 162*P*, 1995

Cartilage

Autoradiographic localization of Na^+–K^+-ATPase in bovine chondrocytes; correlation of density with tissue $[Na^+]$ **489.P**, 65*P*, 1995

Cat

Involvement of nitric oxide (NO) in the control of protein secretion by the submandibular gland in the anaesthetized cat **483.P**, 180*P*, 1995
Is interocular suppression in the visual cortex of the anaesthetized cat orientation selective? **485.P**, 24*P*, 1995
Orientation selectivity of surround inhibition in area 17 of the anaesthetized cat **485.P**, 29*P*, 1995
Submandibular responses to stimulation of the parasympathetic innervation in the presence of an inhibitor of nitric oxide (NO) synthesis in anaesthetized cats **487.P**, 118*P*, 1995
Plasticity of spinal cord after crush, and of hippocampus after injection of neuron suspensions **489.P**, 7*P*, 1995
Spatial summation in visual receptive fields of complex cells in anaesthetized cat striate cortex **489.P**, 11*P*, 1995

Catecholamine

Ligand receptor type response of heart rate to plasma catecholamines after heart denervation in humans **483.P**, 121*P*, 1995
α_1- and α_2-adrenoreceptor actions of phentolamine and prazosin on breathing movements in fetal sheep *in utero* **486**, 249, 1995
Contribution of SK and BK channels in the control of catecholamine release by electrical stimulation of the cat adrenal gland **486**, 427, 1995
Changes in mitochondrial function, $[Ca^{2+}]_i$ and catecholamine secretion in response to hypoxia in chromaffin cells dissociated from the newborn rat adrenal **487.P**, 59*P*, 1995
Spatio-temporal analysis of quantal secretory events from single bovine adrenal chromaffin cells in culture **487.P**, 59*P*, 1995
Regional action potential changes in isolated ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 142*P*, 1995

Cation

The cation permeability of the calcium-conducting channel in sarcoplasmic reticulum (SR) blebs of frog skeletal muscle **489.P**, 68*P*, 1995

Cation channel

Classification of ion channels in the luminal and abluminal membranes of guinea-pig endocardial endothelial cells **484**, 41, 1995

A monovalent cationic conductance that is blocked by extracellular divalent cations in *Xenopus* oocytes **484**, 593, 1995

Modulation of calcium-activated non-selective cation channel activity by nitric oxide in rat brown adipose tissue **486**, 59, 1995

A non-selective cation current activated via the multifunctional Ca^{2+}–calmodulin-dependent protein kinase in human epithelial cells **488**, 37, 1995

Antagonistic effects of adenosine and ATP on a cation channel in outer hair cells of the guinea-pig cochlea **489.P**, 62*P*, 1995

Dual effects of internal pH on a non-selective cation channel from the mouse collecting tubule **489.P**, 77*P*, 1995

Na^+-selective cation channel in apical cell membranes of confluent M-1 murine cortical collecting duct cells **489.P**, 93*P*, 1995

Cation current

Effects of high-energy phosphates on carbachol-evoked cationic current in single smooth muscle cells from guinea-pig ileum **485**, 659, 1995

A highly calcium-selective cation current activated by intracellular calcium release in MDCK cells **486**, 557, 1995

Non-selective cation current of guinea-pig endocardial endothelial cells **487**, 407, 1995

Baclofen inhibition of the hyperpolarization-activated cation current, I_h, in rat substantia nigra neurones *in vitro* may be secondary to potassium channel activation **487.P**, 61*P*, 1995

FcγRI activation triggers a novel Ca^{2+}-activated non-selective monovalent cation current in the human monocytic cell line, U937 **487.P**, 190*P*, 1995

Cation transport

Differential effect of low ionic strength on the two transport systems for cationic amino acids in human erythrocytes **487.P**, 98*P*, 1995

Cell cycle

A voltage-gated chloride channel in ascidian embryos modulated by both the cell cycle clock and cell volume **488**, 689, 1995

Cell death

Nineteenth century research on cell death in development **487.P**, 205*P*, 1995

Adenosine-induced apoptosis in chick embryonic sympathetic neurons: a new physiological role for adenosine **488**, 123, 1995

Cell line

Comparison of CaCo-2 and HT2-18C_1 colonic cell lines as models for the prediction of *in vivo* drug absorption **482.P**, 34*P*, 1995

Cell surface polarity maintained in cultured monolayers of immortalized rat submandibular epithelial cells **482.P**, 35*P*, 1995

Effect of bile salts on intracellular free calcium concentration in the intestinal cell line CaCo-2 **482.P**, 38*P*, 1995

A highly calcium-selective cation current activated by intracellular calcium release in MDCK cells **486**, 557, 1995

FcγRI activation triggers a novel Ca^{2+}-activated non-selective monovalent cation current in the human monocytic cell line, U937 **487.P**, 190*P*, 1995

Amino acid transporter gene expression in the immortalized keratinocyte cell line LSDM3 **487.P**, 212*P*, 1995

Osmo- and mechanosensitivity of the transient outward K^+ current in a mammalian neuronal cell line **489**, 419, 1995

Electrophysiological characterization of a TTX-sensitive Na^+ current in the highly metastatic MAT-LyLu rat prostate cancer cell line **489.P**, 50*P*, 1995

Inhibition of γ-glutamyl cysteine synthetase enhances cystine, but not glutamate, uptake by human pancreatic PaTu 8902 cells: implications for intracellular regulation of glutathione **489.P**, 108*P*, 1995

Hypotonic external solutions increase $[Ca^{2+}]_i$ in an ovarian adenocarcinoma cell strain that expresses P-glycoprotein **489.P**, 114*P*, 1995

Adenosine is mitogenic for epithelial and endothelial cell lines **489.P**, 181*P*, 1995

Adenosine monophosphate (5′-AMP) is a mitogenic factor for GH_3 cells present in human pituitary tumour extracts **489.P**, 182*P*, 1995

Cell volume

Intracellular calcium increases in response to swelling in HeLa cells **482.P**, 11*P*, 1995

Amino acids support regulatory volume increase in acinar cells isolated from the rat lacrimal gland **482.P**, 13*P*, 1995

Effect of insulin and protein kinase modulators on glutamine transport and cell volume in rat skeletal muscle myotubes **482.P**, 16*P*, 1995

Volume-activated chloride currents associated with the multidrug resistance P-glycoprotein **482.P**, 31*S*, 1995

Modulation of Na^+–H^+ exchange by altered cell volume in perfused rat mandibular salivary gland **487**, 185, 1995

Interstitial space, electrical resistance and ion concentrations during hypotonia of rat hippocampal slices **487**, 685, 1995

Evidence of improved renal cell volume control in rabbit proximal tubules with PBS140 and UW preservation solutions **489.P**, 91*P*, 1995

Cell swelling increases the basolateral K^+ conductance in isolated mouse jejunal crypts **489.P**, 102*P*, 1995

Cell volume-induced changes in phosphatidylinositol(4,5)bisphosphate in Ehrlich mouse ascites tumour cells **489.P**, 114*P*, 1995

Anion dependence of cell volume and intracellular pH in isolated perfused rat salivary glands **489.P**, 118*P*, 1995

Cell volume changes induced by the β-agonist terbutaline in fetal distal lung epithelium (FDLE) cells **489.P**, 123*P*, 1995

Role of phospholipase A_2, leukotrienes, and calcium in volume regulation in Ehrlich ascites tumour cells **489.P**, 11*S*, 1995

Central nervous system

Glial repair in the goldfish visual system **485.P**, 18*P*, 1995

Central pattern generator

A slowly activating Ca^{2+}-dependent K^+ current that plays a role in termination of swimming in *Xenopus* embryos **487**, 557, 1995

Experimentally derived model for the locomotor pattern generator in the *Xenopus* embryo **489**, 489, 1995

Cerebellar neurone

Cerebellar surface auditory evoked potential: the effect of intracerebellar injection of procaine in anaesthetized rats **483.P**, 29*P*, 1995

Ryanodine receptor-mediated intracellular calcium release in rat cerebellar Purkinje neurones **487**, 1, 1995

Effects of a membrane-permeable analogue of the Ca^{2+} chelator BAPTA on K^+ currents in rat cultured cerebellar granule neurons **489.P**, 61*P*, 1995

Cerebellum

Characterization of Ca^{2+} channel currents in cultured rat cerebellar granule neurones **482**, 493, 1995

Step phase-related excitability changes in spino-olivocerebellar paths to the c_1 and c_3 zones in cat cerebellum **483**, 687, 1995

Single-channel conductance of synaptically activated $GABA_A$ receptors in rat cerebellar granule cells in slices **483.P**, 60*P*, 1995

Electrogenic glutamate uptake in Purkinje cells in rat cerebellar slices **483.P**, 62*P*, 1995

Single channel characteristics of NMDA receptors in Purkinje cells in thin slices of neonatal rat cerebellum **483.P**, 162*P*, 1995

Synaptic excitation of individual rat cerebellar granule cells *in situ*: evidence for the role of NMDA receptors **484**, 397, 1995

Whole-cell and single-channel currents activated by GABA and glycine in granule cells of the rat cerebellum **485**, 419, 1995

Non-uniform conduction time in the olivocerebellar pathway in the anaesthetized cat **486**, 763, 1995

Fast activation and inactivation of inositol trisphosphate-evoked Ca^{2+} release in rat cerebellar Purkinje neurones **487**, 343, 1995

Apparent heterogeneity of extrasynaptic $GABA_A$ receptors in granule cells of the rat cerebellum **487.P**, 52*P*, 1995

Tyrosine kinase inhibitors block long-term depression (LTD) of AMPA receptor-mediated synaptic transmission in rat cerebellar slices **487.P**, 55*P*, 1995

Benzodiazepine modulation of GABA-activated currents in granule cells of the rat cerebellum **489.P**, 17*P*, 1995

Cerebral blood flow

Effect of systemic hypoxia upon circulation of the cerebral cortex in the anaesthetized rat **483.P**, 88*P*, 1995

Extracellular and intracellular alkalinization and the constriction of rat cerebral arterioles **484**, 743, 1995

Role of extracellular K^+ in the regulation of cerebral blood flow during hypoxia in the anaesthetized rat **487.P**, 175*P*, 1995

Dynamics of the cerebral blood flow response to hypercapnia in young humans **487.P**, 176*P*, 1995

Evidence for limbic system activation during CO_2-stimulated breathing in man **488**, 77, 1995

Hyperpnoea during and immediately after exercise in man: evidence of motor cortical involvement **489**, 663, 1995

Cerebral cortex

Amino acid levels in the cerebral cortex of hydrocephalic rat pups with and without cerebrospinal fluid diversion: a ^{1}H-NMR spectroscopy study **487.P**, 47*P*, 1995

Channel blockade

Cation regulation of anion current activated by cell swelling in two types of human epithelial cancer cells **483**, 549, 1995

Bi-stable block by 4-aminopyridine of a transient K^+ channel (Kv1.4) cloned from ferret ventricle and expressed in *Xenopus* oocytes **485**, 59, 1995

N-Pentanol block of rat brain RCK1 (Kv1.1) potassium (K^+) channels expressed in *Xenopus* oocytes: comparison with block by external tetraethylammonium (TEA^+) ions **489.P**, 59*P*, 1995

Channel gating

A cytoskeleton (CSK) deficient plasma membrane vesicle preparation from *Xenopus* oocytes for studying CSK effects on membrane ion channel gating **483.P**, 162*P*, 1995

The multi-ion nature of the cGMP-gated channel from vertebrate rods **487**, 17, 1995

Dependence of the $GABA_A$ receptor gating kinetics on the α-subunit isoform: implications for structure–function relations and synaptic transmission **489**, 529, 1995

Channel inactivation

C-type inactivation controls recovery in a fast inactivating cardiac K^+ channel (Kv1.4) **489**, 709, 1995

Charge movement

Differential suppression of charge movement components by gluconate in cut twitch fibres of *Rana temporaria* **489**, 511, 1995

Microsecond resolution of patch movement and associated charge displacement in the lateral membrane of guinea-pig outer hair cells **489.P**, 48*P*, 1995

Chemoreceptor

Ca^{2+}-activated K^+ channels in isolated type I cells of the neonatal rat carotid body **483**, 559, 1995

Hyperbolic fitting of carotid body discharge excited by ramps of CO_2 and O_2 in the anaesthetized cat **483.P**, 90*P*, 1995

Effects of K^+ upon hypoxic chemosensitivity in the neonatal and adult rat carotid body, *in vitro* **483.P**, 91*P*, 1995

Chronic hypoxaemia from birth and chemosensitivity in the rat carotid body *in vitro* **483.P**, 103*P*, 1995

Chemoreceptor responses in the adriatic sturgeon, *Acipenser naccarii* **483.P**, 184*P*, 1995

Postnatal development of CO_2–O_2 interaction in the rat carotid body *in vitro* **485**, 531, 1995

Effect of chronic hypoxaemia from birth upon chemosensitivity in the adult rat carotid body *in vitro* **485**, 543, 1995

Acceleration of puberty onset in female mice by male urinary proteins **486**, 517, 1995

Hypothalamic modulation of the arterial chemoreceptor reflex in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 751, 1995

Intracellular calcium store-dependent coupling between O_2 chemoreception and chemosensory discharge in the isolated perfused cat carotid body **487.P**, 16*P*, 1995

Effect of adenosine on CO_2 chemosensitivity in the rat carotid body, *in vitro* **487.P**, 176*P*, 1995

Effect of charybdotoxin on hypoxic chemosensitivity in the adult rat carotid body, *in vitro* **487.P**, 177*P*, 1995

L- and N-type Ca^{2+} channels in adult rat carotid body chemoreceptor type I cells **489**, 689, 1995

Interaction of temperature and CO_2 in the adult rat carotid body, *in vitro* **489.P**, 162*P*, 1995

Maturation of carotid chemoreceptor responses to CO_2 in the anaesthetized newborn lamb **489.P**, 162*P*, 1995

Chemoreceptor reflex

NMDA receptor-mediated sympathetic chemoreflex excitation of RVL–spinal vasomotor neurones in rats **482**, 53, 1995

An assessment of central–peripheral ventilatory chemoreflex interaction using acid and bicarbonate infusions in humans **485**, 561, 1995

Chick

Patch-clamp analysis of glycine-induced currents in chick ciliary ganglion neurons **487**, 395, 1995

Chloride

β-Amino acid transport in pig small intestine *in vitro* by a high affinity, chloride-dependent carrier **482.P**, 25*P*, 1995

Protein phosphatase-mediated inhibition of chloride-dependent, GTP-utilizing protein kinase activity in human respiratory epithelim *in vitro* **482.P**, 31*P*, 1995

Regulatory volume decrease in ROS 17/2·8 osteoblast-like cells: evidence for the involvement of a volume-sensitive chloride channel **483.P**, 173*P*, 1995

Hypotonically activated and GTPγS-activated chloride currents in bovine pigmented ciliary epithelial cells both require activity of phospholipase C **487.P**, 101*P*, 1995

Events following activation of human Neuromedin B receptors expressed in *Xenopus* oocytes **489.P**, 49*P*, 1995

A Cl^- conductance co-localized with Na^+–glucose co-transport in brush-border membrane vesicles (BBMVs) prepared from enterocytes from rat small intestine **489.P**, 96*P*, 1995

An acetazolamide-sensitive inward chloride pump in rat ventricle *in vitro* **489.P**, 98*P*, 1995

Chloride channel

A chloride channel in isolated muscle vesicles from *Ascaris suum* conducts products of anaerobic metabolism, suggesting a role in excretion of organic anions **482.P**, 8*P*, 1995

Chloride channel heterogeneity in apical membrane of isolated mitochondria-rich cells from toad skin **482.P**, 8*P*, 1995

Trinitrophenyl-ATP causes a voltage-dependent blockade of the Cl^- channel of isolated guinea-pig small intestinal villus enterocytes **482.P**, 10*P*, 1995

Ion channels involved in *in situ* fluid secretion from the frog skin gland **482.P**, 24*P*, 1995

Properties of voltage-gated chloride channels of the ClC gene family **482.P**, 19*S*, 1995

Volume-activated chloride currents associated with the multidrug resistance P-glycoprotein **482.P**, 31*S*, 1995

Cation regulation of anion current activated by cell swelling in two types of human epithelial cancer cells **483**, 549, 1995

$GABA_A$ receptor activation and the excitability of nerve terminals in the rat posterior pituitary **483**, 583, 1995

Photoreleased Ca^{2+} activates Cl^- currents in isolated rat pulmonary arterial smooth muscle cells **483.P**, 106*P*, 1995

A bicyclic dinitrile radioligand for studying GABA-gated Cl^- channels **483.P**, 193*P*, 1995

Volume-activated chloride channels in rat parotid acinar cells **484**, 677, 1995

A small-conductance Cl^- channel in the mouse thick ascending limb that is activated by ATP and protein kinase A **485**, 97, 1995

Failure of P-glycoprotein (MDR1) expressed in *Xenopus* oocytes to produce swelling-activated chloride channel activity **486**, 707, 1995

Activation of the plasma membrane chloride channel by protein kinase C in isolated guinea-pig hepatocytes **487**, 379, 1995

Involvement of proteins of the band 3 (AE) family in passive taurine transport **487.P**, 97*P*, 1995

CFTR anti-sense oligodeoxynucleotides reduce cAMP-dependent Cl^- currents in cultured guinea-pig ventricular myocytes **487.P**, 128*P*, 1995

Two types of whole-cell chloride current expressed in cultured human cytotrophoblast cells **487.P**, 186*P*, 1995

Activation of Cl^- channels by extracellular Ca^{2+} in freshly isolated rabbit osteoclasts **487.P**, 200*P*, 1995

Ca^{2+}-activated Cl^- and K^+ channels in pulmonary arterial smooth muscle of the rat **487.P**, 11*S*, 1995

Functional role of follicular cells in the generation of osmolarity-dependent Cl^- currents in *Xenopus* follicles **488**, 351, 1995

Cyclic AMP prevents activation of a swelling-induced chloride-sensitive conductance in chick heart cells **488**, 359, 1995

A mini Cl^- channel sensitive to external pH in the basolateral membrane of guinea-pig parietal cells **488**, 57, 1995

A voltage-gated chloride channel in ascidian embryos modulated by both the cell cycle clock and cell volume **488**, 689, 1995

A maxi Cl^- channel coupled to endothelin B receptors in the basolateral membrane of guinea-pig parietal cells **488**, 65, 1995

Characterization and regulation of a chloride channel from bovine tracheal epithelium **489**, 81, 1995

Distribution of cAMP-dependent chloride current and CFTR mRNA in the guinea-pig heart **489.P**, 63*P*, 1995

The involvement of chloride channels in bovine lens volume regulation and cataract **489.P**, 64*P*, 1995

Anion permeability of human recombinant $GABA_A$-gated chloride channels expressed in *Xenopus* oocytes **489.P**, 80*P*, 1995

A population of small conductance Cl^- channels in the apical membrane of isolated mitochondria-rich cells from toad skin **489.P**, 116*P*, 1995
Chloride channels in the basolateral membrane of mitochondria-rich cells of toad skin epithelium **489.P**, 116*P*, 1995
Relationship between cystic fibrosis mutations and CFTR Cl^- channel dysfunction **489.P**, 2*S*, 1995
The P-glycoprotein of multidrug-resistant cells: solute pump and transporter regulator **489.P**, 12*S*, 1995
Cl^- channels in the mouse thick ascending limb of the loop of Henle **489.P**, 17*S*, 1995
Single channel patch clamp study of mitochondria-rich cells of toad skin **489.P**, 18*S*, 1995

Chloride conductance
Characterization of whole-cell chloride conductances in a mouse inner medullary collecting duct cell line IMCD-3 **482.P**, 9*P*, 1995
Activation of a Cl^- conductance by SCN^- in single proximal tubule cells isolated from *Rana temporaria* **486**, 715, 1995
Effects of cyclic AMP and theophylline on chloride conductance across toad skin **489**, 105, 1995
A hyperpolarization-activated chloride current in ciliated cells isolated from murine nasal epithelium **489.P**, 97*P*, 1995
Chloride conductance in freshly dissociated bovine pigmented ciliary body epithelial cells **489.P**, 97*P*, 1995

Chloride current
Angiotensin II activation of a chloride current in rabbit cardiac myocytes **483**, 119, 1995
Two components of $[Ca^{2+}]_i$-activated Cl^- current during large $[Ca^{2+}]_i$ transients in single rabbit heart Purkinje cells **483**, 319, 1995
Electrophysiological changes to isolated guinea-pig ventricular myocytes during progressive hypertrophy **483.P**, 22*P*, 1995
Chloride currents across the membrane of mammalian skeletal muscle fibres **484**, 355, 1995
Characterization of a volume-sensitive chloride current in osteoblast-like (ROS 17/2.8) cells **485**, 671, 1995
A hyperpolarization-activated chloride current in acutely isolated rat superior cervical ganglion (SCG) neurons **485.P**, 48*P*, 1995
Bradykinin evokes a calcium-activated chloride current in fibroblasts isolated from rat dorsal root ganglia **485.P**, 48*P*, 1995
Activation mechanism of Ca^{2+}-sensitive transient outward current in rabbit ventricular myocytes **486**, 593, 1995
Endothelin-1 activates Ca^{2+}-activated Cl^- currents in smooth muscle cells isolated from the pulmonary arterial tree of the rat **487.P**, 81*P*, 1995
Unitary and whole-cell Ca^{2+}-activated Cl^- currents in canine ventricular myocytes **487.P**, 146*P*, 1995
Modulation by arachidonic acid of a volume-sensitive chloride current in ROS 17/2.8 osteoblast-like cells **487.P**, 190*P*, 1995
α-Adrenergic inhibition of the β-adrenoceptor-dependent chloride current in guinea-pig ventricular myocytes **489**, 95, 1995
Regulation and expression of volume-activated Cl^- channels in mouse pancreatic duct cells are independent of CFTR **489.P**, 115*P*, 1995

Chloride secretion
The genetic advantage hypothesis in cystic fibrosis heterozygotes: a murine study **482**, 449, 1995
Differential temporal relations between electrogenic ion secretion and the K^+ conductance of the basolateral membranes of rat proximal and distal colon activated by cholinergic agonists or dibutyryl cyclic AMP *in vitro* **485.P**, 37*P*, 1995
Role of basolateral potassium channels in chloride secretion in human and mammalian intestine **489.P**, 101*P*, 1995
Diquat-induced Cl^- secretion in MDCK epithelial monolayers **489.P**, 118*P*, 1995
Removal and restoration of chloride secretory activity in murine gut epithelia by genetic manipulation **489.P**, 3*S*, 1995

Chloride transport
The delayed basolateral membrane hyperpolarization of the bovine retinal pigment epithelium: mechanism of generation **484**, 53, 1995
Effects of the substituted benzimidazolone NS004 on the CFTR Cl^- channel from normal and cystic fibrosis cells **489.P**, 99*P*, 1995

Cholecystokinin
Regulation of cholecystokinin-octapeptide-evoked magnesium transport in single mouse pancreatic acinar cells **485.P**, 36*P*, 1995
Involvement of nitric oxide in the mediation of CCK and bile + oleate-induced intestinal vascular, metabolic and motor responses **487.P**, 37*P*, 1995

Choline
Choline transport in HL-60 cells **489.P**, 98*P*, 1995

Chondrocyte
Volume regulatory properties of porcine articular chondrocytes measured in cartilage explants using confocal microscopy **482.P**, 12*P*, 1995
Activation of K^+ transport pathways of isolated bovine articular chondrocytes following osmotic perturbation **482.P**, 18*P*, 1995
Volume-sensitive taurine transport in bovine articular chondrocytes **484**, 755, 1995
Protocols for determining chondrocyte volume *in situ* from three dimensional confocal images **487.P**, 3*P*, 1995
Stimulation of cation transport in isolated bovine articular chondrocytes following hypertonic shock **489.P**, 107*P*, 1995
Mechanosensitive calcium increase in isolated porcine chondrocytes **489.P**, 112*P*, 1995
Intracellular calcium is increased in isolated human chondrocytes by histamine **489.P**, 119*P*, 1995
Inhibition of membrane transporters for K^+ in isolated bovine articular chondrocytes by hydrostatic pressure **489.P**, 122*P*, 1995

Choroid plexus
Delayed-rectifier K^+ currents in the epithelial cells of choroid plexus isolated from the rat **482.P**, 17*P*, 1995
Effect of pipette pH on whole-cell K^+ currents in epithelial cells of r t choroid plexus **489.P**, 120*P*, 1995

Chromaffin cell
Veratridine-induced oscillations of cytosolic calcium and membrane potential in bovine chromaffin cells **482**, 15, 1995
The suppression of Ca^{2+}- and voltage-dependent K^+ current during mAChR activation in rat adrenal chromaffin cells **485**, 297, 1995
Changes in mitochondrial function, $[Ca^{2+}]_i$ and catecholamine secretion in response to hypoxia in chromaffin cells dissociated from the newborn rat adrenal **487.P**, 59*P*, 1995
Spatio-temporal analysis of quantal secretory events from single bovine adrenal chromaffin cells in culture **487.P**, 59*P*, 1995
Excitatory cholinergic synaptic transmission in thin tissue slices from rat adrenal medulla **487.P**, 192*P*, 1995

Chromatic bandwidth
Red–green opponent channel mediation of control of human ocular accommodation **482**, 697, 1995

Chromatic motion
Contributions of human long-wave and middle-wave cones to motion detection **485**, 221, 1995

Ciliary epithelium
A hyperpolarization-activated chloride current in ciliated cells isolated from murine nasal epithelium **489.P**, 97*P*, 1995

Cilium
Asymmetrical interaction of cyclic AMP and calcium-dependent pathways regulating ciliary beat frequency in human respiratory epithelium *in vitro* **482.P**, 44*P*, 1995

Circadian rhythm
Shifts of thermoeffector thresholds in heat-acclimated rats **483**, 491, 1995
An unusual rhythm of neuronal discharge activity in the guinea-pig suprachiasmatic nuclei (SCN) brain slice over 24 h **483.P**, 57*P*, 1995
A rapidly activating type of outward rectifier K^+ current and A-current in rat suprachiasmatic nucleus neurones **488**, 339, 1995

Circulation
Vascular effects of parathyroid hormone and parathyroid hormone-related protein in the split hydronephrotic rat kidney **483**, 481, 1995
The dynamics of pulmonary O_2 uptake and femoral artery blood flow during moderate intensity exercise in humans **483.P**, 130*P*, 1995
Capillary pressure during and after incremental venous pressure elevation in man **485**, 213, 1995

Climbing fibre
Non-uniform conduction time in the olivocerebellar pathway in the anaesthetized cat **486**, 763, 1995

Coactivation
Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans **485**, 857, 1995

Cochlea

Rapid technique for the measurement of the elemental composition of inner ear fluids using energy dispersive X-ray microanalysis **483.P**, 5*P*, 1995

A computational model of the cochlea and cochlear nerve for teaching and research **485.P**, 2*P*, 1995

Field-emission scanning electron microscopy of cochlear hair cells: tip links, lateral links and tip junctions on stereocilia **485.P**, 2*P*, 1995

Using a PC sound card to record otoacoustic emission data **485.P**, 4*P*, 1995

Membrane properties of granule cells of the rat ventral cochlear nucleus (VCN) in a thin slice preparation **485.P**, 14*P*, 1995

Mechanotransduction channels on cochlear hair cells could be operated by shear displacement **485.P**, 16*P*, 1995

The distribution of unit types in the dorsal cochlear nucleus of chloralose anaesthetized guinea-pigs **485.P**, 29*P*, 1995

A comparison of the immunolabelling patterns obtained with antibodies to keratan sulphate and elastin in guinea-pig cochlea hair bundles **485.P**, 32*P*, 1995

Extensions to a time domain model of cochlear mechanics **485.P**, 32*P*, 1995

Three-dimensional mechanical modelling of the cochlea **485.P**, 33*P*, 1995

Cold

The influence of cold-exposure on the metabolic and thermoregulatory responses to prolonged intermittent walking exercise in man **483.P**, 123*P*, 1995

The effect of cold acclimation on skeletal muscle of the laboratory rat **483.P**, 132*P*, 1995

Does cold exposure influence the metabolic and thermoregulatory responses to prolonged low intensity walking in man? **489.P**, 39*P*, 1995

Collecting tubule

Effects of mercurial compounds on cyclic AMP-stimulated osmotic permeability of isolated cortical collecting tubules from rabbit kidney **483.P**, 167*P*, 1995

Colon

Activation of basolateral K^+ channels by aldosterone in isolated human colon **482.P**, 2*P*, 1995

The pericryptal fibroblast layer in rat descending colon sustains large transcryptal Na^+ gradients **482.P**, 3*P*, 1995

Comparison of CaCo-2 and HT2-18C_1 colonic cell lines as models for the prediction of *in vivo* drug absorption **482.P**, 34*P*, 1995

Human colonic crypts have both high and low conductance basolateral K^+ channels **482.P**, 43*P*, 1995

Concentration polarization of fluorescent dyes in rat descending colonic crypts: evidence of crypt fluid absorption **487**, 479, 1995

Influence of voltage and Ca^{2+} on K^+ channels induced by dietary K^+ loading in surface cells of rat distal colon **487.P**, 39*P*, 1995

The effect of glyceryl trinitrate (GTN) on the frequency and amplitude of agonist-induced contractions in human colonic smooth muscle **487.P**, 92*P*, 1995

The laxative action of paraffin **489.P**, 111*P*, 1995

Effect of pH on K^+ channels in K^+ secreting rat distal colon **489.P**, 121*P*, 1995

Non-genomic activation of K_{ATP} channels in human colon by oestradiol **489.P**, 122*P*, 1995

Modulation of rat colonic protein kinase C (PKC) activity by steroid hormones **489.P**, 123*P*, 1995

Phagocyte-derived lumenal superoxide induces water secretion in rat colon *in vivo* **489.P**, 129*P*, 1995

Colour vision

Red–green opponent channel mediation of control of human ocular accommodation **482**, 697, 1995

A modified portable fibre optics apparatus for measurements of spectral sensitivity **485.P**, 5*P*, 1995

The effects of chromatic aberration upon the detection of chromatic gratings in humans **485.P**, 20*P*, 1995

Wavelength discrimination at detection thresholds reveals human colour opponent mechanisms **485.P**, 20*P*, 1995

Balancing sensitivity of human chromatic opponent mechanisms by adaptation **485.P**, 21*P*, 1995

Evidence for relational colour constancy in red-green colour-deficient human observers **485.P**, 23*P*, 1995

Orientation discrimination in humans as a function of chromatic content and spatial frequency **485.P**, 23*P*, 1995

Computer

MedWeb – an integrated system for delivering teaching, research and administrative information over computer networks **483.P**, 4*P*, 1995

Apparatus and software for delivering waveforms of drug concentrations using pulse width modulation **485.P**, 3*P*, 1995

Using a PC sound card to record otoacoustic emission data **485.P**, 4*P*, 1995

'HyperHistology' – an application for computer-aided learning in histology **489.P**, 2*P*, 1995

Computer modelling

Effects of apical Cl^- conductance on HCO_3^- secretion by a computer model of rat pancreatic duct cells **482.P**, 31*P*, 1995

Temporal structure in the light response of relay cells in the dorsal lateral geniculate nucleus of the cat **485**, 715, 1995

A simple computational model of the medial superior olivary complex **485.P**, 31*P*, 1995

Conduction velocity in a model strand of cardiomyocytes is linearly related to intracellular sodium concentration **487.P**, 15*P*, 1995

Experimentally derived model for the locomotor pattern generator in the *Xenopus* embryo **489**, 489, 1995

Conductance

Characterization of a volume-sensitive chloride current in osteoblast-like (ROS 17/2.8) cells **485**, 671, 1995

Effect of angiotensin II (AII) on membrane potential and background conductances of isolated bovine zona fasciculata adrenal cells in primary culture **487.P**, 189*P*, 1995

Conduction velocity

Determinants of conduction velocity in myocardium isolated from hypertrophied guinea-pig hearts **485.P**, 44*P*, 1995

Conduction velocity in a model strand of cardiomyocytes is linearly related to intracellular sodium concentration **487.P**, 15*P*, 1995

Activity-dependent slowing of conduction velocity in different classes of C-fibre in the anaesthetized rat **487.P**, 214*P*, 1995

Perinatal development of action potential propagation in cat rubrospinal axons **488**, 419, 1995

Contractility

Effects of stimulated eccentric exercise on indices of human muscle contractility **483.P**, 121*P*, 1995

The effect of the menstrual cycle on the human quadriceps strength, contractile properties and fatiguability **483.P**, 128*P*, 1995

Membrane resealing and restoration of contractility after mechanical injury in frog skeletal muscle **487.P**, 88, 1995

Contraction

The role of the Na^+–Ca^{2+} exchanger in the rate-dependent increase in contraction in guinea-pig ventricular myocytes **482**, 555, 1995

The effect of temperature reduction on isolated myotonic rat muscle **482.P**, 28*P*, 1995

Effects of thapsigargin on unloaded cell shortening in guinea-pig ventricular myocytes **483.P**, 16*P*, 1995

The voltage dependence of contraction is modified by stimulation frequency in isolated guinea-pig ventricular myocytes **483.P**, 18*P*, 1995

Measurement of luminal diameter in α-toxin-permeabilized isolated rat cerebral artery with pressure myograph **483.P**, 112*P*, 1995

Influence of nitric oxide on contraction and L-type calcium currents in guinea-pig isolated ventricular myocytes **487.P**, 137*P*, 1995

Similar maximum velocity of shortening in single fibres expressing the same myosin heavy chain, but from different human skeletal muscles **487.P**, 152*P*, 1995

Free radical activity during contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 157*P*, 1995

Lack of effect of vitamin E on contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 158*P*, 1995

The effects of extracellular pH and calcium change on force and intracellular calcium in rat vascular smooth muscle **488**, 281, 1995

Increase in reciprocal Ia inhibition during antagonist contraction in the human leg: a study of motor units and the H reflex **489**, 275, 1995

Major difference between rat and guinea-pig ureter in the ability of agonists and caffeine to release Ca^{2+} and influence force **489**, 327, 1995

Copper

Impairment of sustained swimming performance of brown trout (*Salmo trutta*) exposed to sub-lethal copper in soft acidic water **483.P**, 197*P*, 1995

Effect of nutritional copper deficiency on copper uptake by plasma membrane vesicles isolated from rat livers **489.P**, 125*P*, 1995

Coronary artery
The inward rectifier current in coronary arterioles isolated from guinea-pig heart **483.P**, 111*P*, 1995
Preferential [^{125}I]-endothelin-1 binding to microvascular endothelium at regions of human coronary arteries **483.P**, 136*P*, 1995
Adaptation of the coronary vascular bed to altered load in the light of new paradigms of vascular control **483.P**, 5*S*, 1995
Dissociation of β-adrenoceptor-mediated relaxation and cyclic adenosine monophosphate metabolism by echothiopate in the porcine isolated coronary artery **487.P**, 84*P*, 1995

Coronary circulation
The influence of hypoxia on transvascular leakage in the isolated rat heart: quantitative and ultrastructural studies **482**, 157, 1995

Coronary flow
Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat **487.P**, 168*P*, 1995

Cortex
Functionally related morphology of local circuit connections of sparsely spiny interneurones in slices of rat neocortex **483.P**, 59*P*, 1995
Sulphonylurea-sensitive $^{86}K_{ATP}$ channels on a novel isolated nerve terminal preparation of rat motor cortex **483.P**, 66*P*, 1995
The effects of neuroleptic and tricyclic compounds on BK_{Ca} channels in rat isolated cortical neurones **483.P**, 67*P*, 1995
L(+)-2-amino-4-phosphonobutyric acid (L-AP4) causes disinhibition of neuronal responses in primary somatosensory (SI) cortex of the urethane-anaesthetized adult rat **483.P**, 155*P*, 1995
Non-retinotopic visual area with a putative motion map in extrastriate cortex of the anaesthetized cat **485.P**, 9*P*, 1995
Pyramid-to-interneurone connections can be mediated by multiple synaptic contacts in slices of rat neocortex **487.P**, 52*P*, 1995
Differences in the contribution of NMDA receptors to spontaneous excitation in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 62*P*, 1995
A comparison of spontaneous glutamate-mediated synaptic currents in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 63*P*, 1995
α-Antagonists inhibit BK_{Ca} channel activity in rat isolated cortical neurones **487.P**, 196*P*, 1995
Electrophysiology, light and electron microscopy of fast spiking interneurone-to-pyramid connections in rat somatomotor cortex *in vitro* **489.P**, 19*P*, 1995
Characteristics of single axon recurrent excitatory connections between neurones in layer III of the rat entorhinal cortex *in vitro* **489.P**, 20*P*, 1995

Cortical neurone
Subthreshold oscillations and resonant frequency in guinea-pig cortical neurons: physiology and modelling **483**, 621, 1995
Characterization of an ATP-modulated large conductance Ca^{2+}-activated K^+ channel present in rat cortical neurones **488**, 319, 1995

Corticospinal tract
Task-related variation in corticospinal output evoked by transcranial magnetic stimulation in the macaque monkey **488**, 795, 1995

Corticosterone
A study of the role of corticosterone as a mediator in exercise-induced stimulation of murine macrophage phagocytosis **488**, 789, 1995

Corticotrophin
Characterization of a novel ligand for hCRH binding protein in sheep brain **489.P**, 183*P*, 1995
Purification and N-terminal sequence analysis of human pro-corticotropin releasing hormone precursor **489.P**, 183*P*, 1995

Cortisol
Bright light influences vasopressin and cortisol secretion in man **485.P**, 52*P*, 1995
Melatonin affects the pattern of oxytocin secretion in man **489.P**, 173*P*, 1995

Cotransport
The effect of kinase and phosphatase inhibition on oxygen- and volume-sensitive K^+–Cl^- co-transport in equine red cells **482.P**, 7*P*, 1995
Up-regulation of the Na^+–K^+–$2Cl^-$ co-transporter by muscarinic stimulation in parotid acinar cells isolated from the rat **482.P**, 7*P*, 1995
Voltage-dependent clamp of intracellular pH of identified leech glial cells **485**, 157, 1995
Intracellular magnesium and oxygenation-activation of the equine red cell KCl co-transporter **489.P**, 100*P*, 1995
Protein tyrosine phosphorylation regulates the KCl co-transporter in trout red cells **489.P**, 100*P*, 1995
In the absence of bicarbonate and CO_2, Na^+–H^+ antiport mediates all pH recovery from acidification in ciliated cells isolated from sheep trachea **489.P**, 103*P*, 1995

Cough
Sensory origin of lobeline-induced sensations: a correlative study in man and cat **482**, 235, 1995
Digital sound level meter for the assessment of cough symptom severity **487.P**, 2*P*, 1995

Countercurrent exchange
A simplified mathematical model for the transcapillary exchange of fluid and albumin in the renal medulla **483.P**, 139*P*, 1995

Cranial nerve
Rhythm generation in the segmented hindbrain of chick embryos **486**, 735, 1995

Crayfish
Primary afferent depolarizations of sensory origin recorded from mechanoreceptor afferents in a crayfish preparation *in vitro* **483.P**, 194*P*, 1995

Creatine
The effect of creatine supplements on repeated 30 s cycle sprints in man **483.P**, 122*P*, 1995
The effects of 4 days of supplementation with three creatine dosages (10, 25 and 35 g day^{-1}) on repeated cycle sprints in man **485.P**, 45*P*, 1995

Creatine phosphate
Reduced maximum shortening velocity in the absence of phosphocreatine observed in intact fibres of *Xenopus* skeletal muscle **482**, 383, 1995
Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man **482**, 467, 1995
Effects of creatine phosphate and inorganic phosphate on the sarcoplasmic reticulum of saponin-treated rat heart **483**, 155, 1995
Phosphocreatine and ATP modulate Ca^{2+}-activated force in α-toxin-treated isolated rabbit portal vein and mesenteric artery **487.P**, 88*P*, 1995

Cross-bridge
Absence of mechanical evidence for attached weakly binding cross-bridges in frog relaxed muscle fibres **482**, 391, 1995
Relaxation of tension in fibrillar insect flight muscle **483.P**, 195*P*, 1995
Effects of inorganic phosphate on cross-bridge kinetics at different activation levels in skinned guinea-pig smooth muscle **484**, 369, 1995
Comparison of energy output during ramp and staircase shortening in frog muscle fibres **487**, 699, 1995
Monte Carlo simulation of cross-bridge noise in actomyosin **487.P**, 156*P*, 1995
Simulation of the effect of ADP on the response of rigorized cross-bridges to the release of caged ATP **487.P**, 156*P*, 1995

Cross-correlation
Motor co-ordinates in primate red nucleus: preferential relation to muscle activation *versus* kinematic variables **488**, 533, 1995

Culture
Primary culture of human apocrine sweat gland; some electrophysiological characteristics **482.P**, 43*P*, 1995

Current clamp
A-current modifies the spike of C-type neurones in the rabbit nodose ganglion **486**, 439, 1995

Cutaneous mechanoreceptor
Velocity sensitivity of human muscle spindle afferents and slowly adapting type II cutaneous mechanoreceptors **489**, 593, 1995

Cutaneous receptor
Skin strain patterns provide kinaesthetic information to the human central nervous system **487**, 243, 1995

Cutaneous reflex
Fusimotor neurone responses to medial plantar nerve stimulation in the decerebrate cat **482**, 167, 1995
The effects of stimulus intensity on the cutaneomuscular reflexes in tibialis anterior in man **483.P**, 80*P*, 1995
Cutaneomuscular reflexes recorded from the lower limb in man during different tasks **487**, 237, 1995
Mechanism for reflex reversal during walking in human tibialis anterior muscle revealed by single motor unit recording **488**, 249, 1995

Cyclic adenosine monophosphate (cyclic AMP)
Asymmetrical interaction of cyclic AMP and calcium-dependent pathways regulating ciliary beat frequency in human respiratory epithelium *in vitro* **482.P**, 44*P*, 1995
Dopamine D_1 receptor modulates the voltage-gated sodium current in rat striatal neurones through a protein kinase A **483**, 95, 1995
Neuropeptide Y-induced modulation of cyclic adenosine monophosphate and contractile responses in porcine isolated blood vessels **483.P**, 111*P*, 1995
Effects of phosphodiesterase inhibitors on spontaneous electrical activity (slow waves) in the guinea-pig gastric muscle **485**, 493, 1995
Role of β-adrenoceptor-mediated mechanisms within the nucleus of the solitary tract (NTS) for regulating baroreceptor reflex responsiveness in anaesthetized rats **487.P**, 173*P*, 1995
Interactions of Ins 1,4,5 P_3, cylic ADP ribose and cyclic AMP in Ca^{2+} signalling in the mouse lacrimal acinar cells **489.P**, 113*P*, 1995
Effects of cyclic AMP and theophylline on chloride conductance across toad skin **489**, 105, 1995
Intracellular cyclic AMP in interlobular pancreatic ducts isolated from guinea-pigs **489.P**, 129*P*, 1995
Glucocorticoids prevent cAMP-mediated inhibition of potassium currents in a clonal pituitary corticotroph cell line, AtT20 D16 : 16 **489.P**, 173*P*, 1995
Adenosine is mitogenic for epithelial and endothelial cell lines **489.P**, 181*P*, 1995
Enhanced proliferation in rat GH_3 cells expressing the leucine (-227) mutation of $G\alpha_s$ is associated with increased levels of cAMP **489.P**, 181*P*, 1995

Cyclic guanosine monophosphate (cyclic GMP)
CAP_{2b}, a cardioactive peptide of lepidopteran insects, can also stimulate fluid production by Malpighian tubules of *Drosophila melanogaster* through a mechanism involving cyclic GMP **482.P**, 26*P*, 1995
Evidence for the involvement of cGMP in neural bronchodilator responses in human trachea **483**, 525, 1995
Conductance and kinetics of single cGMP-activated channels in salamander rod outer segments **483**, 567, 1995
Ca^{2+} modulation of the cGMP-gated channel of bullfrog retinal rod photoreceptors **484**, 69, 1995
Spontaneous, ligand-independent activity of the cGMP-gated ion channels in cone photoreceptors of fish **485**, 699, 1995
Modulation of the cGMP-gated ion channel in frog rods by calmodulin and an endogenous inhibitory factor **486**, 533, 1995
Intracellular photorelease of cGMP in the presence of β-NAD^+ evokes inward currents in cultured dorsal root ganglion neurones from neonatal rats **487.P**, 12*P*, 1995
The modulation by cyclic GMP of the calcium current in rabbit ventricular myocytes **487.P**, 135*P*, 1995
Evidence that endogenously produced cyclic GMP has no effect on transepithelial liquid transport in *in situ* perfused postnatal sheep lungs **489.P**, 112*P*, 1995

Cyclic nucleotide
Nitric oxide activates multiple potassium channels in canine colonic smooth muscle **489**, 735, 1995

Cyclosporin A
Functional effects of myoblast implantation into histoincompatible mice with or without immunosuppression **484**, 493, 1995

Cystic fibrosis
A small-conductance Cl^- channel in the mouse thick ascending limb that is activated by ATP and protein kinase A **485**, 97, 1995
The actin filament disrupter cytochalasin D activates the recombinant cystic fibrosis transmembrane conductance regulator Cl^- channel in mouse 3T3 fibroblasts **489**, 745, 1995
Distribution of cAMP-dependent chloride current and CFTR mRNA in the guinea-pig heart **489.P**, 63*P*, 1995
UTP effect on calcium mobilization in human normal and cystic fibrosis airway epithelia **489.P**, 98*P*, 1995
Effects of the substituted benzimidazolone NS004 on the CFTR Cl^- channel from normal and cystic fibrosis cells **489.P**, 99*P*, 1995
CFTR: mutations, ion channel function and cystic fibrosis **489.P**, 2*S*, 1995
Relationship between cystic fibrosis mutations and CFTR Cl^- channel dysfunction **489.P**, 2*S*, 1995
Removal and restoration of chloride secretory activity in murine gut epithelia by genetic manipulation **489.P**, 3*S*, 1995
Cyclic AMP-independent regulation of cystic fibrosis transmembrane conductance regulator (CFTR) by the actin cytoskeleton **489.P**, 6*S*, 1995

Cytochalasin D
The actin filament disrupter cytochalasin D activates the recombinant cystic fibrosis transmembrane conductance regulator Cl^- channel in mouse 3T3 fibroblasts **489**, 745, 1995

Cytoskeleton
A cytoskeleton (CSK) deficient plasma membrane vesicle preparation from *Xenopus* oocytes for studying CSK effects on membrane ion channel gating **483.P**, 162*P*, 1995

Cytosolic calcium
Effects of nutrients and non-nutrients on fura-2 fluorescence in isolated rat pancreatic islets: possible contribution from autofluorescence **482.P**, 21*P*, 1995
Resting load regulates cytosolic calcium–force relationship of the contraction of bovine cerebovascular smooth muscle **484**, 123, 1995
Functional availability of sodium channels modulated by cytosolic free Ca^{2+} in cultured mammalian neurons (N1E-115) **484**, 307, 1995
Sustained calcium influx activated by basic fibroblast growth factor in Balb-c 3T3 fibroblasts **484**, 557, 1995
Coincidence of early glucose-induced depolarization with lowering of cytoplasmic Ca^{2+} in mouse pancreatic β-cells **485**, 607, 1995

Dehydration
The arginine vasotocin system in chickens exhibits a diurnal rhythm only during dehydration **483.P**, 48*P*, 1995
Effects of thermal dehydration on exercise performance indicators in man **489.P**, 43*P*, 1995

Delayed rectifier
Multiple components of delayed rectifier K^+ current in canine colonic smooth muscle **484**, 339, 1995
Contrasting effects of nickel and E4031 on components of delayed rectifier potassium current in guinea-pig ventricular myocytes **485.P**, 43*P*, 1995
Electrical and morphological factors influencing the depolarizing after-potential in rat and lizard myelinated axons **489**, 141, 1995
Effect of pipette pH on whole-cell K^+ currents in epithelial cells of rat choroid plexus **489.P**, 120*P*, 1995

Dendrite
Dendritic glutamate receptor channels in rat hippocampal CA3 and CA1 pyramidal neurons **482**, 325, 1995
Regenerative properties of pyramidal cell dendrites in area CA1 of the rat hippocampus **483**, 421, 1995
Dendritic calcium transients evoked by single back-propagating action potentials in rat neocortical pyramidal neurons **485**, 1, 1995
Imaging of calcium variations in living dendritic spines of cultured rat hippocampal neurons **486**, 283, 1995
Spatial profile of dendritic calcium transients evoked by action potentials in rat neocortical pyramidal neurones **487**, 583, 1995
Characterization of single voltage-gated Na^+ and Ca^{2+} channels in apical dendrites of rat CA1 pyramidal neurons **487**, 67, 1995
Evidence for a Ca^{2+}-dependent K^+ conductance in rat hippocampal CA1 pyramidal cell dendrites **487.P**, 60*P*, 1995

Denervation
Involvement of vasodilator mechanisms in arterial pressure lability after sino-aortic baroreceptor denervation in rat **482**, 435, 1995
The effect of partial denervation of developing rat fast muscles on their motor unit properties **482**, 651, 1995
Expression and distribution of sodium channels in short- and long-term denervated rodent skeletal muscles **483**, 109, 1995
Discrimination of coupled muscle fibre populations in the skin of squids (*Loligo vulgaris* and *L. opalescens*) following unilateral nerve section **489.P**, 134*P*, 1995

Dentate gyrus
Ca^{2+} permeable AMPA and NMDA receptor channels in basket cells of rat hippocampal dentate gyrus **485**, 383, 1995
The transition to seizure is associated with a change in the frequency response properties of the dentate gyrus in the rat tetanus toxin model of epilepsy **487.P**, 54*P*, 1995
Dantrolene inhibits long-term depression and depotentiation of synaptic transmission in the dentate gyrus of rat hippocampal slices **487.P**, 55*P*, 1995
Inhibition of long-term potentiation by tumour necrosis factor in the rat dentate gyrus *in vitro* **489.P**, 6*P*, 1995

Desensitization
Calcium entry through a subpopulation of AMPA receptors desensitized neighbouring NMDA receptors in rat dorsal horn neurons **485**, 373, 1995

Receptor kinase-dependent desensitization of the muscarinic K^+ current in rat atrial cells **487**, 359, 1995

Development

Increased locomotor activity in newborn rats causes motoneurone death **483.P**, 40*P*, 1995

A developmental switch in the consequences of non-NMDA receptor activation in isolated chick retina **483.P**, 60*P*, 1995

Influence of expression of a mammalian K^+ channel, Kv1·1, on the electrical development of *Xenopus laevis* embryonic cells **483.P**, 66*P*, 1995

A role for GABAergic neurotransmission during swimming in *Xenopus laevis* larvae **483.P**, 186*P*, 1995

Developmental aspects of excitatory amino acid regulation of gonadotrophin-releasing hormone neurones **483.P**, 14*S*, 1995

Altered Ca^{2+} sensitivity of tension in single skeletal muscle fibres from *MyoD* gene-inactivated mice **485**, 447, 1995

Functional expression of the tachykinin NK_1 receptor by floor plate cells in the embryonic rat spinal cord and brainstem **486**, 139, 1995

Rhythm generation in the segmented hindbrain of chick embryos **486**, 735, 1995

Synaptic $GABA_A$ activation induces Ca^{2+} rise in pyramidal cells and interneurons from rat neonatal hippocampal slices **487**, 319, 1995

Dimer-formation of midkine by calcium-dependent transglutaminase in cultured rat neurones increases neurite-promoting activity **487.P**, 45*P*, 1995

Electrophysiological properties of ankle flexor motoneurones recorded *in vitro* following neonatal nerve injury in the rat **487.P**, 67*P*, 1995

Nineteenth century research on cell death in development **487.P**, 205*P*, 1995

Perinatal development of action potential propagation in cat rubrospinal axons **488**, 419, 1995

Developmental changes in blood–brain barrier potassium permeability in the rat: relation to brain growth **488**, 439, 1995

Cyclic AMP-dependent modulation of giant depolarizing potentials by metabotropic glutamate receptors in the rat hippocampus **489**, 115, 1995

Postnatal development of action potential and ionic currents in freshly dissociated hypothalamic magnocellular neurones of the rat supraoptic nucleus **489.P**, 185*P*, 1995

Diabetes

Insulin treatment of diabetic rats causes rapid changes in SGLT1-mediated glucose uptake at the jejunal brush-border membrane (BBM) but does not affect GLUT2-mediated transport at the basolateral membrane (BLM) **482.P**, 23*P*, 1995

Diabetes elevates arginine transport in rabbit isolated gastric glands **482.P**, 24*P*, 1995

Insulin modulates diabetes-induced stimulation of L-arginine transport in human umbilical vein endothelial cells **483.P**, 136*P*, 1995

Facilitation between the effects of polyol pathway inhibition and ω-6 essential fatty acid treatment on peripheral nerve function and blood flow in anaesthetized diabetic rats **483.P**, 141*P*, 1995

Comparison of the effects of chronic aldose reductase inhibitor and acetyl-L-cysteine treatments on peripheral nerve blood flow and function in anaesthetized diabetic rats **483.P**, 142*P*, 1995

Diabetic pregnancy alters nucleoside transporter function, cell growth and prostacyclin release in human umbilical vein endothelial cells **483.P**, 145*P*, 1995

Effects of chronic acetyl and proprionyl L-carnitine treatment on peripheral nerve function and blood flow in anaesthetized diabetic rats **483.P**, 147*P*, 1995

Renal function in servo-controlled chronically catheterized conscious rats with diabetes mellitus **483.P**, 173*P*, 1995

Microcirculatory changes in experimental diabetes **483.P**, 3*S*, 1995

Diabetes-induced changes in α-adrenergic modulation of K^+ currents in rat ventricular myocytes **485.P**, 43*P*, 1995

Voltage-dependent calcium currents are enhanced in dorsal root ganglion neurones from the Bio Bred/Worchester diabetic rat **486**, 313, 1995

Effect of diabetes on neutral amino acid transport in rabbit isolated gastric glands **487.P**, 38*P*, 1995

Tetanus induced modulation of presynaptic activity in the hippocampus of the diabetic GK Wistar rat **487.P**, 51*P*, 1995

Correction of impaired neurovascular function by desferrioxamine in anaesthetized diabetic rats **487.P**, 84*P*, 1995

Effects of anti-oxidant and aminoguanidine treatments on *in vitro* relaxation and contraction of aorta from diabetic rats **487.P**, 85*P*, 1995

Thyroid status and diabetes modulate regional differences in potassium currents in rat ventricle **488**, 673, 1995

Diabetes-induced activation of system y^+ and nitric oxide synthase in human endothelial cells: association with membrane hyperpolarization **489**, 183, 1995

Effects of dietary fibre on fructose ingestion in pregnant and lactating rats **489.P**, 41*P*, 1995

Effect of saline volume expansion on renal nerve activity in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 88*P*, 1995

Renal functional responses to saline volume expansion in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 90*P*, 1995

Cell biology of mutated aquaporin-2 proteins in autosomal recessive nephrogenic diabetes insipidus **489.P**, 16*S*, 1995

Diaphragm

Functional classification of afferent phrenic nerve fibres and diaphragmatic receptors in cats **483**, 759, 1995

The effect of chemoreceptor stimulants on the degree of fatigue and subsequent recovery in isolated diaphragm muscle from young and mature rats **489.P**, 149*P*, 1995

Diet

Cardiovascular (CV) responses to a high fat (HF) and high carbohydrate (HC) meal in orthotopic cardiac transplant (CT) recipients **483.P**, 120*P*, 1995

Dihydropyridine

Actions of (−)-Bay K 8644 on Ca^{2+} channel tail currents and unitary L-type currents in isolated cerebellar granule neurones **487.P**, 185*P*, 1995

Excessive repolarization-dependent calcium currents induced by strong depolarizations in rat skeletal myoballs **489**, 41, 1995

Differences between unitary L-type Ca^{2+} channel currents of central and peripheral neurones **489.P**, 67*P*, 1995

Dihydropyridine receptor

Skeletal muscle DHP receptor mutations alter calcium currents in human hypokalaemic periodic paralysis myotubes **483**, 299, 1995

Calcium current reactivation after flash photolysis of nifedipine in skeletal muscle fibres of the frog **487**, 51, 1995

Diurnal rhythm

The arginine vasotocin system in chickens exhibits a diurnal rhythm only during dehydration **483.P**, 48*P*, 1995

Diving

Exercise and diving, two conflicting stimuli influencing cardiac vagal tone in man **489**, 603, 1995

Dog

Protein changes observed in a canine model of cardiac failure induced by ventricular pacing using 2-D electrophoresis: comparison with cardiomyopathic samples **489.P**, 159*P*, 1995

Recovery of sympathetic efferent activity following stimulation of coronary and carotid baroreceptors in anaesthetized dogs **489.P**, 160*P*, 1995

Dopamine

Dopamine D_1 receptor modulates the voltage-gated sodium current in rat striatal neurones through a protein kinase A **483**, 95, 1995

GABAergic influences on dopamine secretion from rat hypothalamic cells in primary culture **483.P**, 47*P*, 1995

Age-related abnormalities of the retinal dopamine system in the senile rat **485.P**, 19*P*, 1995

Changes in intracellular calcium in response to thyrotropin-releasing hormone and dopamine in lactotrophs from lactating rats **487.P**, 11*P*, 1995

Presynaptic inhibition of excitatory inputs to rat magnocellular basal forebrain neurones by dopamine **487.P**, 50*P*, 1995

Changes in rat retinal dopamine uptake associated with the senescence of dopamine pathways **489.P**, 16*P*, 1995

Dorsal horn

Primary afferent-evoked glycine- and GABA-mediated IPSPs in substantia gelatinosa neurones in the rat spinal cord *in vitro* **482**, 29, 1995

Low frequency, repetitive stimulation of high threshold primary afferents results in the temporal summation of excitatory currents recorded from rat dorsal horn neurones *in vitro* **483.P**, 56*P*, 1995

Morphology of rat dorsal horn neurones responding to 5-hydroxytryptamine *in vitro* **487.P**, 217*P*, 1995

Anterior pretectal nucleus facilitation of superficial dorsal horn neurones and modulation of deafferentation pain in the rat **489**, 159, 1995

Dorsal root ganglion

Activation of Ca^{2+}-dependent Cl^- currents in cultured rat sensory neurones by flash photolysis of DM-nitrophen **482**, 291, 1995

Antisense depletion of β-subunits modulates the biophysical and pharmacological properties of neuronal calcium channels **482**, 481, 1995
The electrophysiological properties of rat primary afferent neurones with carbonic anhydrase activity **482**, 609, 1995
Single channel analysis of two types of tetrodotoxin-resistant sodium channels in small cells isolated from adult rat (200–350 g) dorsal root ganglia (DRG) **487.P**, 184*P*, 1995

Drosophila
Actions of BIDN, a bicyclic dinitrile, on *in situ* and expressed insect GABA receptors **483.P**, 194*P*, 1995

Duodenum
Further evidence for the importance of brush-border potential difference as a driving force for duodenal iron uptake in guinea-pig **487.P**, 96*P*, 1995
Hypoxia causes hyperpolarization of isolated rat duodenal brush-border membrane and increased iron absorption **489.P**, 124*P*, 1995

Dyslexia
Auditory temporal coding in dyslexia **487.P**, 218*P*, 1995

Dyspnoea
The effect of chest strapping on respiratory sensation during exercise in man **489.P**, 161*P*, 1995

Early onset gene
Expression of immediate early genes in rat gastric myenteric neurones: a physiological response to feeding **488**, 493, 1995

Electric field
The effects of lyotropic anions on electric field-induced guidance of cultured frog nerves **486**, 229, 1995

Electrical activity
Effects of phosphodiesterase inhibitors on spontaneous electrical activity (slow waves) in the guinea-pig gastric muscle **485**, 493, 1995
Differential effects of volatile anaesthetics and barbiturates on electrical coupling between identified molluscan neurones **489.P**, 21*P*, 1995
Vasopressin controls magnocellular vasopressin neurones via V_1-type receptors in the rat **489.P**, 184*P*, 1995
Postnatal development of action potential and ionic currents in freshly dissociated hypothalamic magnocellular neurones of the rat supraoptic nucleus **489.P**, 185*P*, 1995

Electrical field
Stimulation of repetitive calcium transients in mouse eggs **483**, 331, 1995

Electrical resistance
Interstitial space, electrical resistance and ion concentrations during hypotonia of rat hippocampal slices **487**, 685, 1995

Electrical stimulation
Number of junctional acetylcholine receptors: control by neural and muscular influences in the rat **483**, 397, 1995
The effect of the stimulation frequency on efficiency at different shortening velocities in isolated type 3 fibres from *Xenopus laevis* **483.P**, 79*P*, 1995
The effects of stimulus intensity on the cutaneomuscular reflexes in tibialis anterior in man **483.P**, 80*P*, 1995
Unilateral chronic low-frequency electrical stimulation of human tibialis anterior improves contractile function ipsilaterally but impairs it contralaterally **483.P**, 80*P*, 1995
Effects of different patterns of long-term electrical stimulation on human quadriceps femoris muscle **483.P**, 82*P*, 1995
Early stages in activity-induced angiogenesis in rat skeletal muscles: incorporation of bromodeoxyuridine into cells of the interstitium **483.P**, 146*P*, 1995
Increased activity changes the phenotype and blood supply of fast rabbit and rat muscles **483.P**, 6*S*, 1995
Latency of effects evoked by electrical and magnetic brain stimulation in lower limb motoneurones in man **484**, 791, 1995

Electrocardiogram
Changes of high resolution electrocardiogram accompanying cardiac allograft rejection in rats **487.P**, 179*P*, 1995
ECG changes associated with breath-holding in a man **489.P**, 37*P*, 1995

Electromyogram
Spatial differences in fatigue-associated electromyographic behaviour of the human first dorsal interosseus muscle **483**, 499, 1995
A computer-controlled, varying stimulus train pattern stimulator with digital recorder and display system for use in anaesthetized humans **483.P**, 4*P*, 1995
Qualitative similarities and differences between constrained and unconstrained single-joint movements in humans **483.P**, 30*P*, 1995
Spectral analysis of acoustic and electromyogram at three different lengths of human tibialis anterior **483.P**, 81*P*, 1995
Co-ordination of human hand muscles during rhythmic finger movements related to writing **483.P**, 133*P*, 1995
Reduced servo-control of fatigued human finger extensor and flexor muscles **485**, 865, 1995
Frequency peaks of tremor and electromyogram during isometric contraction of human first dorsal interosseous may reflect a rhythmicity of central commands **485.P**, 53*P*, 1995
Absence of coherence between frequency peaks of surface electromyogram recorded in humans from different muscles of the same hand **487.P**, 70*P*, 1995
Muscle activation patterns following brief and sustained forward forces at the pelvis in man **487.P**, 74*P*, 1995
Muscle activation patterns following sideways force at the pelvis in man **487.P**, 74*P*, 1995
Motor co-ordinates in primate red nucleus: preferential relation to muscle activation *versus* kinematic variables **488**, 533, 1995
Spectral analysis of electromyogram from eccentrically exercised muscle in man **489.P**, 27*P*, 1995
Changes in electromyograms of human lower limb muscles associated with increased proficiency of 'dry' slope skiing **489.P**, 29*P*, 1995
Electromyographic (EMG) responses to tibial displacement in human anterior cruciate ligament-deficient knees **489.P**, 33*P*, 1995

Electrophysiology
Membrane currents associated with neutral and cationic amino acid transport expressed in NBAA-Tr cRNA-injected *Xenopus laevis* oocytes **482.P**, 5*P*, 1995
Electrogenic ion secretion induced by taurocholate in rat ileum *in vitro* is partially mediated through a myenteric reflex pathway **482.P**, 30*P*, 1995
Central inhibitory effects of muscimol and bicuculline on the milk ejection reflex in the anaesthetized rat **483**, 211, 1995
Electrical and mechanical characteristics of guinea-pig ventricular myocytes from apical epicardium and basal endocardium **483.P**, 8*P*, 1995
Electrical and mechanical characteristics of guinea-pig left ventricular midmyocardial myocytes compared with surface myocytes **483.P**, 9*P*, 1995
in vitro recordings from neurones in the rat medial septal/diagonal band (MS/DB) complex **483.P**, 56*P*, 1995
Electrophysiological and morphological properties of local circuit interneurones of the rat dorsal lateral geniculate nucleus *in vitro* **483.P**, 58*P*, 1995
Electrophysiological properties of anterior pretectal neurones and the presence of a hyperpolarization-activated inward current: intracellular recordings *in vitro* in the rat **483.P**, 156*P*, 1995
Electrophysiological and pharmacological evidence for a glutamatergic presynaptic feedback control of primary afferents by motoneurons in the crayfish *Procambarus clarkii, in vitro* **483.P**, 187*P*, 1995
Characteristic features of inhibitory junction potentials evoked by single stimuli in the guinea-pig isolated taenia caeci **485**, 145, 1995
The electrical activity of mouse pancreatic β-cells recorded *in vivo* shows glucose-dependent oscillations **486**, 223, 1995
Responsiveness of hamster suprachiasmatic neurones to optic nerve stimulation at different times of day **487.P**, 48*P*, 1995
The timing of muscle discharges in patients with cortical myoclonus may be determined by high-frequency rhythmic cortical activity **487.P**, 70*P*, 1995
Actions of (−)-Bay K 8644 on Ca^{2+} channel tail currents and unitary L-type currents in isolated cerebellar granule neurones **487.P**, 185*P*, 1995
Non-invasive electrophysiological experiments in man: what have they added to our knowledge of spinal reflex pathways? **487.P**, 224*P*, 1995
Differences between unitary L-type Ca^{2+} channel currents of central and peripheral neurones **489.P**, 67*P*, 1995

Electroretinogram
Diurnal variation in the b-wave component of the human electroretinogram (ERG) **483.P**, 42*P*, 1995

Embryo
Influence of expression of a mammalian K^+ channel, Kv1·1, on the electrical development of *Xenopus laevis* embryonic cells **483.P**, 66*P*, 1995
Depolarizing GABA-activated Cl^- channels in embryonic rat spinal and olfactory bulb cells **488**, 371, 1995
Changes in peak inward Ca^{2+} current during progression of the cell cycle in early mouse embryos **489.P**, 52*P*, 1995
Single inward rectifier potassium channels in *Xenopus laevis* embryonic myocytes **489.P**, 73*P*, 1995

Uptake of *myo*-inositol by pre-implantation rabbit blastocysts *in vitro* **489.P**, 124*P*, 1995

EMG activity

The effect of partial denervation of developing rat fast muscles on their motor unit properties **482**, 651, 1995

Endocardium

Thyroid status and diabetes modulate regional differences in potassium currents in rat ventricle **488**, 673, 1995

Endoplasmic reticulum

Identification of an ATP-dependent copper transport system in endoplasmic reticulum vesicles isolated from rat liver **482**, 583, 1995

Endothelial cell

Insulin modulates diabetes-induced stimulation of L-arginine transport in human umbilical vein endothelial cells **483.P**, 136*P*, 1995

Store Ca^{2+}-ATPase inhibition enhances the rate of cytosolic Ca^{2+} removal in human umbilical vein endothelial cells **483.P**, 137*P*, 1995

Ca^{2+} mobilization from the endoplasmic reticulum of permeabilized bovine endothelial cells **483.P**, 150*P*, 1995

Cytosolic Ca^{2+} attenuates Ca^{2+} signals evoked by capacitative Ca^{2+} entry in calf pulmonary artery endothelial (CPAE) cells **485.P**, 41*P*, 1995

Non-selective cation current of guinea-pig endocardial endothelial cells **487**, 407, 1995

Diabetes-induced activation of system y^+ and nitric oxide synthase in human endothelial cells: association with membrane hyperpolarization **489**, 183, 1995

Endothelin

Involvement of endothelin-1 in hypoxic pulmonary vasoconstriction in the lamb **482**, 421, 1995

Preferential [^{125}I]-endothelin-1 binding to microvascular endothelium at regions of human coronary arteries **483.P**, 136*P*, 1995

Pulmonary actions of endothelin-1 in orthogradely and retrogradely perfused rat isolated lungs **483.P**, 147*P*, 1995

Ca^{2+} signals evoked by endothelin-1 in an immortalized human tracheal epithelial cell line **487.P**, 20*P*, 1995

Endothelin-1 activates Ca^{2+}-activated Cl^- currents in smooth muscle cells isolated from the pulmonary arterial tree of the rat **487.P**, 81*P*, 1995

Involvement of endothelin and a prostanoid in L-N^G-nitro-L-arginine methyl ester (L-NAME)-induced contractions of the porcine isolated splenic artery **487.P**, 82*P*, 1995

Effects of an endothelin receptor blocker on constriction of small pulmonary arteries isolated from the rat **487.P**, 113*P*, 1995

A maxi Cl^- channel coupled to endothelin B receptors in the basolateral membrane of guinea-pig parietal cells **488**, 65, 1995

Effect of endothelin-1 upon isolated proximal tubules from rabbit kidney **489.P**, 84*P*, 1995

Effects of endothelin-1 on outward currents in isolated rat pulmonary arterial smooth muscle cells **489.P**, 138*P*, 1995

Immunoreactive endothelin-1 (ET-1) and ET-1 receptors in porcine venous arterial grafts **489.P**, 158*P*, 1995

The effects of endothelins on peak L-type calcium current in rabbit isolated ventricular cardiomyocytes **489.P**, 167*P*, 1995

Endothelium

The influence of hypoxia on transvascular leakage in the isolated rat heart: quantitative and ultrastructural studies **482**, 157, 1995

Assessment of drug effects on leucocyte adhesion and capillary endothelial swelling in ischaemic and non-ischaemic muscles **483.P**, 3*P*, 1995

Preferential [^{125}I]-endothelin-1 binding to microvascular endothelium at regions of human coronary arteries **483.P**, 136*P*, 1995

Agonist-evoked changes in cytosolic calcium concentration in the endothelium of excised intact rat aorta **483.P**, 137*P*, 1995

Diabetic pregnancy alters nucleoside transporter function, cell growth and prostacyclin release in human umbilical vein endothelial cells **483.P**, 145*P*, 1995

Skin blood flow responses to acetylcholine and sodium nitroprusside in non-insulin-dependent diabetes **483.P**, 148*P*, 1995

Inotropic effects of acetylcholine on frog hearts with intact and damaged endocardial endothelium **483.P**, 185*P*, 1995

Hyperpolarization induced by vasoactive substances in intact guinea-pig endocardial endothelial cells **484**, 25, 1995

Role of membrane potential in endothelium-dependent relaxation of guinea-pig coronary arterial smooth muscle **484**, 469, 1995

Classification of ion channels in the luminal and abluminal membranes of guinea-pig endocardial endothelial cells **484**, 41, 1995

An ATP-sensitive potassium conductance in rabbit arterial endothelial cells **485**, 595, 1995

Ca^{2+}-induced Ca^{2+} release in permeabilized bovine aortic endothelial cells **487.P**, 22*P*, 1995

Involvement of endothelin and a prostanoid in L-N^G-nitro-L-arginine methyl ester (L-NAME)-induced contractions of the porcine isolated splenic artery **487.P**, 82*P*, 1995

Endothelial impairment by fenfluramine and amitriptyline in isolated perfused rat lungs **487.P**, 113*P*, 1995

Endothelial dependence of hypoxic pulmonary vasoconstriction **487.P**, 108, 1995

Transcellular gaps in microvascular walls of frog and rat when permeability is increased by perfusion with the ionophore A23187 **488**, 427, 1995

Cytosolic calcium concentration in resting and stimulated endothelium of excised intact rat aorta **489**, 309, 1995

Apamin-sensitive K^+ channels mediate an endothelium-dependent hyperpolarization in rabbit mesenteric arteries **489**, 723, 1995

Mechanical components of the stimulus releasing nitric oxide (NO) from the endothelium in the anaesthetized dog **489.P**, 2*P*, 1995

Endothelium-derived relaxing factor (EDRF)

Cytochrome P450 mono-oxygenase-regulated signalling of Ca^{2+} entry in human and bovine endothelial cells **482**, 259, 1995

α_2-Adrenoreceptor-mediated vasorelaxation in isolated pulmonary arteries of the rat **483.P**, 116*P*, 1995

An extracellular L-arginine-dependent relaxation mechanism in isolated pulmonary arteries of the rat **487.P**, 80*P*, 1995

Endotoxin

The involvement of medullary catecholaminergic neurones in the interaction of the immune and central nervous systems **489.P**, 176*P*, 1995

Changes in the expression of c-*fos* induced by lipopolysaccharide in the PVN and the A1/A2 brainstem noradrenergic cell groups **489.P**, 180*P*, 1995

Endplate

Expression and distribution of sodium channels in short- and long-term denervated rodent skeletal muscles **483**, 109, 1995

Endplate current

Decreased calcium currents in motor nerve terminals of mice with Lambert–Eaton myasthenic syndrome **487**, 115, 1995

Energy

Change in heart rate of adults walking at their self-selected speed **487.P**, 170*P*, 1995

Physiological cost index and self-selected walking speed **487.P**, 181*P*, 1995

Energy costs of walking in soccer players **489.P**, 43*P*, 1995

Enkephalin

Leucine enkephalin-evoked secretory responses and its pattern of distribution in the isolated pig lacrimal gland **485.P**, 36*P*, 1995

Enteric nervous system

Electrophysiological characterization of enteric neurones in the isolated submucous plexus of porcine jejunum: implications for neural control of ion secretion **482.P**, 47*P*, 1995

Substance P effects on blood flow, fluid transport and vasoactive intestinal polypeptide release in the feline small intestine **483**, 727, 1995

Enterocyte

Trinitrophenyl-ATP causes a voltage-dependent blockade of the Cl^- channel of isolated guinea-pig small intestinal villus enterocytes **482.P**, 10*P*, 1995

Proton conductance and intracellular pH recovery from an acid load in chicken enterocytes **484**, 165, 1995

Expression of GLUT1 in rat isolated jejunal basolateral membrane and the response to experimental diabetes **489.P**, 127*P*, 1995

Dietary glucose alters GLUT2 expression by rat jejunal enterocytes **489.P**, 128*P*, 1995

Enterotoxin

Ileal *E. coli* STa activates jejunal but not colonic fluid secretion by a vagal reflex in the rat *in vivo* **487.P**, 36*P*, 1995

Entorhinal cortex

The perforant path projection to hippocampal area CA1 in the rat hippocampal–entorhinal cortex combined slice **484**, 707, 1995

Eosinophil

Regulation of granule size in human and horse eosinophils by number of fusion events among unit granules **483**, 201, 1995

Epilepsy

Synaptic and membrane mechanisms underlying synchronized oscillations in the ferret lateral geniculate nucleus *in vitro* **483**, 641, 1995

Role of the ferret perigeniculate nucleus in the generation of synchronized oscillations *in vitro* **483**, 665, 1995
Erosion of inhibition contributes to the progression of low magnesium bursts in rat hippocampal slices **486**, 723, 1995
The transition to seizure is associated with a change in the frequency response properties of the dentate gyrus in the rat tetanus toxin model of epilepsy **487.P**, 54*P*, 1995
Cellular mechanisms of 4-aminopyridine-induced synchronized after-discharges in the rat hippocampal slice **489**, 127, 1995

Epithelial cell
Ca^{2+} influx during agonist and Ins(2,4,5)P_3-evoked Ca^{2+} oscillations in HeLa epithelial cells **482**, 275, 1995
Diabetes elevates arginine transport in rabbit isolated gastric glands **482.P**, 24*P*, 1995
Voltage- and Ca^{2+}-dependence of membrane currents recorded from isolated thymic nurse cells of BALB/c mouse **482.P**, 26*P*, 1995
Tyrosine phosphorylation of junctional proteins controls paracellular permeability in cultured epithelia **482.P**, 32*P*, 1995
Role of phosphorylation in regulation of a K^+ conductance in single proximal tubule cells isolated from frog kidney **482.P**, 37*P*, 1995
Calcium mobilization and activation of maxi-conductance K^+ channels by purinergic agonists in human non-pigmented ciliary body epithelium **482.P**, 40*P*, 1995
Vesicular targeting and the control of ion secretion in epithelial cells: implications for cystic fibrosis **482.P**, 27*S*, 1995
Volume regulation in a toad epithelial cell line: role of coactivation of K^+ and Cl^- channels **487**, 367, 1995
Ca^{2+} signals evoked by endothelin-1 in an immortalized human tracheal epithelial cell line **487.P**, 20*P*, 1995
Properties of single inward rectifier potassium channel in equine sweat gland epithelial cells **487.P**, 187*P*, 1995
A non-selective cation current activated via the multifunctional Ca^{2+}–calmodulin-dependent protein kinase in human epithelial cells **488**, 37, 1995
Voltage-activated proton currents in membrane patches of rat alveolar epithelial cells **489**, 299, 1995
Chloride conductance in freshly dissociated bovine pigmented ciliary body epithelial cells **489.P**, 97*P*, 1995
Effects of the substituted benzimidazolone NS004 on the CFTR Cl^- channel from normal and cystic fibrosis cells **489.P**, 99*P*, 1995
ATP regulates a quinidine-sensitive K^+ conductance in single proximal tubule cells isolated from frog kidney **489.P**, 103*P*, 1995
In the absence of bicarbonate and CO_2, Na^+–H^+ antiport mediates all pH recovery from acidification in ciliated cells isolated from sheep trachea **489.P**, 103*P*, 1995
Na^+-independent lysine transport in human intestinal epithelial (Caco-2) cells **489.P**, 107*P*, 1995
Protein kinase A modifies the calcium-dependent human nasal ciliary response to the tachykinin Substance P *in vitro* **489.P**, 113*P*, 1995
Chloride channels in the basolateral membrane of mitochondria-rich cells of toad skin epithelium **489.P**, 116*P*, 1995
Diquat-induced Cl^- secretion in MDCK epithelial monolayers **489.P**, 118*P*, 1995
Cell volume changes induced by the β-agonist terbutaline in fetal distal lung epithelium (FDLE) cells **489.P**, 123*P*, 1995
Removal and restoration of chloride secretory activity in murine gut epithelia by genetic manipulation **489.P**, 3*S*, 1995
Distinct pathways for bicarbonate and chloride secretion in cultured epithelia **489.P**, 6*S*, 1995
The pump-leak parallelism in sodium-absorbing epithelial cells: some recent insights **489.P**, 9*S*, 1995
Mechanisms of membrane cross-talk in secretory epithelial cells **489.P**, 10*S*, 1995

Epithelial transport
A comparison of the uptake kinetics of a neutral and anionic dipeptide into rat renal cortex brush-borber membrane vesicles: effect of membrane potential and proton gradient **487.P**, 26*P*, 1995
Hypotonically activated and GTPγS-activated chloride currents in bovine pigmented ciliary epithelial cells both require activity of phospholipase C **487.P**, 101*P*, 1995
Incorporation of cation channels from purified apical membrane of fetal guinea-pig lung type II cells into planar lipid bilayers **487.P**, 195*P*, 1995
Effects of cyclic AMP and theophylline on chloride conductance across toad skin **489**, 105, 1995
Regulation of transepithelial ion transport by extracellular ATP in cultured equine sweat gland epithelia **489.P**, 105*P*, 1995
Transepithelial ion transport in primary cultured human keratinocytes **489.P**, 106*P*, 1995
A novel member of the major intrinsic protein family in *Drosophila*: are aquaporins involved in insect Malpighian (renal) tubule fluid secretion? **489.P**, 110*P*, 1995

Ergometry
Thermogenesis associated with spontaneous activity: an important component of thermoregulatory needs in rats **488**, 779, 1995

Erythrocyte
A kinetic relationship of the red cell carbonic anhydrase and anion exchanger **482.P**, 36*P*, 1995
Photolysis-dependent irreversible inhibition by *p*-nitro-L-phenylalanine of amino acid transport system *asc* in pig erythrocytes **482.P**, 40*P*, 1995
A red cell bicarbonate permeability independent of the band 3 anion exchanger **487.P**, 97*P*, 1995
Differential effect of low ionic strength on the two transport systems for cationic amino acids in human erythrocytes **487.P**, 98*P*, 1995
Cytoskeletal protein changes and morphology during spontaneous inside-out vesiculation of human red cell membranes **487.P**, 99*P*, 1995
The effect of histidine and cysteine on zinc influx into rat and human erythrocytes **489**, 73, 1995
Intracellular magnesium and oxygenation-activation of the equine red cell KCl co-transporter **489.P**, 100*P*, 1995
Protein tyrosine phosphorylation regulates the KCl co-transporter in trout red cells **489.P**, 100*P*, 1995
Modification of human red cell passive membrane transport by classical transport inhibitors **489.P**, 101*P*, 1995
Membrane compartmentalized ATP drives the red cell Na^+ and Ca^{2+} pumps **489.P**, 10*S*, 1995
Pharmacology and physiology of a novel permeation pathway in malaria-infected erythrocytes **489.P**, 13*S*, 1995

Erythropoietin
Modulation of erythropoietin formation by changes in blood volume in conscious dogs **488**, 181, 1995

Evoked potential
Cerebellar surface auditory evoked potential: the effect of intracerebellar injection of procaine in anaesthetized rats **483.P**, 29*P*, 1995
Evidence that the fronto-parietal N_{30}–P_{30} component of the somatosensory evoked potential (SEP) in man is generated in the sensorimotor cortex **483.P**, 157*P*, 1995
Evoked potentials to phase-modulated tones in humans **485.P**, 15*P*, 1995
Verification of human visual evoked potentials (VEPs) elicited by gratings containing tritanopic pairs of hues **485.P**, 22*P*, 1995
Parallel processing of contour- and depth-related information in human visual cortex **485.P**, 24*P*, 1995

Excitability
Step phase-related excitability changes in spino-olivocerebellar paths to the c_1 and c_3 zones in cat cerebellum **483**, 687, 1995

Excitation
Homonymous and heteronymous excitation among motoneurone pools of the human forearm **487.P**, 71*P*, 1995
Characteristics of single axon recurrent excitatory connections between neurones in layer III of the rat entorhinal cortex *in vitro* **489.P**, 20*P*, 1995

Excitation–contraction coupling
Intracellular calcium buffering power of rat cerebral artery smooth muscle determined with voltage clamp and simultaneous calcium measurements **483.P**, 107*P*, 1995
Contractions in guinea-pig ventricular myocytes triggered by a calcium-release mechanism separate from Na^+ and L-currents **484**, 107, 1995
Mechano-sensitive linkage in excitation–contraction coupling in frog skeletal muscle **484**, 737, 1995
Involvement of dihydropyridine receptors in terminating Ca^{2+} release in rat skeletal myotubes **486**, 105, 1995
Properties and roles of an intramembranous charge mobilized at high voltages in frog skeletal muscle **486**, 385, 1995
Impaired function of the sarcoplasmic reticulum associated with a structural defect in the developing chick heart **487.P**, 14*P*, 1995
Reduced Ca^{2+} transients and Ca^{2+} currents in embryonic chick hearts with a neural crest-related structural defect **487.P**, 15*P*, 1995

Rapid effect of D-glucose-6 phosphate on the excitation–contraction–relaxation cycle in fast-twitch muscle fibres of the rat **487.P**, 159*P*, 1995
Disposition of ryanodine and dihydropyridine receptors in striated muscle. Comparative and developmental clues to E–C coupling **487.P**, 2*S*, 1995
Mobilization of calcium stores by cADP-ribose: E–C coupling in cardiac muscle and cADP-ribose **487.P**, 4*S*, 1995
Excitation–contraction defects in congestive heart failure **487.P**, 6*S*, 1995
Storage of Ca^{2+} in the sarcoplasmic reticulum and endogenous modifiers of E–C coupling in skeletal muscle fibres from cane toad and rat **487.P**, 8*S*, 1995
Na^+ current and Ca^{2+} release from the sarcoplasmic reticulum during action potentials in guinea-pig ventricular myocytes **489**, 1, 1995
Raised intracellular $[Ca^{2+}]$ abolishes excitation–contraction coupling in skeletal muscle fibres of rat and toad **489**, 349, 1995
Differential suppression of charge movement components by gluconate in cut twitch fibres of *Rana temporaria* **489**, 511, 1995

Excitatory amino acid

The effect of excitatory amino acids on oxytocin release from the rat hypothalamus *in vitro* **483.P**, 48*P*, 1995
Algesic chemical stimulation of the skin activates c-*fos* expression in dorsal horn neurones via both AMPA and NMDA receptors in the rat **483.P**, 160*P*, 1995
Excitatory amino acid regulation of rat hypothalamic magnocellular neurosecretory cells (MNCs) *in vitro* **483.P**, 9*S*, 1995
Developmental aspects of excitatory amino acid regulation of gonadotrophin-releasing hormone neurones **483.P**, 14*S*, 1995
Burst kinetics of single NMDA receptor currents in cell-attached patches from rat brain cortical neurons in culture **486**, 411, 1995
Medullary-evoked EPSPs in neonatal rat sympathetic preganglionic neurones *in vitro* **487**, 453, 1995
A ligand-gated chloride current mediated by human excitatory amino acid transporters **487.P**, 191*P*, 1995

Excitatory postsynaptic current

Spontaneous AMPA/kainate and NMDA mediated synaptic currents in layer V neurones of the rat entorhinal cortex *in vitro* **483.P**, 61*P*, 1995
The ratio of NMDA and non-NMDA components of rat hippocampal EPSC: cross-talk of presynaptic Ca^{2+} channels, A_1 adenosine receptors and $[Ca^{2+}]_o/[Mg^{2+}]_o$ **483.P**, 65*P*, 1995
Postsynaptic glutamate uptake helps shape the EPSC at climbing fibre to Purkinje cell synapses in rat cerebellar slices **487.P**, 49*P*, 1995
Paired-pulse modulation of fast excitatory synaptic currents in microcultures of rat hippocampal neurons **488**, 85, 1995

Excitatory postsynaptic potential

Changes in frequency and amplitude of spontaneous miniature EPSPs (mEPSPs) in rat trigeminal motoneurones following application of a $GABA_B$ receptor antagonist *in vitro* **483.P**, 28*P*, 1995
Functionally related morphology of local circuit connections of sparsely spiny interneurones in slices of rat neocortex **483.P**, 59*P*, 1995
Tachykininergic slow depolarization of motoneurones evoked by descending fibres in the neonatal rat spinal cord **485**, 787, 1995
Recurrent unitary EPSPs evoked in anatomically identified inhibitory interneurones of the cat visual cortex *in vitro* **487.P**, 51*P*, 1995

Exercise

Imagination of dynamic exercise produced ventilatory responses which were more apparent in competitive sportsmen **482**, 713, 1995
Glycogen resynthesis in human muscle fibre types following exercise-induced glycogen depletion **483**, 265, 1995
Effects of stimulated eccentric exercise on indices of human muscle contractility **483.P**, 121*P*, 1995
Ligand receptor type response of heart rate to plasma catecholamines after heart denervation in humans **483.P**, 121*P*, 1995
Plasma ammonia and lactate responses to high intensity exercise after sodium bicarbonate ingestion in man **483.P**, 122*P*, 1995
The effect of creatine supplements on repeated 30 s cycle sprints in man **483.P**, 122*P*, 1995
Comparison of water turnover rates in men undertaking prolonged exercise and in sedentary men **483.P**, 123*P*, 1995
The influence of cold-exposure on the metabolic and thermoregulatory responses to prolonged intermittent walking exercise in man **483.P**, 123*P*, 1995
Thermal strain of intermittent and continuous exercise at 10 and 35 °C in man **483.P**, 124*P*, 1995
Pre-activity warm-up attenuates exercise-induced asthma in human beings **483.P**, 130*P*, 1995
The dynamics of pulmonary O_2 uptake and femoral artery blood flow during moderate intensity exercise in humans **483.P**, 130*P*, 1995
Respiratory and metabolic responses during successive bouts of isometric exercise (simulated dinghy sailing) in humans **483.P**, 132*P*, 1995
Fatigue and recovery of voluntary and electrically elicited dynamic force in humans **484**, 227, 1995
Loss of power during fatigue of human leg muscles **484**, 237, 1995
Abnormal cardiovascular and catecholamine responses to supine exercise in human subjects with sympathetic dysfunction **484**, 255, 1995
Comparison of arterial potassium and ventilatory dynamics during sinusoidal work rate variation in man **485**, 571, 1995
Ingestion of branched-chain amino acids and tryptophan during sustained exercise in man: failure to affect performance **486**, 789, 1995
Precognition affects the ventilatory response to an increase in exercise intensity following hypocapnic hyperventilation in man **487.P**, 108*P*, 1995
Ventilatory dynamics alter with acclimatization to chronic hypoxia in man **487.P**, 108*P*, 1995
Catecholamine responses to sustained isometric exercise in man **487.P**, 164*P*, 1995
Effect of hyperoxia on ventilatory control in moderate intensity exercise **487.P**, 178*P*, 1995
Non-linear relationship between O_2 uptake and power output at high intensities of exercise in humans **488**, 211, 1995
A study of the role of corticosterone as a mediator in exercise-induced stimulation of murine macrophage phagocytosis **488**, 789, 1995
Deamination of amino acids as a source for ammonia production in human skeletal muscle during prolonged exercise **489**, 251, 1995
Exercise and diving, two conflicting stimuli influencing cardiac vagal tone in man **489**, 603, 1995
Hyperpnoea during and immediately after exercise in man: evidence of motor cortical involvement **489**, 663, 1995
Carnitine metabolism in different muscle fibre types during exercise in man **489.P**, 26*P*, 1995
Endurance training modifies the availability of circulating insulin-like growth factors by changing the relative concentration of high and low affinity binding proteins at rest and during prolonged exercise in man **489.P**, 26*P*, 1995
Effect of glucose polymer and sucrose drinks on muscle glycogen resynthesis after exhaustive exercise **489.P**, 34*P*, 1995
The reproducibility of cycling to volitional fatigue in non-cyclists **489.P**, 36*P*, 1995
Does cold exposure influence the metabolic and thermoregulatory responses to prolonged low intensity walking in man? **489.P**, 39*P*, 1995
Effects of thermal dehydration on exercise performance indicators in man **489.P**, 43*P*, 1995
Ground reactions, compressive axial forces in an instrumented femoral implant and IEMGs from vastus lateralis during 'osteogenic' exercises in man **489.P**, 45*P*, 1995
The role of eccentric exercise duration in experimental skeletal muscle damage in man **489.P**, 148*P*, 1995

Exocrine gland

Ion channels involved in *in situ* fluid secretion from the frog skin gland **482.P**, 24*P*, 1995

Exocytosis

Regulation of granule size in human and horse eosinophils by number of fusion events among unit granules **483**, 201, 1995
Effects of divalent cations on exocytosis and endocytosis from single mouse pancreatic β-cells **487**, 465, 1995
Different types of membrane retrieval in single mouse pancreatic β-cells **487.P**, 32*P*, 1995
Inhibition of calcium currents and exocytosis by Lambert–Eaton syndrome antibodies in human lung cancer cells **488**, 303, 1995

Extracellular space

Extracellular volume and blood volume in chronically catheterized fetal sheep **485**, 835, 1995

Eye

A study of abnormal geniculo-cortical topography in the anaesthetized Syrian hamster **485.P**, 9*P*, 1995
The pattern of fixations made during visual search of 2-D images by humans **485.P**, 25*P*, 1995

Paralysis of accommodation is ineffective at preventing form deprivation myopia in the marmoset *Callithrix jacchus jacchus* **485.P**, 26*P*, 1995
Differential ocular growth of infant marmoset (*Callithrix jacchus jacchus*) induced by optical anisometropia combined with alternating occlusion **485.P**, 27*P*, 1995
Spatial inaccuracy of remembered saccades induced by transcranial magnetic stimulation over dorsolateral prefrontal cortex in man **489.P**, 29*P*, 1995
The involvement of chloride channels in bovine lens volume regulation and cataract **489.P**, 64*P*, 1995

Facilitation
Post-spike facilitation of neck EMG by cat tectoreticulospinal neurones during orienting movements **482**, 455, 1995
Facilitation of hand muscle responses to transcranial magnetic stimulation of the brain during voluntary contraction of the contralateral homonymous muscle in man **483.P**, 30*P*, 1995
Calcium in the nerve terminals of chick ciliary ganglia during facilitation, augmentation and potentiation **489**, 637, 1995

Fatigue
Effects of creatine phosphate and P_i on Ca^{2+} movements and tension development in rat skinned skeletal muscle fibres **482**, 123, 1995
Spatial differences in fatigue-associated electromyographic behaviour of the human first dorsal interosseus muscle **483**, 499, 1995
The effects of fatiguing voluntary activity of the quadriceps muscle on the soleus H reflex excitability in man **483.P**, 81*P*, 1995
The influence of cold-exposure on the metabolic and thermoregulatory responses to prolonged intermittent walking exercise in man **483.P**, 123*P*, 1995
Mechano-sensitive linkage in excitation–contraction coupling in frog skeletal muscle **484**, 737, 1995
Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans **485**, 857, 1995
Ingestion of branched-chain amino acids and tryptophan during sustained exercise in man: failure to affect performance **486**, 789, 1995
Raised intracellular calcium can cause subsequent failure of calcium release in mammalian skeletal muscle **487.P**, 19*P*, 1995
Short-term fatiguing exercise in humans: metabolic responses in pure and hybrid myosin heavy chain (MyHC)-based fibre types **487.P**, 154*P*, 1995

Fatty acid
Stretch activation of a toad smooth muscle K^+ channel may be mediated by fatty acids **484**, 331, 1995
Signalling role of *cis*-unsaturated fatty acids via phosphatidylcholine-specific phospholipase D in rat cardiac cell membrane **485.P**, 44*P*, 1995

Feeding
Expression of immediate early genes in rat gastric myenteric neurones: a physiological response to feeding **488**, 493, 1995

Femur
Ground reactions, compressive axial forces in an instrumented femoral implant and IEMGs from vastus lateralis during 'osteogenic' exercises in man **489.P**, 45*P*, 1995

Fetus
The effects of thyroid hormones on oxygen and glucose metabolism in the sheep fetus during late gestation **482**, 203, 1995
Nitric oxide (NO) synthesis and haemodynamic responses to acute hypoxaemia in unanaesthetized fetal sheep **483.P**, 92*P*, 1995
The effects of betamethasone (Beta) and dexamethasone (Dex) administration to unanaesthetized fetal sheep at 125 days gestation (dGA) on fetal blood pressure (FBP), heart rate (FHR) and heart rate variation (FHRvar) **483.P**, 94*P*, 1995
Extracellular volume and blood volume in chronically catheterized fetal sheep **485**, 835, 1995
α_1- and α_2-adrenoreceptor actions of phentolamine and prazosin on breathing movements in fetal sheep *in utero* **486**, 249, 1995
Effects of angiotensin II in fetal sheep and modification of its actions by indomethacin **487**, 147, 1995
Concentrations of Na^+ and Cl^- in transplacental ultrafiltrate in sheep **487**, 159, 1995
The effect of bilateral fetal adrenalectomy on fluid balance in the ovine fetus **489**, 235, 1995

Fever
Febrile responses induced in adrenalectomized rats by administration of interleukin-1β or prostaglandin E_2 **484**, 767, 1995

Fibrillation
Sodium nitroprusside attenuates the pro-fibrillatory effects of L-NAME in the isolated rat heart by increasing nitric oxide levels **483.P**, 10*P*, 1995

Fibrinogen
Effects of early and late plasmin digests of fibrinogen on isometric tension development in isolated rings of rat pulmonary artery **489.P**, 164*P*, 1995

Fibroblast
Cardiac fibroblasts – a cellular substrate for mechanosensitivity in frog sinus venosus **483.P**, 24*P*, 1995
Bradykinin evokes a calcium-activated chloride current in fibroblasts isolated from rat dorsal root ganglia **485.P**, 48*P*, 1995
Ca^{2+} traffic between external medium and Ca^{2+} stores is Ca^{2+} regulated in fibroblasts **487.P**, 10*P*, 1995
Functional block of excitation and stretch activation in a cardiac scar: a computational study **487.P**, 139*P*, 1995

Finger
Coding of pulsatile motor output by human muscle afferents during slow finger movements **485**, 271, 1995

Fish
Chemoreceptor responses in the adriatic sturgeon, *Acipenser naccarii* **483.P**, 184*P*, 1995
Possible limitations of speed and size of swimming fish schools, based on oxygen consumption of herring, *Clupea harengus*, measured at different swimming speeds **483.P**, 192*P*, 1995
Impairment of sustained swimming performance of brown trout (*Salmo trutta*) exposed to sub-lethal copper in soft acidic water **483.P**, 197*P*, 1995
Protein tyrosine phosphorylation regulates the KCl co-transporter in trout red cells **489.P**, 100*P*, 1995
The influence of hyperosmolarity on MCH gene expression in the rainbow trout **489.P**, 178*P*, 1995

Flash photolysis
Calcium current reactivation after flash photolysis of nifedipine in skeletal muscle fibres of the frog **487**, 51, 1995

Flow
Effect of intra-articular hyaluronan on pressure–flow relation across synovium in anaesthetized rabbits **485**, 179, 1995

Fluid absorption
Concentration polarization of fluorescent dyes in rat descending colonic crypts: evidence of crypt fluid absorption **487**, 479, 1995

Fluid balance
The effect of alcohol consumption on fluid retention following exercise-induced dehydration in man **489.P**, 33*P*, 1995
Interaction of thirst and beverage palatability and electrolyte content on post-exercise rehydration in man **489.P**, 35*P*, 1995

Fluid exchange
Fluid uptake from the renal medulla into the ascending vasa recta in anaesthetized rats **487**, 169, 1995

Fluid reabsorption
Estimated potassium reflection coefficient in perfused proximal convoluted tubules of the anaesthetized rat *in vivo* **488**, 153, 1995
Effect of fluid reabsorption on potassium permeability in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 84*P*, 1995
Mechanisms of water transport in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 94*P*, 1995

Fluid transport
Vesicular targeting and the control of ion secretion in epithelial cells: implications for cystic fibrosis **482.P**, 27*S*, 1995

Fluorescence
Estimation of the dissociation constant (K_D) for the fluorescent indicator mag-fura-2 at different excitation wavelengths **482.P**, 17*P*, 1995
Histamine increases intracellular calcium in isolated porcine chondrocytes **482.P**, 20*P*, 1995
Intracellular labelling using tetramethylrhodamine-dextran (TMR-dextran) conjugate florescent tracer (MW 3000) *in vivo* **483.P**, 101*P*, 1995
Synaptic $GABA_A$ activation induces Ca^{2+} rise in pyramidal cells and interneurons from rat neonatal hippocampal slices **487**, 319, 1995
Concentration polarization of fluorescent dyes in rat descending colonic crypts: evidence of crypt fluid absorption **487**, 479, 1995
Simultaneous high-speed photometric fluorescence measurements on several independently selectable regions of a microscope image **487.P**, 7*P*, 1995

Forskolin
Role of basolateral potassium channels in chloride secretion in human and mammalian intestine **489.P**, 101*P*, 1995

Fos

Presynaptic actions of morphine: blockade of cholecystokinin-induced noradrenaline release in the rat supraoptic nucleus **482**, 69, 1995

Free radical

Free radical activity during contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 157*P*, 1995

Altered rabbit myocardial crossbridge kinetics by oxidative species during maximal Ca^{2+} activation in isolated trabeculae **489.P**, 144*P*, 1995

Frog

The difference in shape of spontaneous and uniquantal evoked synaptic potentials in frog muscle **482**, 641, 1995

Equatorial intensity changes resulting from skinning of single skeletal muscle fibres of *Rana temporaria* **487.P**, 154*P*, 1995

A-type potassium current modulated by A_1 adenosine receptor in frog melanotrophs **489**, 431, 1995

Modulation of apical K^+ channels in frog early distal tubules **489.P**, 9*S*, 1995

Frusemide

Stimulation of guinea-pig tracheal afferent fibres by non-isosmotic and low-chloride stimuli and the effect of frusemide **482**, 179, 1995

Impaired natriuretic response to frusemide in sodium-depleted, anaesthetized rats: role of the loop of Henle **489.P**, 84*P*, 1995

Fura-2

The effects of mechanical loading and changes of length on single guinea-pig ventricular myocytes **482**, 93, 1995

Intracellular calcium and its sodium-independent regulation in voltage-clamped snail neurones **484**, 533, 1995

Endogenous heavy metal ions quench fura-2 fluorescence in mouse pancreatic acinar cells and rat hepatocytes **487.P**, 20*P*, 1995

Focal $[Ca^{2+}]_i$ increases detected by aequorin but not by fura-2 in histamine- and caffeine-stimulated swine carotid artery **488**, 549, 1995

Calcium muffling in snail neurones: intracellular buffering, sequestration and extrusion **489.P**, 15*S*, 1995

Fusimotor

Phase-dependent reflex responses of dynamic γ-efferents during locomotion in the decerebrate cat **487.P**, 66*P*, 1995

Fusimotor drive

Increased resting discharge of human spindle afferents following voluntary contractions **488**, 833, 1995

Fusimotor neurone

Fusimotor neurone responses to medial plantar nerve stimulation in the decerebrate cat **482**, 167, 1995

G protein

Inhibition of the interaction of G protein G_o with calcium channels by the calcium channel β-subunit in rat neurones **485**, 365, 1995

Characterization of the G protein coupling of a somatostatin receptor to the K^+_{ATP} channel in insulin-secreting mammalian HIT and RIN cell lines **485**, 73, 1995

Arachidonic acid and diacylglycerol release associated with inhibition of myosin light chain dephosphorylation in rabbit smooth muscle **486**, 113, 1995

Trophic control of survival and proliferation in cultured rat embryo forebrain germinal cells by α_1-adrenoreceptors **487.P**, 44*P*, 1995

Augmentation of potential-activated calcium current by GTPγS-activated G proteins in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

Residual Ca^{2+} channel current modulation by megestrol acetate via a G-protein α_S-subunit in rat hypothalamic neurones **487**, 291, 1995

Characterization and regulation of a chloride channel from bovine tracheal epithelium **489**, 81, 1995

Structure-dependent interactions of fatty acids (FA) with G proteins in fetal guinea-pig lung epithelium **489.P**, 108*P*, 1995

G protein regulation of alveolar ion channels: implications for lung fluid transport **489.P**, 5*S*, 1995

Galanin

Vasodilatation and smooth muscle membrane potential changes in arterioles from the guinea-pig small intestine **482**, 661, 1995

Gall bladder

Tachykinins as mediators of slow EPSPs in guinea-pig gall bladder ganglia: involvement of neurokinin-3 receptors **485**, 513, 1995

Inhibition of guinea-pig gall-bladder contraction by electrical field stimulation *in vitro* **487.P**, 33*P*, 1995

Ganglion

Ca^{2+}-induced Ca^{2+} release and its activation in response to a single action potential in rabbit otic ganglion cells **486**, 177, 1995

Single-channel recording from neuronal nicotinic receptors: a comparison between receptors from rat superior cervical ganglion (SCG) and recombinant receptors expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995

Gap junction

Gap junctional communication in the arteriolar wall: transforming cellular activity into vascular function **483.P**, 6*S*, 1995

Role of tissue geometry and spatial localization of gap junctions in generation of the pacemaker potential **487.P**, 126*P*, 1995

Reversible inhibition of gap junctional communication elicited by sex steroids in cultured rat cardiac cells **487.P**, 140*P*, 1995

Specific motifs in the external loops of connexin proteins can determine gap junction formation between chick heart myocytes **488**, 721, 1995

Gastric acid secretion

Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **486**, 505, 1995

Gastric emptying

The effect of osmolality and carbohydrate content on the rate of gastric emptying of liquids in man **486**, 523, 1995

Role of antral intramural neural pathways in control of gastric emptying in the pig **488**, 203, 1995

Gastric gland

Agonist-induced stimulation of L-arginine/nitric oxide pathway in rabbit isolated gastric glands **487.P**, 41*P*, 1995

Gastrin

Biosynthesis of amidated and glycine-extended gastrins in rat pyloric antral mucosa **487.P**, 34*P*, 1995

Post-prandial gastrin release after antral denervation: no role for gastrin-releasing peptide **487.P**, 34*P*, 1995

Gastrin/CCK_B receptors mediate the feeding-induced increase in histidine decarboxylase (HDC) mRNA abundance in rat gastric corpus **487.P**, 35*P*, 1995

Gastrin plays a physiological role in the protection of gastric mucosa against ethanol injury in rats **487.P**, 36*P*, 1995

Gastrointestinal mobility

Nitric oxide activates multiple potassium channels in canine colonic smooth muscle **489**, 735, 1995

Gastrointestinal motility

Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **487.P**, 38*P*, 1995

Mechanics of pulsatile transpyloric flow in the pig **488**, 193, 1995

Role of antral intramural neural pathways in control of gastric emptying in the pig **488**, 203, 1995

Gene expression

The genetic advantage hypothesis in cystic fibrosis heterozygotes: a murine study **482**, 449, 1995

Development and regulation of growth hormone gene expression in the chicken **483.P**, 49*P*, 1995

Expression of Fos protein following growth hormone-releasing peptide (GHRP-6) injection in rat arcuate neurones retrogradely labelled by systemic Fluorogold administration **483.P**, 49*P*, 1995

Algesic chemical stimulation of the skin activates c-*fos* expression in dorsal horn neurones via both AMPA and NMDA receptors in the rat **483.P**, 160*P*, 1995

Neuropeptide gene expression and capsaicin-sensitive primary afferents: maintenance and spread of adjuvant arthritis in the rat **486**, 473, 1995

Failure of P-glycoprotein (MDR1) expressed in *Xenopus* oocytes to produce swelling-activated chloride channel activity **486**, 707, 1995

Suppression of an immortalizing gene leads to increased Na^+–H^+ exchange in glomerular mesangial cells **489.P**, 130*P*, 1995

Increased expression of Fos protein in the area postrema of the conscious male rat following systemic injection of growth hormone releasing peptide (GHRP-6) **489.P**, 172*P*, 1995

The influence of hyperosmolarity on MCH gene expression in the rainbow trout **489.P**, 178*P*, 1995

Separation of c-*fos* and pro-enkephalin A gene induction in rat parvocellular paraventricular nucleus (pPVN) **489.P**, 180*P*, 1995

Gene mutation

Skeletal muscle DHP receptor mutations alter calcium currents in human hypokalaemic periodic paralysis myotubes **483**, 299, 1995

Glial cell

Control of reversed glutamate uptake by pH in glial cells isolated from the tiger salamander retina **483.P**, 62*P*, 1995

Mechanisms of Ca^{2+} mobilization in cerebellar Bergmann glial cells **483.P**, 63*P*, 1995

Thrombin-induced inhibition of potassium currents in human retinal glial (Müller) cells **485**, 337, 1995

Glial repair in the goldfish visual system **485.P**, 18*P*, 1995

On the voltage-dependent ion channel complement of the neonatal rat O-2A progenitor *in vitro* **489.P**, 55*P*, 1995

Glibenclamide

Two types of potassium channels inhibited and stimulated by intracellular ATP in isolated rat portal vein smooth muscle cells **487.P**, 93*P*, 1995

Renal effects of glibenclamide in anaesthetized rats: a micropuncture study **489.P**, 85*P*, 1995

Glomerulosa cell

Activation of calcium current in voltage-clamped rat glomerulosa cells by potassium ions **483**, 67, 1995

Glucose

The electrical activity of mouse pancreatic β-cells recorded *in vivo* shows glucose-dependent oscillations **486**, 223, 1995

The effect of osmolality and carbohydrate content on the rate of gastric emptying of liquids in man **486**, 523, 1995

Rapid stimulation of jejunal brush-border glucose uptake by lumenal glucose requires an intact mucosa **487.P**, 40*P*, 1995

Compartment ablation analysis of the insulin-responsive glucose transporter (GLUT4) in 3T3-L1 adipocytes **487.P**, 211*P*, 1995

Endurance training modifies the availability of circulating insulin-like growth factors by changing the relative concentration of high and low affinity binding proteins at rest and during prolonged exercise in man **489.P**, 26*P*, 1995

Effect of glucose polymer and sucrose drinks on muscle glycogen resynthesis after exhaustive exercise **489.P**, 34*P*, 1995

A Cl^- conductance co-localized with Na^+–glucose co-transport in brush-border membrane vesicles (BBMVs) prepared from enterocytes from rat small intestine **489.P**, 96*P*, 1995

Glucose transport

Eccentric exercise decreases glucose transporter GLUT4 protein in human skeletal muscle **482**, 705, 1995

Evidence for a novel isoform of Na^+–glucose transport in sheep tracheal epithelium *in vitro* **482.P**, 6*P*, 1995

Immunodetection of facilitative glucose transporter proteins in the human placental syncytiotrophoblast brush-border and basal membranes **482.P**, 46*P*, 1995

Mammalian ion-coupled solute transporters **482.P**, 7*S*, 1995

Expression of GLUT1 in rat isolated jejunal basolateral membrane and the response to experimental diabetes **489.P**, 127*P*, 1995

Dietary glucose alters GLUT2 expression by rat jejunal enterocytes **489.P**, 128*P*, 1995

The insulin-sensitive pools of the GLUT4 glucose transporter and the α_2-subunit of the Na^+–K^+-ATPase in rat skeletal muscle are immunologically and biophysically distinct **489.P**, 128*P*, 1995

Glucose uptake

Insulin treatment of diabetic rats causes rapid changes in SGLT1-mediated glucose uptake at the jejunal brush-border membrane (BBM) but does not affect GLUT2-mediated transport at the basolateral membrane (BLM) **482.P**, 23*P*, 1995

Glutamate

Mammalian ion-coupled solute transporters **482.P**, 7*S*, 1995

Trapping of glutamate and glycine during open channel block of rat hippocampal neuron NMDA receptors by 9-aminoacridine **483**, 367, 1995

A developmental switch in the consequences of non-NMDA receptor activation in isolated chick retina **483.P**, 60*P*, 1995

Control of reversed glutamate uptake by pH in glial cells isolated from the tiger salamander retina **483.P**, 62*P*, 1995

Electrogenic glutamate uptake in Purkinje cells in rat cerebellar slices **483.P**, 62*P*, 1995

Reversal of the depressant effect of L-2-amino-4-phosphonobutanoate (AP4) by α-methyl-AP4 (MAP4) at rat spinal motoneurones *in vitro* **483.P**, 159*P*, 1995

Electrophysiological and pharmacological evidence for a glutamatergic presynaptic feedback control of primary afferents by motoneurons in the crayfish *Procambarus clarkii, in vitro* **483.P**, 187*P*, 1995

Crayfish motoneurones and sensory terminals have different GABA receptors **483.P**, 195*P*, 1995

A role for γ-glutamyl transpeptidase and the amino acid transport system x_c^- in cystine transport by a human pancreatic duct cell line **485**, 167, 1995

Developmental changes in excitatory amino acid receptor distributions in primary visual cortex are correlated with the ingrowth of the geniculocortical pathway in the anaesthetized ferret **485.P**, 8*P*, 1995

The relationship between light-evoked synaptic excitation and spiking behaviour of salamander retinal ganglion cells **487**, 711, 1995

Reduction of the osmoresponsiveness of the rat supraoptic nucleus by kynurenate **487.P**, 48*P*, 1995

Detection of glutamate efflux produced by reversed uptake from isolated salamander retinal glial cells using glutamate-gated channels in isolated rat cerebellar neurons **487.P**, 49*P*, 1995

Postsynaptic glutamate uptake helps shape the EPSC at climbing fibre to Purkinje cell synapses in rat cerebellar slices **487.P**, 49*P*, 1995

External alkalinity exacerbates the glutamate-induced destabilization of Ca^{2+} homeostasis in cultured rat cerebellar granule cells: role of calcium–hydrogen exchange **487.P**, 58*P*, 1995

A comparison of spontaneous glutamate-mediated synaptic currents in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 63*P*, 1995

Potentiation of neurotransmitter release by activation of presynaptic glutamate receptors at developing neuromuscular synapses of *Xenopus* **489**, 813, 1995

The synergism between arachidonic acid and ACPD on glutamate release in dentate gyrus is occluded by induction of long-term potentiation **489.P**, 6*P*, 1995

Macroscopic kinetic properties of NMDA receptors in patches from granule cells of the rat cerebellum **489.P**, 14*P*, 1995

Metabotropic glutamate (mGlu) receptor activation produces a change in the mean open time of *N*-methyl-D-aspartate (NMDA) receptors **489.P**, 15*P*, 1995

The metabotropic glutamate receptor agonist 1*S*,3*R* ACPD induces both synaptic and EPSP–spike potentiation **489.P**, 15*P*, 1995

Non-NMDA receptor occupancy during transmission at rat cerebellar mossy fibre–granule cell synapses with only one functional release site **489.P**, 16*P*, 1995

Microinjection of L-glutamate in the red nucleus produces inhibition of respiratory output in decerebrate neonatal rabbits **489.P**, 156*P*, 1995

Glutamate and aspartate release from normal and diabetic rat hypothalami *in vitro* **489.P**, 182*P*, 1995

Regulation by *N*-methyl-D-aspartate (NMDA) receptors of basal and bursting activities of supraoptic oxytocin neurones in suckled rats **489.P**, 184*P*, 1995

Glutamate receptor

AMPA receptors with high Ca^{2+} permeability mediate synaptic transmission in the avian auditory pathway **482**, 309, 1995

Dendritic glutamate receptor channels in rat hippocampal CA3 and CA1 pyramidal neurons **482**, 325, 1995

Metabotropic glutamate receptors can mediate long-term depression of synaptic transmission in the dentate gyrus of rat hippocampal slices independently of NMDA receptor activation **483.P**, 71*P*, 1995

Modification of cutaneous receptive fields by a metabotropic glutamate receptor agonist in the gracile nucleus of the urethane-anaesthetized rat **483.P**, 156*P*, 1995

Regulation of spontaneous phasic firing of rat supraoptic vasopressin neurones *in vivo* by glutamate receptors **484**, 415, 1995

Dual modulation of synaptic inhibition by distinct metabotropic glutamate receptors in the rat hippocampus **485**, 121, 1995

Ca^{2+} permeable AMPA and NMDA receptor channels in basket cells of rat hippocampal dentate gyrus **485**, 383, 1995

Fractional calcium currents through recombinant GluR channels of the NMDA, AMPA and kainate receptor subtypes **485**, 403, 1995

Presynaptic metabotropic glutamatergic regulation of inhibitory synapses in rat cerebellar slices **486**, 163, 1995

Increased perinuclear Ca^{2+} activity evoked by metabotropic glutamate receptor activation in rat hippocampal neurones **486**, 149, 1995

Characterization of spontaneous excitatory synaptic currents in salamander retinal ganglion cells **486**, 207, 1995

Intracellular spermine confers rectification on rat calcium-permeable AMPA and kainate receptors **486**, 297, 1995

Excitatory synaptic potentials dependent on metabotropic glutamate receptor activation in guinea-pig hippocampal pyramidal cells **487**, 663, 1995

Pre- and postsynaptic glutamate receptors at a giant excitatory synapse in rat auditory brainstem slices **488**, 387, 1995

Cyclic AMP-dependent modulation of giant depolarizing potentials by metabotropic glutamate receptors in the rat hippocampus **489**, 115, 1995

Modulation of calcium channel currents by metabotropic glutamate receptor agonists in dissociated neurones from rat ventral cochlear nucleus (VCN) **489.P**, 54*P*, 1995

A metabotropic glutamate receptor agonist activates a high-threshold calcium current in rat CA1 neurones *in vitro* **489.P**, 70*P*, 1995

LM and EM immunolocalization of AMPA glutamate receptor subunits (GluR1–4) in areas of rat medulla oblongata regulating autonomic functions **489.P**, 163*P*, 1995

Glutamine

Effect of insulin and protein kinase modulators on glutamine transport and cell volume in rat skeletal muscle myotubes **482.P**, 16*P*, 1995

Glycine

Trapping of glutamate and glycine during open channel block of rat hippocampal neuron NMDA receptors by 9-aminoacridine **483**, 367, 1995

Glycine induces two distinct membrane currents in neonatal rat sympathetic preganglionic neurones *in vitro* **483**, 385, 1995

Whole-cell and single-channel currents activated by GABA and glycine in granule cells of the rat cerebellum **485**, 419, 1995

Modulation by magnesium of the affinity of NMDA receptors for glycine in murine hippocampal neurones **486**, 83, 1995

Patch-clamp analysis of glycine-induced currents in chick ciliary ganglion neurons **487**, 395, 1995

Glycine receptor

Modulation by zinc ions of native rat and recombinant human inhibitory glycine receptors **483**, 613, 1995

Glycogen

Glycogen resynthesis in human muscle fibre types following exercise-induced glycogen depletion **483**, 265, 1995

Insulin-mediated activation of glycogen synthase in isolated mouse muscle requires mitochondrial respiration **483.P**, 77*P*, 1995

Relative degree of stimulation-evoked glycogen degradation in muscle fibres of different type in rat gastrocnemius **484**, 139, 1995

Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man **489**, 243, 1995

Effect of glucose polymer and sucrose drinks on muscle glycogen resynthesis after exhaustive exercise **489.P**, 34*P*, 1995

Gonadotrophin

Tetrodotoxin-resistant persistent Na^+ current underlying pacemaker potentials of fish gonadotrophin-releasing hormone neurones **482**, 1, 1995

Gracile nucleus

Modification of cutaneous receptive fields by a metabotropic glutamate receptor agonist in the gracile nucleus of the urethane-anaesthetized rat **483.P**, 156*P*, 1995

Granule cell

Regulation of granule size in human and horse eosinophils by number of fusion events among unit granules **483**, 201, 1995

Membrane properties of granule cells of the rat ventral cochlear nucleus (VCN) in a thin slice preparation **485.P**, 14*P*, 1995

Membrane properties of the granule cells of the islands of Calleja of the rat studied *in vitro* **487**, 421, 1995

Apparent heterogeneity of extrasynaptic $GABA_A$ receptors in granule cells of the rat cerebellum **487.P**, 52*P*, 1995

Benzodiazepine modulation of GABA-activated currents in granule cells of the rat cerebellum **489.P**, 17*P*, 1995

Growth

Early stages in activity-induced angiogenesis in rat skeletal muscles: incorporation of bromodeoxyuridine into cells of the interstitium **483.P**, 146*P*, 1995

The effects of anaemia on heart, placenta and body weight, and blood pressure in fetal and neonatal rats **488**, 515, 1995

Growth factor

Basic fibroblast growth factor is required for continued proliferation of vascular smooth muscle cells cultured from human atherosclerotic arteries **483.P**, 116*P*, 1995

Sustained calcium influx activated by basic fibroblast growth factor in Balb-c 3T3 fibroblasts **484**, 557, 1995

Transforming growth factor β (TGFβ) modulates the CICR response in cultured human myometrial smooth muscle (HMSM) cells **487.P**, 93*P*, 1995

Growth hormone

Development and regulation of growth hormone gene expression in the chicken **483.P**, 49*P*, 1995

Expression of Fos protein following growth hormone-releasing peptide (GHRP-6) injection in rat arcuate neurones retrogradely labelled by systemic Fluorogold administration **483.P**, 49*P*, 1995

Increased expression of Fos protein in the area postrema of the conscious male rat following systemic injection of growth hormone releasing peptide (GHRP-6) **489.P**, 172*P*, 1995

Guanosine monophosphate (GMP)

The multi-ion nature of the cGMP-gated channel from vertebrate rods **487**, 17, 1995

Guanosine triphosphate (GTP)

Protein phosphatase-mediated inhibition of chloride-dependent, GTP-utilizing protein kinase activity in human respiratory epithelim *in vitro* **482.P**, 31*P*, 1995

Hypotonically activated and GTPγS-activated chloride currents in bovine pigmented ciliary epithelial cells both require activity of phospholipase C **487.P**, 101*P*, 1995

Guinea-pig

Stimulation of guinea-pig tracheal afferent fibres by non-isosmotic and low-chloride stimuli and the effect of frusemide **482**, 179, 1995

Evidence that prostacyclin relaxes isolated guinea-pig aortic muscle strips through activation of Ca^{2+}-activated K^+ channels **483.P**, 115*P*, 1995

Two distinct functional effects of protein phosphatase inhibitors on guinea-pig cardiac L-type Ca^{2+} channels **484**, 583, 1995

Characteristic features of inhibitory junction potentials evoked by single stimuli in the guinea-pig isolated taenia caeci **485**, 145, 1995

An antibody to L-type calcium channels reduces voltage-dependent calcium current in guinea-pig cardiac myocytes in a voltage-dependent manner **487.P**, 130*P*, 1995

Anti-arrhythmic action of streptomycin in the ventricle of the isolated, Langendorff perfused guinea-pig heart **489.P**, 166*P*, 1995

Influence of 8-Br cGMP on basal and isoprenaline-stimulated L-type calcium currents in guinea-pig isolated ventricular myocytes **489.P**, 167*P*, 1995

Gut

The genetic advantage hypothesis in cystic fibrosis heterozygotes: a murine study **482**, 449, 1995

H reflex

The effects of fatiguing voluntary activity of the quadriceps muscle on the soleus H reflex excitability in man **483.P**, 81*P*, 1995

Changes in the effect of magnetic brain stimulation accompanying voluntary dynamic contraction in man **484**, 777, 1995

Evidence favouring different descending pathways to soleus motoneurones activated by magnetic brain stimulation in man **486**, 779, 1995

Distribution of Ia effects onto human hand muscle motoneurones as revealed using an H reflex technique **489**, 263, 1995

Increase in reciprocal Ia inhibition during antagonist contraction in the human leg: a study of motor units and the H reflex **489**, 275, 1995

Haemodynamics

Involvement of vasodilator mechanisms in arterial pressure lability after sino-aortic baroreceptor denervation in rat **482**, 435, 1995

Haemorrhage

Modulation of erythropoietin formation by changes in blood volume in conscious dogs **488**, 181, 1995

Hair cell

Action of salicylate on membrane capacitance of outer hair cells from the guinea-pig cochlea **485**, 739, 1995

Field-emission scanning electron microscopy of cochlear hair cells: tip links, lateral links and tip junctions on stereocilia **485.P**, 2*P*, 1995

Effect of extracellular cations on charge movement associated with the motor of outer hair cells isolated from the guinea-pig cochlea **485.P**, 15*P*, 1995

Mechanotransduction channels on cochlear hair cells could be operated by shear displacement **485.P**, 16*P*, 1995

Effects of changing external calcium on a potassium current activated by acetylcholine in guinea-pig outer hair cells **485.P**, 17*P*, 1995

Microdomains of elevated Ca^{2+} concentration due to clustered ion channels at presynaptic active zones of hair cells from the bullfrog sacculus **485.P**, 17*P*, 1995

Differential expression of outer hair cell potassium currents in the apical turns of the isolated cochlea of the guinea-pig **485.P**, 30*P*, 1995

A comparison of the immunolabelling patterns obtained with antibodies to keratan sulphate and elastin in guinea-pig cochlea hair bundles **485.P**, 32*P*, 1995

Extensions to a time domain model of cochlear mechanics **485.P**, 32*P*, 1995

Potassium currents underlying the oscillatory response in hair cells of the goldfish sacculus **489**, 443, 1995

Effect of intracellular calcium release on ionic currents in outer hair cells isolated from the guinea-pig cochlea **489.P**, 48*P*, 1995

Microsecond resolution of patch movement and associated charge displacement in the lateral membrane of guinea-pig outer hair cells **489.P**, 48*P*, 1995

A calcium current activated by cyclopiazonic acid in inner hair cells isolated from the guinea-pig cochlea **489.P**, 81*P*, 1995

Hand

Co-ordination of human hand muscles during rhythmic finger movements related to writing **483.P**, 133*P*, 1995

Head

Control of the head in response to tilt of the body in normal and labyrinthine-defective human subjects **489**, 895, 1995

Hearing

Action of salicylate on membrane capacitance of outer hair cells from the guinea-pig cochlea **485**, 739, 1995

Heart

Two components of $[Ca^{2+}]_i$-activated Cl^- current during large $[Ca^{2+}]_i$ transients in single rabbit heart Purkinje cells **483**, 319, 1995

Central control of respiration and the heart in the anaesthetized agamid lizard, *Uromastyx microlipes* **483.P**, 6*P*, 1995

Sodium nitroprusside attenuates the pro-fibrillatory effects of L-NAME in the isolated rat heart by increasing nitric oxide levels **483.P**, 10*P*, 1995

The voltage dependence of contraction is modified by stimulation frequency in isolated guinea-pig ventricular myocytes **483.P**, 18*P*, 1995

Suction electrode-recorded action potentials from two sites in rat isolated hearts **483.P**, 19*P*, 1995

The effect of ischaemia on kinin release by isolated hearts from normotensive (WKY) and spontaneously hypertensive (SHR) rats **483.P**, 21*P*, 1995

Cardiac fibroblasts – a cellular substrate for mechanosensitivity in frog sinus venosus **483.P**, 24*P*, 1995

Mechanoelectrical feedback and arrhythmia in the atrium of the isolated, Langendorff-perfused guinea-pig heart and its modulation by streptomycin **483.P**, 24*P*, 1995

Dorsal medullary neurones activated by stimulation of the cardiac vagal branch of the anaesthetized rat, and their behaviour during the pulmonary chemoreflex **483.P**, 89*P*, 1995

Effect of cardiac receptors on patterns of activity within the renal sympathetic nerves of anaesthetized rats **483.P**, 94*P*, 1995

A quantitative and ultrastructural study of the increase in vascular permeability induced by hypoxia in the isolated rat heart **483.P**, 139*P*, 1995

Diabetes-induced changes in α-adrenergic modulation of K^+ currents in rat ventricular myocytes **485.P**, 43*P*, 1995

Receptor kinase-dependent desensitization of the muscarinic K^+ current in rat atrial cells **487**, 359, 1995

Local Ca^{2+} transients (Ca^{2+} sparks) originate at transverse tubules in rat heart cells **487**, 601, 1995

Transient depolarizations of mitochondria localized to discrete areas of single rat cardiomyocytes caused by free radicals and local calcium release: a model for free radical-induced cell injury **487.P**, 123*P*, 1995

Propagation in two-dimensional models of mammalian cardiac tissue **487.P**, 124*P*, 1995

Rhythmic oscillations emerge in a model of the guinea-pig ventricular cell **487.P**, 124*P*, 1995

The role of shift of the vulnerable window in initiation of re-entrant excitation in a model of inhomogeneous atrial tissue **487.P**, 125*P*, 1995

Role of tissue geometry and spatial localization of gap junctions in generation of the pacemaker potential **487.P**, 126*P*, 1995

CFTR anti-sense oligodeoxynucleotides reduce cAMP-dependent Cl^- currents in cultured guinea-pig ventricular myocytes **487.P**, 128*P*, 1995

Intracellular calcium oscillations contribute to cellular calcium balance in the face of increased Ca^{2+} influx in isolated rat ventricular myocytes **487.P**, 131*P*, 1995

Gadolinium blocks the delayed rectifier (I_K) in isolated guinea-pig ventricular myocytes **487.P**, 132*P*, 1995

Intracellular sodium regulation in myocytes isolated from different regions of rabbit ventricle **487.P**, 133*P*, 1995

Do consensus cAMP-dependent phosphorylation sites within the human L-type cardiac calcium channel expressed in *Xenopus* oocytes affect sensitivity to 2,3-butanedione monoxime inhibition? **487.P**, 136*P*, 1995

Angiotensin II receptors of AT1 type mediate the cardiac actions of angiotensinogen **487.P**, 139*P*, 1995

Functional block of excitation and stretch activation in a cardiac scar: a computational study **487.P**, 139*P*, 1995

The effect of changes in mechanical loading on the phosphorylation of phospholamban in isolated ferret papillary muscle **487.P**, 141*P*, 1995

Slow changes in cardiac inotropy and output associated with step changes in pre-load in isolated working rabbit hearts **487.P**, 142*P*, 1995

Changes in intracellular concentration of taurine, glutamine, glutamate and alanine in isolated Langendorff-perfused guinea-pig heart during simulated ischaemia **487.P**, 145*P*, 1995

Unitary and whole-cell Ca^{2+}-activated Cl^- currents in canine ventricular myocytes **487.P**, 146*P*, 1995

Power spectral analysis of the cardiac response to sustained systemic isocapnic hypoxia in man **487.P**, 171*P*, 1995

Effect of cardiac sympathetic and vagal stimulation on noradrenaline-induced ventricular tachycardia in the anaesthetized pig **487.P**, 173*P*, 1995

The absence of a 'fast' pathway in the muscarinic inhibition of i_f in rabbit SA node myocytes **487.P**, 188*P*, 1995

Comparison of subsarcolemmal and bulk calcium concentration during spontaneous calcium release in rat ventricular myocytes **488**, 577, 1995

Specific motifs in the external loops of connexin proteins can determine gap junction formation between chick heart myocytes **488**, 721, 1995

Is cardiac pain ever signalled through the vagus? **489.P**, 38*P*, 1995

Contribution of β_1 and β_2 adrenoceptors to the sympathetic stimulation of L-type Ca^{2+} current in isolated guinea-pig ventricular cardiomyocytes **489.P**, 50*P*, 1995

Ionic currents in branchial heart myocytes of the squid, *Alloteuthis subulata* and *Loligo forbesi* **489.P**, 66*P*, 1995

Effect of metabolic inhibitors on magnesium efflux and contractile force in the isolated perfused rat heart **489.P**, 142*P*, 1995

A working heart–brainstem preparation of the mature mouse **489.P**, 155*P*, 1995

Protein changes observed in a canine model of cardiac failure induced by ventricular pacing using 2-D electrophoresis: comparison with cardiomyopathic samples **489.P**, 159*P*, 1995

Anti-arrhythmic action of streptomycin in the ventricle of the isolated, Langendorff perfused guinea-pig heart **489.P**, 166*P*, 1995

The effect of Cytochalasin B on stretch-induced arrhythmia in the Langendorff perfused isolated rabbit heart **489.P**, 166*P*, 1995

Heart rate

Cardiac performance in the anaesthetized pig after long-term pacing-induced bradycardia **483.P**, 93*P*, 1995

Intrapartum cardiac vagal tone (CVT) in full term human fetuses with mild acidaemia **483.P**, 93*P*, 1995

The effects of betamethasone (Beta) and dexamethasone (Dex) administration to unanaesthetized fetal sheep at 125 days gestation (dGA) on fetal blood pressure (FBP), heart rate (FHR) and heart rate variation (FHRvar) **483.P**, 94*P*, 1995

Low frequency heart rate components in sick and healthy human neonates **483.P**, 97*P*, 1995

The role of central cholinergic mechanisms in the vagally mediated R–R interval fluctuations synchronous with respiration in humans **483.P**, 100*P*, 1995

Ligand receptor type response of heart rate to plasma catecholamines after heart denervation in humans **483.P**, 121*P*, 1995

Cardiovascular and thermoregulatory adjustments associated with flying and diving in the free-ranging blue-eyed shag, *Phalacrocorax atriceps* **483.P**, 193*P*, 1995

Thermoregulation is unlikely to produce a local generation of low frequency rhythms in heart rate and blood pressure in man **487.P**, 170*P*, 1995

Heart rate responses to upper airway negative pressure in the anaesthetized paralysed rabbit **487.P**, 171*P*, 1995

Adenosine mediates metabolic and cardiovascular responses to hypoxia in fetal sheep **488**, 761, 1995

Heart rate responses to selective stimulation of cardiac vagal C fibres in anaesthetized cats, rats and rabbits **489**, 203, 1995

ECG changes associated with breath-holding in a man **489.P**, 37*P*, 1995

Heat

Shifts of thermoeffector thresholds in heat-acclimated rats **483**, 491, 1995

Effects of thermal dehydration on exercise performance indicators in man **489.P**, 43*P*, 1995

HeLa cell

Intracellular calcium increases in response to swelling in HeLa cells **482.P**, 11*P*, 1995

Heparin

Internal Ca^{2+} stores involved in anoxic responses of rat hippocampal neurons **486**, 547, 1995

Hepatocyte

Activation of the plasma membrane chloride channel by protein kinase C in isolated guinea-pig hepatocytes **487**, 379, 1995

Hexose

Morphological localization of the GLUT5 hexose transporter in human skeletal muscle **482.P**, 23*P*, 1995

High altitude

Muco-ciliary clearance in humans at altitude **487.P**, 106*P*, 1995

Ventilatory dynamics alter with acclimatization to chronic hypoxia in man **487.P**, 108*P*, 1995

Dynamic chemosensitivity to carbon dioxide increases with acclimatization to chronic hypoxia in man **487.P**, 109*P*, 1995

Hippocampal neurone

NaF-induced modulation of voltage-operated calcium channels in CA1 neurons from rat hippocampus **483.P**, 64*P*, 1995

Increased perinuclear Ca^{2+} activity evoked by metabotropic glutamate receptor activation in rat hippocampal neurones **486**, 149, 1995

Caffeine-induced elevations of intracellular Ca^{2+} in rat hippocampal neurones and immunohistological evidence for the RyR2 ryanodine receptor isoform **487.P**, 21*P*, 1995

Hippocampus

Synaptic potentiation of dual-component excitatory postsynaptic currents in the rat hippocampus **482**, 39, 1995

Muscarine inhibits high-threshold calcium currents with two distinct modes in rat embryonic hippocampal neurons **483**, 347, 1995

Regenerative properties of pyramidal cell dendrites in area CA1 of the rat hippocampus **483**, 421, 1995

Low frequency stimulation induces depotentiation of long-term potentiation, but not long-term depression, in the rat hippocampal CA1 *in vivo* **483.P**, 68*P*, 1995

Effect of picrotoxin on the long-lasting potentiation produced by acetylcholinesterase in guinea-pig hippocampal slices *in vitro* **483.P**, 69*P*, 1995

L-AP4 inhibits tetanically induced long-term potentiation in the dentate gyrus of the rat *in vivo* **483.P**, 69*P*, 1995

Actions of potassium channel blockers on synaptic transmission in the *in vitro* rat hippocampal slice **483.P**, 70*P*, 1995

Different mechanisms for use-dependent depression of two $GABA_A$-mediated IPSCs in rat hippocampus **484**, 425, 1995

Associative EPSP–spike potentiation induced by pairing orthodromic and antidromic stimulation in rat hippocampal slices **484**, 689, 1995

The perforant path projection to hippocampal area CA1 in the rat hippocampal–entorhinal cortex combined slice **484**, 707, 1995

Dual modulation of synaptic inhibition by distinct metabotropic glutamate receptors in the rat hippocampus **485**, 121, 1995

Ca^{2+} permeable AMPA and NMDA receptor channels in basket cells of rat hippocampal dentate gyrus **485**, 383, 1995

Imaging of calcium variations in living dendritic spines of cultured rat hippocampal neurons **486**, 283, 1995

Synaptic input from CA3 pyramidal cells to dentate basket cells in rat hippocampus **487**, 125, 1995

Characterization of single voltage-gated Na^+ and Ca^{2+} channels in apical dendrites of rat CA1 pyramidal neurons **487**, 67, 1995

Tetanus induced modulation of presynaptic activity in the hippocampus of the diabetic GK Wistar rat **487.P**, 51*P*, 1995

The transition to seizure is associated with a change in the frequency response properties of the dentate gyrus in the rat tetanus toxin model of epilepsy **487.P**, 54*P*, 1995

Single axon pyramid–pyramid EPSPs in area CA1 of the rat hippocampus *in vitro* **487.P**, 64*P*, 1995

Paired-pulse modulation of fast excitatory synaptic currents in microcultures of rat hippocampal neurons **488**, 85, 1995

Voltage-gated potassium currents in stratum oriens–alveus inhibitory neurones of the rat CA1 hippocampus **488**, 647, 1995

Potassium conductances underlying repolarization and after-hyperpolarization in rat CA1 hippocampal interneurones **488**, 661, 1995

The importance of sodium for anoxic transmission damage in rat hippocampal slices: mechanisms of protection by lidocaine **489**, 557, 1995

The metabotropic glutamate receptor agonist 1*S*,3*R* ACPD induces both synaptic and EPSP–spike potentiation **489.P**, 15*P*, 1995

Physiological and morphological properties of scrapie-infected CA1 hippocampal pyramidal cells in the mouse **489.P**, 19*P*, 1995

Histamine

Transcellular gaps in the endothelium of rat venules after perfusion with either A23187 or histamine **483.P**, 140*P*, 1995

Histamine H_3 receptors inhibit exocrine secretory responses and cholinergic neurotransmission in the guinea-pig pancreas *in vivo* and *in vitro* **483.P**, 180*P*, 1995

Histamine and ATP mobilize calcium by activation of H_1 and P_{2u} receptors in human lens epithelial cells **486**, 273, 1995

Gastrin plays a physiological role in the protection of gastric mucosa against ethanol injury in rats **487.P**, 36*P*, 1995

Intracellular calcium is increased in isolated human chondrocytes by histamine **489.P**, 119*P*, 1995

Histology

'HyperHistology' – an application for computer-aided learning in histology **489.P**, 2*P*, 1995

History

A lost film found: Joseph Barcroft in 1935 **483.P**, 6*P*, 1995

Hormone

Effects of testosterone on synaptic efficacy at neuromuscular junctions in a sexually dimorphic muscle of male frogs **483**, 141, 1995

Effect of *in vitro* and *in vivo* prolactin upon phagocytic function in the ring dove (*Streptopelia risoria*) **483.P**, 52*P*, 1995

Developmental aspects of excitatory amino acid regulation of gonadotrophin-releasing hormone neurones **483.P**, 148, 1995

Natural variations in oestrogen and FSH levels in eumenorrheic women in negative association with voluntary muscle strength **489.P**, 28*P*, 1995

Horse

Regulation of transepithelial ion transport by extracellular ATP in cultured equine sweat gland epithelia **489.P**, 105*P*, 1995

H-reflex

Latency of effects evoked by electrical and magnetic brain stimulation in lower limb motoneurones in man **484**, 791, 1995

Human

Activation of basolateral K^+ channels by aldosterone in isolated human colon **482.P**, 2*P*, 1995

Immunodetection of facilitative glucose transporter proteins in the human placental syncytiotrophoblast brush-border and basal membranes **482.P**, 46*P*, 1995

Uptake of hypoxanthine by human vascular endothelial cells *in vitro* **482.P**, 47*P*, 1995

Receptive field characteristics of tactile units with myelinated afferents in hairy skin of human subjects **483**, 783, 1995

Alternating position and amplitude control in a deafferented man **483.P**, 34*P*, 1995

Unilateral chronic low-frequency electrical stimulation of human tibialis anterior improves contractile function ipsilaterally but impairs it contralaterally **483.P**, 80*P*, 1995

Spectral analysis of acoustic and electromyogram at three different lengths of human tibialis anterior **483.P**, 81*P*, 1995

Effects of different patterns of long-term electrical stimulation on human quadriceps femoris muscle **483.P**, 82*P*, 1995

Reproducibility of an ischaemic fatigue test performed on human triceps surae **483.P**, 83*P*, 1995

An *in vivo* measurement of muscle stiffness in man **483.P**, 86*P*, 1995

The role of central cholinergic mechanisms in the vagally mediated R–R interval fluctuations synchronous with respiration in humans **483.P**, 100*P*, 1995

Potassium currents in freshly isolated human bronchial smooth muscle cells **483.P**, 110*P*, 1995

Different actions of carbachol, histamine, bombesin and neuropeptide Y on isolated human detrusor muscle **483.P**, 117*P*, 1995

Cardiac vagal responses in seventy-six human subjects of varying physical activity **483.P**, 120*P*, 1995

The effect of creatine supplements on repeated 30 s cycle sprints in man **483.P**, 122*P*, 1995
Comparison of water turnover rates in men undertaking prolonged exercise and in sedentary men **483.P**, 123*P*, 1995
Role of series elasticity in force production during constant velocity shortening of human muscle–tendon complex **483.P**, 125*P*, 1995
Voluntary force generation and activation in the knee muscles of stroke patients with mild spastic hemiparesis **483.P**, 128*P*, 1995
Pre-activity warm-up attenuates exercise-induced asthma in human beings **483.P**, 130*P*, 1995
Evidence that the fronto-parietal N_{30}–P_{30} component of the somatosensory evoked potential (SEP) in man is generated in the sensorimotor cortex **483.P**, 157*P*, 1995
Fatigue and recovery of voluntary and electrically elicited dynamic force in humans **484**, 227, 1995
Coding of pulsatile motor output by human muscle afferents during slow finger movements **485**, 271, 1995
An assessment of central–peripheral ventilatory chemoreflex interaction using acid and bicarbonate infusions in humans **485**, 561, 1995
Evoked potentials to phase-modulated tones in humans **485.P**, 15*P*, 1995
Two models for the representation of edge-blur in humans by visual spatial filters **485.P**, 19*P*, 1995
The effects of chromatic aberration upon the detection of chromatic gratings in humans **485.P**, 20*P*, 1995
Wavelength discrimination at detection thresholds reveals human colour opponent mechanisms **485.P**, 20*P*, 1995
Balancing sensitivity of human chromatic opponent mechanisms by adaptation **485.P**, 21*P*, 1995
Evidence for relational colour constancy in red-green colour-deficient human observers **485.P**, 23*P*, 1995
Parallel processing of contour- and depth-related information in human visual cortex **485.P**, 24*P*, 1995
Human perception of spatial phase in natural images **485.P**, 25*P*, 1995
The pattern of fixations made during visual search of 2-D images by humans **485.P**, 25*P*, 1995
Long-range dichoptic interactions in human vision around a pathological retinal scotoma **485.P**, 27*P*, 1995
How many spatial-frequency tuned 'channels' are there for human stereo vision? **485.P**, 28*P*, 1995
Monocular diplopia with visual perseveration in a human subject **485.P**, 28*P*, 1995
The effects of 4 days of supplementation with three creatine dosages (10, 25 and 35 g day^{-1}) on repeated cycle sprints in man **485.P**, 45*P*, 1995
Breast-fed babies lose heat more rapidly than bottle fed babies during sleep **485.P**, 53*P*, 1995
Reciprocal inhibition between wrist flexors and extensors in man: a new set of interneurones? **487**, 221, 1995
Skin strain patterns provide kinaesthetic information to the human central nervous system **487**, 243, 1995
Nitric oxide evokes pain at nociceptors of the paravascular tissue and veins in humans **487**, 253, 1995
Interhemispheric inhibition induced by transcranial magnetic stimulation: localization of involved fibres studied in patients after partial callosotomy **487.P**, 68*P*, 1995
Absence of coherence between frequency peaks of surface electromyogram recorded in humans from different muscles of the same hand **487.P**, 70*P*, 1995
Control of centre of mass trajectory during human stepping **487.P**, 75*P*, 1995
Membrane currents in single smooth muscle cells freshly isolated from pregnant human myometrium **487.P**, 85*P*, 1995
The effect of glyceryl trinitrate (GTN) on the frequency and amplitude of agonist-induced contractions in human colonic smooth muscle **487.P**, 92*P*, 1995
Transforming growth factor β (TGFβ) modulates the CICR response in cultured human myometrial smooth muscle (HMSM) cells **487.P**, 93*P*, 1995
Muco-ciliary clearance in humans at altitude **487.P**, 106*P*, 1995
Effects of P_{CO_2} on voluntary control of ventilation in humans **487.P**, 107*P*, 1995
Similar maximum velocity of shortening in single fibres expressing the same myosin heavy chain, but from different human skeletal muscles **487.P**, 152*P*, 1995
Change in heart rate of adults walking at their self-selected speed **487.P**, 170*P*, 1995
Dynamics of the cerebral blood flow response to hypercapnia in young humans **487.P**, 176*P*, 1995
Comparison of a mercury strain gauge with an optoelectronic volumeter to record human arm swelling rates in venous occlusion plethysmography (VOP) **487.P**, 181*P*, 1995
Non-invasive electrophysiological experiments in man: what have they added to our knowledge of spinal reflex pathways? **487.P**, 224*P*, 1995
Distribution of Ia effects onto human hand muscle motoneurones as revealed using an H reflex technique **489**, 263, 1995
Velocity sensitivity of human muscle spindle afferents and slowly adapting type II cutaneous mechanoreceptors **489**, 593, 1995
Endurance training modifies the availability of circulating insulin-like growth factors by changing the relative concentration of high and low affinity binding proteins at rest and during prolonged exercise in man **489.P**, 26*P*, 1995
Carbohydrate ingestion stimulates creatine uptake in human skeletal muscle **489.P**, 27*P*, 1995
Changes in electromyograms of human lower limb muscles associated with increased proficiency of 'dry' slope skiing **489.P**, 29*P*, 1995
Stimulus for long latency reflexes during human locomotion **489.P**, 32*P*, 1995
Electromyographic (EMG) responses to tibial displacement in human anterior cruciate ligament-deficient knees **489.P**, 33*P*, 1995
Interaction of thirst and beverage palatability and electrolyte content on post-exercise rehydration in man **489.P**, 35*P*, 1995
The kaliuresis in man to an oral potassium load **489.P**, 36*P*, 1995
The reproducibility of cycling to volitional fatigue in non-cyclists **489.P**, 36*P*, 1995
Changes in blood volume distribution during orthostasis and at presyncope in humans **489.P**, 37*P*, 1995
The effect of age on three human cardiac vagal responses **489.P**, 38*P*, 1995
An evaluation of the variability in prolactin secretion in response to the serotoninergic agonist D-fenfluramine in man **489.P**, 44*P*, 1995
Evidence of impairment of human joint position sense in Parkinson's disease **489.P**, 45*P*, 1995
Ion channel activation and increases in cytosolic free calcium induced by P_2 purinergic receptor stimulation in human platelets **489.P**, 62*P*, 1995
Transepithelial ion transport in primary cultured human keratinocytes **489.P**, 106*P*, 1995
Inhibition of γ-glutamyl cysteine synthetase enhances cystine, but not glutamate, uptake by human pancreatic PaTu 8902 cells: implications for intracellular regulation of glutathione **489.P**, 108*P*, 1995
The role of eccentric exercise duration in experimental skeletal muscle damage in man **489.P**, 148*P*, 1995
Defects of the neuromuscular junction associated with impaired neuromuscular transmission in limb-girdle myasthenias in man **489.P**, 150*P*, 1995
Purification and N-terminal sequence analysis of human pro-corticotropin releasing hormone precursor **489.P**, 183*P*, 1995
Synchronization between motor cortex and spinal motoneuronal pool during the performance of a maintained motor task in man **489**, 917, 1996

Hydrogen ion

Lactate and H^+ uptake in inactive muscles during intense exercise in man **488**, 219, 1995

Hydrogen peroxide

H_2O_2-induced chloride currents are indicative of an endogenous Na^+–Ca^{2+} exchange mechanism in *Xenopus* oocytes **486**, 123, 1995

5-Hydroxytryptamine

Oestradiol-17β in its positive feedback mode significantly increases 5-HT_{2A} receptor density in the frontal, cingulate and piriform cortex of the female rat **483.P**, 52*P*, 1995
The effect of 5-HT_{2A} receptor antagonists on LHRH mRNA biosynthesis in the female rat **483.P**, 53*P*, 1995
Electrophysiological properties of anterior pretectal neurones and the presence of a hyperpolarization-activated inward current: intracellular recordings *in vitro* in the rat **483.P**, 156*P*, 1995
Neural and non-neural receptor sites for 5-hydroxytryptamine in the activation of electrogenic secretion in muscle-stripped and intact rat ileum *in vitro* **483.P**, 182*P*, 1995
Inhibition by 5-hydroxytryptamine and noradrenaline in substantia gelatinosa of guinea-pig spinal trigeminal nucleus **485**, 113, 1995

5-HT_2 receptor-controlled modulation of medullary respiratory neurones in the cat **487**, 653, 1995
Cisplatin stimulates 5-hydroxytryptamine-sensitive mesenteric afferents in the jejunum of the urethane-anaesthetized rat **487.P**, 35*P*, 1995
Morphology of rat dorsal horn neurones responding to 5-hydroxytryptamine *in vitro* **487.P**, 217*P*, 1995

5-Hydroxytryptamine receptor
Inhibition of N- and P-type calcium currents and the after-hyperpolarization in rat motoneurones by serotonin **485**, 635, 1995

Hyperaemia
Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat **487.P**, 168*P*, 1995
Role of nitric oxide in exercise hyperaemia during prolonged rhythmic handgripping in humans **488**, 259, 1995

Hyperalgesia
Subcutaneous infusions of nerve growth factor promote local heat and chemical hyperalgesia and increases in sensory neuron CGRP immunoreactivity in the adult rat **483.P**, 154*P*, 1995
Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones **486**, 769, 1995

Hypercapnia
Precognition affects the ventilatory response to an increase in exercise intensity following hypocapnic hyperventilation in man **487.P**, 108*P*, 1995
Dynamics of the cerebral blood flow response to hypercapnia in young humans **487.P**, 176*P*, 1995
Some effects of vagal blockade on abdominal muscle activation and shortening in awake dogs **488**, 471, 1995
Role of the parabrachial nucleus in ventilatory responses of awake rats **489**, 877, 1995

Hyperosmolarity
Hyperosmotic modulation of the cytosolic calcium concentration in a rat osteoblast-like cell line **486**, 97, 1995

Hyperoxia
Influence of hypoxic duration and posthypoxic inspired O_2 concentration on short term potentiation of breathing in humans **488**, 803, 1995

Hyperpolarization
Hyperpolarization induced by vasoactive substances in intact guinea-pig endocardial endothelial cells **484**, 25, 1995
Role of membrane potential in endothelium-dependent relaxation of guinea-pig coronary arterial smooth muscle **484**, 469, 1995
Baclofen inhibition of the hyperpolarization-activated cation current, I_h, in rat substantia nigra neurones *in vitro* may be secondary to potassium channel activation **487.P**, 61*P*, 1995

Hypertension
The effect of ischaemia on kinin release by isolated hearts from normotensive (WKY) and spontaneously hypertensive (SHR) rats **483.P**, 21*P*, 1995
Calcium channel blockade and pressure–natriuresis curves in anaesthetized stroke-prone spontaneously hypertensive rats **483.P**, 175*P*, 1995
The responsiveness of the renal guanylate cyclase-coupled receptor of atrial natriuretic peptide differs between spontaneously hypertensive and Wistar–Kyoto rats **487.P**, 28*P*, 1995
Rat aortic responses to hypertension and its regression **487.P**, 82*P*, 1995
Functional properties of isolated, pressurized mesenteric resistance arteries, from a vasopressin-deficient rat model of genetic hypertension **487.P**, 92*P*, 1995
Effectiveness of 'spiked' nitric oxide inhalation in patients with pulmonary hypertension **487.P**, 178*P*, 1995
Renal nerve responses to pain and their modulation by cardiopulmonary receptors in Wistar and stroke-prone spontaneously hypertensive rats (SPSHR) **487.P**, 179*P*, 1995
Tonic influence of the caudal ventrolateral medulla on the rostral ventrolateral medulla in anaesthetized spontaneously hypertensive and normotensive Wistar Kyoto rats **487.P**, 180*P*, 1995
Pulmonary vascular remodelling in neonatal pulmonary hypertension **487.P**, 128, 1995
Spinal sensory neuron numbers in the spontaneously hypertensive rat (SHR) **489.P**, 7*P*, 1995

Hyperthermia
The ryanodine receptor: structure/function and role in malignant hyperthermia **487.P**, 28, 1995
The defect in malignant hyperthermia **487.P**, 68, 1995

Hypertrophy
Electrophysiological changes to isolated guinea-pig ventricular myocytes during progressive hypertrophy **483.P**, 22*P*, 1995
The effect of left ventricular hypertrophy on intracellular pH and intracellular H^+ buffering capacity, in isolated guinea-pig myocytes **485.P**, 42*P*, 1995
Determinants of conduction velocity in myocardium isolated from hypertrophied guinea-pig hearts **485.P**, 44*P*, 1995
Calcium current in left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **487.P**, 131*P*, 1995
Regional action potential changes in isolated ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 142*P*, 1995
Transient outward current is decreased in isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 143*P*, 1995
Is 'compensatory' muscle hypertrophy in rat soleus true working hypertrophy? **489.P**, 148*P*, 1995
The selective β_2-adrenoceptor antagonist ICI 118,551 does not completely prevent clenbuterol-induced hypertrophy in rat muscles of mixed- and fast-fibre type **489.P**, 168*P*, 1995

Hypoglycaemia
Persistent neonatal hyperinsulinaemic hypoglycaemia in humans involves a defect in pancreatic β-cell K^+ channels **489.P**, 7*S*, 1995

Hypothalamus
GABAergic influences on dopamine secretion from rat hypothalamic cells in primary culture **483.P**, 47*P*, 1995
Nitric oxide affects the activity of neurones in the pre-optic/anterior hypothalamus of anaesthetized rats: interaction with the effects of centrally administered interleukin-1 **483.P**, 72*P*, 1995
The molecular biology of excitatory and inhibitory amino acid receptors with a special focus on the hypothalamus **483.P**, 7*S*, 1995
Excitatory amino acid regulation of rat hypothalamic magnocellular neurosecretory cells (MNCs) *in vitro* **483.P**, 9*S*, 1995
Role of GABA in regulating rat magnocellular neurones **483.P**, 10*S*, 1995
Region-specific regulation of neuropeptide mRNAs in rat limbic forebrain neurones by aldosterone and corticosterone **484**, 721, 1995
Residual Ca^{2+} channel current modulation by megestrol acetate via a G-protein α_S-subunit in rat hypothalamic neurones **487**, 291, 1995
The pattern of excitatory inputs to the nucleus tractus solitarii evoked on stimulation in the hypothalamic defence area in the cat **487**, 727, 1995
Hypothalamic modulation of laryngeal reflexes in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 739, 1995
Hypothalamic modulation of the arterial chemoreceptor reflex in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 751, 1995
Reduction of the osmoresponsiveness of the rat supraoptic nucleus by kynurenate **487.P**, 48*P*, 1995
Effect of tamoxifen on cationic and anionic conductances in C1300 neuroblastoma cells and isolated embryonic rat hypothalamic neurons *in vitro* **487.P**, 194*P*, 1995
Excitatory inputs from the rostral hypothalamus to neurones in the periaqueductal grey with identified medullary projections in the rat **487.P**, 218*P*, 1995
GABA-induced facilitation of the periodic bursting activity of oxytocin neurones in suckled rats **488**, 103, 1995
Effects of hypothalamic thermal stimuli on sympathetic neurones innervating skin and skeletal muscle of the cat hindlimb **488**, 139, 1995
Temperature effects on membrane potential and input resistance in rat hypothalamic neurones **488**, 407, 1995
Role of brainstem adenosine A_1 receptors on the hypothalamic defence response in the anaesthetized rat **489.P**, 154*P*, 1995
Source of central adenosine important in modulating the cardiovascular response to hypothalamic defence area stimulation in the rat **489.P**, 155*P*, 1995
Activation of the basal tuberal hypothalamus of castrated Japanese quail preceding photoperiodically driven luteinizing hormone (LH) release **489.P**, 172*P*, 1995
A study of constitutive nitric oxide synthase (cNOS) in the hypothalami of normal and hereditary diabetes insipidus rats and mice: evidence of involvement of nitric oxide in osmotic regulation **489.P**, 177*P*, 1995
Glutamate and aspartate release from normal and diabetic rat hypothalami *in vitro* **489.P**, 182*P*, 1995
Regulation by *N*-methyl-D-aspartate (NMDA) receptors of basal and bursting activities of supraoptic oxytocin neurones in suckled rats **489.P**, 184*P*, 1995

Vasopressin controls magnocellular vasopressin neurones via V_1-type receptors in the rat **489.P**, 184*P*, 1995
Postnatal development of action potential and ionic currents in freshly dissociated hypothalamic magnocellular neurones of the rat supraoptic nucleus **489.P**, 185*P*, 1995

Hypoxia
The influence of hypoxia on transvascular leakage in the isolated rat heart: quantitative and ultrastructural studies **482**, 157, 1995
Effect of hypoxia on force, intracellular pH and Ca^{2+} concentration in rat cerebral and mesenteric small arteries **482**, 409, 1995
Involvement of endothelin-1 in hypoxic pulmonary vasoconstriction in the lamb **482**, 421, 1995
Analysis of responses observed in mesenteric microcirculation of the rat during systemic hypoxia **482**, 669, 1995
Activation of ATP-dependent K^+ channels by hypoxia in smooth muscle cells isolated from the pig coronary artery **483**, 29, 1995
Effect of systemic hypoxia upon circulation of the cerebral cortex in the anaesthetized rat **483.P**, 88*P*, 1995
Effects of mild systemic hypoxia on laryngeal-evoked potentials in hypoglossal motoneurones in anaesthetized neonatal kittens **483.P**, 88*P*, 1995
Bilateral lesions in the red nucleus abolish the biphasic respiratory response to hypoxia in decerebrate newborn rabbits **483.P**, 89*P*, 1995
Long-term facilitation of ventilation following episodic hypoxia in awake goats **483.P**, 91*P*, 1995
Chronic NO synthase inhibition: changed vasomotor effects of hypoxia on rat lung vessels *in vitro* **483.P**, 92*P*, 1995
Nitric oxide (NO) synthesis and haemodynamic responses to acute hypoxaemia in unanaesthetized fetal sheep **483.P**, 92*P*, 1995
Effects of graded hypoxia on noradrenaline- and phenylephrine-induced contractions in the rat iliac artery *in vitro* **483.P**, 102*P*, 1995
A quantitative and ultrastructural study of the increase in vascular permeability induced by hypoxia in the isolated rat heart **483.P**, 139*P*, 1995
Effects of a neutral endopeptidase inhibitor on hypoxia-induced changes in renal function in the anaesthetized rat **483.P**, 172*P*, 1995
Hypoxia-induced brain angiogenesis in the adult rat **485**, 525, 1995
Effect of chronic hypoxaemia from birth upon chemosensitivity in the adult rat carotid body *in vitro* **485**, 543, 1995
Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition **486**, 1, 1995
Hypoxic changes in rat locus coeruleus neurons *in vitro* **486**, 33, 1995
K_{ATP} channel mediation of anoxia-induced outward current in rat dorsal vagal neurons *in vitro* **487**, 37, 1995
The effects of systemic hypoxia on renal function in the anaesthetized rat **487**, 497, 1995
A study on rats of the effects of chronic hypoxia from birth on respiratory and cardiovascular responses evoked by acute hypoxia **487**, 513, 1995
Changes in mitochondrial function, $[Ca^{2+}]_i$ and catecholamine secretion in response to hypoxia in chromaffin cells dissociated from the newborn rat adrenal **487.P**, 59*P*, 1995
The oxygen-sensing K^+ conductance of isolated rabbit pulmonary artery smooth muscle **487.P**, 80*P*, 1995
The role of nitric oxide in vasodilatation induced in skeletal muscle of the anaesthetized rat by acute systemic hypoxia **487.P**, 86*P*, 1995
Ventilatory dynamics alter with acclimatization to chronic hypoxia in man **487.P**, 108*P*, 1995
Dynamic chemosensitivity to carbon dioxide increases with acclimatization to chronic hypoxia in man **487.P**, 109*P*, 1995
Dynamic models of the human ventilatory response to sustained hypoxia **487.P**, 109*P*, 1995
Blunted hypoxic pulmonary vasoconstriction with short-term chronic hypoxia in isolated rat lungs **487.P**, 110*P*, 1995
Hypoxic pulmonary vasoconstriction (HPV): stimulus–response relation to P_{O_2} in small isolated rat lung vessels **487.P**, 110*P*, 1995
Effects of an endothelin receptor blocker on constriction of small pulmonary arteries isolated from the rat **487.P**, 113*P*, 1995
Effects of dinitrophenol, cyanide, and acidosis on the contractility of isolated pulmonary and isolated ear artery of the rabbit **487.P**, 114*P*, 1995
Power spectral analysis of the cardiac response to sustained systemic isocapnic hypoxia in man **487.P**, 171*P*, 1995
The influence of hypoxia on intracellular pH of isolated fibres from rat soleus muscle **487.P**, 174*P*, 1995
The role of adenosine in cerebral cortical vasodilatation induced by acute systemic hypoxia in normoxic and chronically hypoxic rats under anaesthesia **487.P**, 174*P*, 1995
Role of extracellular K^+ in the regulation of cerebral blood flow during hypoxia in the anaesthetized rat **487.P**, 175*P*, 1995
Endothelial dependence of hypoxic pulmonary vasoconstriction **487.P**, 10*S*, 1995
Redox agents as a link between hypoxia and the responses of ionic channels in pulmonary vascular smooth muscle **487.P**, 12*S*, 1995
Clinical aspects of hypoxic pulmonary vasoconstriction **487.P**, 13*S*, 1995
Influence of hypoxic duration and posthypoxic inspired O_2 concentration on short term potentiation of breathing in humans **488**, 803, 1995
Modulation of glomus cell membrane currents of intact rat carotid body **489**, 677, 1995
Effects of hypobaric hypoxia on antioxidant enzymes in rats **489**, 869, 1995
Role of the parabrachial nucleus in ventilatory responses of awake rats **489**, 877, 1995
Synaptic transmission, hypoxia and adenosine in the isolated neonatal rat spinal cord **489.P**, 23*P*, 1995
Effects of hypoxia on resting (leak) potassium conductance in carotid body type-I cells of the neonatal rat **489.P**, 56*P*, 1995
Hypoxia potentiates persistent sodium current in isolated rat ventricular myocytes **489.P**, 143*P*, 1995
Microinjection of L-glutamate in the red nucleus produces inhibition of respiratory output in decerebrate neonatal rabbits **489.P**, 156*P*, 1995

Hypoxin
The role of adenosine in mediating vasodilatation in mesenteric circulation of the rat in acute and chronic hypoxia **489**, 225, 1995

Image analysis
Scaling of muscle capillary supply in humans: effect of strength training **483.P**, 134*P*, 1995
Protocols for determining chondrocyte volume *in situ* from three dimensional confocal images **487.P**, 3*P*, 1995

Immune response
The involvement of medullary catecholaminergic neurones in the interaction of the immune and central nervous systems **489.P**, 176*P*, 1995

Immunoglobulin G
The transfer of anti-D immunoglobulin across the perfused human placental lobule **482.P**, 30*P*, 1995
Decreased calcium currents in motor nerve terminals of mice with Lambert–Eaton myasthenic syndrome **487**, 115, 1995

Immunohistochemistry
Immunohistochemical localization of neuropeptides in normal, diabetic and transplanted pancreas in rats **487.P**, 32*P*, 1995

Immunoresponse
Calbindin-D_{28k}: role in determining intrinsically generated firing patterns in rat supraoptic neurones **488**, 601, 1995

Imprinting
Effects of subject–object distance on visual responses of neurons in a chick memory system **483.P**, 40*P*, 1995
A time-dependent, learning-specific increase in the amount of neural cell adhesion molecules (NCAMs) in chick forebrain after visual imprinting **485.P**, 8*P*, 1995

Inactivation
Comparison of ultra-slow voltage-dependent inactivation of the L-type Ca^{2+} channel current in isolated ferret ventricular myocytes with Ca^{2+} or Ba^{2+} as the charge carrier **483.P**, 13*P*, 1995
Inactivation of the cloned potassium channel mouse Kv1.1 by the human Kv3.4 'ball' peptide and its chemical modification **484**, 1, 1995
Convertible modes of inactivation of potassium channels in *Xenopus* myocytes differentiating *in vitro* **484**, 313, 1995
Slow inactivation of persistent sodium current in mouse neocortical neurones *in vitro* **487.P**, 53*P*, 1995

Indo-1
Caffeine-induced elevations of intracellular Ca^{2+} in rat hippocampal neurones and immunohistological evidence for the RyR2 ryanodine receptor isoform **487.P**, 21*P*, 1995
Propagating calcium waves initiated by local caffeine application in rat ventricular myocytes **489**, 319, 1995

Inferior colliculus
A topographic representation of sound azimuth in the nucleus of the brachium of the inferior colliculus of the anaesthetized ferret **485.P**, 14*P*, 1995

Inferior olive
Non-uniform conduction time in the olivocerebellar pathway in the anaesthetized cat **486**, 763, 1995

Inflammation
Involvement of neurokinin receptors in the joint inflammation and heat hyperalgesia following acute inflammation in unanaesthetized rats **483.P**, 152*P*, 1995
The effects of NK1 and NK2 receptor antagonists on the sensitization of STT cells following acute inflammation in the anaesthetized primate **483.P**, 152*P*, 1995
The role of glutamate and GABA receptors in the generation of dorsal root reflexes by acute arthritis in the anaesthetized rat **484**, 437, 1995

Inhibition
Dual modulation of synaptic inhibition by distinct metabotropic glutamate receptors in the rat hippocampus **485**, 121, 1995
Erosion of inhibition contributes to the progression of low magnesium bursts in rat hippocampal slices **486**, 723, 1995
The effect of voluntary contraction on cortico-cortical inhibition in human motor cortex **487**, 541, 1995
Interhemispheric inhibition induced by transcranial magnetic stimulation: localization of involved fibres studied in patients after partial callosotomy **487.P**, 68*P*, 1995
The effects of cyclopiazonic acid and thapsigargin on Ca^{2+} uptake by sarcoplasmic reticulum vesicles from frog skeletal muscle **487.P**, 160*P*, 1995
Con-A inhibits CCK-mediated amylase release by rat pancreatic acini **487.P**, 222*P*, 1995

Inhibitory junction potential
Effects of vitamin E deficiency on autonomic neuroeffector mechanisms in the rat caecum, vas deferens and urinary bladder **487**, 773, 1995

Inhibitory postsynaptic current
Different mechanisms for use-dependent depression of two $GABA_A$-mediated IPSCs in rat hippocampus **484**, 425, 1995

Inhibitory postsynaptic potential
Primary afferent-evoked glycine- and GABA-mediated IPSPs in substantia gelatinosa neurones in the rat spinal cord *in vitro* **482**, 29, 1995
Functionally related morphology of local circuit connections of sparsely spiny interneurones in slices of rat neocortex **483.P**, 59*P*, 1995
GABAergic interneurones can pace rat hippocampal principal cell activity through perisomatic synapses *in vitro* **487.P**, 53*P*, 1995
Electrophysiology, light and electron microscopy of fast spiking interneurone-to-pyramid connections in rat somatomotor cortex *in vitro* **489.P**, 19*P*, 1995

Injury
The effect of changes in static hip position on the flexion reflex in motor complete spinal cord injured humans **487.P**, 75*P*, 1995
Endothelial impairment by fenfluramine and amitriptyline in isolated perfused rat lungs **487.P**, 113*P*, 1995
Injury to muscle fibres after single stretches of passive and maximally stimulated muscles in mice **488**, 459, 1995

Innervation
Visceral vasodilatation and somatic vasoconstriction evoked by acid challenge of the rat gastric mucosa: diversity of mechanisms **486**, 505, 1995

Inorganic phosphate
ADP and inorganic phosphate activate the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **487.P**, 144*P*, 1995

Inositol 1,4,5-trisphosphate
Quantal puffs of intracellular Ca^{2+} evoked by inositol trisphosphate in *Xenopus* oocytes **482**, 533, 1995
Activation of P_2-purinoreceptors triggered Ca^{2+} release from $InsP_3$-sensitive internal stores in mammalian oligodendrocytes **483**, 41, 1995
Interactions between Ca^{2+}, inositol trisphospate (IP_3)-sensitive Ca^{2+} release and Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human myometrial smooth muscle cells **483.P**, 107*P*, 1995
Fast activation and inactivation of inositol trisphosphate-evoked Ca^{2+} release in rat cerebellar Purkinje neurones **487**, 343, 1995
Activation of store-operated calcium influx at resting $InsP_3$ levels by sensitization of the $InsP_3$ receptor in rat basophilic leukaemia cells **489**, 377, 1995
Events following activation of human Neuromedin B receptors expressed in *Xenopus* oocytes **489.P**, 49*P*, 1995
Interactions of Ins 1,4,5 P_3, cylic ADP ribose and cyclic AMP in Ca^{2+} signalling in the mouse lacrimal acinar cells **489.P**, 113*P*, 1995

Inositol polyphosphate
Ca^{2+} influx during agonist and Ins(2,4,5)P_3-evoked Ca^{2+} oscillations in HeLa epithelial cells **482**, 275, 1995

Insect
Pharmacological modulation of electrical events recorded from a cockroach (*Periplaneta americana*) motoneurone *in vitro* **483.P**, 187*P*, 1995
A novel electropharmacological profile of insect GABA receptors **483.P**, 190*P*, 1995
Recording from acutely isolated cell bodies of an identified locust (*Schistocerca gregaria*) motoneurone **483.P**, 198*P*, 1995
Immunocytochemical localization of muscarinic acetylcholine receptors in antennal lobe glomeruli of *Drosophila melanogaster* and *Apis mellifera* **485.P**, 31*P*, 1995
Comparative sequence analysis of the C-terminal tract of a ryanodine receptor from the insect pest *Heliothis virescens* **487.P**, 17*P*, 1995
Evidence for the contribution of a novel low voltage-activated Ca^{2+} current in regulating pacemaker activity of insect neurosecretory cells **489.P**, 67*P*, 1995

Insulin
Insulin-mediated activation of glycogen synthase in isolated mouse muscle requires mitochondrial respiration **483.P**, 77*P*, 1995
Insulin modulates diabetes-induced stimulation of L-arginine transport in human umbilical vein endothelial cells **483.P**, 136*P*, 1995
Effects of divalent cations on exocytosis and endocytosis from single mouse pancreatic β-cells **487**, 465, 1995
Compartment ablation analysis of the insulin-responsive glucose transporter (GLUT4) in 3T3-L1 adipocytes **487.P**, 211*P*, 1995
Effect of insulin on Na^+,K^+-ATPase in rat collecting duct **488**, 171, 1995
The use of laser scanning confocal microscopy to study the uptake of fluorescent insulin in the renal tubule *in vivo* **489.P**, 3*P*, 1995
Does insulin mediate the haemodynamic responses to food ingestion? **489.P**, 42*P*, 1995

Insulin-like growth factor
The positive inotropic action of insulin-like growth factor-I (IGF-I) on isolated rat cardiac muscle **487.P**, 144*P*, 1995

Intercostal muscle
David T. Barry on respiratory afferents (1913) **487.P**, 206*P*, 1995

Interleukin
Nitric oxide affects the activity of neurones in the pre-optic/anterior hypothalamus of anaesthetized rats: interaction with the effects of centrally administered interleukin-1 **483.P**, 72*P*, 1995
Febrile responses induced in adrenalectomized rats by administration of interleukin-1β or prostaglandin E_2 **484**, 767, 1995

Interneurone
Interneurones mediating presynaptic inhibition of group II muscle afferents in the cat spinal cord **483**, 461, 1995
Electrophysiological and morphological properties of local circuit interneurones of the rat dorsal lateral geniculate nucleus *in vitro* **483.P**, 58*P*, 1995
Photoinactivation of cardio-respiratory interneurons in the pond snail, *Lymnaea stagnalis* **483.P**, 189*P*, 1995
Motor programme switching by a lobster mechanoreceptor neurone *in vitro*: role of parallel interneuronal processing **483.P**, 191*P*, 1995
Influence of glycinergic inhibition on spinal neurone spiking during amphibian embryo swimming **483.P**, 197*P*, 1995
Synaptic input from CA3 pyramidal cells to dentate basket cells in rat hippocampus **487**, 125, 1995
The pattern of excitatory inputs to the nucleus tractus solitarii evoked on stimulation in the hypothalamic defence area in the cat **487**, 727, 1995
Recurrent unitary EPSPs evoked in anatomically identified inhibitory interneurones of the cat visual cortex *in vitro* **487.P**, 51*P*, 1995
Pyramid-to-interneurone connections can be mediated by multiple synaptic contacts in slices of rat neocortex **487.P**, 52*P*, 1995
GABAergic interneurones can pace rat hippocampal principal cell activity through perisomatic synapses *in vitro* **487.P**, 53*P*, 1995
High degree of self-innervation by GABAergic basket cells in the visual cortex of the cat as revealed *in vitro* **487.P**, 63*P*, 1995
Evoked changes in the excitability of presynaptic terminals of cat midlumbar premotor interneurones **487.P**, 71*P*, 1995
Voltage-gated potassium currents in stratum oriens–alveus inhibitory neurones of the rat CA1 hippocampus **488**, 647, 1995
Potassium conductances underlying repolarization and after-hyperpolarization in rat CA1 hippocampal interneurones **488**, 661, 1995

Electrophysiology, light and electron microscopy of fast spiking interneurone-to-pyramid connections in rat somatomotor cortex *in vitro* **489.P**, 19*P*, 1995

Interspike interval

Temporal structure in the light response of relay cells in the dorsal lateral geniculate nucleus of the cat **485**, 715, 1995

Interstitial fluid

Interstitial fluid transport through wall tissue of isolated rabbit arteries and veins **483.P**, 146*P*, 1995

Intervertebral disc

Measurements of hydrogen and oxygen in isolated bovine intervertebral disc **483.P**, 126*P*, 1995

Intestinal secretion

Neural and non-neural receptor sites for 5-hydroxytryptamine in the activation of electrogenic secretion in muscle-stripped and intact rat ileum *in vitro* **483.P**, 182*P*, 1995

Ileal *E. coli* STa activates jejunal but not colonic fluid secretion by a vagal reflex in the rat *in vivo* **487.P**, 36*P*, 1995

Intestine

Effect of ionizing radiation on vasoactive intestinal peptide-sensitive adenylate cyclase and receptors in membranes isolated from porcine intestine **482.P**, 37*P*, 1995

Effects on dipeptide transport of reducing the pH in the lumen of rat small intestine, *in vitro* **489.P**, 105*P*, 1995

Na^+-independent lysine transport in human intestinal epithelial (Caco-2) cells **489.P**, 107*P*, 1995

Characterization of electrogenic secretion in tetrahydrobiopterin-deficient mouse ileum *in vitro* **489.P**, 109*P*, 1995

Expression of GLUT1 in rat isolated jejunal basolateral membrane and the response to experimental diabetes **489.P**, 127*P*, 1995

Dietary glucose alters GLUT2 expression by rat jejunal enterocytes **489.P**, 128*P*, 1995

Intracellular calcium

Factors controlling changes in intracellular Ca^{2+} concentration produced by noradrenaline in rat mesenteric artery smooth muscle cells **482**, 247, 1995

Activation of Ca^{2+}-dependent Cl^- currents in cultured rat sensory neurones by flash photolysis of DM-nitrophen **482**, 291, 1995

Effect of bile salts on intracellular free calcium concentration in the intestinal cell line CaCo-2 **482.P**, 38*P*, 1995

Calcium mobilization and activation of maxi-conductance K^+ channels by purinergic agonists in human non-pigmented ciliary body epithelium **482.P**, 40*P*, 1995

Purinergic receptor-mediated increases in intracellular Ca^{2+} in single isolated epithelial cells of the human uterine tube **482.P**, 45*P*, 1995

Effects of intracellular calcium on sodium current density in cultured neonatal rat cardiac myocytes **483**, 307, 1995

Electrophysiological and metabolic effects of a convulsant barbiturate on dissociated mouse primary sensory neurons **483**, 407, 1995

Halothane raises intracellular calcium concentration ($[Ca^{2+}]_i$) in cultured molluscan neurones **483.P**, 190*P*, 1995

The effects of extracellular and intracellular pH on carbachol-induced intracellular Ca^{2+} transients in guinea-pig detrusor smooth muscle **485.P**, 40*P*, 1995

Relationship between intracellular protons and calcium in isolated rat ventricular myocytes **485.P**, 42*P*, 1995

Hyperosmotic modulation of the cytosolic calcium concentration in a rat osteoblast-like cell line **486**, 97, 1995

Increased perinuclear Ca^{2+} activity evoked by metabotropic glutamate receptor activation in rat hippocampal neurones **486**, 149, 1995

Stretch-induced enhancement of contractions in uterine smooth muscle of rats **486**, 373, 1995

Estimate of net calcium fluxes and sarcoplasmic reticulum calcium content during systole in rat ventricular myocytes **486**, 581, 1995

Activation mechanism of Ca^{2+}-sensitive transient outward current in rabbit ventricular myocytes **486**, 593, 1995

Raised intracellular calcium can cause subsequent failure of calcium release in mammalian skeletal muscle **487.P**, 19*P*, 1995

DQ-2511 and PGE_2 regulate positively the housekeeping Cl^- channel in the basolateral membrane of isolated rabbit parietal cells by production of cGMP **487.P**, 101*P*, 1995

Control of sarcoplasmic reticulum calcium release during calcium loading in isolated rat ventricular myocytes **488**, 267, 1995

Intracellular calcium and force in single mouse muscle fibres following repeated contractions with stretch **483**, 25, 1995

Comparison of subsarcolemmal and bulk calcium concentration during spontaneous calcium release in rat ventricular myocytes **488**, 577, 1995

Propagating calcium waves initiated by local caffeine application in rat ventricular myocytes **489**, 319, 1995

Calcium-induced calcium release in rat sensory neurons **489**, 627, 1995

Effects of low concentrations of caffeine on intracellular calcium concentration of cultured, identified, molluscan neurones in the presence and absence of extracellular calcium **489.P**, 22*P*, 1995

Effects of NS-004 on pulmonary artery K^+ channels **489.P**, 59*P*, 1995

Mechanosensitive calcium increase in isolated porcine chondrocytes **489.P**, 112*P*, 1995

Hypotonic external solutions increase $[Ca^{2+}]_i$ in an ovarian adenocarcinoma cell strain that expresses P-glycoprotein **489.P**, 114*P*, 1995

Intracellular calcium is increased in isolated human chondrocytes by histamine **489.P**, 119*P*, 1995

Intracellular calcium mobilization and IP_3 receptors in pancreatic acini **489.P**, 14*S*, 1995

Purinergic receptors and intracellular calcium signalling in sweat gland cells **489.P**, 14*S*, 1995

Intracellular pH

Effect of arachidonic acid on intracellular pH and intracellular calcium in the isolated early distal tubule segment of the frog kidney **482.P**, 3*P*, 1995

Proton conductance and intracellular pH recovery from an acid load in chicken enterocytes **484**, 165, 1995

Extracellular and intracellular alkalinization and the constriction of rat cerebral arterioles **484**, 743, 1995

Activation of ATP-dependent K^+ channels by metabolic poisoning in adult mouse skeletal muscle: role of intracellular Mg^{2+} and pH **485**, 283, 1995

Relationship between intracellular protons and calcium in isolated rat ventricular myocytes **485.P**, 42*P*, 1995

The effect of left ventricular hypertrophy on intracellular pH and intracellular H^+ buffering capacity, in isolated guinea-pig myocytes **485.P**, 42*P*, 1995

Role of calcium in regulation of the basolateral Na^+–H^+ exchanger of frog diluting segment **487.P**, 26*P*, 1995

The acidification of intracellular pH induced by hydrogen peroxide in C_6 glioma cells **487.P**, 57*P*, 1995

The influence of hypoxia on intracellular pH of isolated fibres from rat soleus muscle **487.P**, 174*P*, 1995

The apical K^+ conductance of the early distal tubule (EDT) segment of the frog kidney; possible role of calmodulin in furosemide's effects **489.P**, 102*P*, 1995

Intracellular recording

Comparison of current–discharge relationships of pyramidal neurones from the visual cortex: *in vitro* and in the anaesthetized cat **485.P**, 10*P*, 1995

Temperature effects on membrane potential and input resistance in rat hypothalamic neurones **488**, 407, 1995

Perinatal development of action potential propagation in cat rubrospinal axons **488**, 419, 1995

Intracellular sodium

Effect of amiloride on the action of angiotensin II on intracellular sodium content of rat renal proximal tubules **483.P**, 176*P*, 1995

Inward rectification

The inward rectifier current in coronary arterioles isolated from guinea-pig heart **483.P**, 111*P*, 1995

Characterization of single potassium channels in mouse pancreatic acinar cells **484**, 661, 1995

Intracellular spermine confers rectification on rat calcium-permeable AMPA and kainate receptors **486**, 297, 1995

Non-linear dynamics of the potassium delayed rectifier current in cultured neurones of *Helix aspersa* **487.P**, 187*P*, 1995

Properties of single inward rectifier potassium channel in equine sweat gland epithelial cells **487.P**, 187*P*, 1995

Long-pore plugging model of inward rectification of potassium channels **487.P**, 197*P*, 1995

A novel inward-rectifying K^+ current with a cell-cycle dependence governs the resting potential of mammalian neuroblastoma cells **489**, 455, 1995

K^+ dependence of polyamine-induced rectification of inwardly rectifying channels, IRK1 **489.P**, 56*P*, 1995

Inwardly rectifying K^+ currents in oocytes co-expressing Kir3.1 and Kir3.2 **489.P**, 57*P*, 1995

A comparison of the blocking actions of Cs^+ and Rb^+ on wild-type and mutant inward rectifier K^+ channels (IRK1) **489.P**, 58*P*, 1995
Characterization of an inwardly rectifying K^+ channel expressed in pancreatic β-cells **489.P**, 8*S*, 1995

Ion channel

Cytochrome P450 mono-oxygenase-regulated signalling of Ca^{2+} entry in human and bovine endothelial cells **482**, 259, 1995
Influence of expression of a mammalian K^+ channel, Kv1·1, on the electrical development of *Xenopus laevis* embryonic cells **483.P**, 66*P*, 1995
Regulatory volume decrease in ROS 17/2·8 osteoblast-like cells: evidence for the involvement of a volume-sensitive chloride channel **483.P**, 173*P*, 1995
Electrophysiological properties of P_{2X}-purinoceptors in rat superior cervical, nodose and guinea-pig coeliac neurones **484**, 385, 1995
Zinc potentiation of neurotransmission and inhibition of background cationic conductance in rat cultured hippocampal neurones **484**, 447, 1995
Classification of ion channels in the luminal and abluminal membranes of guinea-pig endocardial endothelial cells **484**, 41, 1995
The non-specific ion channel in *Torpedo ocellata* fused synaptic vesicles **485**, 683, 1995
Microdomains of elevated Ca^{2+} concentration due to clustered ion channels at presynaptic active zones of hair cells from the bullfrog sacculus **485.P**, 17*P*, 1995
Burst kinetics of single NMDA receptor currents in cell-attached patches from rat brain cortical neurons in culture **486**, 411, 1995
Membrane properties of the granule cells of the islands of Calleja of the rat studied *in vitro* **487**, 421, 1995
A slowly activating Ca^{2+}-dependent K^+ current that plays a role in termination of swimming in *Xenopus* embryos **487**, 557, 1995
Swelling-activated transport of diverse solutes in a human cancer cell line **487.P**, 96*P*, 1995
Stretch-induced peptide hormone synthesis and release in rat heart: role of stretch-activated ion channels **487.P**, 143*P*, 1995
Effect of tamoxifen on cationic and anionic conductances in C1300 neuroblastoma cells and isolated embryonic rat hypothalamic neurons *in vitro* **487.P**, 194*P*, 1995
Redox agents as a link between hypoxia and the responses of ionic channels in pulmonary vascular smooth muscle **487.P**, 12*S*, 1995
Kinetic characterization of the voltage-gated currents possessed by *Xenopus* embryo spinal neurons **489**, 473, 1995
Dependence of the $GABA_A$ receptor gating kinetics on the α-subunit isoform: implications for structure–function relations and synaptic transmission **489**, 529, 1995
Block of the inward rectifier K^+ channel, IRK1, expressed in *Xenopus* oocytes by extracellular divalent cations **489.P**, 51*P*, 1995
Mutations in the γ_{2S} subunit alters mean open time of the $\alpha_3\beta_2\gamma_{2S}$ member of the human $GABA_A$ receptor family but not single channel conductance **489.P**, 63*P*, 1995
The C-terminal fragment of the Alzheimer's disease β-amyloid precursor protein is a potent inducer of membrane currents in *Xenopus* oocytes **489.P**, 66*P*, 1995
Assembly of voltage-gated K^+ channel subunits determines sorting and localization in polarized cells **489.P**, 79*P*, 1995
CFTR: mutations, ion channel function and cystic fibrosis **489.P**, 2*S*, 1995
Molecular biology of the amiloride-sensitive Na^+ channel **489.P**, 4*S*, 1995
G protein regulation of alveolar ion channels: implications for lung fluid transport **489.P**, 5*S*, 1995
Intracellular calcium mobilization and IP_3 receptors in pancreatic acini **489.P**, 14*S*, 1995

Ion current

Electrogenic ion secretion induced by taurocholate in rat ileum *in vitro* is partially mediated through a myenteric reflex pathway **482.P**, 30*P*, 1995
Volume regulation in a toad epithelial cell line: role of coactivation of K^+ and Cl^- channels **487**, 367, 1995
Effects of endothelin-1 on outward currents in isolated rat pulmonary arterial smooth muscle cells **489.P**, 138*P*, 1995

Ion transport

Transepithelial ion transport in primary cultured human keratinocytes **489.P**, 106*P*, 1995
Mechanisms of membrane cross-talk in secretory epithelial cells **489.P**, 10*S*, 1995
Membrane compartmentalized ATP drives the red cell Na^+ and Ca^{2+} pumps **489.P**, 10*S*, 1995
Pharmacology and physiology of a novel permeation pathway in malaria-infected erythrocytes **489.P**, 13*S*, 1995

Ionic strength

Activation of a novel organic solute transporter in mammalian red blood cells **489**, 755, 1995

Iron transport

Rats fed an iron-deficient diet have enhanced intestinal iron transfer and hyperpolarization of the duodenal brush-border membrane **482.P**, 29*P*, 1995
Further evidence for the importance of brush-border potential difference as a driving force for duodenal iron uptake in guinea-pig **487.P**, 96*P*, 1995

Iron uptake

Hypoxia causes hyperpolarization of isolated rat duodenal brush-border membrane and increased iron absorption **489.P**, 124*P*, 1995

Ischaemia

Assessment of drug effects on leucocyte adhesion and capillary endothelial swelling in ischaemic and non-ischaemic muscles **483.P**, 3*P*, 1995
Suction electrode-recorded action potentials from two sites in rat isolated hearts **483.P**, 19*P*, 1995
The effect of ischaemia on kinin release by isolated hearts from normotensive (WKY) and spontaneously hypertensive (SHR) rats **483.P**, 21*P*, 1995
The comparative analgesic efficacy of 'H-Wave' therapy and oral analgesics upon experimental ischaemic pain in humans **483.P**, 85*P*, 1995
The effect of ischaemia and chronic stimulation on dilatation of arterioles in rat fast skeletal muscle **483.P**, 143*P*, 1995
The production of CO_2, measured by a transcutaneous technique, as an index of tissue adaptability to ischaemia **483.P**, 143*P*, 1995
The effects of metabolic inhibition on the viability of cultured rat astrocytes **487.P**, 45*P*, 1995
Detection of glutamate efflux produced by reversed uptake from isolated salamander retinal glial cells using glutamate-gated channels in isolated rat cerebellar neurons **487.P**, 49*P*, 1995
Changes in intracellular concentration of taurine, glutamine, glutamate and alanine in isolated Langendorff-perfused guinea-pig heart during simulated ischaemia **487.P**, 145*P*, 1995
Coronary reactive hyperaemia after ischaemic preconditioning in the anaesthetized goat **487.P**, 168*P*, 1995
The importance of sodium for anoxic transmission damage in rat hippocampal slices: mechanisms of protection by lidocaine **489**, 557, 1995
Effect of acupuncture upon experimentally induced ischaemic pain in humans **489.P**, 44*P*, 1995

Islets of Langerhans

The electrical activity of mouse pancreatic β-cells recorded *in vivo* shows glucose-dependent oscillations **486**, 223, 1995

Isometric contraction

Length dependence of Ca^{2+} sensitivity of tension in mouse cardiac myocytes expressing skeletal troponin C **483**, 131, 1995
Frequency peaks of tremor and electromyogram during isometric contraction of human first dorsal interosseous may reflect a rhythmicity of central commands **485.P**, 53*P*, 1995

Isometric exercise

Effects of lower body negative pressure on the cardiovascular and respiratory responses to handgrip exercise in man **489.P**, 39*P*, 1995

Isoprenaline

The effect of isoprenaline on calcium-induced calcium release in isolated rat ventricular myocytes **487.P**, 132*P*, 1995

Jaw movement

Responses of human masseter motor units to stretch **483**, 251, 1995

Jaw reflex

Inhibitory effect of sympathetic stimulation on activities of masseter muscle spindles and the jaw jerk reflex in rats **483**, 239, 1995

Jejunum

Insulin treatment of diabetic rats causes rapid changes in SGLT1-mediated glucose uptake at the jejunal brush-border membrane (BBM) but does not affect GLUT2-mediated transport at the basolateral membrane (BLM) **482.P**, 23*P*, 1995
Uptake of clavulanic acid across rat jejunal segments *in vitro* **482.P**, 41*P*, 1995
Cisplatin stimulates 5-hydroxytryptamine-sensitive mesenteric afferents in the jejunum of the urethane-anaesthetized rat **487.P**, 35*P*, 1995
Rapid stimulation of jejunal brush-border glucose uptake by lumenal glucose requires an intact mucosa **487.P**, 40*P*, 1995

Cell swelling increases the basolateral K^+ conductance in isolated mouse jejunal crypts **489.P**, 102*P*, 1995

Joint

Involvement of neurokinin receptors in the joint inflammation and heat hyperalgesia following acute inflammation in unanaesthetized rats **483.P**, 152*P*, 1995

The control of mono-articular muscles in multijoint leg extensions in man **484**, 247, 1995

Effect of intra-articular hyaluronan on pressure–flow relation across synovium in anaesthetized rabbits **485**, 179, 1995

Detection of movements imposed on human hip, knee, ankle and toe joints **488**, 231, 1995

Evidence of impairment of human joint position sense in Parkinson's disease **489.P**, 45*P*, 1995

Kainate

AMPA receptors with high Ca^{2+} permeability mediate synaptic transmission in the avian auditory pathway **482**, 309, 1995

Kidney

Effect of arachidonic acid on intracellular pH and intracellular calcium in the isolated early distal tubule segment of the frog kidney **482.P**, 3*P*, 1995

Characterization of whole-cell chloride conductances in a mouse inner medullary collecting duct cell line IMCD-3 **482.P**, 9*P*, 1995

Alterations of L-arginine transport in uraemic patients on regular haemodialysis **482.P**, 27*P*, 1995

Role of phosphorylation in regulation of a K^+ conductance in single proximal tubule cells isolated from frog kidney **482.P**, 37*P*, 1995

Transport of β-lactam antibiotics in rat renal cortical slices and brush-border membrane vesicles **482.P**, 39*P*, 1995

Inactivation of pig kidney Na^+–K^+-ATPase by fluorescein 5′-isothiocyanate: further evidence for two ATP sites **482.P**, 42*P*, 1995

Vascular effects of parathyroid hormone and parathyroid hormone-related protein in the split hydronephrotic rat kidney **483**, 481, 1995

A simplified mathematical model for the transcapillary exchange of fluid and albumin in the renal medulla **483.P**, 139*P*, 1995

Natriuretic peptides reduce the level of adenosine 3′-5′ cyclic monophosphate (cAMP) in isolated rat glomeruli by inhibiting its production **483.P**, 166*P*, 1995

Effects of mercurial compounds on cyclic AMP-stimulated osmotic permeability of isolated cortical collecting tubules from rabbit kidney **483.P**, 167*P*, 1995

Effect of gentamicin on urinary recovery of ^{45}Ca from distal tubular microinfusions in the anaesthetized rat **483.P**, 168*P*, 1995

Lithium reabsorption in loops of Henle of anaesthetized rats: inhibitory effect of low-sodium perfusate **483.P**, 168*P*, 1995

Effects of extracellular fluid volume expansion and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **483.P**, 170*P*, 1995

Renal function in 5/6 nephrectomized rats before and after anaesthesia and micropuncture surgery **483.P**, 170*P*, 1995

Deposition of aluminium in kidney following aluminium chloride or citrate administration in conscious rats **483.P**, 171*P*, 1995

Accumulation of the nitric oxide antagonist *N*-monomethyl-L-arginine in end stage renal failure patients on regular haemodialysis **483.P**, 175*P*, 1995

Natriuretic and diuretic effects of glibenclamide in anaesthetized rats **483.P**, 176*P*, 1995

Modulation of renal medullary ionic hypertonicity by prostaglandins: data from tissue admittance studies in the rat **485**, 827, 1995

Activation of a Cl^- conductance by SCN^- in single proximal tubule cells isolated from *Rana temporaria* **486**, 715, 1995

Effects of angiotensin II in fetal sheep and modification of its actions by indomethacin **487**, 147, 1995

Endogenous calcium channels in human embryonic kidney (HEK) 293 cells **487.P**, 209*P*, 1995

Involvement of renal kallikrein in the regulation of bicarbonate excretion in rats **488**, 163, 1995

Effect of insulin on Na^+,K^+-ATPase in rat collecting duct **488**, 171, 1995

Maturation of rat renal phosphate transport: effect of triiodothyronine **488**, 449, 1995

The use of laser scanning confocal microscopy to study the uptake of fluorescent insulin in the renal tubule *in vivo* **489.P**, 3*P*, 1995

Effect of endothelin-1 upon isolated proximal tubules from rabbit kidney **489.P**, 84*P*, 1995

Distal tubular lithium reabsorption in anaesthetized, potassium-depleted rats **489.P**, 85*P*, 1995

Renal effects of glibenclamide in anaesthetized rats: a micropuncture study **489.P**, 85*P*, 1995

Evidence of improved renal cell volume control in rabbit proximal tubules with PBS140 and UW preservation solutions **489.P**, 91*P*, 1995

Urinary calcium and aluminium excretion in the conscious rat following gentamicin administration **489.P**, 91*P*, 1995

Electron probe X-ray microanalysis of kidney thick ascending limb cells following aluminium chloride or citrate administration in conscious rats **489.P**, 92*P*, 1995

Immunocytochemical location of the potassium channel ROMK1 in rat kidney cortex **489.P**, 93*P*, 1995

Mechanisms of water transport in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 94*P*, 1995

Sodium-dependent nucleobase transport in renal epithelial cells and *Xenopus laevis* oocytes **489.P**, 126*P*, 1995

Kinaesthesia

Detection of movements imposed on human hip, knee, ankle and toe joints **488**, 231, 1995

Perception of movement at the human ankle: effects of leg position **488**, 243, 1995

Kinetics

A kinetic relationship of the red cell carbonic anhydrase and anion exchanger **482.P**, 36*P*, 1995

Role of series elasticity in force production during constant velocity shortening of human muscle–tendon complex **483.P**, 125*P*, 1995

The dynamics of pulmonary O_2 uptake and femoral artery blood flow during moderate intensity exercise in humans **483.P**, 130*P*, 1995

A comparison of the uptake kinetics of a neutral and anionic dipeptide into rat renal cortex brush-borber membrane vesicles: effect of membrane potential and proton gradient **487.P**, 26*P*, 1995

Central *versus* peripheral control of oxygen uptake kinetics in old and young humans **487.P**, 102*P*, 1995

Simulation of the effect of ADP on the response of rigorized cross-bridges to the release of caged ATP **487.P**, 156*P*, 1995

Kinetic characterization of rat brain type IIA sodium channel α-subunit stably expressed in a somatic cell line **488**, 633, 1995

Labyrinth

Control of the head in response to tilt of the body in normal and labyrinthine-defective human subjects **489**, 895, 1995

Neck muscle responses to abrupt free fall of the head: comparison of normal with labyrinthine-defective human subjects **489**, 911, 1995

Lacrimal gland

Leucine enkephalin-evoked secretory responses and its pattern of distribution in the isolated pig lacrimal gland **485.P**, 36*P*, 1995

Interactions of Ins 1,4,5 P_3, cylic ADP ribose and cyclic AMP in Ca^{2+} signalling in the mouse lacrimal acinar cells **489.P**, 113*P*, 1995

Lactate

Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man **482**, 467, 1995

Plasma ammonia and lactate responses to high intensity exercise after sodium bicarbonate ingestion in man **483.P**, 122*P*, 1995

Effects of lactate on calcium regulation mechanisms in isolated guinea-pig ventricular myocytes **487.P**, 138*P*, 1995

The influence of hypoxia on intracellular pH of isolated fibres from rat soleus muscle **487.P**, 174*P*, 1995

Non-linear relationship between O_2 uptake and power output at high intensities of exercise in humans **488**, 211, 1995

Lactate and H^+ uptake in inactive muscles during intense exercise in man **488**, 219, 1995

The effect of age upon the lactate threshold in untrained men aged 26–48 years **489.P**, 42*P*, 1995

Lactate fails to activate ATP-sensitive potassium current in membrane patches excised from guinea-pig ventricular myocytes **489.P**, 74*P*, 1995

Lactation

Analysis of bursting responses of oxytocin neurones in the rat in late pregnancy, lactation and after weaning **486**, 237, 1995

Regulation by *N*-methyl-D-aspartate (NMDA) receptors of basal and bursting activities of supraoptic oxytocin neurones in suckled rats **489.P**, 184*P*, 1995

Lambert–Eaton syndrome

Inhibition of calcium currents and exocytosis by Lambert–Eaton syndrome antibodies in human lung cancer cells **488**, 303, 1995

Laryngeal reflex
Hypothalamic modulation of laryngeal reflexes in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 739, 1995

Larynx
Respiratory phase resetting and airflow changes induced by swallowing in humans **483**, 273, 1995
Heart rate responses to upper airway negative pressure in the anaesthetized paralysed rabbit **487.P**, 171*P*, 1995

Laser Doppler
Variations of blood flow at optic nerve head induced by sinusoidal flicker stimulation in cats **482**, 189, 1995
The effect of whole-body and local temperature on the hand skin vascular responses to posture and deep breaths in man **483.P**, 125*P*, 1995

Lateral geniculate nucleus
Synaptic and membrane mechanisms underlying synchronized oscillations in the ferret lateral geniculate nucleus *in vitro* **483**, 641, 1995
Electrophysiological and morphological properties of local circuit interneurones of the rat dorsal lateral geniculate nucleus *in vitro* **483.P**, 58*P*, 1995
Temporal structure in the light response of relay cells in the dorsal lateral geniculate nucleus of the cat **485**, 715, 1995

Learning
Human perceptual learning in identifying the oblique orientation: retinotopy, orientation specificity and monocularity **483**, 797, 1995
Effects of subject–object distance on visual responses of neurons in a chick memory system **483.P**, 40*P*, 1995
Intracellular spontaneous activity recorded *in vitro* from an area of the chick brain which is essential for early learning: age and NMDA dependence **483.P**, 41*P*, 1995
The effect of prior training upon the *in vitro* characteristics of neurons in an area of chick brain which is essential for early learning **483.P**, 41*P*, 1995
A time-dependent, learning-specific increase in the amount of neural cell adhesion molecules (NCAMs) in chick forebrain after visual imprinting **485.P**, 8*P*, 1995
'HyperHistology' – an application for computer-aided learning in histology **489.P**, 2*P*, 1995
Changes in electromyograms of human lower limb muscles associated with increased proficiency of 'dry' slope skiing **489.P**, 29*P*, 1995

Lens
Histamine and ATP mobilize calcium by activation of H_1 and P_{2u} receptors in human lens epithelial cells **486**, 273, 1995

Leucocyte
Effect of lactacidosis on human leucocyte adherence: a possible explanation of why the blood leucocyte count continues to rise after cessation of very high intensity exercise **483.P**, 131*P*, 1995

Light adaptation
Effects of lowered cytoplasmic calcium concentration and light on the responses of salamander rod photoreceptors **484**, 267, 1995

Lithium
A micropuncture study of renal tubular lithium reabsorption in sodium-depleted rats **483**, 473, 1995
Lithium reabsorption in loops of Henle of anaesthetized rats: inhibitory effect of low-sodium perfusate **483.P**, 168*P*, 1995
Distal tubular lithium reabsorption in anaesthetized, potassium-depleted rats **489.P**, 85*P*, 1995

Liver
The isolated dual perfused rat liver preparation: a new model for the study of the control of hepatic vascular tone **487.P**, 42*P*, 1995

Lizard
Electrical and morphological factors influencing the depolarizing after-potential in rat and lizard myelinated axons **489**, 141, 1995

Locomotion
Step phase-related excitability changes in spino-olivocerebellar paths to the c_1 and c_3 zones in cat cerebellum **483**, 687, 1995
Increased locomotor activity in newborn rats causes motoneurone death **483.P**, 40*P*, 1995
Influence of glycinergic inhibition on spinal neurone spiking during amphibian embryo swimming **483.P**, 197*P*, 1995
Cholinergic and electrical synapses between synergistic spinal motoneurones in the *Xenopus laevis* embryo **485**, 135, 1995
Investigating the origin of cyclic changes in limb volume using mercury-in-silastic strain gauge plethysmography in man **487**, 259, 1995
A slowly activating Ca^{2+}-dependent K^+ current that plays a role in termination of swimming in *Xenopus* embryos **487**, 557, 1995
Phase-dependent reflex responses of dynamic γ-efferents during locomotion in the decerebrate cat **487.P**, 66*P*, 1995
Change in heart rate of adults walking at their self-selected speed **487.P**, 170*P*, 1995
Mechanism for reflex reversal during walking in human tibialis anterior muscle revealed by single motor unit recording **488**, 249, 1995

Locus coeruleus
Hypoxic changes in rat locus coeruleus neurons *in vitro* **486**, 33, 1995

Locust
Collision avoidance in the locust *Locusta migratoria*: biological and artificial neural networks for range determination **483.P**, 188*P*, 1995
Variation in postsynaptic potential amplitude at synapses between neurones in the ocellar pathway of the locust, *Schistocerca gregaria* **483.P**, 188*P*, 1995

Long-term depression
Low frequency stimulation induces depotentiation of long-term potentiation, but not long-term depression, in the rat hippocampal CA1 *in vivo* **483.P**, 68*P*, 1995
Metabotropic glutamate receptors can mediate long-term depression of synaptic transmission in the dentate gyrus of rat hippocampal slices independently of NMDA receptor activation **483.P**, 71*P*, 1995
Dantrolene inhibits long-term depression and depotentiation of synaptic transmission in the dentate gyrus of rat hippocampal slices **487.P**, 55*P*, 1995
Tyrosine kinase inhibitors block long-term depression (LTD) of AMPA receptor-mediated synaptic transmission in rat cerebellar slices **487.P**, 55*P*, 1995

Long-term potentiation
Synaptic potentiation of dual-component excitatory postsynaptic currents in the rat hippocampus **482**, 39, 1995
L-AP4 inhibits tetanically induced long-term potentiation in the dentate gyrus of the rat *in vivo* **483.P**, 69*P*, 1995
Associative EPSP–spike potentiation induced by pairing orthodromic and antidromic stimulation in rat hippocampal slices **484**, 689, 1995
Tetanus induced modulation of presynaptic activity in the hippocampus of the diabetic GK Wistar rat **487.P**, 51*P*, 1995
Inhibition of long-term potentiation by tumour necrosis factor in the rat dentate gyrus *in vitro* **489.P**, 6*P*, 1995
The synergism between arachidonic acid and ACPD on glutamate release in dentate gyrus is occluded by induction of long-term potentiation **489.P**, 6*P*, 1995
The metabotropic glutamate receptor agonist 1*S*,3*R* ACPD induces both synaptic and EPSP–spike potentiation **489.P**, 15*P*, 1995

Loop of Henle
Renal effects of glibenclamide in anaesthetized rats: a micropuncture study **489.P**, 85*P*, 1995
Effects of dDAVP and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **489.P**, 86*P*, 1995

Lung
Pulmonary receptors in the spontaneously breathing anaesthetized rat **483.P**, 97*P*, 1995
Pulmonary actions of endothelin-1 in orthogradely and retrogradely perfused rat isolated lungs **483.P**, 147*P*, 1995
Haemodynamic measurements in humans and anaesthetized sheep by transients in blood sound velocity **487.P**, 3*P*, 1995
Transport of hydrolysis-resistant charged dipeptides by perfused rat lung *in situ* **487.P**, 37*P*, 1995
Pattern of breathing and lung reflexes in anaesthetized emphysematous rats **487.P**, 111*P*, 1995
Pulmonary receptor activity in anaesthetized emphysematous rats **487.P**, 111*P*, 1995
Endothelial impairment by fenfluramine and amitriptyline in isolated perfused rat lungs **487.P**, 113*P*, 1995
Evidence that endogenously produced cyclic GMP has no effect on transepithelial liquid transport in *in situ* perfused postnatal sheep lungs **489.P**, 112*P*, 1995
Cell volume changes induced by the β-agonist terbutaline in fetal distal lung epithelium (FDLE) cells **489.P**, 123*P*, 1995
G protein regulation of alveolar ion channels: implications for lung fluid transport **489.P**, 58*S*, 1995

Luteinizing hormone
Inhibitory and excitatory amino acid regulation of luteinizing hormone secretion in the female rat **483.P**, 12*S*, 1995
Activation of the basal tuberal hypothalamus of castrated Japanese quail preceding photoperiodically driven luteinizing hormone (LH) release **489.P**, 172*P*, 1995
Influence of oestradiol on pulsatile luteinizing hormone secretion during insulin-induced hypoglycaemia in female rats **489.P**, 179*P*, 1995

Lymnaea
Photoinactivation of cardio-respiratory interneurons in the pond snail, *Lymnaea stagnalis* **483.P**, 189*P*, 1995

Macrophage
Regulation of rat alveolar macrophage nitric oxide (NO) production by cationic amino acid transport **482.P**, 44*P*, 1995
ATP-activated inward current and calcium-permeable channels in rat macrophage plasma membranes **486**, 323, 1995
ATP-operated calcium-permeable channels activated via a guanine nucleotide-dependent mechanism in rat macrophages **486**, 339, 1995
Dexamethasone reverses the inhibitory action of co-cultured macrophages on progesterone release from rat granulosa cells at a site distal to cAMP generation **489.P**, 110*P*, 1995

Magnesium
Effects of different secretagogues on magnesium mobilization in isolated rat pancreatic acinar cells **482.P**, 33*P*, 1995
Changes in intracellular magnesium and ATP-regulated K^+ channel activity with changing metabolic state in isolated rat cardiomyocytes **483.P**, 9*P*, 1995
Effects of extracellular fluid volume expansion and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **483.P**, 170*P*, 1995
Activation of ATP-dependent K^+ channels by metabolic poisoning in adult mouse skeletal muscle: role of intracellular Mg^{2+} and pH **485**, 283, 1995
Regulation of cholecystokinin-octapeptide-evoked magnesium transport in single mouse pancreatic acinar cells **485.P**, 36*P*, 1995
Erosion of inhibition contributes to the progression of low magnesium bursts in rat hippocampal slices **486**, 723, 1995
Modulation by magnesium of the affinity of NMDA receptors for glycine in murine hippocampal neurones **486**, 83, 1995
Effect of intracellular magnesium on calcium extrusion by the plasma membrane calcium pump of intact human red cells **489**, 63, 1995
Dual measurements of intracellular magnesium using Mag-fura-2 and ion-sensitive microelectrodes in neurones in isolated ganglia from *Helix aspersa* **489.P**, 22*P*, 1995
Internal Mg^{2+} block of Ca^{2+} channels and its inhibition by ATP in single smooth muscle cells from guinea-pig basilar artery **489.P**, 51*P*, 1995
Effects of dDAVP and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **489.P**, 86*P*, 1995
Effect of metabolic inhibitors on magnesium efflux and contractile force in the isolated perfused rat heart **489.P**, 142*P*, 1995

Magnesium regulation
Mechanisms of intracellular Mg^{2+} regulation affected by amiloride and ouabain in the guinea-pig taenia caeci **488**, 1, 1995

Magnetic coil
Can calcarine cortex be bypassed in a human visual reaction time? **483.P**, 42*P*, 1995

Magnetic resonance imaging
Velocity distribution in non-planar curved phantom measured by MRI **485.P**, 6*P*, 1995
The dynamics of micturition shown by ultra-fast snapshot MRI in man **489.P**, 40*P*, 1995

Magnetic stimulation
Short term synchronization of human motor units and their responses to transcranial magnetic stimulation **483**, 511, 1995
Facilitation of hand muscle responses to transcranial magnetic stimulation of the brain during voluntary contraction of the contralateral homonymous muscle in man **483.P**, 30*P*, 1995
Mirror movements in X-linked Kallmann's syndrome in man **483.P**, 33*P*, 1995
Responses to multi-pulse magnetic stimulation of spinal nerve roots mapped over the sacrum in man **483.P**, 127*P*, 1995
Excitability of human upper limb motoneurones during rhythmic discharge tested with transcranial magnetic stimulation **485**, 257, 1995
Evidence favouring different descending pathways to soleus motoneurones activated by magnetic brain stimulation in man **486**, 779, 1995
Interhemispheric inhibition induced by transcranial magnetic stimulation: localization of involved fibres studied in patients after partial callosotomy **487.P**, 68*P*, 1995
Ipsilateral EMG responses to transcranial magnetic stimulation during recovery of arm and hand function after stroke in man **487.P**, 68*P*, 1995
Task-related modulation in the amplitude of the direct volley evoked by transcranial magnetic stimulation of the motor cortex and recorded from the medullary pyramid in the monkey **487.P**, 69*P*, 1995
Task-related variation in corticospinal output evoked by transcranial magnetic stimulation in the macaque monkey **488**, 795, 1995
Ipsilateral cortical stimulation inhibited the long-latency response to stretch in the long finger flexors in humans **488**, 821, 1995
Distribution of I a effects onto human hand muscle motoneurones as revealed using an H reflex technique **489**, 263, 1995
Spatial inaccuracy of remembered saccades induced by transcranial magnetic stimulation over dorsolateral prefrontal cortex in man **489.P**, 29*P*, 1995
Electromyographic responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in schizophrenic patients **489.P**, 31*P*, 1995

Malaria
Pharmacology and physiology of a novel permeation pathway in malaria-infected erythrocytes **489.P**, 13*S*, 1995

Man
The effects of stimulus intensity on the cutaneomuscular reflexes in tibialis anterior in man **483.P**, 80*P*, 1995

Manganese
The effect of spermine on manganese homeostasis in rat brain mitochondria **482.P**, 32*P*, 1995
Manganese flux from cerebrospinal fluid to brain in the anaesthetized rat: application of multiple-time uptake analysis **482.P**, 34*P*, 1995

Mast cell
Immunoglobulin E receptor-activated calcium conductance in rat mast cells **483**, 59, 1995

Mastication
Responses of human masseter motor units to stretch **483**, 251, 1995

Mechano-electrical transduction
Field-emission scanning electron microscopy of cochlear hair cells: tip links, lateral links and tip junctions on stereocilia **485.P**, 2*P*, 1995
Mechanotransduction channels on cochlear hair cells could be operated by shear displacement **485.P**, 16*P*, 1995
A comparison of the immunolabelling patterns obtained with antibodies to keratan sulphate and elastin in guinea-pig cochlea hair bundles **485.P**, 32*P*, 1995
Functional block of excitation and stretch activation in a cardiac scar: a computational study **487.P**, 139*P*, 1995

Mechanoreceptor
Receptive field characteristics of tactile units with myelinated afferents in hairy skin of human subjects **483**, 783, 1995
Inhibitory jaw reflexes evoked by different forms of mechanical stimulation of teeth in man **483.P**, 31*P*, 1995
Chloroquine specifically impairs Merkel cell receptors in isolated rat sinus hairs **483.P**, 154*P*, 1995
Selective phototoxic destruction of quinacrine-loaded Merkel cells is neither selective nor complete **483.P**, 159*P*, 1995
Motor programme switching by a lobster mechanoreceptor neurone *in vitro*: role of parallel interneuronal processing **483.P**, 191*P*, 1995
Primary afferent depolarizations of sensory origin recorded from mechanoreceptor afferents in a crayfish preparation *in vitro* **483.P**, 194*P*, 1995
Mechanical stimuli induce increases in intracellular Ca^{2+} concentrations in functioning rat Merkel cells of an isolated vibrissal hair preparation **487.P**, 214*P*, 1995

Mechanosensitive channel
Cyclic AMP prevents activation of a swelling-induced chloride-sensitive conductance in chick heart cells **488**, 359, 1995
Osmo- and mechanosensitivity of the transient outward K^+ current in a mammalian neuronal cell line **489**, 419, 1995

Medial superior olive
A simple computational model of the medial superior olivary complex **485.P**, 31*P*, 1995

Medulla oblongata
NMDA receptor-mediated sympathetic chemoreflex excitation of RVL–spinal vasomotor neurones in rats **482**, 53, 1995

Opioid depression of respiration in neonatal rats **485**, 845, 1995
K_{ATP} channel mediation of anoxia-induced outward current in rat dorsal vagal neurons *in vitro* **487**, 37, 1995
5-HT_2 receptor-controlled modulation of medullary respiratory neurones in the cat **487**, 653, 1995

Melatonin

Acetylcholine and prostaglandins may mediate the effects of melatonin on vasopressin release in the rat **485.P**, 52*P*, 1995
Bright light influences vasopressin and cortisol secretion in man **485.P**, 52*P*, 1995
Melatonin affects the pattern of oxytocin secretion in man **489.P**, 173*P*, 1995

Membrane

Membrane properties of granule cells of the rat ventral cochlear nucleus (VCN) in a thin slice preparation **485.P**, 14*P*, 1995
Cytoskeletal protein changes and morphology during spontaneous inside-out vesiculation of human red cell membranes **487.P**, 99*P*, 1995
The transmembrane domain of the high affinity immunoglobulin receptor is required to recruit the γ-chain to mediate phagocytosis **487.P**, 211*P*, 1995
Membrane resealing and restoration of contractility after mechanical injury in frog skeletal muscle **487.P**, 8*S*, 1995
Modification of human red cell passive membrane transport by classical transport inhibitors **489.P**, 101*P*, 1995
A population of small conductance Cl^- channels in the apical membrane of isolated mitochondria-rich cells from toad skin **489.P**, 116*P*, 1995
The insulin-sensitive pools of the GLUT4 glucose transporter and the α_2-subunit of the Na^+–K^+-ATPase in rat skeletal muscle are immunologically and biophysically distinct **489.P**, 128*P*, 1995

Membrane current

Voltage- and Ca^{2+}-dependence of membrane currents recorded from isolated thymic nurse cells of BALB/c mouse **482.P**, 26*P*, 1995

Membrane potential

Coincidence of early glucose-induced depolarization with lowering of cytoplasmic Ca^{2+} in mouse pancreatic β-cells **485**, 607, 1995
Dipeptide transport by human placental brush-border membrane vesicles (BBMV) **487.P**, 99*P*, 1995
The influence of water deprivation on myotonia in rat muscles *in vivo* **487.P**, 164*P*, 1995
Effect of angiotensin II (AII) on membrane potential and background conductances of isolated bovine zona fasciculata adrenal cells in primary culture **487.P**, 189*P*, 1995

Membrane transport

Taurine and rabbit proximal convoluted tubule: basolateral electrogenic transport and inhibition of K^+ conductance **482.P**, 4*P*, 1995
Membrane currents associated with neutral and cationic amino acid transport expressed in NBAA-Tr cRNA-injected *Xenopus laevis* oocytes **482.P**, 5*P*, 1995
Activation of K^+ transport pathways of isolated bovine articular chondrocytes following osmotic perturbation **482.P**, 18*P*, 1995
Morphological localization of the GLUT5 hexose transporter in human skeletal muscle **482.P**, 23*P*, 1995
Copper transport and metabolism during human gestation **482.P**, 41*P*, 1995
Characteristics of Cu uptake pathway in cytotrophoblast **482.P**, 42*P*, 1995
Effect of nutritional copper deficiency on copper uptake by plasma membrane vesicles isolated from rat livers **489.P**, 125*P*, 1995
Purine-selective nucleobase transport in *Trypanosoma brucei brucei* procyclics **489.P**, 126*P*, 1995
Sodium-dependent nucleobase transport in renal epithelial cells and *Xenopus laevis* oocytes **489.P**, 126*P*, 1995
Membrane transport alterations in uraemia **489.P**, 17*S*, 1995
The cellular physiology of chondrocytes **489.P**, 19*S*, 1995

Menstrual cycle

The effect of the menstrual cycle on the human quadriceps strength, contractile properties and fatiguability **483.P**, 128*P*, 1995

Mercury

Brain uptake of mercury in the anaesthetized rat **482.P**, 33*P*, 1995
Investigating the origin of cyclic changes in limb volume using mercury-in-silastic strain gauge plethysmography in man **487**, 259, 1995

Merkel cell

Chloroquine specifically impairs Merkel cell receptors in isolated rat sinus hairs **483.P**, 154*P*, 1995
Selective phototoxic destruction of quinacrine-loaded Merkel cells is neither selective nor complete **483.P**, 159*P*, 1995
Mechanical stimuli induce increases in intracellular Ca^{2+} concentrations in functioning rat Merkel cells of an isolated vibrissal hair preparation **487.P**, 214*P*, 1995

Mesenteric artery

Pivotal role of phosphate chain length in vasoconstrictor *versus* vasodilator actions of adenine dinucleotides in rat mesenteric arteries **483**, 703, 1995

Messenger RNA

Detection of axonal arginine vasotocin mRNA in the hypothalamo-neurohypophyseal system of the chicken **483.P**, 51*P*, 1995
The effect of 5-HT_{2A} receptor antagonists on LHRH mRNA biosynthesis in the female rat **483.P**, 53*P*, 1995

Metabolism

Stimulus-induced pH changes related to energy metabolism in slices of drone retina **482.P**, 4*P*, 1995
Copper transport and metabolism during human gestation **482.P**, 41*P*, 1995
Respiratory and metabolic responses during successive bouts of isometric exercise (simulated dinghy sailing) in humans **483.P**, 132*P*, 1995
The interaction between calcitonin gene-related peptide and muscle glycogen availability *in vivo* in the rat **487.P**, 163*P*, 1995
Carnitine metabolism in different muscle fibre types during exercise in man **489.P**, 26*P*, 1995
Does cold exposure influence the metabolic and thermoregulatory responses to prolonged low intensity walking in man? **489.P**, 39*P*, 1995
Effect of metabolic inhibitors on magnesium efflux and contractile force in the isolated perfused rat heart **489.P**, 142*P*, 1995

Microcirculation

A simplified mathematical model for the transcapillary exchange of fluid and albumin in the renal medulla **483.P**, 139*P*, 1995
The effect of ischaemia and chronic stimulation on dilatation of arterioles in rat fast skeletal muscle **483.P**, 143*P*, 1995
Plethysmographic assessment of the effect of the size of tilt induced hydrostatic loads on the isovolumetric venous pressure (Pvi) in the human calf **483.P**, 149*P*, 1995
Microcirculatory changes in experimental diabetes **483.P**, 3*S*, 1995
Conditions for microvascular oxygen and substrate supply to working muscle tissue **483.P**, 4*S*, 1995
Skeletal muscle microcirculation and low perfusion pressure **483.P**, 4*S*, 1995
Coronary microcirculation and its relation to cardiac function **483.P**, 5*S*, 1995
Subatmospheric closing pressures in individual microvessels of rats and frogs **484**, 183, 1995
Fluid uptake from the renal medulla into the ascending vasa recta in anaesthetized rats **487**, 169, 1995
Investigating the origin of cyclic changes in limb volume using mercury-in-silastic strain gauge plethysmography in man **487**, 259, 1995
The effect of acetylcholine on finger nailfold capillary pressure and pulse pressure amplitude in healthy volunteers **487.P**, 169*P*, 1995
Transcellular gaps in microvascular walls of frog and rat when permeability is increased by perfusion with the ionophore A23187 **488**, 427, 1995
Evidence that cell surface charge reduction modifes capillary red cell velocity–flux relationships in hamster cremaster muscle **489**, 193, 1995
Growth of arterioles in chronically stimulated rat fast muscles **489.P**, 165*P*, 1995

Microdialysis

Presynaptic actions of morphine: blockade of cholecystokinin-induced noradrenaline release in the rat supraoptic nucleus **482**, 69, 1995

Microscopy

Local Ca^{2+} transients (Ca^{2+} sparks) originate at transverse tubules in rat heart cells **487**, 601, 1995
The use of laser scanning confocal microscopy to study the uptake of fluorescent insulin in the renal tubule *in vivo* **489.P**, 3*P*, 1995
A ROMK1/glutathione-S-transferase fusion protein imaged using the atomic force microscope **489.P**, 90*P*, 1995

Micturition

The dynamics of micturition shown by ultra-fast snapshot MRI in man **489.P**, 40*P*, 1995

Milk ejection

Central inhibitory effects of muscimol and bicuculline on the milk ejection reflex in the anaesthetized rat **483**, 211, 1995

Mitochondria

Chloride channel heterogeneity in apical membrane of isolated mitochondria-rich cells from toad skin **482.P**, 8*P*, 1995

The effect of spermine on manganese homeostasis in rat brain mitochondria **482.P**, 32*P*, 1995
Nerve-dependent regulation of succinate dehydrogenase in junctional and extrajunctional compartments of rat muscle fibres **484**, 155, 1995
Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition **486**, 1, 1995
Inhibition of mitochondrial function induces a calcium-dependent potassium current in dissociated rat CA1 hippocampal neurons **487.P**, 60*P*, 1995
Transient depolarizations of mitochondria localized to discrete areas of single rat cardiomyocytes caused by free radicals and local calcium release: a model for free radical-induced cell injury **487.P**, 123*P*, 1995
Single channel patch clamp study of mitochondria-rich cells of toad skin **489.P**, 18*S*, 1995

Modelling

Collision avoidance in the locust *Locusta migratoria*: biological and artificial neural networks for range determination **483.P**, 188*P*, 1995
A computational model of the cochlea and cochlear nerve for teaching and research **485.P**, 2*P*, 1995
Extensions to a time domain model of cochlear mechanics **485.P**, 32*P*, 1995
Three-dimensional mechanical modelling of the cochlea **485.P**, 33*P*, 1995
Propagation in two-dimensional models of mammalian cardiac tissue **487.P**, 124*P*, 1995
Rhythmic oscillations emerge in a model of the guinea-pig ventricular cell **487.P**, 124*P*, 1995
The role of shift of the vulnerable window in initiation of re-entrant excitation in a model of inhomogeneous atrial tissue **487.P**, 125*P*, 1995
Models of the ion pore in N-type voltage-gated calcium channels **489.P**, 69*P*, 1995

Molluscan neurone

Effects of low doses of caffeine on $[Ca^{2+}]_i$ in voltage-clamped snail (*Helix aspersa*) neurones **489**, 19, 1995
Differential effects of volatile anaesthetics and barbiturates on electrical coupling between identified molluscan neurones **489.P**, 21*P*, 1995
Effects of low concentrations of caffeine on intracellular calcium concentration of cultured, identified, molluscan neurones in the presence and absence of extracellular calcium **489.P**, 22*P*, 1995
NMDA-like receptors on an identified molluscan neurone **489.P**, 71*P*, 1995

Monkey

The oxytocin antagonist Atosiban abolishes androstenedione (Δ^4A)-induced, premature myometrial contractions in the chronically instrumented Rhesus monkey at 0·8 of gestation **483.P**, 113*P*, 1995
Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: correlation with pain threshold in humans **485**, 767, 1995
Task-related modulation in the amplitude of the direct volley evoked by transcranial magnetic stimulation of the motor cortex and recorded from the medullary pyramid in the monkey **487.P**, 69*P*, 1995

Morphine

Supraoptic nucleus pertussis toxin-sensitive G proteins are involved in morphine dependence of rat oxytocin neurones *in vivo* **489.P**, 179*P*, 1995

Motion detection

Contributions of human long-wave and middle-wave cones to motion detection **485**, 221, 1995

Motoneurone

Changes in frequency and amplitude of spontaneous miniature EPSPs (mEPSPs) in rat trigeminal motoneurones following application of a $GABA_B$ receptor antagonist *in vitro* **483.P**, 28*P*, 1995
A new look at the interval histogram of tonically firing human motor units **483.P**, 32*P*, 1995
Ultrastructural evidence for GABA-mediated presynaptic control of glutamate release in the rat trigeminal motor nucleus **483.P**, 36*P*, 1995
Increased locomotor activity in newborn rats causes motoneurone death **483.P**, 40*P*, 1995
Effects of mild systemic hypoxia on laryngeal-evoked potentials in hypoglossal motoneurones in anaesthetized neonatal kittens **483.P**, 88*P*, 1995
Reversal of the depressant effect of L-2-amino-4-phosphonobutanoate (AP4) by α-methyl-AP4 (MAP4) at rat spinal motoneurones *in vitro* **483.P**, 159*P*, 1995
Pharmacological modulation of electrical events recorded from a cockroach (*Periplaneta americana*) motoneurone *in vitro* **483.P**, 187*P*, 1995
Crayfish motoneurones and sensory terminals have different GABA receptors **483.P**, 195*P*, 1995
Recording from acutely isolated cell bodies of an identified locust (*Schistocerca gregaria*) motoneurone **483.P**, 198*P*, 1995
Synaptic excitation in the thoracic spinal cord from expiratory bulbospinal neurones in the cat **484**, 201, 1995
Changes in the effect of magnetic brain stimulation accompanying voluntary dynamic contraction in man **484**, 777, 1995
Excitability of human upper limb motoneurones during rhythmic discharge tested with transcranial magnetic stimulation **485**, 257, 1995
Inhibition of N- and P-type calcium currents and the after-hyperpolarization in rat motoneurones by serotonin **485**, 635, 1995
Repetitive firing properties of developing rat brainstem motoneurones **486**, 745, 1995
Single voltage-activated Na^+ and K^+ channels in the somata of rat motoneurones **487**, 91, 1995
Induction of transmitter release at the neuromuscular junction prevents motoneurone death after axotomy in neonatal rats **487.P**, 46*P*, 1995
Electrophysiological properties of ankle flexor motoneurones recorded *in vitro* following neonatal nerve injury in the rat **487.P**, 67*P*, 1995
Homonymous and heteronymous excitation among motoneurone pools of the human forearm **487.P**, 71*P*, 1995
Functional diversity of spindle afferent synapses on motoneurons **487.P**, 224*P*, 1995
An organotypic slice culture preparation of the trigeminal motor nucleus and surrounding regions **489.P**, 8*P*, 1995

Motor control

Qualitative similarities and differences between constrained and unconstrained single-joint movements in humans **483.P**, 30*P*, 1995
The control of mono-articular muscles in multijoint leg extensions in man **484**, 247, 1995
Motor co-ordinates in primate red nucleus: preferential relation to muscle activation *versus* kinematic variables **488**, 533, 1995
Effects of perturbation of delay in response-contingent, auditory feedback on the endogenous timing of repetitive movements **489.P**, 30*P*, 1995
Lateral tilt of body segments in response to galvanic vestibular stimulation in man **489.P**, 30*P*, 1995
Synchronization between motor cortex and spinal motoneuronal pool during the performance of a maintained motor task in man **489**, 917, 1996

Motor cortex

A computer simulation for investigation of the contribution of presynaptic synchrony to post-spike facilitation in spike-triggered averages of rectified EMG **483.P**, 28*P*, 1995
Facilitation of hand muscle responses to transcranial magnetic stimulation of the brain during voluntary contraction of the contralateral homonymous muscle in man **483.P**, 30*P*, 1995
Evidence favouring different descending pathways to soleus motoneurones activated by magnetic brain stimulation in man **486**, 779, 1995
The effect of voluntary contraction on cortico-cortical inhibition in human motor cortex **487**, 541, 1995
Ipsilateral EMG responses to transcranial magnetic stimulation during recovery of arm and hand function after stroke in man **487.P**, 68*P*, 1995
Task-related modulation in the amplitude of the direct volley evoked by transcranial magnetic stimulation of the motor cortex and recorded from the medullary pyramid in the monkey **487.P**, 69*P*, 1995
The timing of muscle discharges in patients with cortical myoclonus may be determined by high-frequency rhythmic cortical activity **487.P**, 70*P*, 1995
Characterization of an ATP-modulated large conductance Ca^{2+}-activated K^+ channel present in rat cortical neurones **488**, 319, 1995
Task-related variation in corticospinal output evoked by transcranial magnetic stimulation in the macaque monkey **488**, 795, 1995
Ipsilateral cortical stimulation inhibited the long-latency response to stretch in the long finger flexors in humans **488**, 821, 1995
Electromyographic responses of thenar muscles to transcranial magnetic stimulation of the motor cortex in schizophrenic patients **489.P**, 31*P*, 1995

Motor timing

Effects of perturbation of delay in response-contingent, auditory feedback on the endogenous timing of repetitive movements **489.P**, 30*P*, 1995

Motor unit

Short term synchronization of human motor units and their responses to transcranial magnetic stimulation **483**, 511, 1995
Common frequency components identified from correlations between magnetic recordings of cortical activity and the electromyogram in man **483.P**, 35*P*, 1995
Organization of inputs to motoneurone pools in man **485**, 245, 1995

Motor unit interval histograms for different firing rates obtained by 'slicing' a long human recording **487.P**, 5*P*, 1995
Modelling interval histograms for tonically firing human motoneurones by combining an exponential trajectory with noise **487.P**, 6*P*, 1995
Mechanism for reflex reversal during walking in human tibialis anterior muscle revealed by single motor unit recording **488**, 249, 1995

Mouse

Apoptosis of the neurons in the vestibular nuclei in the adult mouse is induced by prolonged rotation of the home cage **483.P**, 34*P*, 1995
Cyclic ADP ribose enhances Ca^{2+}-induced Ca^{2+} release in isolated mouse sensory neurones **483.P**, 63*P*, 1995
Acceleration of puberty onset in female mice by male urinary proteins **486**, 517, 1995
Very slow postsynaptic currents recorded from deep dorsal horn neurones in adult mouse spinal cord *in vitro* **487.P**, 215*P*, 1995
Changes in peak inward Ca^{2+} current during progression of the cell cycle in early mouse embryos **489.P**, 52*P*, 1995
Modulation of the inactivation of the mouse cloned potassium channel mKv1.1 by the Kvβ_1 subunit and effects of synthetic Kvβ_1 and Kv1.4 peptides **489.P**, 75*P*, 1995
Regulation and expression of volume-activated Cl^- channels in mouse pancreatic duct cells are independent of CFTR **489.P**, 115*P*, 1995
Thyroid hormone mediates the acute phase of muscle degeneration in the dystrophin-deficient *mdx* mouse **489.P**, 149*P*, 1995
A working heart–brainstem preparation of the mature mouse **489.P**, 155*P*, 1995
Cl^- channels in the mouse thick ascending limb of the loop of Henle **489.P**, 17*S*, 1995

Movement

Human muscle spindle afferent activity in relation to visual control in precision finger movements **482**, 225, 1995
Qualitative similarities and differences between constrained and unconstrained single-joint movements in humans **483.P**, 30*P*, 1995
Alternating position and amplitude control in a deafferented man **483.P**, 34*P*, 1995
The effect of voluntary contraction on cortico-cortical inhibition in human motor cortex **487**, 541, 1995
Control of centre of mass trajectory during human stepping **487.P**, 75*P*, 1995

Multidrug resistance

The P-glycoprotein of multidrug-resistant cells: solute pump and transporter regulator **489.P**, 12*S*, 1995

Multiple sclerosis

Differences in detrusor muscle function in women with neuropathic and non-neuropathic bladder instability **489.P**, 40*P*, 1995

Muscarine

Down-regulation of A_1 adenosine receptors coupled to muscarinic K^+ current in cultured guinea-pig atrial myocytes **482**, 81, 1995
Muscarine inhibits high-threshold calcium currents with two distinct modes in rat embryonic hippocampal neurons **483**, 347, 1995
Roles of arachidonic acid, lipoxygenases and phosphatases in calcium-dependent modulation of M-current in bullfrog sympathetic neurons **487**, 797, 1995

Muscarinic receptor

Nicotinamide–adenine dinucleotide regulates muscarinic receptor-coupled K^+ (M) channels in rodent NG108-15 cells **482**, 317, 1995
The suppression of Ca^{2+}- and voltage-dependent K^+ current during mAChR activation in rat adrenal chromaffin cells **485**, 297, 1995
Effects of high-energy phosphates on carbachol-evoked cationic current in single smooth muscle cells from guinea-pig ileum **485**, 659, 1995
Immunocytochemical localization of muscarinic acetylcholine receptors in antennal lobe glomeruli of *Drosophila melanogaster* and *Apis mellifera* **485.P**, 31*P*, 1995
Effects of divalent cations on muscarinic receptor cationic current in smooth muscle from guinea-pig small intestine **486**, 67, 1995
Physiological consequences of calcium mobilization by muscarinic receptor activation in human lens cells **487.P**, 11*P*, 1995
M_4 muscarinic receptor activation modulates voltage-dependent calcium conductances in isolated rat intracardiac neurones **487.P**, 122*P*, 1995
M_2 muscarinic receptor-activated K^+ currents in oocytes co-expressing GIRK1, GIRK2 and CIR cDNAs **487.P**, 188*P*, 1995

Muscle

Eccentric exercise decreases glucose transporter GLUT4 protein in human skeletal muscle **482**, 705, 1995
Test rig and software designed for recording force of the human quadriceps muscle **483.P**, 2*P*, 1995
GASPAR: task-specific image analysis software for use with human muscle histology **483.P**, 3*P*, 1995
Muscle discharges show a high frequency periodicity in patients with cortical myoclonus **483.P**, 33*P*, 1995
Tension responses to ramp stretch in resting intact slow twitch rat muscle fibres **483.P**, 80*P*, 1995
Unilateral chronic low-frequency electrical stimulation of human tibialis anterior improves contractile function ipsilaterally but impairs it contralaterally **483.P**, 80*P*, 1995
Spectral analysis of acoustic and electromyogram at three different lengths of human tibialis anterior **483.P**, 81*P*, 1995
Effects of different patterns of long-term electrical stimulation on human quadriceps femoris muscle **483.P**, 82*P*, 1995
Voluntary and stimulated electromechanical delays in m. triceps surae of men and women **483.P**, 82*P*, 1995
Effects of ascorbic and acetylsalicylic acids upon objective signs and symptoms of delayed onset muscle soreness (DOMS) in man **483.P**, 84*P*, 1995
Delayed onset muscle soreness (DOMS) in humans: the effect of ischaemic nerve block upon mechanical allodynia **483.P**, 85*P*, 1995
Different actions of carbachol, histamine, bombesin and neuropeptide Y on isolated human detrusor muscle **483.P**, 117*P*, 1995
Role of series elasticity in force production during constant velocity shortening of human muscle–tendon complex **483.P**, 125*P*, 1995
Voluntary force generation and activation in the knee muscles of stroke patients with mild spastic hemiparesis **483.P**, 128*P*, 1995
The effect of cold acclimation on skeletal muscle of the laboratory rat **483.P**, 132*P*, 1995
Co-ordination of human hand muscles during rhythmic finger movements related to writing **483.P**, 133*P*, 1995
Scaling of muscle capillary supply in humans: effect of strength training **483.P**, 134*P*, 1995
The effect of ischaemia and chronic stimulation on dilatation of arterioles in rat fast skeletal muscle **483.P**, 143*P*, 1995
Theory of cross-bridge noise in fibrillar insect flight muscle **483.P**, 185*P*, 1995
Relaxation of tension in fibrillar insect flight muscle **483.P**, 195*P*, 1995
Conditions for microvascular oxygen and substrate supply to working muscle tissue **483.P**, 4*S*, 1995
Increased activity changes the phenotype and blood supply of fast rabbit and rat muscles **483.P**, 6*S*, 1995
Characteristics of Na^+–Ca^{2+} exchange in frog skeletal muscle **486**, 615, 1995
Reduced effect of pH on skinned rabbit psoas muscle mechanics at high temperatures: implications for fatigue **486**, 689, 1995
Different effects on gating of three myotonia-causing mutations in the inactivation gate of the human muscle sodium channel **487**, 107, 1995
Time course of 'set'-related changes in muscle responses to stance perturbation in humans **487**, 787, 1995
The use of caged calcium in studying rapid kinetics of calcium uptake by SR vesicles from frog skeletal muscle **487.P**, 5*P*, 1995
Access of extracellular calcium to internal stores in bovine trachealis muscle **487.P**, 17*P*, 1995
Similar maximum velocity of shortening in single fibres expressing the same myosin heavy chain, but from different human skeletal muscles **487.P**, 152*P*, 1995
Unloaded shortening velocity of type I, II and α-cardiac fibres isolated from rabbit skeletal muscles **487.P**, 152*P*, 1995
Tension transients following rapid decompression of intact frog muscle fibres **487.P**, 153*P*, 1995
Monte Carlo simulation of cross-bridge noise in actomyosin **487.P**, 156*P*, 1995
Simulation of the effect of ADP on the response of rigorized cross-bridges to the release of caged ATP **487.P**, 156*P*, 1995
Electrical measurements of calcium activation in isolated rabbit muscle myofilaments **487.P**, 157*P*, 1995
The interaction between calcitonin gene-related peptide and muscle glycogen availability *in vivo* in the rat **487.P**, 163*P*, 1995

Labile sodium current expression in *Xenopus* embryonic myocytes **487.P**, 199*P*, 1995
Subconductance states produced by mutations in the pore lining region of human muscle ACh receptor expressed in *Xenopus* oocytes **487.P**, 208*P*, 1995
Dependence of force on length at constant cross-bridge phosphorylation in the swine carotid media **488**, 729, 1995
Is 'compensatory' muscle hypertrophy in rat soleus true working hypertrophy? **489.P**, 148*P*, 1995
Thyroid hormone mediates the acute phase of muscle degeneration in the dystrophin-deficient *mdx* mouse **489.P**, 149*P*, 1995

Muscle afferent
Topographical organization of spinal neurones in group II reflex pathways of the anaesthetized rat **483.P**, 37*P*, 1995
Coding of pulsatile motor output by human muscle afferents during slow finger movements **485**, 271, 1995
Heterogeneity of contraction-induced effects in neurons of the cat dorsal spinocerebellar tract **487**, 761, 1995

Muscle contractile properties
Functional effects of myoblast implantation into histoincompatible mice with or without immunosuppression **484**, 493, 1995

Muscle contraction
ATP utilization for calcium uptake and force production in skinned muscle fibres of *Xenopus laevis* **482**, 109, 1995
A method of identifying small sudden force increments in a voluntary isometric contraction in man **483.P**, 2*P*, 1995
Force generation and shortening initiated by temperature jump in cross-linked muscle fibres isolated from the rabbit **483.P**, 76*P*, 1995
Slight EDC cross-linking stabilizes the sarcomeres and preserves mechanical properties of permeabilized muscle fibres isolated from the frog **483.P**, 76*P*, 1995
Efficiency during ramp and staircase shortening in tetanized single muscle fibres of the frog **483.P**, 77*P*, 1995
Altered Ca^{2+} sensitivity of tension in single skeletal muscle fibres from *MyoD* gene-inactivated mice **485**, 447, 1995
Comparison of energy output during ramp and staircase shortening in frog muscle fibres **487**, 699, 1995
Automated measurements of the knee jerk in students and rowers **487.P**, 73*P*, 1995
Effects of temperature on the visco-elasticity of intact, relaxed, fast (rat) muscle fibres **487.P**, 153*P*, 1995
Tension transients following rapid decompression of intact frog muscle fibres **487.P**, 153*P*, 1995
Equatorial intensity changes resulting from skinning of single skeletal muscle fibres of *Rana temporaria* **487.P**, 154*P*, 1995
The metabolic costs of different types of contractile activity of the human adductor pollicis muscle **488**, 815, 1995
Increased resting discharge of human spindle afferents following voluntary contractions **488**, 833, 1995

Muscle co-ordination
The control of mono-articular muscles in multijoint leg extensions in man **484**, 247, 1995

Muscle damage
Prior contractile activity provides skeletal muscle with rapid protection against contraction-induced damage in anaesthetized mice **483.P**, 84*P*, 1995
Effects of stimulated eccentric muscle actions at 20 and 100 Hz on indices of muscle damage in man **483.P**, 129*P*, 1995
Spectral analysis of electromyogram from eccentrically exercised muscle in man **489.P**, 27*P*, 1995
The role of eccentric exercise duration in experimental skeletal muscle damage in man **489.P**, 148*P*, 1995

Muscle development
The effect of partial denervation of developing rat fast muscles on their motor unit properties **482**, 651, 1995

Muscle energetics
Comparison of energy output during ramp and staircase shortening in frog muscle fibres **487**, 699, 1995
Fatigue and heat production in repeated contractions of mouse skeletal muscle **488**, 741, 1995
The metabolic costs of different types of contractile activity of the human adductor pollicis muscle **488**, 815, 1995

Muscle fatigue
Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man **482**, 467, 1995
Reproducibility of an ischaemic fatigue test performed on human triceps surae **483.P**, 83*P*, 1995
Fatigue and recovery of voluntary and electrically elicited dynamic force in humans **484**, 227, 1995
Loss of power during fatigue of human leg muscles **484**, 237, 1995
Reduced servo-control of fatigued human finger extensor and flexor muscles **485**, 865, 1995
Reduced effect of pH on skinned rabbit psoas muscle mechanics at high temperatures: implications for fatigue **486**, 689, 1995
Fatigue and heat production in repeated contractions of mouse skeletal muscle **488**, 741, 1995
Raised intracellular $[Ca^{2+}]$ abolishes excitation–contraction coupling in skeletal muscle fibres of rat and toad **489**, 349, 1995
The effect of chemoreceptor stimulants on the degree of fatigue and subsequent recovery in isolated diaphragm muscle from young and mature rats **489.P**, 149*P*, 1995

Muscle fibre
Absence of mechanical evidence for attached weakly binding cross-bridges in frog relaxed muscle fibres **482**, 391, 1995
Force generation and shortening initiated by temperature jump in cross-linked muscle fibres isolated from the rabbit **483.P**, 76*P*, 1995
Slight EDC cross-linking stabilizes the sarcomeres and preserves mechanical properties of permeabilized muscle fibres isolated from the frog **483.P**, 76*P*, 1995
Efficiency during ramp and staircase shortening in tetanized single muscle fibres of the frog **483.P**, 77*P*, 1995
The effect of the stimulation frequency on efficiency at different shortening velocities in isolated type 3 fibres from *Xenopus laevis* **483.P**, 79*P*, 1995
Injury to muscle fibres after single stretches of passive and maximally stimulated muscles in mice **488**, 459, 1995
Effects of age on aneural regeneration of soleus muscle in rat **488**, 483, 1995
Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man **489**, 243, 1995
The different caffeine sensitivities of skinned muscle fibre types are due to differences in calcium sensitivity rather than calcium release **489.P**, 24*P*, 1995
Carnitine metabolism in different muscle fibre types during exercise in man **489.P**, 26*P*, 1995

Muscle glycogen
Eccentric exercise decreases glucose transporter GLUT4 protein in human skeletal muscle **482**, 705, 1995
Glycogen resynthesis in human muscle fibre types following exercise-induced glycogen depletion **483**, 265, 1995

Muscle length
Some effects of vagal blockade on abdominal muscle activation and shortening in awake dogs **488**, 471, 1995

Muscle mechanics
Changes in pennation with joint angle and muscle torque: *in vivo* measurements in human brachialis muscle **484**, 523, 1995
Reduced effect of pH on skinned rabbit psoas muscle mechanics at high temperatures: implications for fatigue **486**, 689, 1995

Muscle metabolism
Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man **489**, 243, 1995

Muscle regeneration
Effects of age on aneural regeneration of soleus muscle in rat **488**, 483, 1995

Muscle relaxation
Absence of mechanical evidence for attached weakly binding cross-bridges in frog relaxed muscle fibres **482**, 391, 1995

Muscle spindle
Fusimotor neurone responses to medial plantar nerve stimulation in the decerebrate cat **482**, 167, 1995
Human muscle spindle afferent activity in relation to visual control in precision finger movements **482**, 225, 1995
Inhibitory effect of sympathetic stimulation on activities of masseter muscle spindles and the jaw jerk reflex in rats **483**, 239, 1995
Ankle extensor group I afferents excite extensors throughout the hindlimb during fictive locomotion in the cat **487**, 197, 1995
Effects of stimulation of hindlimb flexor group II afferents during fictive locomotion in the cat **487**, 211, 1995

Disynaptic group I excitation of synergist ankle extensor motoneurones during fictive locomotion in the cat **487**, 527, 1995
Complementary actions of bag_2 and chain fibres on the responses of spindle primary endings to sinusoidal stretch of linearly increasing frequency in anaesthetized cats **487.P**, 66*P*, 1995
Imagined movements fail to activate human spindle endings selectively **487.P**, 72*P*, 1995
Evidence for separate central control of bag_2 and chain intrafusal fibres in the cat **487.P**, 76*P*, 1995
The distribution of calretinin in muscle receptors of the cat **487.P**, 77*P*, 1995
Increased resting discharge of human spindle afferents following voluntary contractions **488**, 833, 1995
Velocity sensitivity of human muscle spindle afferents and slowly adapting type II cutaneous mechanoreceptors **489**, 593, 1995

Muscle stiffness
After-effects on stiffness and stretch reflexes of human finger flexor muscles attributed to muscle thixotropy **482**, 215, 1995
An *in vivo* measurement of muscle stiffness in man **483.P**, 86*P*, 1995
Tension responses to imposed length changes in isolated relaxed muscle fibre bundles from *Rana temporaria* **487.P**, 155*P*, 1995

Muscle strength
Natural variations in oestrogen and FSH levels in eumenorrheic women in negative association with voluntary muscle strength **489.P**, 28*P*, 1995

Muscle stretch
After-effects on stiffness and stretch reflexes of human finger flexor muscles attributed to muscle thixotropy **482**, 215, 1995

Muscle synergy
Organization of inputs to motoneurone pools in man **485**, 245, 1995

Myasthenia
Decreased calcium currents in motor nerve terminals of mice with Lambert–Eaton myasthenic syndrome **487**, 115, 1995
Defects of the neuromuscular junction associated with impaired neuromuscular transmission in limb-girdle myasthenias in man **489.P**, 150*P*, 1995

Myelin
Subcellular fractionation and affinity labelling of a local anaesthetic binding protein in rodent spinal cord **487.P**, 191*P*, 1995

Myelinated nerve fibre
Electrical and morphological factors influencing the depolarizing after-potential in rat and lizard myelinated axons **489**, 141, 1995

Myenteric neurone
Expression of immediate early genes in rat gastric myenteric neurones: a physiological response to feeding **488**, 493, 1995

Myenteric plexus
Neural and non-neural receptor sites for 5-hydroxytryptamine in the activation of electrogenic secretion in muscle-stripped and intact rat ileum *in vitro* **483.P**, 182*P*, 1995

Myoblast
Functional effects of myoblast implantation into histoincompatible mice with or without immunosuppression **484**, 493, 1995
Activation of nicotinic acetylcholine receptors increases the rate of fusion of cultured human myoblasts **489**, 779, 1995
Synthesis and release of an actylcholine-like compound by human myoblasts and myotubes **489**, 791, 1995

Myocardium
The effect of left ventricular hypertrophy on intracellular pH and intracellular H^+ buffering capacity, in isolated guinea-pig myocytes **485.P**, 42*P*, 1995
Determinants of conduction velocity in myocardium isolated from hypertrophied guinea-pig hearts **485.P**, 44*P*, 1995
Impedance components of the intracellular pathway in isolated guinea-pig myocardium **487.P**, 141*P*, 1995
Tension-dependent changes of the intracellular Ca^{2+} transients in ferret ventricular muscles **489**, 617, 1995
Altered rabbit myocardial crossbridge kinetics by oxidative species during maximal Ca^{2+} activation in isolated trabeculae **489.P**, 144*P*, 1995

Myocyte
Effects of thapsigargin on unloaded cell shortening in guinea-pig ventricular myocytes **483.P**, 16*P*, 1995
Convertible modes of inactivation of potassium channels in *Xenopus* myocytes differentiating *in vitro* **484**, 313, 1995
Mitochondrial membrane potential in single living adult rat cardiac myocytes exposed to anoxia or metabolic inhibition **486**, 1, 1995
Stretch-induced electrophysiological changes in rat atrial myocytes **487.P**, 147*P*, 1995
Ionic currents in branchial heart myocytes of the squid, *Alloteuthis subulata* and *Loligo forbesi* **489.P**, 66*P*, 1995

Myometrium
Interactions between Ca^{2+}, inositol trisphospate (IP_3)-sensitive Ca^{2+} release and Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human myometrial smooth muscle cells **483.P**, 107*P*, 1995
The relationship between extracellular pH (pH_o) and intracellular pH (pH_i) in *in vitro* human myometrium **483.P**, 108*P*, 1995
Membrane currents in single smooth muscle cells freshly isolated from pregnant human myometrium **487.P**, 85*P*, 1995
The effect of extracellular pH (pH_o) on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated human myometrium **487.P**, 89*P*, 1995
Reconstitution of single ryanodine-sensitive cation channels from rat myometrial microsomal membranes **487.P**, 90*P*, 1995
Transforming growth factor β (TGFβ) modulates the CICR response in cultured human myometrial smooth muscle (HMSM) cells **487.P**, 93*P*, 1995

Myosin
Short-term fatiguing exercise in humans: metabolic responses in pure and hybrid myosin heavy chain (MyHC)-based fibre types **487.P**, 154*P*, 1995
Biophysical studies of the regulatory domain of smooth muscle myosin from chicken gizzard: interactions of *E. coli* expressed regulatory light chains (RLC) with a 30-mer heavy chain peptide (HCP) that is part of the RLC binding site **487.P**, 161*P*, 1995
Dependence of force on length at constant cross-bridge phosphorylation in the swine carotid media **488**, 729, 1995

Myotonia
The effect of temperature reduction on isolated myotonic rat muscle **482.P**, 28*P*, 1995
The influence of water deprivation on myotonia in rat muscles *in vivo* **487.P**, 164*P*, 1995

NANC nerve
Nitric oxide activates multiple potassium channels in canine colonic smooth muscle **489**, 735, 1995

Natriuresis
Calcium channel blockade and pressure–natriuresis curves in anaesthetized stroke-prone spontaneously hypertensive rats **483.P**, 175*P*, 1995

Natriuretic peptide
Natriuretic peptides inhibit neointimal development in the rabbit **483.P**, 144*P*, 1995
Natriuretic peptides reduce the level of adenosine 3′-5′ cyclic monophosphate (cAMP) in isolated rat glomeruli by inhibiting its production **483.P**, 166*P*, 1995
Increased atrial natriuretic peptide (ANP) secretion from *in vitro* guinea-pig atria by β-adrenoceptor activation **483.P**, 169*P*, 1995
Arachidonic acid inhibits the response of glomerular cyclic 3,5 guanosine monophosphate to atrial natriuretic peptide in the rat **487.P**, 28*P*, 1995
The responsiveness of the renal guanylate cyclase-coupled receptor of atrial natriuretic peptide differs between spontaneously hypertensive and Wistar–Kyoto rats **487.P**, 28*P*, 1995
An autocrine system for C-type natriuretic peptide (CNP) occurs in rat arterial neointima **489.P**, 139*P*, 1995

Neck
Control of the head in response to tilt of the body in normal and labyrinthine-defective human subjects **489**, 895, 1995

Neocortex
Spatial profile of dendritic calcium transients evoked by action potentials in rat neocortical pyramidal neurones **487**, 583, 1995
Slow inactivation of persistent sodium current in mouse neocortical neurones *in vitro* **487.P**, 53*P*, 1995

Neocortical neurone
A simplified histological method for visualizing whisker barrels in the SI cortex of the rat in relationship to intracellularly stained neurones **485.P**, 5*P*, 1995

Neonate
Low frequency heart rate components in sick and healthy human neonates **483.P**, 97*P*, 1995
c-*fos* expression is induced by noxious and non-noxious stimulation in the neonatal rat spinal cord **487.P**, 215*P*, 1995

Pulmonary vascular remodelling in neonatal pulmonary hypertension **487.P**, 12*S*, 1995
The functional expression of a pontine pneumotaxic centre in neonatal rats **489**, 579, 1995
Calcium may enter neonatal rat muscle fibres by Na^+–Ca^{2+} exchange to cause twitch potentiation **489.P**, 69*P*, 1995
Microinjection of L-glutamate in the red nucleus produces inhibition of respiratory output in decerebrate neonatal rabbits **489.P**, 156*P*, 1995
Developmental changes in the effect of airway CO_2 on ventilation in anaesthetized guinea-pigs **489.P**, 163*P*, 1995

Nephron
A small-conductance Cl^- channel in the mouse thick ascending limb that is activated by ATP and protein kinase A **485**, 97, 1995

Nerve
Sulphonylurea-sensitive K_{ATP} channels on a novel isolated nerve terminal preparation of rat motor cortex **483.P**, 66*P*, 1995
Vasoreactivity to prostaglandins of rat peripheral nerve **484**, 463, 1995
The time constants of motor and sensory axons in human peripheral nerve **487.P**, 47*P*, 1995
Effects of carbachol and Mastoparan on guanylate cyclase activity in dialysed axons of the squid, *Loligo forbesi* **487.P**, 62*P*, 1995

Nerve activity
Differential pattern of sympathetic nerve activity elicited by chemical stimulation in the paraventricular nucleus of the rabbit **483.P**, 100*P*, 1995
Effect of saline volume expansion on renal nerve activity in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 88*P*, 1995

Nerve degeneration
A role for matrix metalloproteinases in peripheral myelin breakdown in mice **487.P**, 44*P*, 1995

Nerve growth
The effects of lyotropic anions on electric field-induced guidance of cultured frog nerves **486**, 229, 1995

Nerve growth factor
Subcutaneous infusions of nerve growth factor promote local heat and chemical hyperalgesia and increases in sensory neuron CGRP immunoreactivity in the adult rat **483.P**, 154*P*, 1995
Sequestration of endogenous nerve growth factor (NGF) in the adult rat using a trkA-IgG fusion molecule blocks hyperalgesia associated with carrageenan inflammation **487.P**, 216*P*, 1995

Nerve injury
Effect of neonatal nerve injury on synapse elimination in mice with slow Wallerian degeneration (C57Bl/6/Wld^s) **483.P**, 57*P*, 1995
Galanin content of normal and regenerated rat saphenous nerves **483.P**, 157*P*, 1995
Induction of transmitter release at the neuromuscular junction prevents motoneurone death after axotomy in neonatal rats **487.P**, 46*P*, 1995
Plasticity of spinal cord after crush, and of hippocampus after injection of neuron suspensions **489.P**, 7*P*, 1995

Neuroblastoma
Effects of a novel cyclic neuropeptide Y analogue on Ca^{2+} channel currents in human neuroblastoma (SH-SY5Y) cells **483.P**, 163*P*, 1995
Functional availability of sodium channels modulated by cytosolic free Ca^{2+} in cultured mammalian neurons (N1E-115) **484**, 307, 1995
Effect of tamoxifen on cationic and anionic conductances in C1300 neuroblastoma cells and isolated embryonic rat hypothalamic neurons *in vitro* **487.P**, 194*P*, 1995
A novel inward-rectifying K^+ current with a cell-cycle dependence governs the resting potential of mammalian neuroblastoma cells **489**, 455, 1995

Neuroendocrinology
An evaluation of the variability in prolactin secretion in response to the serotoninergic agonist D-fenfluramine in man **489.P**, 44*P*, 1995

Neurohypophysis
$GABA_A$ receptor activation and the excitability of nerve terminals in the rat posterior pituitary **483**, 583, 1995
Distinct ω-agatoxin-sensitive calcium currents in somata and axon terminals of rat supraoptic neurones **489**, 383, 1995

Neurokinin
Involvement of neurokinin receptors in the joint inflammation and heat hyperalgesia following acute inflammation in unanaesthetized rats **483.P**, 152*P*, 1995
The effects of NK1 and NK2 receptor antagonists on the sensitization of STT cells following acute inflammation in the anaesthetized primate **483.P**, 152*P*, 1995
Tachykinins as mediators of slow EPSPs in guinea-pig gall bladder ganglia: involvement of neurokinin-3 receptors **485**, 513, 1995
Excitatory actions of the NK-1 agonist [Sar^9, Met$(O_2)^9$]-substance P on rat dorsal horn neurones *in vitro* displaying heterogeneous firing properties **487.P**, 217*P*, 1995
Whole-cell voltage clamp analysis of the effect of neurokinin A on rat nucleus tractus solitarii neurones *in vitro* **489.P**, 18*P*, 1995

Neuromodulation
Neural mechanisms for the generation of limb motor programs **487.P**, 225*P*, 1995

Neuromuscular junction
Neurotransmitter release evoked by nerve impulses without Ca^{2+} entry through Ca^{2+} channels in frog motor nerve endings **482**, 511, 1995
Effects of testosterone on synaptic efficacy at neuromuscular junctions in a sexually dimorphic muscle of male frogs **483**, 141, 1995
Number of junctional acetylcholine receptors: control by neural and muscular influences in the rat **483**, 397, 1995
Effect of β-endorphin and other opioid agonists on the contractile response of isolated mouse diaphragm muscle **483.P**, 78*P*, 1995
Nerve-dependent regulation of succinate dehydrogenase in junctional and extrajunctional compartments of rat muscle fibres **484**, 155, 1995
Action potential generation in rat slow- and fast-twitch muscles **486**, 401, 1995
β-Endorphin receptors at the neuromuscular junction in the mouse *in vitro* **487.P**, 162*P*, 1995
Effect of β-endorphin 1–27 and β-endorphin 30–31 on the contractile responses of mouse diaphragm *in vitro* **487.P**, 163*P*, 1995
Defects of the neuromuscular junction associated with impaired neuromuscular transmission in limb-girdle myasthenias in man **489.P**, 150*P*, 1995

Neuromuscular transmission
Inhibition of acetylcholine release from mouse motor nerve by a P-type calcium channel blocker, ω-agatoxin IVA **482**, 283, 1995
Effects of vitamin E deficiency on autonomic neuroeffector mechanisms in the rat caecum, vas deferens and urinary bladder **487**, 773, 1995
Safety factor for neuromuscular transmission in rat isolated soleus muscle **489.P**, 150*P*, 1995

Neuronal activity
L(+)-2-amino-4-phosphonobutyric acid (L-AP4) causes disinhibition of neuronal responses in primary somatosensory (SI) cortex of the urethane-anaesthetized adult rat **483.P**, 155*P*, 1995
22–26 Hz oscillations in neurones of the ventrolateral medulla oblongata in anaesthetized rats **487.P**, 172*P*, 1995

Neuronal circuitry
Synaptic input from CA3 pyramidal cells to dentate basket cells in rat hippocampus **487**, 125, 1995

Neuronal development
Cardiac cells control transmitter release and calcium homeostasis in sympathetic neurons cultured from embryonic chick **488**, 587, 1995
Spinal sensory neuron numbers in the spontaneously hypertensive rat (SHR) **489.P**, 7*P*, 1995

Neurone
Expression of Fos protein following growth hormone-releasing peptide (GHRP-6) injection in rat arcuate neurones retrogradely labelled by systemic Fluorogold administration **483.P**, 49*P*, 1995
in vitro recordings from neurones in the rat medial septal/diagonal band (MS/DB) complex **483.P**, 56*P*, 1995
Cyclic ADP ribose enhances Ca^{2+}-induced Ca^{2+} release in isolated mouse sensory neurones **483.P**, 63*P*, 1995
Intracellular labelling using tetramethylrhodamine-dextran (TMR-dextran) conjugate florescent tracer (MW 3000) *in vivo* **483.P**, 101*P*, 1995
Electrophysiological properties of anterior pretectal neurones and the presence of a hyperpolarization-activated inward current: intracellular recordings *in vitro* in the rat **483.P**, 156*P*, 1995
Collision avoidance in the locust *Locusta migratoria*: biological and artificial neural networks for range determination **483.P**, 188*P*, 1995
A novel electropharmacological profile of insect GABA receptors **483.P**, 190*P*, 1995
Motor programme switching by a lobster mechanoreceptor neurone *in vitro*: role of parallel interneuronal processing **483.P**, 191*P*, 1995
Heterogeneity of neuronal nicotinic acetylcholine receptors in thin slices of rat medial habenula **484**, 87, 1995

Analysis of bursting responses of oxytocin neurones in the rat in late pregnancy, lactation and after weaning **486**, 237, 1995
5-HT_2 receptor-controlled modulation of medullary respiratory neurones in the cat **487**, 653, 1995
Dimer-formation of midkine by calcium-dependent transglutaminase in cultured rat neurones increases neurite-promoting activity **487.P**, 45*P*, 1995
Presynaptic inhibition of excitatory inputs to rat magnocellular basal forebrain neurones by dopamine **487.P**, 50*P*, 1995
Calcium currents in cultured neurones of *Helix aspersa* **487.P**, 58*P*, 1995
Calcium homeostasis in nerve cells **487.P**, 5*S*, 1995
Calcium-induced calcium release in rat sensory neurons **489**, 627, 1995
Dual measurements of intracellular magnesium using Mag-fura-2 and ion-sensitive microelectrodes in neurones in isolated ganglia from *Helix aspersa* **489.P**, 22*P*, 1995
Evidence for the contribution of a novel low voltage-activated Ca^{2+} current in regulating pacemaker activity of insect neurosecretory cells **489.P**, 67*P*, 1995

Neuropeptide

CAP_{2b}, a cardioactive peptide of lepidopteran insects, can also stimulate fluid production by Malpighian tubules of *Drosophila melanogaster* through a mechanism involving cyclic GMP **482.P**, 26*P*, 1995
Improvements to the extraction of substance P from small segments of rat saphenous nerves prior to radioimmunoassay **483.P**, 158*P*, 1995
The effects of the peptide KSAYMRFamide (Lys-Ser-Ala-Tyr-Met-Arg-Phe-amide) on 5-HT-stimulated pharyngeal pumping in the parasitic nematode *Ascaris suum* **483.P**, 196*P*, 1995
Immunohistochemical localization of neuropeptides in normal, diabetic and transplanted pancreas in rats **487.P**, 32*P*, 1995
Identification and secretory effects of pancreatic hormones and neuropeptides in the isolated rat pancreas **489.P**, 109*P*, 1995

Neuropeptide Y

Neuropeptide Y-induced modulation of cyclic adenosine monophosphate and contractile responses in porcine isolated blood vessels **483.P**, 111*P*, 1995
Effects of a novel cyclic neuropeptide Y analogue on Ca^{2+} channel currents in human neuroblastoma (SH-SY5Y) cells **483.P**, 163*P*, 1995
Calcium and sodium currents evoked by action potential waveforms in rat sympathetic neurones **485**, 43, 1995
Factors regulating the expression of the Y1 receptor for Neuropeptide Y in PC12 cells **487.P**, 209*P*, 1995

Neurosecretion

Excitatory amino acid regulation of rat hypothalamic magnocellular neurosecretory cells (MNCs) *in vitro* **483.P**, 9*S*, 1995
P_2 purinoceptor-mediated depolarization of rat supraoptic neurosecretory cells *in vitro* **489**, 805, 1995

Neurosecretory cell

Voltage-gated calcium currents in the magnocellular neurosecretory cells of the rat supraoptic nucleus **486**, 571, 1995

Neurotensin

Effects of neurotensin on rat supraoptic nucleus neurones *in vitro* **482**, 373, 1995

Neurotransmission

Role of nitric oxide in non-adrenergic, non-cholinergic relaxation and modulation of excitatory neuroeffector transmission in the cat airway **483**, 225, 1995
Histamine H_3 receptors inhibit exocrine secretory responses and cholinergic neurotransmission in the guinea-pig pancreas *in vivo* and *in vitro* **483.P**, 180*P*, 1995
Zinc potentiation of neurotransmission and inhibition of background cationic conductance in rat cultured hippocampal neurones **484**, 447, 1995

Neurotransmitter

Characteristic features of inhibitory junction potentials evoked by single stimuli in the guinea-pig isolated taenia caeci **485**, 145, 1995

Newborn

Bilateral lesions in the red nucleus abolish the biphasic respiratory response to hypoxia in decerebrate newborn rabbits **483.P**, 89*P*, 1995
Maturation of carotid chemoreceptor responses to CO_2 in the anaesthetized newborn lamb **489.P**, 162*P*, 1995

Nicotinic receptor

Heterogeneity of neuronal nicotinic acetylcholine receptors in thin slices of rat medial habenula **484**, 87, 1995
Vagal control of nitric oxide and vasoactive intestinal polypeptide release in the regulation of gastric relaxation in rat **484**, 481, 1995

Nitric oxide

Evidence for a critical role of nitric oxide in the tonic excitation of rabbit renal sympathetic preganglionic neurones **482**, 401, 1995
Nitric oxide donors enhanced Ca^{2+} currents and blocked noradrenaline-induced Ca^{2+} current inhibition in rat sympathetic neurons **482**, 521, 1995
Regulation of rat alveolar macrophage nitric oxide (NO) production by cationic amino acid transport **482.P**, 44*P*, 1995
Role of nitric oxide in non-adrenergic, non-cholinergic relaxation and modulation of excitatory neuroeffector transmission in the cat airway **483**, 225, 1995
Evidence for the involvement of cGMP in neural bronchodilator responses in human trachea **483**, 525, 1995
Sodium nitroprusside attenuates the pro-fibrillatory effects of L-NAME in the isolated rat heart by increasing nitric oxide levels **483.P**, 10*P*, 1995
Nitric oxide affects the activity of neurones in the pre-optic/anterior hypothalamus of anaesthetized rats: interaction with the effects of centrally administered interleukin-1 **483.P**, 72*P*, 1995
Chronic NO synthase inhibition: changed vasomotor effects of hypoxia on rat lung vessels *in vitro* **483.P**, 92*P*, 1995
Nitric oxide (NO) synthesis and haemodynamic responses to acute hypoxaemia in unanaesthetized fetal sheep **483.P**, 92*P*, 1995
Role of nitric oxide in the tonic excitation of renal sympathetic preganglionic neurones in the anaesthetized rabbit **483.P**, 92*P*, 1995
Nitric oxide contributes to local heat-induced vasodilatation in man **483.P**, 126*P*, 1995
Ionophoretic application of a nitric oxide donor inhibits neuronal activity in the periaqueductal grey matter of the anaesthetized rat **483.P**, 155*P*, 1995
Involvement of nitric oxide (NO) in the control of protein secretion by the submandibular gland in the anaesthetized cat **483.P**, 180*P*, 1995
Vagal control of nitric oxide and vasoactive intestinal polypeptide release in the regulation of gastric relaxation in rat **484**, 481, 1995
Local modulation of adrenergic responses in the hindlimb vasculature of the intact conscious rat **485**, 817, 1995
Nitric oxide as a retrograde messenger in the nucleus tractus solitarii of rats during hypoxia **486**, 495, 1995
Nitric oxide hyperpolarizes rabbit mesenteric arteries via ATP-sensitive potassium channels **486**, 47, 1995
Modulation of calcium-activated non-selective cation channel activity by nitric oxide in rat brown adipose tissue **486**, 59, 1995
Nitric oxide evokes pain at nociceptors of the paravascular tissue and veins in humans **487**, 253, 1995
Nitric oxide mobilizes intracellular calcium in rat pancreatic β-cells **487.P**, 13*P*, 1995
Inhibition of guinea-pig gall-bladder contraction by electrical field stimulation *in vitro* **487.P**, 33*P*, 1995
Gastrin plays a physiological role in the protection of gastric mucosa against ethanol injury in rats **487.P**, 36*P*, 1995
Involvement of nitric oxide in the mediation of CCK and bile + oleate-induced intestinal vascular, metabolic and motor responses **487.P**, 37*P*, 1995
Agonist-induced stimulation of L-arginine/nitric oxide pathway in rabbit isolated gastric glands **487.P**, 41*P*, 1995
Effects of carbachol and Mastoparan on guanylate cyclase activity in dialysed axons of the squid, *Loligo forbesi* **487.P**, 62*P*, 1995
17β-Oestradiol-induced enhancement of acetylcholine- and bradykinin-mediated relaxation in isolated small mesenteric arteries from prepubertal female rats **487.P**, 86*P*, 1995
The role of nitric oxide in vasodilatation induced in skeletal muscle of the anaesthetized rat by acute systemic hypoxia **487.P**, 86*P*, 1995
DQ-2511 and PGE_2 regulate positively the housekeeping Cl^- channel in the basolateral membrane of isolated rabbit parietal cells by production of cGMP **487.P**, 101*P*, 1995
The role of endogenous nitric oxide in cardiopulmonary adaptation in the human infant at birth **487.P**, 112*P*, 1995
Submandibular responses to stimulation of the parasympathetic innervation in the presence of an inhibitor of nitric oxide (NO) synthesis in anaesthetized cats **487.P**, 118*P*, 1995
Influence of nitric oxide on contraction and L-type calcium currents in guinea-pig isolated ventricular myocytes **487.P**, 137*P*, 1995
Arteriolar vasodilatation in the cirrhotic conscious rat: a role for nitric oxide **487.P**, 168*P*, 1995

Influence of systemic arterial pressure on production of nitric oxide in deep brain structures in anaesthetized rat **487.P**, 169*P*, 1995

Effectiveness of 'spiked' nitric oxide inhalation in patients with pulmonary hypertension **487.P**, 178*P*, 1995

Dual action of nitric oxide on Ca^{2+} current in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

Pulmonary endothelial nitric oxide (NO) in health and disease **487.P**, 138, 1995

Role of nitric oxide in tachykinin-induced increase in potential difference of rabbit tracheal mucosa **488**, 115, 1995

Role of nitric oxide in exercise hyperaemia during prolonged rhythmic handgripping in humans **488**, 259, 1995

Mechanical components of the stimulus releasing nitric oxide (NO) from the endothelium in the anaesthetized dog **489.P**, 2*P*, 1995

Hydrogen peroxide and nitric oxide alter neuronal discharges and $[Ca^{2+}]_i$ in identified neurones of *Lymnaea stagnalis* **489.P**, 79*P*, 1995

Characterization of electrogenic secretion in tetrahydrobiopterin-deficient mouse ileum *in vitro* **489.P**, 109*P*, 1995

A study of constitutive nitric oxide synthase (cNOS) in the hypothalami of normal and hereditary diabetes insipidus rats and mice: evidence of involvement of nitric oxide in osmotic regulation **489.P**, 177*P*, 1995

NMDA (*N*-methyl-D-aspartate)

Single channel characteristics of NMDA receptors in Purkinje cells in thin slices of neonatal rat cerebellum **483.P**, 162*P*, 1995

Developmental changes in excitatory amino acid receptor distributions in primary visual cortex are correlated with the ingrowth of the geniculocortical pathway in the anaesthetized ferret **485.P**, 8*P*, 1995

Characterization of spontaneous excitatory synaptic currents in salamander retinal ganglion cells **486**, 207, 1995

Rhythmical bursts induced by NMDA in guinea-pig cholinergic nucleus basalis neurones *in vitro* **487**, 623, 1995

The relationship between light-evoked synaptic excitation and spiking behaviour of salamander retinal ganglion cells **487**, 711, 1995

Excitability changes of somatic and viscero-somatic nociceptive reflexes in the decerebrate–spinal rabbit: role of NMDA receptors **489**, 545, 1995

Macroscopic kinetic properties of NMDA receptors in patches from granule cells of the rat cerebellum **489.P**, 14*P*, 1995

Metabotropic glutamate (mGlu) receptor activation produces a change in the mean open time of *N*-methyl-D-aspartate (NMDA) receptors **489.P**, 15*P*, 1995

Long-term NMDA desensitization in isolated rat brain **489.P**, 70*P*, 1995

NMDA-like receptors on an identified molluscan neurone **489.P**, 71*P*, 1995

Descending synaptic inputs to rat sympathetic preganglionic neurones in a longitudinal spinal cord slice preparation **489.P**, 157*P*, 1995

NMDA receptor

Dendritic glutamate receptor channels in rat hippocampal CA3 and CA1 pyramidal neurons **482**, 325, 1995

Synaptic potentiation of dual-component excitatory postsynaptic currents in the rat hippocampus **482**, 39, 1995

Calcium-dependent inactivation of heteromeric NMDA receptor–channels expressed in human embryonic kidney cells **482**, 567, 1995

The opioid peptide dynorphin directly blocks NMDA receptor channels in the rat **482**, 575, 1995

NMDA receptor-mediated sympathetic chemoreflex excitation of RVL–spinal vasomotor neurones in rats **482**, 53, 1995

Trapping of glutamate and glycine during open channel block of rat hippocampal neuron NMDA receptors by 9-aminoacridine **483**, 367, 1995

Intracellular spontaneous activity recorded *in vitro* from an area of the chick brain which is essential for early learning: age and NMDA dependence **483.P**, 41*P*, 1995

The ratio of NMDA and non-NMDA components of rat hippocampal EPSC: cross-talk of presynaptic Ca^{2+} channels, A_1 adenosine receptors and $[Ca^{2+}]_o/[Mg^{2+}]_o$ **483.P**, 65*P*, 1995

Synaptic excitation of individual rat cerebellar granule cells *in situ*: evidence for the role of NMDA receptors **484**, 397, 1995

Calcium entry through a subpopulation of AMPA receptors desensitized neighbouring NMDA receptors in rat dorsal horn neurons **485**, 373, 1995

Fractional calcium currents through recombinant GluR channels of the NMDA, AMPA and kainate receptor subtypes **485**, 403, 1995

N-methyl-D-aspartate (NMDA) receptors and cortical influences on visual responses in the superior colliculus (SC) of the anaesthetized cat **485.P**, 11*P*, 1995

Burst kinetics of single NMDA receptor currents in cell-attached patches from rat brain cortical neurons in culture **486**, 411, 1995

Modulation by magnesium of the affinity of NMDA receptors for glycine in murine hippocampal neurones **486**, 83, 1995

NMDA receptor-mediated transmission of carotid body chemoreceptor input to expiratory bulbospinal neurones in dogs **487**, 639, 1995

GABAergic and glutamatergic effects on behaviour in fetal sheep **487**, 677, 1995

Differences in the contribution of NMDA receptors to spontaneous excitation in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 62*P*, 1995

Nociception

Primary afferent-evoked glycine- and GABA-mediated IPSPs in substantia gelatinosa neurones in the rat spinal cord *in vitro* **482**, 29, 1995

Evidence for two different heat transduction mechanisms in nociceptive primary afferents innervating monkey skin **483**, 747, 1995

Algesic chemical stimulation of the skin activates c-*fos* expression in dorsal horn neurones via both AMPA and NMDA receptors in the rat **483.P**, 160*P*, 1995

Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: estimates of receptor depth and threshold **485**, 753, 1995

Nitric oxide evokes pain at nociceptors of the paravascular tissue and veins in humans **487**, 253, 1995

c-*fos* expression is induced by noxious and non-noxious stimulation in the neonatal rat spinal cord **487.P**, 215*P*, 1995

Anterior pretectal nucleus facilitation of superficial dorsal horn neurones and modulation of deafferentation pain in the rat **489**, 159, 1995

Nodose ganglia

A-current modifies the spike of C-type neurones in the rabbit nodose ganglion **486**, 439, 1995

Non-NMDA receptor

Descending synaptic inputs to rat sympathetic preganglionic neurones in a longitudinal spinal cord slice preparation **489.P**, 157*P*, 1995

Non-adrenergic, non-cholinergic response (NANC)

Evidence for the involvement of cGMP in neural bronchodilator responses in human trachea **483**, 525, 1995

Noradrenaline

Factors controlling changes in intracellular Ca^{2+} concentration produced by noradrenaline in rat mesenteric artery smooth muscle cells **482**, 247, 1995

Nitric oxide donors enhanced Ca^{2+} currents and blocked noradrenaline-induced Ca^{2+} current inhibition in rat sympathetic neurons **482**, 521, 1995

Multiple sites of morphine dependence in the magnocellular oxytocin system of the urethane-anaesthetized rat **483.P**, 46*P*, 1995

Effects of graded hypoxia on noradrenaline- and phenylephrine-induced contractions in the rat iliac artery *in vitro* **483.P**, 102*P*, 1995

Release of Ca^{2+} by noradrenaline and ATP from the same Ca^{2+} store sensitive to both $InsP_3$ and Ca^{2+} in rat portal vein myocytes **484**, 549, 1995

Calcium and sodium currents evoked by action potential waveforms in rat sympathetic neurones **485**, 43, 1995

Cardiac cells control transmitter release and calcium homeostasis in sympathetic neurons cultured from embryonic chick **488**, 587, 1995

The involvement of medullary catecholaminergic neurones in the interaction of the immune and central nervous systems **489.P**, 176*P*, 1995

Changes in the expression of c-*fos* induced by lipopolysaccharide in the PVN and the A1/A2 brainstem noradrenergic cell groups **489.P**, 180*P*, 1995

Nose

Changes in the amplitude of the nasal cycle associated with symptoms of common cold in man **487.P**, 106*P*, 1995

A hyperpolarization-activated chloride current in ciliated cells isolated from murine nasal epithelium **489.P**, 97*P*, 1995

Nuclear magnetic resonance

Amino acid levels in the cerebral cortex of hydrocephalic rat pups with and without cerebrospinal fluid diversion: a ^{1}H-NMR spectroscopy study **487.P**, 47*P*, 1995

Mechanisms of intracellular Mg^{2+} regulation affected by amiloride and ouabain in the guinea-pig taenia caeci **488**, 1, 1995

Nucleotide

Combined effect of cyclic nucleotides on Ca^{2+} signalling in mouse pancreatic acinar cells **483.P**, 181*P*, 1995

P_{2U} receptors permit inhibitory control of cAMP production in cultured equine sweat gland cells **487.P**, 100*P*, 1995

Nucleus tractus solitarii

Lung congestion augments the responses of cells in the rapidly adapting receptor pathway to cigarette smoke in rabbit **484**, 189, 1995

Chemical mediators of spinal inhibition of rat sympathetic neurones on stimulation in the nucleus tractus solitarii **486**, 483, 1995

Nitric oxide as a retrograde messenger in the nucleus tractus solitarii of rats during hypoxia **486**, 495, 1995

The pattern of excitatory inputs to the nucleus tractus solitarii evoked on stimulation in the hypothalamic defence area in the cat **487**, 727, 1995

Hypothalamic modulation of laryngeal reflexes in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 739, 1995

Hypothalamic modulation of the arterial chemoreceptor reflex in the anaesthetized cat: role of the nucleus tractus solitarii **487**, 751, 1995

22–26 Hz oscillations in neurones of the ventrolateral medulla oblongata in anaesthetized rats **487.P**, 172*P*, 1995

Role of β-adrenoceptor-mediated mechanisms within the nucleus of the solitary tract (NTS) for regulating baroreceptor reflex responsiveness in anaesthetized rats **487.P**, 173*P*, 1995

Whole-cell voltage clamp analysis of the effect of neurokinin A on rat nucleus tractus solitarii neurones *in vitro* **489.P**, 18*P*, 1995

Oedema

Pulmonary actions of endothelin-1 in orthogradely and retrogradely perfused rat isolated lungs **483.P**, 147*P*, 1995

Oestrogen

Oestradiol-17β in its positive feedback mode significantly increases 5-HT_{2A} receptor density in the frontal, cingulate and piriform cortex of the female rat **483.P**, 52*P*, 1995

17β-Oestradiol-induced enhancement of acetylcholine- and bradykinin-mediated relaxation in isolated small mesenteric arteries from prepubertal female rats **487.P**, 86*P*, 1995

Atrial natriuretic factor release during pregnancy in rats **488**, 509, 1995

Natural variations in oestrogen and FSH levels in eumenorrheic women in negative association with voluntary muscle strength **489.P**, 28*P*, 1995

Influence of oestradiol on pulsatile luteinizing hormone secretion during insulin-induced hypoglycaemia in female rats **489.P**, 179*P*, 1995

Okadaic acid

Enhancement by muscarinic agonists of a high voltage-activated Ca^{2+} current via phosphorylation in a snail neuron **485**, 21, 1995

Olfactory receptor

Different spatial patterns of $[Ca^{2+}]$ increase caused N- and L-type Ca^{2+} channel activation in frog olfactory bulb neurones **487**, 305, 1995

Membrane properties of the granule cells of the islands of Calleja of the rat studied *in vitro* **487**, 421, 1995

Oocyte

Quantal puffs of intracellular Ca^{2+} evoked by inositol trisphosphate in *Xenopus* oocytes **482**, 533, 1995

Stimulation of repetitive calcium transients in mouse eggs **483**, 331, 1995

A cytoskeleton (CSK) deficient plasma membrane vesicle preparation from *Xenopus* oocytes for studying CSK effects on membrane ion channel gating **483.P**, 162*P*, 1995

A monovalent cationic conductance that is blocked by extracellular divalent cations in *Xenopus* oocytes **484**, 593, 1995

Subunit regulation of the neuronal α_{1A} Ca^{2+} channel expressed in *Xenopus* oocytes **485**, 619, 1995

Failure of P-glycoprotein (MDR1) expressed in *Xenopus* oocytes to produce swelling-activated chloride channel activity **486**, 707, 1995

M_2 muscarinic receptor-activated K^+ currents in oocytes co-expressing GIRK1, GIRK2 and CIR cDNAs **487.P**, 188*P*, 1995

Ca^{2+} current enhancement by $\alpha 2/\delta$ and β subunit in *Xenopus* oocytes: contribution of changes in channel gating and $\alpha 1$ protein level **489**, 55, 1995

N-Pentanol block of rat brain RCK1 (Kv1.1) potassium (K^+) channels expressed in *Xenopus* oocytes: comparison with block by external tetraethylammonium (TEA^+) ions **489.P**, 59*P*, 1995

Inhibition studies using 2-trifluoromethyl-L-histidine (TFMH) reveal multiple components of arginine transport expressed in NBAT-cRNA-injected oocytes **489.P**, 125*P*, 1995

Opioid

The opioid peptide dynorphin directly blocks NMDA receptor channels in the rat **482**, 575, 1995

Multiple sites of morphine dependence in the magnocellular oxytocin system of the urethane-anaesthetized rat **483.P**, 46*P*, 1995

Effect of β-endorphin and other opioid agonists on the contractile response of isolated mouse diaphragm muscle **483.P**, 78*P*, 1995

Opioid receptors in fast and slow skeletal muscles of lean and obese-diabetic mice *in vitro* **483.P**, 78*P*, 1995

Opioid depression of respiration in neonatal rats **485**, 845, 1995

β-Endorphin receptors at the neuromuscular junction in the mouse *in vitro* **487.P**, 162*P*, 1995

Effect of β-endorphin 1–27 and β-endorphin 30–31 on the contractile responses of mouse diaphragm *in vitro* **487.P**, 163*P*, 1995

Evidence for an opioid involvement in the delayed response of limbic neurones to oxytocin on the day of parturition in the anaesthetized rat **489.P**, 176*P*, 1995

Optic nerve

Variations of blood flow at optic nerve head induced by sinusoidal flicker stimulation in cats **482**, 189, 1995

Responsiveness of hamster suprachiasmatic neurones to optic nerve stimulation at different times of day **487.P**, 48*P*, 1995

GABA-mediated changes in extracellular potassium: a developmental study in the isolated rat optic nerve **489.P**, 76*P*, 1995

Orientation

Orientation discrimination in humans as a function of chromatic content and spatial frequency **485.P**, 23*P*, 1995

Osmolality

The effect of osmolality and carbohydrate content on the rate of gastric emptying of liquids in man **486**, 523, 1995

Osmosensitivity

Synaptic control of rat supraoptic neurones during osmotic stimulation of the organum vasculosum lamina terminalis *in vitro* **489**, 567, 1995

Osmosis

Interstitial space, electrical resistance and ion concentrations during hypotonia of rat hippocampal slices **487**, 685, 1995

Extracellular osmotic pressure modulates sodium–calcium exchange in isolated guinea-pig ventricular myocytes **488**, 293, 1995

Functional role of follicular cells in the generation of osmolarity-dependent Cl^- currents in *Xenopus* follicles **488**, 351, 1995

Osteoclast

Activation of Cl^- channels by extracellular Ca^{2+} in freshly isolated rabbit osteoclasts **487.P**, 200*P*, 1995

Evidence for parathyroid hormone-induced mobilization of intracellular calcium in rat osteoclasts **489.P**, 71*P*, 1995

Oxygen

Studies on oxygen and its lack. From Priestley to the present day in Birmingham **483.P**, 103*P*, 1995

Measurements of hydrogen and oxygen in isolated bovine intervertebral disc **483.P**, 126*P*, 1995

Conditions for microvascular oxygen and substrate supply to working muscle tissue **483.P**, 4*S*, 1995

Central *versus* peripheral control of oxygen uptake kinetics in old and young humans **487.P**, 102*P*, 1995

Effect of hyperoxia on ventilatory control in moderate intensity exercise **487.P**, 178*P*, 1995

Oxygen secretion – or carbon monoxide excretion rather? **487.P**, 204*P*, 1995

Intracellular magnesium and oxygenation-activation of the equine red cell KCl co-transporter **489.P**, 100*P*, 1995

Oxygen consumption

The effects of thyroid hormones on oxygen and glucose metabolism in the sheep fetus during late gestation **482**, 203, 1995

Possible limitations of speed and size of swimming fish schools, based on oxygen consumption of herring, *Clupea harengus*, measured at different swimming speeds **483.P**, 192*P*, 1995

Oxygen uptake

Non-linear relationship between O_2 uptake and power output at high intensities of exercise in humans **488**, 211, 1995

Oxytocin

Presynaptic actions of morphine: blockade of cholecystokinin-induced noradrenaline release in the rat supraoptic nucleus **482**, 69, 1995

Multiple sites of morphine dependence in the magnocellular oxytocin system of the urethane-anaesthetized rat **483.P**, 46*P*, 1995

Evidence for excitatory connections between oxytocin cells in the lactating rat **483.P**, 47*P*, 1995

The effect of excitatory amino acids on oxytocin release from the rat hypothalamus *in vitro* **483.P**, 48*P*, 1995

Increased GABA concentrations alter mRNA expression of a $GABA_A$ receptor α-subunit in rat cerebral cortex but not supraoptic nucleus (SON) **483.P**, 50*P*, 1995

The oxytocin antagonist Atosiban abolishes androstenedione (Δ^4A)-induced, premature myometrial contractions in the chronically instrumented Rhesus monkey at 0·8 of gestation **483.P**, 113*P*, 1995

Electrophysiological evidence for mutual excitation of oxytocin cells in the supraoptic nucleus of the rat hypothalamus **485**, 485, 1995

Analysis of bursting responses of oxytocin neurones in the rat in late pregnancy, lactation and after weaning **486**, 237, 1995

Electrophysiological differences between oxytocin and vasopressin neurones recorded from female rats *in vitro* **488**, 701, 1995

Synaptic control of rat supraoptic neurones during osmotic stimulation of the organum vasculosum lamina terminalis *in vitro* **489**, 567, 1995

Melatonin affects the pattern of oxytocin secretion in man **489.P**, 173*P*, 1995

Evidence for an opioid involvement in the delayed response of limbic neurones to oxytocin on the day of parturition in the anaesthetized rat **489.P**, 176*P*, 1995

Carbon monoxide modulates neurohypophysial hormone release from the rat hypothalamus *in vitro* **489.P**, 177*P*, 1995

Oxytocin secretion in parturition disrupted by progesterone in the rat **489.P**, 178*P*, 1995

Supraoptic nucleus pertussis toxin-sensitive G proteins are involved in morphine dependence of rat oxytocin neurones *in vivo* **489.P**, 179*P*, 1995

Ozone

Ozone-induced oxygen radical release from bronchoalveolar lavage cells and airway hyper-responsiveness in dogs **486**, 257, 1995

Pacemaker

Contribution of T-type calcium current to the pacemaker depolarization of rabbit isolated SA node cells **487.P**, 148*P*, 1995

The absence of a 'fast' pathway in the muscarinic inhibition of i_f in rabbit SA node myocytes **487.P**, 188*P*, 1995

Pacemaker current

A sustained inward current activated at the diastolic potential range in rabbit sino-atrial node cells **483**, 1, 1995

Pacemaker current i_f in adult canine cardiac ventricular myocytes **485**, 469, 1995

Pacemaker potential

Tetrodotoxin-resistant persistent Na^+ current underlying pacemaker potentials of fish gonadotrophin-releasing hormone neurones **482**, 1, 1995

Pain

Evidence for two different heat transduction mechanisms in nociceptive primary afferents innervating monkey skin **483**, 747, 1995

The comparative analgesic efficacy of 'H-Wave' therapy and oral analgesics upon experimental ischaemic pain in humans **483.P**, 85*P*, 1995

Subcutaneous infusions of nerve growth factor promote local heat and chemical hyperalgesia and increases in sensory neuron CGRP immunoreactivity in the adult rat **483.P**, 154*P*, 1995

Inhibition by 5-hydroxytryptamine and noradrenaline in substantia gelatinosa of guinea-pig spinal trigeminal nucleus **485**, 113, 1995

Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: estimates of receptor depth and threshold **485**, 753, 1995

Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: correlation with pain threshold in humans **485**, 767, 1995

Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones **486**, 769, 1995

Sequestration of endogenous nerve growth factor (NGF) in the adult rat using a trkA-IgG fusion molecule blocks hyperalgesia associated with carrageenan inflammation **487.P**, 216*P*, 1995

Effect of noxious stimulation on sympathetic vasoconstrictor outflow to human muscles **489**, 885, 1995

Is cardiac pain ever signalled through the vagus? **489.P**, 38*P*, 1995

Effect of acupuncture upon experimentally induced ischaemic pain in humans **489.P**, 44*P*, 1995

Paired pulse

Paired-pulse modulation of fast excitatory synaptic currents in microcultures of rat hippocampal neurons **488**, 85, 1995

Pancreas

Histaminergic modulation on cholecystokinin-octapeptide-evoked exocrine pancreatic secretion in the anaesthetized guinea-pig **482.P**, 18*P*, 1995

Effects of apical Cl^- conductance on HCO_3^- secretion by a computer model of rat pancreatic duct cells **482.P**, 31*P*, 1995

Effects of different secretagogues on magnesium mobilization in isolated rat pancreatic acinar cells **482.P**, 33*P*, 1995

Characterization of single potassium channels in mouse pancreatic acinar cells **484**, 661, 1995

Regulation of cholecystokinin-octapeptide-evoked magnesium transport in single mouse pancreatic acinar cells **485.P**, 36*P*, 1995

Immunohistochemical localization of neuropeptides in normal, diabetic and transplanted pancreas in rats **487.P**, 32*P*, 1995

Two cationic amino acid transporters expressed in pancreatic β-cells **487.P**, 192*P*, 1995

Con-A inhibits CCK-mediated amylase release by rat pancreatic acini **487.P**, 222*P*, 1995

Disruption of normal acinar cell calcium signalling is an early feature of caerulein-induced experimental acute pancreatitis in mice **489.P**, 54*P*, 1995

Identification and secretory effects of pancreatic hormones and neuropeptides in the isolated rat pancreas **489.P**, 109*P*, 1995

Ca^{2+} influx pathways in duct cells of normal rat pancreas **489.P**, 119*P*, 1995

Pancreatic acinar cell

Combined effect of cyclic nucleotides on Ca^{2+} signalling in mouse pancreatic acinar cells **483.P**, 181*P*, 1995

Pancreatic β-cell

Modulation and mechanism of action of BPDZ 44 on ATP-sensitive potassium channels in isolated rat insulin-secreting cells **482.P**, 11*P*, 1995

Coincidence of early glucose-induced depolarization with lowering of cytoplasmic Ca^{2+} in mouse pancreatic β-cells **485**, 607, 1995

Effects of divalent cations on exocytosis and endocytosis from single mouse pancreatic β-cells **487**, 465, 1995

Mobilization of intracellular calcium by caffeine in single mouse pancreatic β-cells **487.P**, 12*P*, 1995

Nitric oxide mobilizes intracellular calcium in rat pancreatic β-cells **487.P**, 13*P*, 1995

Different types of membrane retrieval in single mouse pancreatic β-cells **487.P**, 32*P*, 1995

Two distinct modes of Ca^{2+} signalling by ACh in rat pancreatic β-cells: concentration, glucose dependence and Ca^{2+} origin **488**, 13, 1995

Effect of methylglyoxal on electrical activity in isolated rat pancreatic β-cells **489.P**, 49*P*, 1995

Inwardly rectifying K^+ currents in oocytes co-expressing Kir3.1 and Kir3.2 **489.P**, 57*P*, 1995

A volume-activated anion conductance in insulin-secreting cells **489.P**, 64*P*, 1995

Persistent neonatal hyperinsulinaemic hypoglycaemia in humans involves a defect in pancreatic β-cell K^+ channels **489.P**, 7*S*, 1995

Characterization of an inwardly rectifying K^+ channel expressed in pancreatic β-cells **489.P**, 8*S*, 1995

Intracellular calcium mobilization and IP_3 receptors in pancreatic acini **489.P**, 14*S*, 1995

Pancreatic duct

Secretin stimulation of Cl^-–HCO^- exchange in interlobular ducts isolated from guinea-pig pancreas **482.P**, 22*P*, 1995

Effects of apical Cl^- conductance on HCO_3^- secretion by a computer model of rat pancreatic duct cells **482.P**, 31*P*, 1995

A role for γ-glutamyl transpeptidase and the amino acid transport system x_c^- in cystine transport by a human pancreatic duct cell line **485**, 167, 1995

Bicarbonate secretion detected by BCECF-dextran fluorescence in interlobular ducts isolated from the guinea-pig pancreas **487.P**, 40*P*, 1995

Agonist-stimulated bicarbonate secretion in interlobular ducts isolated from guinea-pig pancreas **489.P**, 96*P*, 1995

Inhibition of γ-glutamyl cysteine synthetase enhances cystine, but not glutamate, uptake by human pancreatic PaTu 8902 cells: implications for intracellular regulation of glutathione **489.P**, 108*P*, 1995

Ca^{2+} influx pathways in duct cells of normal rat pancreas **489.P**, 119*P*, 1995

Intracellular cyclic AMP in interlobular pancreatic ducts isolated from guinea-pigs **489.P**, 129*P*, 1995

Pancreatic islet

Effects of nutrients and non-nutrients on fura-2 fluorescence in isolated rat pancreatic islets: possible contribution from autofluorescence **482.P**, 21*P*, 1995

Parabrachial nucleus

Role of the parabrachial nucleus in ventilatory responses of awake rats **489**, 877, 1995

Parasympathetic neurone
Potassium currents in adult rat intracardiac neurones **486**, 15, 1995
Phenotype-specific expression of T-type calcium channels in neurons of the major pelvic ganglion of the adult male rat **489**, 363, 1995
Parathyroid hormone
Vascular effects of parathyroid hormone and parathyroid hormone-related protein in the split hydronephrotic rat kidney **483**, 481, 1995
Evidence for parathyroid hormone-induced mobilization of intracellular calcium in rat osteoclasts **489.P**, 71*P*, 1995
Paraventricular nucleus
Differential pattern of sympathetic nerve activity elicited by chemical stimulation in the paraventricular nucleus of the rabbit **483.P**, 100*P*, 1995
Identification of discrete sympathetic functional pathways in the central nervous system **483.P**, 101*P*, 1995
Evidence for a direct pathway between hypothalamic paraventricular neurones and spinal sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **489.P**, 164*P*, 1995
Parietal cell
A mini Cl^- channel sensitive to external pH in the basolateral membrane of guinea-pig parietal cells **488**, 57, 1995
A maxi Cl^- channel coupled to endothelin B receptors in the basolateral membrane of guinea-pig parietal cells **488**, 65, 1995
Parkinson's disease
Sensorimotor synchronization during temporal tracking is impaired in patients with Parkinson's disease (PD) **485.P**, 15*P*, 1995
Evidence of impairment of human joint position sense in Parkinson's disease **489.P**, 45*P*, 1995
Parotid gland
Up-regulation of the Na^+–K^+–$2Cl^-$ co-transporter by muscarinic stimulation in parotid acinar cells isolated from the rat **482.P**, 7*P*, 1995
Parturition
Effect of ambient temperature on extra-uterine adaptation in near-term lambs delivered by Caesarean section **483.P**, 99*P*, 1995
The oxytocin antagonist Atosiban abolishes androstenedione (Δ^4A)-induced, premature myometrial contractions in the chronically instrumented Rhesus monkey at 0·8 of gestation **483.P**, 113*P*, 1995
Evidence for an opioid involvement in the delayed response of limbic neurones to oxytocin on the day of parturition in the anaesthetized rat **489.P**, 176*P*, 1995
Oxytocin secretion in parturition disrupted by progesterone in the rat **489.P**, 178*P*, 1995
Patch clamp
Calcium-dependent inactivation of heteromeric NMDA receptor–channels expressed in human embryonic kidney cells **482**, 567, 1995
Characterization of whole-cell chloride conductances in a mouse inner medullary collecting duct cell line IMCD-3 **482.P**, 9*P*, 1995
Modulation and mechanism of action of BPDZ 44 on ATP-sensitive potassium channels in isolated rat insulin-secreting cells **482.P**, 11*P*, 1995
Spontaneous AMPA/kainate and NMDA mediated synaptic currents in layer V neurones of the rat entorhinal cortex *in vitro* **483.P**, 61*P*, 1995
Electrophysiological properties of P_{2X}-purinoceptors in rat superior cervical, nodose and guinea-pig coeliac neurones **484**, 385, 1995
Presynaptic metabotropic glutamatergic regulation of inhibitory synapses in rat cerebellar slices **486**, 163, 1995
ATP-activated inward current and calcium-permeable channels in rat macrophage plasma membranes **486**, 323, 1995
ATP-operated calcium-permeable channels activated via a guanine nucleotide-dependent mechanism in rat macrophages **486**, 339, 1995
Activation of a Cl^- conductance by SCN^- in single proximal tubule cells isolated from *Rana temporaria* **486**, 715, 1995
Different effects on gating of three myotonia-causing mutations in the inactivation gate of the human muscle sodium channel **487**, 107, 1995
Patch-clamp analysis of glycine-induced currents in chick ciliary ganglion neurons **487**, 395, 1995
(+) Fenfluramine, an anorexic agent, inhibits K^+ channel currents in isolated rat pulmonary artery smooth muscle cells **487.P**, 186*P*, 1995
Calbindin-D_{28k}: role in determining intrinsically generated firing patterns in rat supraoptic neurones **488**, 601, 1995
Kinetic characterization of rat brain type IIA sodium channel α-subunit stably expressed in a somatic cell line **488**, 633, 1995
Distinct effects of Ca^{2+} and voltage on the activation and deactivation of cloned Ca^{2+}-activated K^+ channels **489**, 403, 1995
The actin filament disrupter cytochalasin D activates the recombinant cystic fibrosis transmembrane conductance regulator Cl^- channel in mouse 3T3 fibroblasts **489**, 745, 1995
Characterization and regulation of a chloride channel from bovine tracheal epithelium **489**, 81, 1995
Macroscopic kinetic properties of NMDA receptors in patches from granule cells of the rat cerebellum **489.P**, 14*P*, 1995
Effect of methylglyoxal on electrical activity in isolated rat pancreatic β-cells **489.P**, 49*P*, 1995
Pennation
Changes in pennation with joint angle and muscle torque: *in vivo* measurements in human brachialis muscle **484**, 523, 1995
Peptide
Mammalian ion-coupled solute transporters **482.P**, 7*S*, 1995
Inactivation of the cloned potassium channel mouse Kv1.1 by the human Kv3.4 'ball' peptide and its chemical modification **484**, 1, 1995
Dipeptide transport and hydrolysis in isolated loops of rat small intestine: effects of stereospecificity **484**, 173, 1995
Region-specific regulation of neuropeptide mRNAs in rat limbic forebrain neurones by aldosterone and corticosterone **484**, 721, 1995
A comparison of the uptake kinetics of a neutral and anionic dipeptide into rat renal cortex brush-border membrane vesicles: effect of membrane potential and proton gradient **487.P**, 26*P*, 1995
Distinct H^+-coupled solute transporters are expressed at the brush border of human intestinal epithelial (Caco-2) cells **487.P**, 33*P*, 1995
Transport of hydrolysis-resistant charged dipeptides by perfused rat lung *in situ* **487.P**, 37*P*, 1995
Effect of β-endorphin 1–27 and β-endorphin 30–31 on the contractile responses of mouse diaphragm *in vitro* **487.P**, 163*P*, 1995
Specific motifs in the external loops of connexin proteins can determine gap junction formation between chick heart myocytes **488**, 721, 1995
Selective proton permeability and pH-dependent activation of the influenza virus M2 protein expressed in a murine cell line **489.P**, 65*P*, 1995
The C-terminal fragment of the Alzheimer's disease β-amyloid precursor protein is a potent inducer of membrane currents in *Xenopus* oocytes **489.P**, 66*P*, 1995
Structure of synthetic $K_v3.4$ potassium channel inactivation peptide **489.P**, 74*P*, 1995
Effects on dipeptide transport of reducing the pH in the lumen of rat small intestine, *in vitro* **489.P**, 105*P*, 1995
Perforant path
The perforant path projection to hippocampal area CA1 in the rat hippocampal–entorhinal cortex combined slice **484**, 707, 1995
Perforated patch recording
Gramicidin-perforated patch recording: GABA response in mammalian neurones with intact intracellular chloride **484**, 77, 1995
Perfusion
Ammonium ions alter the uptake of potassium to brain, choroid plexus and CSF of the rat *in vivo* **489.P**, 121*P*, 1995
Periaqueductal grey matter
Ionophoretic application of a nitric oxide donor inhibits neuronal activity in the periaqueductal grey matter of the anaesthetized rat **483.P**, 155*P*, 1995
Excitatory inputs from the rostral hypothalamus to neurones in the periaqueductal grey with identified medullary projections in the rat **487.P**, 218*P*, 1995
Facilitation of the arterial baroreflex by the preoptic area in anaesthetized rats **488**, 521, 1995
Perigeniculate nucleus
Role of the ferret perigeniculate nucleus in the generation of synchronized oscillations *in vitro* **483**, 665, 1995
Permeability
Tyrosine phosphorylation of junctional proteins controls paracellular permeability in cultured epithelia **482.P**, 32*P*, 1995
A quantitative and ultrastructural study of the increase in vascular permeability induced by hypoxia in the isolated rat heart **483.P**, 139*P*, 1995
Transcellular gaps in the endothelium of rat venules after perfusion with either A23187 or histamine **483.P**, 140*P*, 1995
Effects of mercurial compounds on cyclic AMP-stimulated osmotic permeability of isolated cortical collecting tubules from rabbit kidney **483.P**, 167*P*, 1995
Influence of permeating ions on potassium channel block by external tetraethylammonium **486**, 267, 1995

The cation permeability of the calcium-conducting channel in sarcoplasmic reticulum (SR) blebs of frog skeletal muscle **489.P**, 68*P*, 1995

P-glycoprotein

The P-glycoprotein of multidrug-resistant cells: solute pump and transporter regulator **489.P**, 12*S*, 1995

pH

Stimulus-induced pH changes related to energy metabolism in slices of drone retina **482.P**, 4*P*, 1995

A proton pump contributes to acid secretion by sheep tracheal epithelium **482.P**, 27*P*, 1995

Accuracy of intracellular pH measurement with BCECF in a Malpighian tubule: can the pH_{null} or weak acid/base method be used as a control? **482.P**, 29*P*, 1995

pH dependence and permeability sequence of K^+ channel of apical membrane of frog diluting segment **482.P**, 45*P*, 1995

Influences of extracellular pH (pH_o) upon the fall of intracellular amino acids induced by Ca^{2+}-free perfusion of the isolated guinea-pig heart **483.P**, 11*P*, 1995

Control of reversed glutamate uptake by pH in glial cells isolated from the tiger salamander retina **483.P**, 62*P*, 1995

The relationship between extracellular pH (pH_o) and intracellular pH (pH_i) in *in vitro* human myometrium **483.P**, 108*P*, 1995

Localization of chemosensitive structures in the isolated brainstem of adult guinea-pig **485**, 203, 1995

The effects of extracellular and intracellular pH on carbachol-induced intracellular Ca^{2+} transients in guinea-pig detrusor smooth muscle **485.P**, 40*P*, 1995

Modification by protons of frog skeletal muscle K_{ATP} channels: effects on ion conduction and nucleotide inhibition **486**, 629, 1995

The effect of extracellular pH (pH_o) on intracellular calcium ($[Ca^{2+}]_i$) and force in isolated human myometrium **487.P**, 89*P*, 1995

Dipeptide transport by human placental brush-border membrane vesicles (BBMV) **487.P**, 99*P*, 1995

The effects of acidosis on the phosphorylation of Ser^{16} and Thr^{17} of phospholamban in rat cardiac muscle **487.P**, 128*P*, 1995

The effects of extracellular pH and calcium change on force and intracellular calcium in rat vascular smooth muscle **488**, 281, 1995

A mini Cl^- channel sensitive to external pH in the basolateral membrane of guinea-pig parietal cells **488**, 57, 1995

Voltage-activated proton currents in membrane patches of rat alveolar epithelial cells **489**, 299, 1995

Selective proton permeability and pH-dependent activation of the influenza virus M2 protein expressed in a murine cell line **489.P**, 65*P*, 1995

Dual effects of internal pH on a non-selective cation channel from the mouse collecting tubule **489.P**, 77*P*, 1995

Thapsigargin-induced changes in intracellular pH in Madin–Darby canine kidney (MDCK) cells **489.P**, 88*P*, 1995

Stimulation of cation transport in isolated bovine articular chondrocytes following hypertonic shock **489.P**, 107*P*, 1995

Effect of pipette pH on whole-cell K^+ currents in epithelial cells of rat choroid plexus **489.P**, 120*P*, 1995

Suppression of an immortalizing gene leads to increased Na^+–H^+ exchange in glomerular mesangial cells **489.P**, 130*P*, 1995

The effects of graded reductions of uterine blood flow on spontaneous contractions and intracellular pH (pH_i) **489.P**, 133*P*, 1995

pH regulation

Voltage-dependent clamp of intracellular pH of identified leech glial cells **485**, 157, 1995

Effects of HOE 694, a novel inhibitor of Na^+–H^+ exchange, on intracellular pH regulation in guinea-pig ventricular myocytes **487.P**, 147*P*, 1995

In the absence of bicarbonate and CO_2, Na^+–H^+ antiport mediates all pH recovery from acidification in ciliated cells isolated from sheep trachea **489.P**, 103*P*, 1995

Phagocytosis

Effect of *in vitro* and *in vivo* prolactin upon phagocytic function in the ring dove (*Streptopelia risoria*) **483.P**, 52*P*, 1995

A study of the role of corticosterone as a mediator in exercise-induced stimulation of murine macrophage phagocytosis **488**, 789, 1995

Phosphatase

Roles of arachidonic acid, lipoxygenases and phosphatases in calcium-dependent modulation of M-current in bullfrog sympathetic neurons **487**, 797, 1995

Phosphatase inhibitor

Pacemaker current i_f in adult canine cardiac ventricular myocytes **485**, 469, 1995

Phosphate

Effects of creatine phosphate and P_i on Ca^{2+} movements and tension development in rat skinned skeletal muscle fibres **482**, 123, 1995

Effects of creatine phosphate and inorganic phosphate on the sarcoplasmic reticulum of saponin-treated rat heart **483**, 155, 1995

Ca^{2+} release from the SR induced by inorganic phosphate and ADP is insensitive to ryanodine in isolated saponin skinned rat heart **483.P**, 15*P*, 1995

Effects of inorganic phosphate on cross-bridge kinetics at different activation levels in skinned guinea-pig smooth muscle **484**, 369, 1995

Maturation of rat renal phosphate transport: effect of triiodothyronine **488**, 449, 1995

Phosphoarginine

Phosphoarginine stimulation of Na^+–Ca^{2+} exchange in squid axons – a new pathway for metabolic regulation? **487**, 57, 1995

Phospholipid

Activation of muscarinic K^+ current in guinea-pig atrial myocytes by sphingosine-1-phosphate **489**, 701, 1995

Phosphorylation

Suppression of $GABA_A$ receptor responses by NMDA application in hippocampal neurones acutely isolated from the adult guinea-pig **482**, 353, 1995

Asymmetrical interaction of cyclic AMP and calcium-dependent pathways regulating ciliary beat frequency in human respiratory epithelium *in vitro* **482.P**, 44*P*, 1995

The introduction of trypsin into the sarcoplasm of isolated guinea-pig ventricular myocytes eliminates the inhibition of the L-type Ca^{2+} current caused by BDM **483.P**, 19*P*, 1995

Differential phosphorylation of serine-16 and threonine-17 of phospholamban in cardiac muscle isolated from rats, guinea-pigs and rabbits **483.P**, 20*P*, 1995

The effect of stimulation rate and bathing $[Ca^{2+}]$ on the phosphorylation of phospholamban in isolated rat ventricular myocytes **483.P**, 20*P*, 1995

Two distinct functional effects of protein phosphatase inhibitors on guinea-pig cardiac L-type Ca^{2+} channels **484**, 583, 1995

TnI phosphorylation does not increase the rate of relaxation following photolysis of diazo-2 in skinned ventricular trabeculae from guinea-pig **487.P**, 123*P*, 1995

The effects of acidosis on the phosphorylation of Ser^{16} and Thr^{17} of phospholamban in rat cardiac muscle **487.P**, 128*P*, 1995

Do consensus cAMP-dependent phosphorylation sites within the human L-type cardiac calcium channel expressed in *Xenopus* oocytes affect sensitivity to 2,3-butanedione monoxime inhibition? **487.P**, 136*P*, 1995

Cyclic AMP prevents activation of a swelling-induced chloride-sensitive conductance in chick heart cells **488**, 359, 1995

A non-selective cation current activated via the multifunctional Ca^{2+}–calmodulin-dependent protein kinase in human epithelial cells **488**, 37, 1995

Phosphoinositide

Cell volume-induced changes in phosphatidylinositol(4,5)bisphosphate in Ehrlich mouse ascites tumour cells **489.P**, 114*P*, 1995

Photoreceptor

Conductance and kinetics of single cGMP-activated channels in salamander rod outer segments **483**, 567, 1995

Calcium regulates the cyclic GMP-activated current in isolated rod photoreceptors of the tiger salamander **483.P**, 59*P*, 1995

The filtering of slowly moving images by the photoreceptor membrane of *Tipula paludosa* **483.P**, 189*P*, 1995

Effects of lowered cytoplasmic calcium concentration and light on the responses of salamander rod photoreceptors **484**, 267, 1995

Spontaneous, ligand-independent activity of the cGMP-gated ion channels in cone photoreceptors of fish **485**, 699, 1995

Relaxation of cyclase velocity parallels the recovery of circulating current after a bright flash in rods isolated from the tiger salamander retina **485.P**, 18*P*, 1995

Modulation of the cGMP-gated ion channel in frog rods by calmodulin and an endogenous inhibitory factor **486**, 533, 1995

The multi-ion nature of the cGMP-gated channel from vertebrate rods **487**, 17, 1995

Light adaptation and the rising phase of the flash photocurrent of salamander retinal rods **487**, 441, 1995

Photosensitivity

Photoinactivation of cardio-respiratory interneurons in the pond snail, *Lymnaea stagnalis* **483.P**, 189*P*, 1995

Activation of the basal tuberal hypothalamus of castrated Japanese quail preceding photoperiodically driven luteinizing hormone (LH) release **489.P**, 172*P*, 1995

Pituitary

Activation of protein kinase C inhibits large conductance calcium-activated potassium channels in clonal (GH_4C_1) rat anterior pituitary cells **482.P**, 10*P*, 1995

Control of a novel adenylyl cyclase by calcineurin in cultured AtT20 cells **487.P**, 210*P*, 1995

Glucocorticoids prevent cAMP-mediated inhibition of potassium currents in a clonal pituitary corticotroph cell line, AtT20 D16 : 16 **489.P**, 173*P*, 1995

Adenosine monophosphate (5′-AMP) is a mitogenic factor for GH_3 cells present in human pituitary tumour extracts **489.P**, 182*P*, 1995

Pituitary cell

Control of Ca^{2+} entry into rat lactotrophs by thyrotrophin-releasing hormone **486**, 349, 1995

Pituitary gland

Action potential propagation and propagation block by GABA in rat posterior pituitary nerve terminals **483**, 597, 1995

Placenta

Expression of facilitated glucose transporters (GLUT 1 and GLUT 3) during differentiation of human trophoblast cells **482.P**, 6*P*, 1995

Intracellular Na^+ and K^+ concentration in human placental trophoblast cells in culture **482.P**, 16*P*, 1995

The transfer of anti-D immunoglobulin across the perfused human placental lobule **482.P**, 30*P*, 1995

Maternofetal chloride transfer across the *in vitro* perfused human placental cotyledon **482.P**, 36*P*, 1995

Copper transport and metabolism during human gestation **482.P**, 41*P*, 1995

Characteristics of Cu uptake pathway in cytotrophoblast **482.P**, 42*P*, 1995

Immunodetection of facilitative glucose transporter proteins in the human placental syncytiotrophoblast brush-border and basal membranes **482.P**, 46*P*, 1995

Interpretation of morphometric data on placental vasculature by mathematical model parameters **483.P**, 95*P*, 1995

Concentrations of Na^+ and Cl^- in transplacental ultrafiltrate in sheep **487**, 159, 1995

Dipeptide transport by human placental brush-border membrane vesicles (BBMV) **487.P**, 99*P*, 1995

Two types of whole-cell chloride current expressed in cultured human cytotrophoblast cells **487.P**, 186*P*, 1995

The effects of anaemia on heart, placenta and body weight, and blood pressure in fetal and neonatal rats **488**, 515, 1995

Plasticity

Responsiveness of cat area 17 after monocular inactivation: limitation of topographic plasticity in adult cortex **482**, 589, 1995

Human perceptual learning in identifying the oblique orientation: retinotopy, orientation specificity and monocularity **483**, 797, 1995

Platelet

Calcium-activated potassium channels in human platelets **484**, 15, 1995

Ion channel activation and increases in cytosolic free calcium induced by P_2 purinergic receptor stimulation in human platelets **489.P**, 62*P*, 1995

Plethysmography

Effects of anaesthesia on periodic changes in limb circumference (volumotion, Vm) in patients with vascular disease **483.P**, 148*P*, 1995

Plethysmographic assessment of the effect of the size of tilt induced hydrostatic loads on the isovolumetric venous pressure (Pvi) in the human calf **483.P**, 149*P*, 1995

Comparison of a mercury strain gauge with an optoelectronic volumeter to record human arm swelling rates in venous occlusion plethysmography (VOP) **487.P**, 181*P*, 1995

Polyamine

Block of native Ca^{2+}-permeable AMPA receptors in rat brain by intracellular polyamines generates double rectification **486**, 305, 1995

Postsynaptic current

Very slow postsynaptic currents recorded from deep dorsal horn neurones in adult mouse spinal cord *in vitro* **487.P**, 215*P*, 1995

Posture

The effect of whole-body and local temperature on the hand skin vascular responses to posture and deep breaths in man **483.P**, 125*P*, 1995

Plethysmographic assessment of the effect of the size of tilt induced hydrostatic loads on the isovolumetric venous pressure (Pvi) in the human calf **483.P**, 149*P*, 1995

Selective depression of medium-latency leg and foot muscle responses to stretch by an α_2-agonist in humans **484**, 803, 1995

Time course of 'set'-related changes in muscle responses to stance perturbation in humans **487**, 787, 1995

Muscle activation patterns following brief and sustained forward forces at the pelvis in man **487.P**, 74*P*, 1995

Muscle activation patterns following sideways force at the pelvis in man **487.P**, 74*P*, 1995

Lateral tilt of body segments in response to galvanic vestibular stimulation in man **489.P**, 30*P*, 1995

Potassium

Activation of calcium current in voltage-clamped rat glomerulosa cells by potassium ions **483**, 67, 1995

An estimate of the potassium reflection coefficient in the proximal convoluted tubule (PCT) of the anaesthetized rat **483.P**, 167*P*, 1995

The effect of acetazolamide infusion on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 172*P*, 1995

Comparison of arterial potassium and ventilatory dynamics during sinusoidal work rate variation in man **485**, 571, 1995

Effect of manipulation of potassium concentration on stretch-induced arrhythmia in the isolated Langendorff rabbit heart **487.P**, 140*P*, 1995

Role of extracellular K^+ in the regulation of cerebral blood flow during hypoxia in the anaesthetized rat **487.P**, 175*P*, 1995

Estimated potassium reflection coefficient in perfused proximal convoluted tubules of the anaesthetized rat *in vivo* **488**, 153, 1995

Developmental changes in blood–brain barrier potassium permeability in the rat: relation to brain growth **488**, 439, 1995

The kaliuresis in man to an oral potassium load **489.P**, 36*P*, 1995

K^+ dependence of polyamine-induced rectification of inwardly rectifying channels, IRK1 **489.P**, 56*P*, 1995

GABA-mediated changes in extracellular potassium: a developmental study in the isolated rat optic nerve **489.P**, 76*P*, 1995

Effect of fluid reabsorption on potassium permeability in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 84*P*, 1995

Ammonium ions alter the uptake of potassium to brain, choroid plexus and CSF of the rat *in vivo* **489.P**, 121*P*, 1995

Potassium channel

Nicotinamide–adenine dinucleotide regulates muscarinic receptor-coupled K^+ (M) channels in rodent NG108-15 cells **482**, 317, 1995

Activation of protein kinase C inhibits large conductance calcium-activated potassium channels in clonal (GH_4C_1) rat anterior pituitary cells **482.P**, 10*P*, 1995

Modulation and mechanism of action of BPDZ 44 on ATP-sensitive potassium channels in isolated rat insulin-secreting cells **482.P**, 11*P*, 1995

Ion channels involved in *in situ* fluid secretion from the frog skin gland **482.P**, 24*P*, 1995

Role of phosphorylation in regulation of a K^+ conductance in single proximal tubule cells isolated from frog kidney **482.P**, 37*P*, 1995

Calcium mobilization and activation of maxi-conductance K^+ channels by purinergic agonists in human non-pigmented ciliary body epithelium **482.P**, 40*P*, 1995

Human colonic crypts have both high and low conductance basolateral K^+ channels **482.P**, 43*P*, 1995

pH dependence and permeability sequence of K^+ channel of apical membrane of frog diluting segment **482.P**, 45*P*, 1995

Activation of ATP-dependent K^+ channels by hypoxia in smooth muscle cells isolated from the pig coronary artery **483**, 29, 1995

Ca^{2+}-activated K^+ channels in isolated type I cells of the neonatal rat carotid body **483**, 559, 1995

IBMX induces Ca^{2+} release from internal stores and affects K^+ channels in isolated rat sensory neurones **483.P**, 67*P*, 1995

The effects of neuroleptic and tricyclic compounds on BK_{Ca} channels in rat isolated cortical neurones **483.P**, 67*P*, 1995

A sulphonylurea-sensitive potassium conductance regulated by intracellular adenosine triphosphate in rat substantia nigra zona reticulata neurones **483.P**, 68*P*, 1995

Actions of potassium channel blockers on synaptic transmission in the *in vitro* rat hippocampal slice **483.P**, 70*P*, 1995
Actions of some potassium channel-selective toxins on a human cloned potassium channel (hKv1·1) expressed in oocytes from *Xenopus laevis* **483.P**, 72*P*, 1995
Modulatory effects of arachidonic acid on the voltage-gated K^+ current in isolated rat pulmonary arterial myocytes **483.P**, 109*P*, 1995
K^+ channel diversity in smooth muscle cells isolated from the pulmonary arterial tree of the rat **483.P**, 110*P*, 1995
Potassium currents in freshly isolated human bronchial smooth muscle cells **483.P**, 110*P*, 1995
The effect of cromakalim on ATP depletion in the isolated, metabolically inhibited guinea-pig peroneus longus **483.P**, 127*P*, 1995
The effect of adenosine and GTP on K_{ATP} channels of rat isolated skeletal muscle fibres **483.P**, 164*P*, 1995
Inactivation of the cloned potassium channel mouse Kv1.1 by the human Kv3.4 'ball' peptide and its chemical modification **484**, 1, 1995
Calcium-activated potassium channels in human platelets **484**, 15, 1995
Convertible modes of inactivation of potassium channels in *Xenopus* myocytes differentiating *in vitro* **484**, 313, 1995
Contribution of ATP-sensitive potassium channels to the electrophysiological effects of adenosine in guinea-pig atrial cells **484**, 629, 1995
Arachidonic acid activation of a new family of K^+ channels in cultured rat neuronal cells **484**, 643, 1995
Characterization of single potassium channels in mouse pancreatic acinar cells **484**, 661, 1995
Thrombin-induced inhibition of potassium currents in human retinal glial (Müller) cells **485**, 337, 1995
Bi-stable block by 4-aminopyridine of a transient K^+ channel (Kv1.4) cloned from ferret ventricle and expressed in *Xenopus* oocytes **485**, 59, 1995
Characterization of the G protein coupling of a somatostatin receptor to the K^+_{ATP} channel in insulin-secreting mammalian HIT and RIN cell lines **485**, 73, 1995
On the blockade of neuronal Na^+ and K^+ conductances by the Ca^{2+} channel antagonist Ro 405967 **485.P**, 49*P*, 1995
Influence of permeating ions on potassium channel block by external tetraethylammonium **486**, 267, 1995
Hypoxic changes in rat locus coeruleus neurons *in vitro* **486**, 33, 1995
Nitric oxide hyperpolarizes rabbit mesenteric arteries via ATP-sensitive potassium channels **486**, 47, 1995
β-Adrenergic and cholinergic modulation of the inwardly rectifying K^+ current in guinea-pig ventricular myocytes **486**, 647, 1995
β-Adrenergic and cholinergic modulation of inward rectifier K^+ channel function and phosphorylation in guinea-pig ventricle **486**, 661, 1995
Single voltage-activated Na^+ and K^+ channels in the somata of rat motoneurones **487**, 91, 1995
Influence of voltage and Ca^{2+} on K^+ channels induced by dietary K^+ loading in surface cells of rat distal colon **487.P**, 39*P*, 1995
Membrane currents in single smooth muscle cells freshly isolated from pregnant human myometrium **487.P**, 85*P*, 1995
Inhibition by bradykinin of ATP-sensitive K^+ current in smooth muscle cells isolated from guinea-pig ileum **487.P**, 91*P*, 1995
Inward rectification of the large conductance potassium channels in smooth muscle cells isolated from rabbit pulmonary artery **487.P**, 112*P*, 1995
Discharge characteristics of neonatal rat intracardiac neurones *in vitro*: the effect of potassium channel inhibitors **487.P**, 122*P*, 1995
Gadolinium blocks the delayed rectifier (I_K) in isolated guinea-pig ventricular myocytes **487.P**, 132*P*, 1995
A novel K^+ conductance may control the resting potential of isolated pulmonary artery myocytes **487.P**, 185*P*, 1995
(+) Fenfluramine, an anorexic agent, inhibits K^+ channel currents in isolated rat pulmonary artery smooth muscle cells **487.P**, 186*P*, 1995
Properties of single inward rectifier potassium channel in equine sweat gland epithelial cells **487.P**, 187*P*, 1995
Effects of arachidonic acid on the cloned potassium channel mKv1.2 in CHO cells **487.P**, 193*P*, 1995
Molecular dynamics simulations of potassium channel transmembrane helices **487.P**, 194*P*, 1995
The effects of 4-aminopyridine and dendrotoxins on an endogenous outward current and a heterologously expressed K^+ channel (rKv1.1) in HEK-293 cells **487.P**, 196*P*, 1995
Long-pore plugging model of inward rectification of potassium channels **487.P**, 197*P*, 1995
Modulation of the rat cloned potassium channel Kv1.4 in HEK293 cells by sulphydryl reagents **487.P**, 200*P*, 1995
Ca^{2+}-activated Cl^- and K^+ channels in pulmonary arterial smooth muscle of the rat **487.P**, 11*S*, 1995
Redox regulation of pulmonary vascular tone: a central role for potassium channels **487.P**, 11*S*, 1995
Potassium currents underlying the oscillatory response in hair cells of the goldfish sacculus **489**, 443, 1995
A novel inward-rectifying K^+ current with a cell-cycle dependence governs the resting potential of mammalian neuroblastoma cells **489**, 455, 1995
C-type inactivation controls recovery in a fast inactivating cardiac K^+ channel (Kv1.4) **489**, 709, 1995
Apamin-sensitive K^+ channels mediate an endothelium-dependent hyperpolarization in rabbit mesenteric arteries **489**, 723, 1995
Effects of hypoxia on resting (leak) potassium conductance in carotid body type-I cells of the neonatal rat **489.P**, 56*P*, 1995
Inwardly rectifying K^+ currents in oocytes co-expressing Kir3.1 and Kir3.2 **489.P**, 57*P*, 1995
A comparison of the blocking actions of Cs^+ and Rb^+ on wild-type and mutant inward rectifier K^+ channels (IRK1) **489.P**, 58*P*, 1995
Expression of heteromeric inwardly rectifying K^+ channels of the Kir3 family in *Xenopus* oocytes **489.P**, 58*P*, 1995
Effects of NS-004 on pulmonary artery K^+ channels **489.P**, 59*P*, 1995
N-Pentanol block of rat brain RCK1 (Kv1.1) potassium (K^+) channels expressed in *Xenopus* oocytes: comparison with block by external tetraethylammonium (TEA^+) ions **489.P**, 59*P*, 1995
Inhibition of potassium M-channels by intracellular calcium in membrane patches from rat sympathetic cells **489.P**, 60*P*, 1995
Effect of cytochrome P-450 inhibitors on ionic currents in isolated neonatal rat type I carotid body cells **489.P**, 72*P*, 1995
Single inward rectifier potassium channels in *Xenopus laevis* embryonic myocytes **489.P**, 73*P*, 1995
Structure of synthetic $K_v3.4$ potassium channel inactivation peptide **489.P**, 74*P*, 1995
Modulation of the inactivation of the mouse cloned potassium channel mKv1.1 by the $Kv\beta_1$ subunit and effects of synthetic $Kv\beta_1$ and Kv1.4 peptides **489.P**, 75*P*, 1995
Multi-ion pore behaviour of ROMK1 **489.P**, 75*P*, 1995
A ROMK1/glutathione-S-transferase fusion protein imaged using the atomic force microscope **489.P**, 90*P*, 1995
Immunocytochemical location of the potassium channel ROMK1 in rat kidney cortex **489.P**, 93*P*, 1995
Role of basolateral potassium channels in chloride secretion in human and mammalian intestine **489.P**, 101*P*, 1995
ATP regulates a quinidine-sensitive K^+ conductance in single proximal tubule cells isolated from frog kidney **489.P**, 103*P*, 1995
Effect of pH on K^+ channels in K^+ secreting rat distal colon **489.P**, 121*P*, 1995
Non-genomic activation of K_{ATP} channels in human colon by oestradiol **489.P**, 122*P*, 1995
ATP increases Ca^{2+}-activated K^+ channel activity in isolated rat arterial smooth muscle cells **489.P**, 138*P*, 1995
Glucocorticoids prevent cAMP-mediated inhibition of potassium currents in a clonal pituitary corticotroph cell line, AtT20 D16:16 **489.P**, 173*P*, 1995
Persistent neonatal hyperinsulinaemic hypoglycaemia in humans involves a defect in pancreatic β-cell K^+ channels **489.P**, 7*S*, 1995
Characterization of an inwardly rectifying K^+ channel expressed in pancreatic β-cells **489.P**, 8*S*, 1995
Modulation of apical K^+ channels in frog early distal tubules **489.P**, 9*S*, 1995
Physiological role and characterization of renal potassium channels **489.P**, 16*S*, 1995

Potassium conductance

Taurine and rabbit proximal convoluted tubule: basolateral electrogenic transport and inhibition of K^+ conductance **482.P**, 4*P*, 1995
An ATP-sensitive potassium conductance in rabbit arterial endothelial cells **485**, 595, 1995
Differential temporal relations between electrogenic ion secretion and the K^+ conductance of the basolateral membranes of rat proximal and distal colon activated by cholinergic agonists or dibutyryl cyclic AMP *in vitro* **485.P**, 37*P*, 1995

Cell swelling increases the basolateral K^+ conductance in isolated mouse jejunal crypts **489.P**, 102*P*, 1995

Potassium current

Pentobarbitone inhibits K^+ currents in cultured neurons **483.P**, 191*P*, 1995

Multiple components of delayed rectifier K^+ current in canine colonic smooth muscle **484**, 339, 1995

Potassium currents in rat prevertebral and paravertebral sympathetic neurones: control of firing properties **485**, 319, 1995

Effects of changing external calcium on a potassium current activated by acetylcholine in guinea-pig outer hair cells **485.P**, 17*P*, 1995

Diabetes-induced changes in α-adrenergic modulation of K^+ currents in rat ventricular myocytes **485.P**, 43*P*, 1995

Potassium currents in adult rat intracardiac neurones **486**, 15, 1995

Target-derived factors regulate the expression of Ca^{2+}-activated K^+ currents in developing chick sympathetic neurones **486**, 605, 1995

K_{ATP} channel mediation of anoxia-induced outward current in rat dorsal vagal neurons *in vitro* **487**, 37, 1995

Caffeine- and histamine-induced oscillations of $K_{(Ca)}$ current in single smooth muscle cells of rabbit cerebral artery **487.P**, 16*P*, 1995

Inhibition of mitochondrial function induces a calcium-dependent potassium current in dissociated rat CA1 hippocampal neurons **487.P**, 60*P*, 1995

The oxygen-sensing K^+ conductance of isolated rabbit pulmonary artery smooth muscle **487.P**, 80*P*, 1995

Non-linear dynamics of the potassium delayed rectifier current in cultured neurones of *Helix aspersa* **487.P**, 187*P*, 1995

M_2 muscarinic receptor-activated K^+ currents in oocytes co-expressing GIRK1, GIRK2 and CIR cDNAs **487.P**, 188*P*, 1995

A rapidly activating type of outward rectifier K^+ current and A-current in rat suprachiasmatic nucleus neurones **488**, 339, 1995

Voltage-gated potassium currents in stratum oriens–alveus inhibitory neurones of the rat CA1 hippocampus **488**, 647, 1995

Potassium conductances underlying repolarization and after-hyperpolarization in rat CA1 hippocampal interneurones **488**, 661, 1995

Thyroid status and diabetes modulate regional differences in potassium currents in rat ventricle **488**, 673, 1995

Inhibition of ACh release at an *Aplysia* synapse by neurotoxic phospholipases A_2: specific receptors and mechanisms of action **489**, 29, 1995

A-type potassium current modulated by A_1 adenosine receptor in frog melanotrophs **489**, 431, 1995

Modulation of glomus cell membrane currents of intact rat carotid body **489**, 677, 1995

Activation of muscarinic K^+ current in guinea-pig atrial myocytes by sphingosine-1-phosphate **489**, 701, 1995

8-Amino-cyclic adenosine diphosphate-ribose (8-NH_2-cADPR) inhibits $I_{K(M)}$ modulation by acetycholine in m1 receptor-transformed rodent NG108-15 cells **489.P**, 61*P*, 1995

Effects of a membrane-permeable analogue of the Ca^{2+} chelator BAPTA on K^+ currents in rat cultured cerebellar granule neurons **489.P**, 61*P*, 1995

Modulation by Evans Blue of Ca^{2+}-dependent K^+ current in isolated smooth muscle cells from the sheep bladder **489.P**, 137*P*, 1995

Transient outward current is decreased in isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 143*P*, 1995

Potassium release

Effect of pH on K^+ channels in K^+ secreting rat distal colon **489.P**, 121*P*, 1995

Potassium transport

The effect of luminally applied K^+–H^+ ATPase inhibitor on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 174*P*, 1995

Potentiation

Voltage-dependent potentiation of low-voltage-activated Ca^{2+} channel currents in cultured rat bone marrow cells **489**, 649, 1995

Power output

Loss of power during fatigue of human leg muscles **484**, 237, 1995

The effects of 4 days of supplementation with three creatine dosages (10, 25 and 35 g day^{-1}) on repeated cycle sprints in man **485.P**, 45*P*, 1995

Pregnancy

Acute changes in tyrosine hydroxylase (TH) gene expression in the brainstem of late pregnant rats **483.P**, 50*P*, 1995

Diabetic pregnancy alters nucleoside transporter function, cell growth and prostacyclin release in human umbilical vein endothelial cells **483.P**, 145*P*, 1995

An investigation of myogenic tone in isolated mesenteric small arteries from pregnant and non-pregnant rats **487.P**, 83*P*, 1995

Atrial natriuretic factor release during pregnancy in rats **488**, 509, 1995

Preoptic area

Warm and cold signals from the preoptic area: which contribute more to the control of shivering in rats? **485**, 195, 1995

Facilitation of the arterial baroreflex by the preoptic area in anaesthetized rats **488**, 521, 1995

Pressure

Calcium channel blockade and pressure–natriuresis curves in anaesthetized stroke-prone spontaneously hypertensive rats **483.P**, 175*P*, 1995

Subatmospheric closing pressures in individual microvessels of rats and frogs **484**, 183, 1995

Effect of intra-articular hyaluronan on pressure–flow relation across synovium in anaesthetized rabbits **485**, 179, 1995

Tension transients following rapid decompression of intact frog muscle fibres **487.P**, 153*P*, 1995

Insensitivity of $GABA_A$ receptors to hydrostatic pressure when expressed in *Xenopus* oocytes **489.P**, 76*P*, 1995

Presynaptic inhibition

Raphe magnus and reticulospinal actions on primary afferent depolarization of group I muscle afferents in the cat **482**, 623, 1995

Organization of neuronal systems mediating presynaptic inhibition of group II muscle afferents in the cat **483**, 443, 1995

$GABA_A$ receptor activation and the excitability of nerve terminals in the rat posterior pituitary **483**, 583, 1995

Action potential propagation and propagation block by GABA in rat posterior pituitary nerve terminals **483**, 597, 1995

$GABA_B$ receptor-mediated presynaptic inhibition in guinea-pig hippocampus is caused by reduction of presynaptic Ca^{2+} influx **485**, 649, 1995

Effects of Ca^{2+} channel blockers on transmitter release and presynaptic currents at the frog neuromuscular junction **486**, 695, 1995

Evoked changes in the excitability of presynaptic terminals of cat midlumbar premotor interneurones **487.P**, 71*P*, 1995

Presynaptic terminal

Potentiation of Ca^{2+} transients in the presynaptic terminals of goldfish retinal bipolar cells **482**, 7, 1995

Ca^{2+} regulation in the presynaptic terminals of goldfish retinal bipolar cells **483**, 79, 1995

Cellular mechanisms of 4-aminopyridine-induced synchronized after-discharges in the rat hippocampal slice **489**, 127, 1995

Pretectum

Anterior pretectal nucleus facilitation of superficial dorsal horn neurones and modulation of deafferentation pain in the rat **489**, 159, 1995

Primary afferent depolarization

Raphe magnus and reticulospinal actions on primary afferent depolarization of group I muscle afferents in the cat **482**, 623, 1995

Organization of neuronal systems mediating presynaptic inhibition of group II muscle afferents in the cat **483**, 443, 1995

Interneurones mediating presynaptic inhibition of group II muscle afferents in the cat spinal cord **483**, 461, 1995

The role of glutamate and GABA receptors in the generation of dorsal root reflexes by acute arthritis in the anaesthetized rat **484**, 437, 1995

Primary afferent fibre

Low frequency, repetitive stimulation of high threshold primary afferents results in the temporal summation of excitatory currents recorded from rat dorsal horn neurones *in vitro* **483.P**, 56*P*, 1995

Primary afferent depolarizations of sensory origin recorded from mechanoreceptor afferents in a crayfish preparation *in vitro* **483.P**, 194*P*, 1995

Response of C fibre nociceptors in the anaesthetized monkey to heat stimuli: estimates of receptor depth and threshold **485**, 753, 1995

Procaine

Internal Ca^{2+} stores involved in anoxic responses of rat hippocampal neurons **486**, 547, 1995

Proprioception

Skin strain patterns provide kinaesthetic information to the human central nervous system **487**, 243, 1995

Detection of movements imposed on human hip, knee, ankle and toe joints **488**, 231, 1995
Perception of movement at the human ankle: effects of leg position **488**, 243, 1995
Bilateral asymmetry of vibration-induced errors of human wrist movements in patients with asymmetrical parkinsonism **489.P**, 31*P*, 1995

Prostaglandin
Evidence that prostacyclin relaxes isolated guinea-pig aortic muscle strips through activation of Ca^{2+}-activated K^+ channels **483.P**, 115*P*, 1995
Vasoreactivity to prostaglandins of rat peripheral nerve **484**, 463, 1995
Febrile responses induced in adrenalectomized rats by administration of interleukin-1β or prostaglandin E_2 **484**, 767, 1995
Modulation of renal medullary ionic hypertonicity by prostaglandins: data from tissue admittance studies in the rat **485**, 827, 1995
The mechanism of inhibitory action of secretin on gastric acid secretion in conscious rats **488**, 501, 1995

Protein
Arachidonic acid and diacylglycerol release associated with inhibition of myosin light chain dephosphorylation in rabbit smooth muscle **486**, 113, 1995

Protein kinase
Tyrosine phosphorylation during synapse formation between identified leech neurons **485**, 775, 1995

Protein kinase C
Activation of protein kinase C inhibits large conductance calcium-activated potassium channels in clonal (GH_4C_1) rat anterior pituitary cells **482.P**, 10*P*, 1995
Characterization of the G protein coupling of a somatostatin receptor to the K^+_{ATP} channel in insulin-secreting mammalian HIT and RIN cell lines **485**, 73, 1995
Activation of the plasma membrane chloride channel by protein kinase C in isolated guinea-pig hepatocytes **487**, 379, 1995
Modulation of rat colonic protein kinase C (PKC) activity by steroid hormones **489.P**, 123*P*, 1995

Protein phosphatase
Enhancement by muscarinic agonists of a high voltage-activated Ca^{2+} current via phosphorylation in a snail neuron **485**, 21, 1995

Protein phosphorylation
Protein phosphatase-mediated inhibition of chloride-dependent, GTP-utilizing protein kinase activity in human respiratory epithelim *in vitro* **482.P**, 31*P*, 1995
Tyrosine phosphorylation of junctional proteins controls paracellular permeability in cultured epithelia **482.P**, 32*P*, 1995

Protein secretion
Differential secretion of proteins by rat submandibular acini and granular ducts on graded autonomic nerve stimulations **485**, 503, 1995

Proton current
Proton conductance and intracellular pH recovery from an acid load in chicken enterocytes **484**, 165, 1995
Voltage-activated proton currents in membrane patches of rat alveolar epithelial cells **489**, 299, 1995

Proximal convoluted tubule
An estimate of the potassium reflection coefficient in the proximal convoluted tubule (PCT) of the anaesthetized rat **483.P**, 167*P*, 1995
The effect of acetazolamide infusion on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 172*P*, 1995
The effect of luminally applied K^+–H^+ ATPase inhibitor on potassium transport in the proximal convoluted tubule of the anaesthetized rat **483.P**, 174*P*, 1995
Estimated potassium reflection coefficient in perfused proximal convoluted tubules of the anaesthetized rat *in vivo* **488**, 153, 1995
Effect of endothelin-1 upon isolated proximal tubules from rabbit kidney **489.P**, 84*P*, 1995

Pulmonary artery
An extracellular L-arginine-dependent relaxation mechanism in isolated pulmonary arteries of the rat **487.P**, 80*P*, 1995
Endothelin-1 activates Ca^{2+}-activated Cl^- currents in smooth muscle cells isolated from the pulmonary arterial tree of the rat **487.P**, 81*P*, 1995
Intracellular H^+ buffering power in isolated pulmonary arterial smooth muscle cells of rabbit **487.P**, 88*P*, 1995
Inward rectification of the large conductance potassium channels in smooth muscle cells isolated from rabbit pulmonary artery **487.P**, 112*P*, 1995
Effects of dinitrophenol, cyanide, and acidosis on the contractility of isolated pulmonary and isolated ear artery of the rabbit **487.P**, 114*P*, 1995
A novel K^+ conductance may control the resting potential of isolated pulmonary artery myocytes **487.P**, 185*P*, 1995
(+) Fenfluramine, an anorexic agent, inhibits K^+ channel currents in isolated rat pulmonary artery smooth muscle cells **487.P**, 186*P*, 1995
Hypoxic and metabolic regulation of voltage-gated K^+ channels in pulmonary arterial smooth muscle cells **487.P**, 10*S*, 1995
Effects of early and late plasmin digests of fibrinogen on isometric tension development in isolated rings of rat pulmonary artery **489.P**, 164*P*, 1995

Pulmonary blood flow
Chronic NO synthase inhibition: changed vasomotor effects of hypoxia on rat lung vessels *in vitro* **483.P**, 92*P*, 1995
Blunted hypoxic pulmonary vasoconstriction with short-term chronic hypoxia in isolated rat lungs **487.P**, 110*P*, 1995
Hypoxic pulmonary vasoconstriction (HPV): stimulus–response relation to P_{O_2} in small isolated rat lung vessels **487.P**, 110*P*, 1995
The role of endogenous nitric oxide in cardiopulmonary adaptation in the human infant at birth **487.P**, 112*P*, 1995
Effects of an endothelin receptor blocker on constriction of small pulmonary arteries isolated from the rat **487.P**, 113*P*, 1995
Effectiveness of 'spiked' nitric oxide inhalation in patients with pulmonary hypertension **487.P**, 178*P*, 1995

Pulmonary circulation
Involvement of endothelin-1 in hypoxic pulmonary vasoconstriction in the lamb **482**, 421, 1995
Effects of indomethacin on K^+_{ATP} channel activation in immature porcine intrapulmonary vessels **489.P**, 169*P*, 1995

Pulmonary receptor
Role of cardiopulmonary receptors in mediating changes in renal nerve activity in anaesthetized stroke-prone spontaneously hypertensive rats (SPSHR) **489.P**, 168*P*, 1995

Pulmonary reflex
Modulatory effects of arachidonic acid on the voltage-gated K^+ current in isolated rat pulmonary arterial myocytes **483.P**, 109*P*, 1995

Pulsatile flow
Role of antral intramural neural pathways in control of gastric emptying in the pig **488**, 203, 1995

Purinergic receptor
Purinergic receptor-mediated increases in intracellular Ca^{2+} in single isolated epithelial cells of the human uterine tube **482.P**, 45*P*, 1995
Relative permeability to monovalent organic cations of heterologously expressed rat vas deferens and PC12 P_{2X} receptors **487.P**, 193*P*, 1995
P_2 purinoceptor-mediated depolarization of rat supraoptic neurosecretory cells *in vitro* **489**, 805, 1995
Activation of protein kinase C causes desensitization of P_{2U} receptor-mediated responses in cultured, rat aortic smooth muscle cells **489.P**, 135*P*, 1995
Purinergic receptors and intracellular calcium signalling in sweat gland cells **489.P**, 14*S*, 1995

Purinoceptor
Activation of P_2-purinoreceptors triggered Ca^{2+} release from InsP_3-sensitive internal stores in mammalian oligodendrocytes **483**, 41, 1995
Pivotal role of phosphate chain length in vasoconstrictor *versus* vasodilator actions of adenine dinucleotides in rat mesenteric arteries **483**, 703, 1995

Purkinje cell
Single channel characteristics of NMDA receptors in Purkinje cells in thin slices of neonatal rat cerebellum **483.P**, 162*P*, 1995
Fast activation and inactivation of inositol trisphosphate-evoked Ca^{2+} release in rat cerebellar Purkinje neurones **487**, 343, 1995

Pyramidal neurone
Subthreshold oscillations and resonant frequency in guinea-pig cortical neurons: physiology and modelling **483**, 621, 1995
Excitatory synaptic potentials dependent on metabotropic glutamate receptor activation in guinea-pig hippocampal pyramidal cells **487**, 663, 1995
Single axon pyramid–pyramid EPSPs in area CA1 of the rat hippocampus *in vitro* **487.P**, 64*P*, 1995
Physiological and morphological properties of scrapie-infected CA1 hippocampal pyramidal cells in the mouse **489.P**, 19*P*, 1995

Quantal release
Variation in postsynaptic potential amplitude at synapses between neurones in the ocellar pathway of the locust, *Schistocerca gregaria* **483.P**, 188*P*, 1995

Quantal secretion

Statistics of quantal secretion during long trains of sympathetic nerve impulses in mouse vas deferens **489**, 171, 1995

Rabbit

Effect of diabetes on neutral amino acid transport in rabbit isolated gastric glands **487.P**, 38*P*, 1995

Agonist-induced stimulation of L-arginine/nitric oxide pathway in rabbit isolated gastric glands **487.P**, 41*P*, 1995

Inward rectification of the large conductance potassium channels in smooth muscle cells isolated from rabbit pulmonary artery **487.P**, 112*P*, 1995

Slow changes in cardiac inotropy and output associated with step changes in pre-load in isolated working rabbit hearts **487.P**, 142*P*, 1995

Unloaded shortening velocity of type I, II and α-cardiac fibres isolated from rabbit skeletal muscles **487.P**, 152*P*, 1995

The absence of a 'fast' pathway in the muscarinic inhibition of i_f in rabbit SA node myocytes **487.P**, 188*P*, 1995

Uptake of *myo*-inositol by pre-implantation rabbit blastocysts *in vitro* **489.P**, 124*P*, 1995

The effect of Cytochalasin B on stretch-induced arrhythmia in the Langendorff perfused isolated rabbit heart **489.P**, 166*P*, 1995

Raphe nucleus

Raphe magnus and reticulospinal actions on primary afferent depolarization of group I muscle afferents in the cat **482**, 623, 1995

High incidence of dye coupling between neurones in the dorsal raphe nucleus in the rat: studies *in vitro* **483.P**, 71*P*, 1995

Rat

Up-regulation of the Na^+–K^+–$2Cl^-$ co-transporter by muscarinic stimulation in parotid acinar cells isolated from the rat **482.P**, 7*P*, 1995

The water distribution and electrolyte concentrations in soleus muscles of hypothyroid rats **482.P**, 25*P*, 1995

Rats fed an iron-deficient diet have enhanced intestinal iron transfer and hyperpolarization of the duodenal brush-border membrane **482.P**, 29*P*, 1995

Brain uptake of mercury in the anaesthetized rat **482.P**, 33*P*, 1995

Manganese flux from cerebrospinal fluid to brain in the anaesthetized rat: application of multiple-time uptake analysis **482.P**, 34*P*, 1995

NaF-induced modulation of voltage-operated calcium channels in CA1 neurons from rat hippocampus **483.P**, 64*P*, 1995

The effects of raising body or hypothalamic temperature on ventilation in the anaesthetized rat **483.P**, 96*P*, 1995

Characteristics of sympathetic unit activity supplying the lateral tail vein in the anaesthetized rat **483.P**, 103*P*, 1995

The effect of cold acclimation on skeletal muscle of the laboratory rat **483.P**, 132*P*, 1995

Hyaluronic acid (HA) levels in isolated renal papillae of young Sprague–Dawley (SD) rats **483.P**, 166*P*, 1995

Sodium appetite induced by adrenalectomy but not by DOCA treatment is mediated by the angiotensin AT_1 receptor in the rat **483.P**, 171*P*, 1995

Warm and cold signals from the preoptic area: which contribute more to the control of shivering in rats? **485**, 195, 1995

Electrophysiological evidence for mutual excitation of oxytocin cells in the supraoptic nucleus of the rat hypothalamus **485**, 485, 1995

Calcium influx and extrusion measured in odontoblasts acutely isolated from rat incisors **487.P**, 23*P*, 1995

Increased sodium appetite and thirst in rat in apparent mineralocorticoid excess induced by glycyrrhizic acid **487.P**, 27*P*, 1995

Transport of hydrolysis-resistant charged dipeptides by perfused rat lung *in situ* **487.P**, 37*P*, 1995

Influence of voltage and Ca^{2+} on K^+ channels induced by dietary K^+ loading in surface cells of rat distal colon **487.P**, 39*P*, 1995

Differences in the contribution of NMDA receptors to spontaneous excitation in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 62*P*, 1995

An investigation of myogenic tone in isolated mesenteric small arteries from pregnant and non-pregnant rats **487.P**, 83*P*, 1995

Calcium current in left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **487.P**, 131*P*, 1995

Changes of high resolution electrocardiogram accompanying cardiac allograft rejection in rats **487.P**, 179*P*, 1995

Renal nerve responses to pain and their modulation by cardiopulmonary receptors in Wistar and stroke-prone spontaneously hypertensive rats (SPSHR) **487.P**, 179*P*, 1995

Tonic influence of the caudal ventrolateral medulla on the rostral ventrolateral medulla in anaesthetized spontaneously hypertensive and normotensive Wistar Kyoto rats **487.P**, 180*P*, 1995

Modulation of the rat cloned potassium channel Kv1.4 in HEK293 cells by sulphydryl reagents **487.P**, 200*P*, 1995

Con-A inhibits CCK-mediated amylase release by rat pancreatic acini **487.P**, 222*P*, 1995

Characteristics of single axon recurrent excitatory connections between neurones in layer III of the rat entorhinal cortex *in vitro* **489.P**, 20*P*, 1995

Vulnerability of somata compared with resistance of synaptic transmission to anoxia in slices of rat olfactory cortex **489.P**, 23*P*, 1995

Effects of dietary fibre on fructose ingestion in pregnant and lactating rats **489.P**, 41*P*, 1995

Effects of dDAVP and bumetanide on renal magnesium excretion in conscious Sprague–Dawley rats **489.P**, 86*P*, 1995

An acetazolamide-sensitive inward chloride pump in rat ventricle *in vitro* **489.P**, 98*P*, 1995

Transient outward current is decreased in isolated left ventricular myocytes from rats with catecholamine-induced cardiac hypertrophy **489.P**, 143*P*, 1995

2,3-Butanedione monoxime (BDM) dephosphorylation myofibrillar proteins in isolated rat cardiomyocytes **489.P**, 145*P*, 1995

Safety factor for neuromuscular transmission in rat isolated soleus muscle **489.P**, 150*P*, 1995

The effect of sympathetic nerve stimulation on upper airway resistance in the anaesthetized rat **489.P**, 161*P*, 1995

Role of cardiopulmonary receptors in mediating changes in renal nerve activity in anaesthetized stroke-prone spontaneously hypertensive rats (SPSHR) **489.P**, 168*P*, 1995

Increased expression of Fos protein in the area postrema of the conscious male rat following systemic injection of growth hormone releasing peptide (GHRP-6) **489.P**, 172*P*, 1995

Separation of c-*fos* and pro-enkephalin A gene induction in rat parvocellular paraventricular nucleus (pPVN) **489.P**, 180*P*, 1995

Characterization of a novel ligand for hCRH binding protein in sheep brain **489.P**, 183*P*, 1995

Receptive field

Responsiveness of cat area 17 after monocular inactivation: limitation of topographic plasticity in adult cortex **482**, 589, 1995

Receptive field characteristics of tactile units with myelinated afferents in hairy skin of human subjects **483**, 783, 1995

Modification of cutaneous receptive fields by a metabotropic glutamate receptor agonist in the gracile nucleus of the urethane-anaesthetized rat **483.P**, 156*P*, 1995

Orthogonal suppression in receptive fields of complex neurones in striate cortex of anaesthetized cats **485.P**, 11*P*, 1995

Orientation selectivity of surround inhibition in area 17 of the anaesthetized cat **485.P**, 29*P*, 1995

Receptor

Sensory origin of lobeline-induced sensations: a correlative study in man and cat **482**, 235, 1995

Immunoglobulin E receptor-activated calcium conductance in rat mast cells **483**, 59, 1995

Oestradiol-17β in its positive feedback mode significantly increases 5-HT_{2A} receptor density in the frontal, cingulate and piriform cortex of the female rat **483.P**, 52*P*, 1995

The effect of 5-HT_{2A} receptor antagonists on LHRH mRNA biosynthesis in the female rat **483.P**, 53*P*, 1995

Mechanisms of Ca^{2+} mobilization in cerebellar Bergmann glial cells **483.P**, 63*P*, 1995

Effect of cardiac receptors on patterns of activity within the renal sympathetic nerves of anaesthetized rats **483.P**, 94*P*, 1995

Pulmonary receptors in the spontaneously breathing anaesthetized rat **483.P**, 97*P*, 1995

A bicyclic dinitrile radioligand for studying GABA-gated Cl^- channels **483.P**, 193*P*, 1995

Actions of BIDN, a bicyclic dinitrile, on *in situ* and expressed insect GABA receptors **483.P**, 194*P*, 1995

The molecular biology of excitatory and inhibitory amino acid receptors with a special focus on the hypothalamus **483.P**, 7*S*, 1995

Comparative sequence analysis of the C-terminal tract of a ryanodine receptor from the insect pest *Heliothis virescens* **487.P**, 17*P*, 1995

Gastrin/CCK_B receptors mediate the feeding-induced increase in histidine decarboxylase (HDC) mRNA abundance in rat gastric corpus **487.P**, 35*P*, 1995

Properties of metabotropic receptor-mediated Ca^{2+} oscillations in cultured rat hippocampal neurons **487.P**, 56*P*, 1995

P_{2U} receptors permit inhibitory control of cAMP production in cultured equine sweat gland cells **487.P**, 100*P*, 1995

Pulmonary receptor activity in anaesthetized emphysematous rats **487.P**, 111*P*, 1995

Angiotensin II receptors of AT1 type mediate the cardiac actions of angiotensinogen **487.P**, 139*P*, 1995

β-Endorphin receptors at the neuromuscular junction in the mouse *in vitro* **487.P**, 162*P*, 1995

Factors regulating the expression of the Y1 receptor for Neuropeptide Y in PC12 cells **487.P**, 209*P*, 1995

The transmembrane domain of the high affinity immunoglobulin receptor is required to recruit the γ-chain to mediate phagocytosis **487.P**, 211*P*, 1995

Disposition of ryanodine and dihydropyridine receptors in striated muscle. Comparative and developmental clues to E–C coupling **487.P**, 2*S*, 1995

The ryanodine receptor: structure/function and role in malignant hyperthermia **487.P**, 2*S*, 1995

Ryanodine receptors in human smooth muscle **487.P**, 6*S*, 1995

Reciprocal inhibition

Reciprocal inhibition between wrist flexors and extensors in man: a new set of interneurones? **487**, 221, 1995

Increase in reciprocal Ia inhibition during antagonist contraction in the human leg: a study of motor units and the H reflex **489**, 275, 1995

Rectification

Block of native Ca^{2+}-permeable AMPA receptors in rat brain by intracellular polyamines generates double rectification **486**, 305, 1995

Red blood cell

Evidence that cell surface charge reduction modifes capillary red cell velocity–flux relationships in hamster cremaster muscle **489**, 193, 1995

Effect of intracellular magnesium on calcium extrusion by the plasma membrane calcium pump of intact human red cells **489**, 63, 1995

Activation of a novel organic solute transporter in mammalian red blood cells **489**, 755, 1995

Reflex

Responses of human masseter motor units to stretch **483**, 251, 1995

Activation of deep somatic nociceptors can depress an inhibitory jaw reflex in man **483.P**, 31*P*, 1995

Inhibitory jaw reflexes evoked by different forms of mechanical stimulation of teeth in man **483.P**, 31*P*, 1995

Topographical organization of spinal neurones in group II reflex pathways of the anaesthetized rat **483.P**, 37*P*, 1995

Selective depression of medium-latency leg and foot muscle responses to stretch by an α_2-agonist in humans **484**, 803, 1995

Role of airway receptors in the reflex responses of human inspiratory muscles to airway occlusion **487**, 273, 1995

Disynaptic group I excitation of synergist ankle extensor motoneurones during fictive locomotion in the cat **487**, 527, 1995

Time course of 'set'-related changes in muscle responses to stance perturbation in humans **487**, 787, 1995

Phase-dependent reflex responses of dynamic γ-efferents during locomotion in the decerebrate cat **487.P**, 66*P*, 1995

The effect of changes in static hip position on the flexion reflex in motor complete spinal cord injured humans **487.P**, 75*P*, 1995

Pattern of breathing and lung reflexes in anaesthetized emphysematous rats **487.P**, 111*P*, 1995

Some effects of vagal blockade on abdominal muscle activation and shortening in awake dogs **488**, 471, 1995

Neck muscle responses to abrupt free fall of the head: comparison of normal with labyrinthine-defective human subjects **489**, 911, 1995

Stimulus for long latency reflexes during human locomotion **489.P**, 32*P*, 1995

Electromyographic (EMG) responses to tibial displacement in human anterior cruciate ligament-deficient knees **489.P**, 33*P*, 1995

Relaxation

Dissociation of β-adrenoceptor-mediated relaxation and cyclic adenosine. monophosphate metabolism by echothiopate in the porcine isolated coronary artery **487.P**, 84*P*, 1995

Regional difference in the distribution of L-NAME-sensitive and -insensitive NANC relaxations in cat airway **488**, 709, 1995

Renal

Hyaluronic acid (HA) levels in isolated renal papillae of young Sprague–Dawley (SD) rats **483.P**, 166*P*, 1995

Renal function in servo-controlled chronically catheterized conscious rats with diabetes mellitus **483.P**, 173*P*, 1995

Both organic cation–proton antiport and non-ionic diffusion contribute to the transport of metoprolol in renal epithelial LLC-PK1 cell monolayers **487.P**, 27*P*, 1995

Increased sodium appetite and thirst in rat in apparent mineralocorticoid excess induced by glycyrrhizic acid **487.P**, 27*P*, 1995

The association of thirst, sodium appetite, and vasopressin release with c-*fos* expression in the rat forebrain after intracereboventricular injections of angiotensin II, angiotensin-(1–7) or carbachol **487.P**, 29*P*, 1995

Effects of arginine vasopressin on renal handling of calcium and magnesium in healthy hydrated man **489.P**, 86*P*, 1995

Measurement of intrarenal blood flow after unilateral nephrectomy in the rat using an autoradiographic technique **489.P**, 87*P*, 1995

Volume- and mechanosensitive calcium entry and release in renal A6 cells **489.P**, 87*P*, 1995

Effect of saline volume expansion on renal nerve activity in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 88*P*, 1995

Increased sodium appetite in apparent mineralocorticoid excess induced by glycyrrhizic acid in rat depends on the adrenal cortex **489.P**, 89*P*, 1995

Cytochalasin effect on mechanosensitive calcium channel activity and cell swelling-induced calcium mobilization in renal A6 cells **489.P**, 92*P*, 1995

Na^+-selective cation channel in apical cell membranes of confluent M-1 murine cortical collecting duct cells **489.P**, 93*P*, 1995

Choline transport in HL-60 cells **489.P**, 98*P*, 1995

ATP regulates a quinidine-sensitive K^+ conductance in single proximal tubule cells isolated from frog kidney **489.P**, 103*P*, 1995

Suppression of an immortalizing gene leads to increased Na^+–H^+ exchange in glomerular mesangial cells **489.P**, 130*P*, 1995

Modulation of apical K^+ channels in frog early distal tubules **489.P**, 9*S*, 1995

Cell biology of mutated aquaporin-2 proteins in autosomal recessive nephrogenic diabetes insipidus **489.P**, 16*S*, 1995

Physiological role and characterization of renal potassium channels **489.P**, 16*S*, 1995

Cl^- channels in the mouse thick ascending limb of the loop of Henle **489.P**, 17*S*, 1995

Renal function

A micropuncture study of renal tubular lithium reabsorption in sodium-depleted rats **483**, 473, 1995

The effects of systemic hypoxia on renal function in the anaesthetized rat **487**, 497, 1995

Involvement of renal kallikrein in the regulation of bicarbonate excretion in rats **488**, 163, 1995

Renal functional responses to saline volume expansion in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 90*P*, 1995

Renal haemodynamics

The effects of systemic hypoxia on renal function in the anaesthetized rat **487**, 497, 1995

Renal medulla

Subatmospheric closing pressures in individual microvessels of rats and frogs **484**, 183, 1995

Modulation of renal medullary ionic hypertonicity by prostaglandins: data from tissue admittance studies in the rat **485**, 827, 1995

Fluid uptake from the renal medulla into the ascending vasa recta in anaesthetized rats **487**, 169, 1995

Renal nerve

Effect of cardiac receptors on patterns of activity within the renal sympathetic nerves of anaesthetized rats **483.P**, 94*P*, 1995

Role of cardiopulmonary receptors in mediating changes in renal nerve activity in anaesthetized stroke-prone spontaneously hypertensive rats (SPSHR) **489.P**, 168*P*, 1995

Renal tubule

CAP_{2b}, a cardioactive peptide of lepidopteran insects, can also stimulate fluid production by Malpighian tubules of *Drosophila melanogaster* through a mechanism involving cyclic GMP **482.P**, 26*P*, 1995

Accuracy of intracellular pH measurement with BCECF in a Malpighian tubule: can the pH_{null} or weak acid/base method be used as a control? **482.P**, 29*P*, 1995

Resistance
An investigation of myogenic tone in isolated mesenteric small arteries from pregnant and non-pregnant rats **487.P**, 83*P*, 1995
Functional properties of isolated, pressurized mesenteric resistance arteries, from a vasopressin-deficient rat model of genetic hypertension **487.P**, 92*P*, 1995
Mesenteric blood pressure profile of conscious, freely moving rats **488**, 753, 1995
A study of the cellular basis of myogenic contraction in rat cerebral resistance arteries **489.P**, 133*P*, 1995

Respiration
Sensory origin of lobeline-induced sensations: a correlative study in man and cat **482**, 235, 1995
Respiratory phase resetting and airflow changes induced by swallowing in humans **483**, 273, 1995
Central control of respiration and the heart in the anaesthetized agamid lizard, *Uromastyx microlipes* **483.P**, 6*P*, 1995
The role of central cholinergic mechanisms in the vagally mediated R–R interval fluctuations synchronous with respiration in humans **483.P**, 100*P*, 1995
Are respiratory-modulated medullary raphe neurones in the anaesthetized rat immunoreactive for serotonin? **483.P**, 102*P*, 1995
Respiratory and metabolic responses during successive bouts of isometric exercise (simulated dinghy sailing) in humans **483.P**, 132*P*, 1995
Localization of chemosensitive structures in the isolated brainstem of adult guinea-pig **485**, 203, 1995
Removal of electrocardiographic artifact from recordings of human respiratory-related electromyographic activity using a 'non-linear' filter **487.P**, 2*P*, 1995
David T. Barry on respiratory afferents (1913) **487.P**, 206*P*, 1995
The effect of chest strapping on respiratory sensation during exercise in man **489.P**, 161*P*, 1995

Respiratory control
Long-term facilitation of ventilation following episodic hypoxia in awake goats **483.P**, 91*P*, 1995
Power spectral analysis of respiratory responses to pharyngeal stimulation in cats: comparisons with eupnoea and gasping **485**, 551, 1995
Nitric oxide as a retrograde messenger in the nucleus tractus solitarii of rats during hypoxia **486**, 495, 1995
NMDA receptor-mediated transmission of carotid body chemoreceptor input to expiratory bulbospinal neurones in dogs **487**, 639, 1995
GABAergic and glutamatergic effects on behaviour in fetal sheep **487**, 677, 1995
Effect of hyperoxia on ventilatory control in moderate intensity exercise. **487.P**, 178*P*, 1995
Evidence for limbic system activation during CO_2-stimulated breathing in man **488**, 77, 1995
The functional expression of a pontine pneumotaxic centre in neonatal rats **489**, 579, 1995
Hyperpnoea during and immediately after exercise in man: evidence of motor cortical involvement **489**, 663, 1995

Respiratory muscle
Role of airway receptors in the reflex responses of human inspiratory muscles to airway occlusion **487**, 273, 1995

Respiratory neurone
Synaptic excitation in the thoracic spinal cord from expiratory bulbospinal neurones in the cat **484**, 201, 1995

Respiratory reflex
Power spectral analysis of respiratory responses to pharyngeal stimulation in cats: comparisons with eupnoea and gasping **485**, 551, 1995
Respiratory reflexes in the nineteenth century **487.P**, 204*P*, 1995

Respiratory rhythm
Adenosinergic modulation of respiratory neurones and hypoxic responses in the anaesthetized cat **483**, 769, 1995
Maturational changes in the respiratory rhythm of the mouse *in vitro* and *in vivo* **483.P**, 96*P*, 1995
Role of fast inhibitory synaptic mechanisms in respiratory rhythm generation in the maturing mouse **484**, 505, 1995
Power spectral analysis of respiratory responses to pharyngeal stimulation in cats: comparisons with eupnoea and gasping **485**, 551, 1995
The functional expression of a pontine pneumotaxic centre in neonatal rats **489**, 579, 1995

Retina
Baclofen enhancement of acetylcholine release from amacrine cells in the rabbit retina by reducing glycinergic inhibition **482**, 363, 1995
Diurnal variation in the b-wave component of the human electroretinogram (ERG) **483.P**, 42*P*, 1995
A developmental switch in the consequences of non-NMDA receptor activation in isolated chick retina **483.P**, 60*P*, 1995
Thrombin-induced inhibition of potassium currents in human retinal glial (Müller) cells **485**, 337, 1995
Entoptic visualization of macular pigment **485.P**, 4*P*, 1995
Photopic and scotopic spatiotemporal frequency responses of retinal ganglion cells of the urethane-anaesthetized cat **485.P**, 10*P*, 1995
Age-related abnormalities of the retinal dopamine system in the senile rat **485.P**, 19*P*, 1995
Fluorescence measurements of endocytosis and exocytosis in the synaptic terminal of dissociated bipolar cells of the goldfish retina **485.P**, 49*P*, 1995
Characterization of spontaneous excitatory synaptic currents in salamander retinal ganglion cells **486**, 207, 1995
GABA transport and calcium dynamics in horizontal cells from the skate retina **488**, 565, 1995
Changes in rat retinal dopamine uptake associated with the senescence of dopamine pathways **489.P**, 16*P*, 1995

Retinal cone
Contributions of human long-wave and middle-wave cones to motion detection **485**, 221, 1995
Spontaneous, ligand-independent activity of the cGMP-gated ion channels in cone photoreceptors of fish **485**, 699, 1995

Retinal ganglion cell
The relationship between light-evoked synaptic excitation and spiking behaviour of salamander retinal ganglion cells **487**, 711, 1995

Retinal pigment
The delayed basolateral membrane hyperpolarization of the bovine retinal pigment epithelium: mechanism of generation **484**, 53, 1995

Retinal rod
Ca^{2+} modulation of the cGMP-gated channel of bullfrog retinal rod photoreceptors **484**, 69, 1995
Relaxation of cyclase velocity parallels the recovery of circulating current after a bright flash in rods isolated from the tiger salamander retina **485.P**, 18*P*, 1995
Light adaptation and the rising phase of the flash photocurrent of salamander retinal rods **487**, 441, 1995

Rhythm
Rhythm generation in the segmented hindbrain of chick embryos **486**, 735, 1995

Ryanodine
Comparison of the Ca^{2+}-induced Ca^{2+} release processes (CICR) in cultured human vascular and myometrial smooth muscle cells **483.P**, 108*P*, 1995
Contractions in guinea-pig ventricular myocytes triggered by a calcium-release mechanism separate from Na^+ and L-currents **484**, 107, 1995
Internal Ca^{2+} stores involved in anoxic responses of rat hippocampal neurons **486**, 547, 1995
Ryanodine receptor-mediated intracellular calcium release in rat cerebellar Purkinje neurones **487**, 1, 1995
Comparative sequence analysis of the C-terminal tract of a ryanodine receptor from the insect pest *Heliothis virescens* **487.P**, 17*P*, 1995
Ca^{2+}-induced Ca^{2+} release in permeabilized bovine aortic endothelial cells **487.P**, 22*P*, 1995
Distribution of ryanodine receptor antibody binding in *Fasciola hepatica* **487.P**, 24*P*, 1995
Disposition of ryanodine and dihydropyridine receptors in striated muscle. Comparative and developmental clues to E–C coupling **487.P**, 2*S*, 1995
The ryanodine receptor: structure/function and role in malignant hyperthermia **487.P**, 2*S*, 1995
Ryanodine receptors in human smooth muscle **487.P**, 6*S*, 1995
Effects of low doses of caffeine on $[Ca^{2+}]_i$ in voltage-clamped snail (*Helix aspersa*) neurones **489**, 19, 1995

Ryanodine receptor
Ca^{2+} activation and Ca^{2+} inactivation of canine reconstituted cardiac sarcoplasmic reticulum Ca^{2+}-release channels **489**, 337, 1995
Sulfhydryl reagents modulate the cardiac ryanodine receptor via an oxidation reaction **489.P**, 79*P*, 1995

Salicylate
Action of salicylate on membrane capacitance of outer hair cells from the guinea-pig cochlea **485**, 739, 1995

Salivary gland
Isoprenaline induces cell swelling by activating Na^+–K^+–$2Cl^-$ co-transport in isolated perfused rat mandibular salivary glands **482.P**, 22*P*, 1995
Cell surface polarity maintained in cultured monolayers of immortalized rat submandibular epithelial cells **482.P**, 35*P*, 1995
Modulation of Na^+–H^+ exchange by altered cell volume in perfused rat mandibular salivary gland **487**, 185, 1995
Control of the amiloride-sensitive Na^+ current in mouse salivary ducts by intracellular anions is mediated by a G protein **487**, 549, 1995
Anion dependence of cell volume and intracellular pH in isolated perfused rat salivary glands **489.P**, 118*P*, 1995

Sarcoplasmic reticulum
Effects of creatine phosphate and P_i on Ca^{2+} movements and tension development in rat skinned skeletal muscle fibres **482**, 123, 1995
Effects of creatine phosphate and inorganic phosphate on the sarcoplasmic reticulum of saponin-treated rat heart **483**, 155, 1995
Calcium influx through L-type calcium channels provides the major trigger for calcium-induced calcium release in guinea-pig ventricular myocytes **483.P**, 14*P*, 1995
Ca^{2+} release from the SR induced by inorganic phosphate and ADP is insensitive to ryanodine in isolated saponin skinned rat heart **483.P**, 15*P*, 1995
Properties and roles of an intramembranous charge mobilized at high voltages in frog skeletal muscle **486**, 385, 1995
Enhancing effect of calmodulin on Ca^{2+}-induced Ca^{2+} release in the sarcoplasmic reticulum of rabbit skeletal muscle fibres **487**, 573, 1995
Modulation of cardiac ryanodine receptors of swine and rabbit by a phosphorylation–dephosphorylation mechanism **487**, 609, 1995
The use of caged calcium in studying rapid kinetics of calcium uptake by SR vesicles from frog skeletal muscle **487.P**, 5*P*, 1995
The effect of isoprenaline on calcium-induced calcium release in isolated rat ventricular myocytes **487.P**, 132*P*, 1995
Depletion of calcium in intracellular stores by abbreviation of action potential duration in myocytes isolated from guinea-pig ventricle **487.P**, 137*P*, 1995
The effect of changes in mechanical loading on the phosphorylation of phospholamban in isolated ferret papillary muscle **487.P**, 141*P*, 1995
ADP and inorganic phosphate activate the sheep cardiac sarcoplasmic reticulum Ca^{2+}-release channel **487.P**, 144*P*, 1995
The effects of cyclopiazonic acid and thapsigargin on Ca^{2+} uptake by sarcoplasmic reticulum vesicles from frog skeletal muscle **487.P**, 160*P*, 1995
Control of sarcoplasmic reticulum calcium release during calcium loading in isolated rat ventricular myocytes **488**, 267, 1995
Ca^{2+} activation and Ca^{2+} inactivation of canine reconstituted cardiac sarcoplasmic reticulum Ca^{2+}-release channels **489**, 337, 1995

Sciatic nerve
Vasoreactivity to prostaglandins of rat peripheral nerve **484**, 463, 1995

Second messenger
DQ-2511 and PGE_2 regulate positively the housekeeping Cl^- channel in the basolateral membrane of isolated rabbit parietal cells by production of cGMP **487.P**, 101*P*, 1995

Secretion
Histaminergic modulation on cholecystokinin-octapeptide-evoked exocrine pancreatic secretion in the anaesthetized guinea-pig **482.P**, 18*P*, 1995
Increased atrial natriuretic peptide (ANP) secretion from *in vitro* guinea-pig atria by β-adrenoceptor activation **483.P**, 169*P*, 1995
Histamine H_3 receptors inhibit exocrine secretory responses and cholinergic neurotransmission in the guinea-pig pancreas *in vivo* and *in vitro* **483.P**, 180*P*, 1995
Inhibitory and excitatory amino acid regulation of luteinizing hormone secretion in the female rat **483.P**, 12*S*, 1995
Leucine enkephalin-evoked secretory responses and its pattern of distribution in the isolated pig lacrimal gland **485.P**, 36*P*, 1995
Spatio-temporal analysis of quantal secretory events from single bovine adrenal chromaffin cells in culture **487.P**, 59*P*, 1995
Oxygen secretion – or carbon monoxide excretion rather? **487.P**, 204*P*, 1995
The mechanism of inhibitory action of secretin on gastric acid secretion in conscious rats **488**, 501, 1995
Disruption of normal acinar cell calcium signalling is an early feature of caerulein-induced experimental acute pancreatitis in mice **489.P**, 54*P*, 1995
Agonist-stimulated bicarbonate secretion in interlobular ducts isolated from guinea-pig pancreas **489.P**, 96*P*, 1995
Characterization of electrogenic secretion in tetrahydrobiopterin-deficient mouse ileum *in vitro* **489.P**, 109*P*, 1995
Phagocyte-derived lumenal superoxide induces water secretion in rat colon *in vivo* **489.P**, 129*P*, 1995
Distinct pathways for bicarbonate and chloride secretion in cultured epithelia **489.P**, 68, 1995

Sensorimotor control
Sensorimotor synchronization during temporal tracking is impaired in patients with Parkinson's disease (PD) **485.P**, 15*P*, 1995

Sensory input
Functional classification of afferent phrenic nerve fibres and diaphragmatic receptors in cats **483**, 759, 1995

Sensory neurone
Cellular basis of temporal synaptic signalling: an *in vitro* electrophysiological study in rat auditory thalamus **483**, 167, 1995
Electrophysiological and metabolic effects of a convulsant barbiturate on dissociated mouse primary sensory neurons **483**, 407, 1995
Different types of ganglion cell in the cardiac plexus of guinea-pigs **486**, 453, 1995
Effects of internal trypsin and papain on tetrodotoxin-resistant sodium currents (TTX-r I_{Na}) in small cells isolated from adult (200–350 g) rat dorsal root ganglia (DRG) **487.P**, 184*P*, 1995
p21-ras is involved in calcium channel regulation in rat dorsal root ganglion neurones **489.P**, 53*P*, 1995

Sensory receptor
Lung congestion augments the responses of cells in the rapidly adapting receptor pathway to cigarette smoke in rabbit **484**, 189, 1995

Serotonin
Confocal microscopic and ultrastructural analysis of contacts between serotoninergic axons and electrophysiologically characterized dorsal horn spinocerebellar tract cells in the cat **483.P**, 36*P*, 1995
Are respiratory-modulated medullary raphe neurones in the anaesthetized rat immunoreactive for serotonin? **483.P**, 102*P*, 1995
Tyrosine phosphorylation during synapse formation between identified leech neurons **485**, 775, 1995
An evaluation of the variability in prolactin secretion in response to the serotoninergic agonist D-fenfluramine in man **489.P**, 44*P*, 1995
The role of central 5-HT_3 receptors in the modulation of the response to upper airway stimulation in the anaesthetized rabbit **489.P**, 156*P*, 1995

Sex difference
Gender and age comparisons of the contractile properties of the human quadriceps muscle **483.P**, 131*P*, 1995

Shear stress
Flow-dependent regulation of arteriolar diameter in skeletal muscle *in situ*: role of endothelium-derived relaxing factor and prostanoids **483**, 715, 1995

Sheep
The effect of bilateral fetal adrenalectomy on fluid balance in the ovine fetus **489**, 235, 1995
Evidence that endogenously produced cyclic GMP has no effect on transepithelial liquid transport in *in situ* perfused postnatal sheep lungs **489.P**, 112*P*, 1995

Shortening velocity
Reduced maximum shortening velocity in the absence of phosphocreatine observed in intact fibres of *Xenopus* skeletal muscle **482**, 383, 1995
Slowing of shortening velocity of rat cardiac myocytes by adenosine receptor stimulation regardless of β-adrenergic stimulation **486**, 679, 1995
Unloaded shortening velocity of type I, II and α-cardiac fibres isolated from rabbit skeletal muscles **487.P**, 152*P*, 1995

Single channel
Conductance and kinetics of single cGMP-activated channels in salamander rod outer segments **483**, 567, 1995
Heterogeneity of neuronal nicotinic acetylcholine receptors in thin slices of rat medial habenula **484**, 87, 1995
Metabotropic glutamate (mGlu) receptor activation produces a change in the mean open time of *N*-methyl-D-aspartate (NMDA) receptors **489.P**, 15*P*, 1995

Single channel isoform
Functional and non-functional isoforms of the human muscle acetylcholine receptor **489**, 767, 1995

Sino-atrial node

A sustained inward current activated at the diastolic potential range in rabbit sino-atrial node cells **483**, 1, 1995

Responses of guinea-pig SA node/atria to acetylcholine and adrenaline in the presence of blockers of i_f and $i_{K,ACh}$ **483.P**, 21*P*, 1995

Regional differences in the role of the hyperpolarization-activated current, i_f, in the pacemaker potential in the isolated sinoatrial node of the rabbit **487.P**, 126*P*, 1995

Skeletal muscle

ATP utilization for calcium uptake and force production in skinned muscle fibres of *Xenopus laevis* **482**, 109, 1995

Inhibition of IGF-1-stimulated glucose and System A amino acid transport in L6 rat skeletal muscle cells: effects of Wortmannin (WM) and Rapamycin (RAP) **482.P**, 5*P*, 1995

Effect of insulin and protein kinase modulators on glutamine transport and cell volume in rat skeletal muscle myotubes **482.P**, 16*P*, 1995

Leucine induces System A amino acid transport in L6 rat skeletal muscle cells **482.P**, 19*P*, 1995

Morphological localization of the GLUT5 hexose transporter in human skeletal muscle **482.P**, 23*P*, 1995

Opioid receptors in fast and slow skeletal muscles of lean and obese-diabetic mice *in vitro* **483.P**, 78*P*, 1995

Prior contractile activity provides skeletal muscle with rapid protection against contraction-induced damage in anaesthetized mice **483.P**, 84*P*, 1995

The effect of cromakalim on ATP depletion in the isolated, metabolically inhibited guinea-pig peroneus longus **483.P**, 127*P*, 1995

The effect of the menstrual cycle on the human quadriceps strength, contractile properties and fatiguability **483.P**, 128*P*, 1995

Gender and age comparisons of the contractile properties of the human quadriceps muscle **483.P**, 131*P*, 1995

Skeletal muscle microcirculation and low perfusion pressure **483.P**, 4*S*, 1995

Relative degree of stimulation-evoked glycogen degradation in muscle fibres of different type in rat gastrocnemius **484**, 139, 1995

Chloride currents across the membrane of mammalian skeletal muscle fibres **484**, 355, 1995

Mechano-sensitive linkage in excitation–contraction coupling in frog skeletal muscle **484**, 737, 1995

Activation of ATP-dependent K^+ channels by metabolic poisoning in adult mouse skeletal muscle: role of intracellular Mg^{2+} and pH **485**, 283, 1995

Suppression of calcium release by calcium or procaine in voltage clamped rat skeletal muscle fibres **485**, 437, 1995

The possible roles of Na^+ and Ca^{2+} overload in the mechanism of monensin-induced myotoxicity in isolated avian (*Gallus domesticus*) skeletal muscle **485.P**, 41*P*, 1995

Involvement of dihydropyridine receptors in terminating Ca^{2+} release in rat skeletal myotubes **486**, 105, 1995

Modification by protons of frog skeletal muscle K_{ATP} channels: effects on ion conduction and nucleotide inhibition **486**, 629, 1995

The effects of caffeine on intracellular calcium, force and the rate of relaxation of mouse skeletal muscle **487**, 331, 1995

Calcium current reactivation after flash photolysis of nifedipine in skeletal muscle fibres of the frog **487**, 51, 1995

Raised intracellular calcium can cause subsequent failure of calcium release in mammalian skeletal muscle **487.P**, 19*P*, 1995

Equatorial intensity changes resulting from skinning of single skeletal muscle fibres of *Rana temporaria* **487.P**, 154*P*, 1995

Short-term fatiguing exercise in humans: metabolic responses in pure and hybrid myosin heavy chain (MyHC)-based fibre types **487.P**, 154*P*, 1995

Free radical activity during contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 157*P*, 1995

Lack of effect of vitamin E on contraction-induced injury to the extensor digitorum longus muscle of rats **487.P**, 158*P*, 1995

Kinetic comparison of isometric tension and intracellular calcium concentration changes in frog skeletal muscle fibres **487.P**, 159*P*, 1995

Rapid effect of D-glucose-6 phosphate on the excitation–contraction–relaxation cycle in fast-twitch muscle fibres of the rat **487.P**, 159*P*, 1995

Na^+–Ca^{2+} exchange in amphibian skeletal muscle fibres **487.P**, 160*P*, 1995

Skeletal muscle L-type calcium channelopathy: hypokalaemic periodic paralysis **487.P**, 3*S*, 1995

Membrane resealing and restoration of contractility after mechanical injury in frog skeletal muscle **487.P**, 8*S*, 1995

Storage of Ca^{2+} in the sarcoplasmic reticulum and endogenous modifiers of E–C coupling in skeletal muscle fibres from cane toad and rat **487.P**, 8*S*, 1995

Intracellular calcium and force in single mouse muscle fibres following repeated contractions with stretch **488**, 25, 1995

Effects of age on aneural regeneration of soleus muscle in rat **488**, 483, 1995

Fatigue and heat production in repeated contractions of mouse skeletal muscle **488**, 741, 1995

The metabolic costs of different types of contractile activity of the human adductor pollicis muscle **488**, 815, 1995

Differential suppression of charge movement components by gluconate in cut twitch fibres of *Rana temporaria* **489**, 511, 1995

Activation of nicotinic acetylcholine receptors increases the rate of fusion of cultured human myoblasts **489**, 779, 1995

Synthesis and release of an actylcholine-like compound by human myoblasts and myotubes **489**, 791, 1995

Carbohydrate ingestion stimulates creatine uptake in human skeletal muscle **489.P**, 27*P*, 1995

Single inward rectifier potassium channels in *Xenopus laevis* embryonic myocytes **489.P**, 73*P*, 1995

The selective β_2-adrenoceptor antagonist ICI 118,551 does not completely prevent clenbuterol-induced hypertrophy in rat muscles of mixed- and fast-fibre type **489.P**, 168*P*, 1995

Skeletal muscle fibre

Reduced maximum shortening velocity in the absence of phosphocreatine observed in intact fibres of *Xenopus* skeletal muscle **482**, 383, 1995

Relative degree of stimulation-evoked glycogen degradation in muscle fibres of different type in rat gastrocnemius **484**, 139, 1995

Skin

Chloride channel heterogeneity in apical membrane of isolated mitochondria-rich cells from toad skin **482.P**, 8*P*, 1995

Baroreceptor modulation of cutaneous vasodilator and sudomotor responses to thermal stress in humans **483**, 537, 1995

Skin blood flow responses to acetylcholine and sodium nitroprusside in non-insulin-dependent diabetes **483.P**, 148*P*, 1995

Sleep

Synaptic and membrane mechanisms underlying synchronized oscillations in the ferret lateral geniculate nucleus *in vitro* **483**, 641, 1995

Role of the ferret perigeniculate nucleus in the generation of synchronized oscillations *in vitro* **483**, 665, 1995

Breast-fed babies lose heat more rapidly than bottle fed babies during sleep **485.P**, 53*P*, 1995

Rhythmical bursts induced by NMDA in guinea-pig cholinergic nucleus basalis neurones *in vitro* **487**, 623, 1995

Small intestine

β-Amino acid transport in pig small intestine *in vitro* by a high affinity, chloride-dependent carrier **482.P**, 25*P*, 1995

Dipeptide transport and hydrolysis in isolated loops of rat small intestine: effects of stereospecificity **484**, 173, 1995

Smooth muscle

cAMP accelerates the decay of stretch-activated inward currents in guinea-pig urinary bladder myocytes **482**, 143, 1995

Effect of hypoxia on force, intracellular pH and Ca^{2+} concentration in rat cerebral and mesenteric small arteries **482**, 409, 1995

Activation of ATP-dependent K^+ channels by hypoxia in smooth muscle cells isolated from the pig coronary artery **483**, 29, 1995

External ATP mobilizes Ca^{2+} from a thapsigargin-sensitive internal store in cultured, rat aortic smooth muscle cells **483.P**, 106*P*, 1995

Photoreleased Ca^{2+} activates Cl^- currents in isolated rat pulmonary arterial smooth muscle cells **483.P**, 106*P*, 1995

Comparison of the Ca^{2+}-induced Ca^{2+} release processes (CICR) in cultured human vascular and myometrial smooth muscle cells **483.P**, 108*P*, 1995

The relationship between extracellular pH (pH_o) and intracellular pH (pH_i) in *in vitro* human myometrium **483.P**, 108*P*, 1995

K^+ channel diversity in smooth muscle cells isolated from the pulmonary arterial tree of the rat **483.P**, 110*P*, 1995

Measurement of luminal diameter in α-toxin-permeabilized isolated rat cerebral artery with pressure myograph **483.P**, 112*P*, 1995

Effects of levcromakalim (BRL 38227) on isolated guinea-pig detrusor smooth muscle **483.P**, 114*P*, 1995

Intracellular Ca^{2+} release via inositol trisphosphate (IP_3) and Ca^{2+}-induced Ca^{2+} release (CICR) in human cultured bladder smooth muscle cells **483.P**, 115*P*, 1995

Basic fibroblast growth factor is required for continued proliferation of vascular smooth muscle cells cultured from human atherosclerotic arteries **483.P**, 116*P*, 1995

α_2-Adrenoreceptor-mediated vasorelaxation in isolated pulmonary arteries of the rat **483.P**, 116*P*, 1995

Resting load regulates cytosolic calcium–force relationship of the contraction of bovine cerebovascular smooth muscle **484**, 123, 1995

Stretch activation of a toad smooth muscle K^+ channel may be mediated by fatty acids **484**, 331, 1995

Multiple components of delayed rectifier K^+ current in canine colonic smooth muscle **484**, 339, 1995

Effects of inorganic phosphate on cross-bridge kinetics at different activation levels in skinned guinea-pig smooth muscle **484**, 369, 1995

Release of Ca^{2+} by noradrenaline and ATP from the same Ca^{2+} store sensitive to both $InsP_3$ and Ca^{2+} in rat portal vein myocytes **484**, 549, 1995

Inhibitory effect of muscarinic receptor activation on Ca^{2+} channel current in smooth muscle cells of guinea-pig ileum **484**, 567, 1995

Vasopressin stimulation of Ca^{2+} mobilization, two bivalent cation entry pathways and Ca^{2+} efflux in A7r5 rat smooth muscle cells **485**, 455, 1995

Effects of phosphodiesterase inhibitors on spontaneous electrical activity (slow waves) in the guinea-pig gastric muscle **485**, 493, 1995

Effects of high-energy phosphates on carbachol-evoked cationic current in single smooth muscle cells from guinea-pig ileum **485**, 659, 1995

The effects of extracellular and intracellular pH on carbachol-induced intracellular Ca^{2+} transients in guinea-pig detrusor smooth muscle **485.P**, 40*P*, 1995

Arachidonic acid and diacylglycerol release associated with inhibition of myosin light chain dephosphorylation in rabbit smooth muscle **486**, 113, 1995

Effects of divalent cations on muscarinic receptor cationic current in smooth muscle from guinea-pig small intestine **486**, 67, 1995

Phosphorylation of caldesmon by mitogen-activated protein kinase with no effect on Ca^{2+} sensitivity in rabbit smooth muscle **487**, 289, 1995

Calcium stores of smooth muscle cells: electron probe microanalysis (EPMA) in guinea-pig urinary bladder cells **487.P**, 13*P*, 1995

Differentiation of mouse BC_3H_1 smooth muscle cells changes the bivalent cation selectivity of the capacitative Ca^{2+} entry pathway **487.P**, 22*P*, 1995

The oxygen-sensing K^+ conductance of isolated rabbit pulmonary artery smooth muscle **487.P**, 80*P*, 1995

Metabolic dependence of Ca^{2+} current in isolated single smooth muscle cells of guinea-pig basilar artery **487.P**, 81*P*, 1995

Involvement of endothelin and a prostanoid in L-N^G-nitro-L-arginine methyl ester (L-NAME)-induced contractions of the porcine isolated splenic artery **487.P**, 82*P*, 1995

Rat aortic responses to hypertension and its regression **487.P**, 82*P*, 1995

The source of Ca^{2+} in acetylcholine and caffeine-induced contractions of the 'catch' muscle of *Mytilus edulis* **487.P**, 87*P*, 1995

Intracellular H^+ buffering power in isolated pulmonary arterial smooth muscle cells of rabbit **487.P**, 88*P*, 1995

Phosphocreatine and ATP modulate Ca^{2+}-activated force in α-toxin-treated isolated rabbit portal vein and mesenteric artery **487.P**, 88*P*, 1995

Reconstitution of single ryanodine-sensitive cation channels from rat myometrial microsomal membranes **487.P**, 90*P*, 1995

A fall in the intracellular concentration of glutamine and glutamate in human saphenous vein during surgical preparation for coronary artery bypass grafting **487.P**, 91*P*, 1995

Inhibition by bradykinin of ATP-sensitive K^+ current in smooth muscle cells isolated from guinea-pig ileum **487.P**, 91*P*, 1995

The effect of glyceryl trinitrate (GTN) on the frequency and amplitude of agonist-induced contractions in human colonic smooth muscle **487.P**, 92*P*, 1995

Two types of potassium channels inhibited and stimulated by intracellular ATP in isolated rat portal vein smooth muscle cells **487.P**, 93*P*, 1995

Augmentation of potential-activated calcium current by GTPγS-activated G proteins in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

Dual action of nitric oxide on Ca^{2+} current in isolated taenia coli smooth muscle cells **487.P**, 198*P*, 1995

Ca^{2+} release in smooth muscle cells **487.P**, 3*S*, 1995

Ryanodine receptors in human smooth muscle **487.P**, 6*S*, 1995

Hypoxic and metabolic regulation of voltage-gated K^+ channels in pulmonary arterial smooth muscle cells **487.P**, 10*S*, 1995

Redox agents as a link between hypoxia and the responses of ionic channels in pulmonary vascular smooth muscle **487.P**, 12*S*, 1995

Mechanisms of intracellular Mg^{2+} regulation affected by amiloride and ouabain in the guinea-pig taenia caeci **488**, 1, 1995

Regional difference in the distribution of L-NAME-sensitive and -insensitive NANC relaxations in cat airway **488**, 709, 1995

Major difference between rat and guinea-pig ureter in the ability of agonists and caffeine to release Ca^{2+} and influence force **489**, 327, 1995

Cytosolic calcium concentration increases in rat portal vein smooth muscle cells during depolarization **489.P**, 55*P*, 1995

Effects of NS-004 on pulmonary artery K^+ channels **489.P**, 59*P*, 1995

Sodium nitroprusside inhibits calcium-dependent chloride current activation by cyclopiazonic acid in mouse anococcygeus cells **489.P**, 134*P*, 1995

Purinergic activation induces a transient rise of intracellular Ca^{2+} in isolated human detrusor myocytes **489.P**, 136*P*, 1995

Evans Blue enhances outward current in isolated smooth muscle cells of the sheep bladder **489.P**, 137*P*, 1995

Modulation by Evans Blue of Ca^{2+}-dependent K^+ current in isolated smooth muscle cells from the sheep bladder **489.P**, 137*P*, 1995

Snail

Calcium currents in cultured neurones of *Helix aspersa* **487.P**, 58*P*, 1995

Snail neurone

Halothane raises intracellular calcium concentration ($[Ca^{2+}]_i$) in cultured molluscan neurones **483.P**, 190*P*, 1995

Pentobarbitone inhibits K^+ currents in cultured neurons **483.P**, 191*P*, 1995

Hydrogen peroxide and nitric oxide alter neuronal discharges and $[Ca^{2+}]_i$ in identified neurones of *Lymnaea stagnalis* **489.P**, 79*P*, 1995

Sodium

Sodium appetite induced by adrenalectomy but not by DOCA treatment is mediated by the angiotensin AT_1 receptor in the rat **483.P**, 171*P*, 1995

The possible roles of Na^+ and Ca^{2+} overload in the mechanism of monensin-induced myotoxicity in isolated avian (*Gallus domesticus*) skeletal muscle **485.P**, 41*P*, 1995

Conduction velocity in a model strand of cardiomyocytes is linearly related to intracellular sodium concentration **487.P**, 15*P*, 1995

Increased sodium appetite and thirst in rat in apparent mineralocorticoid excess induced by glycyrrhizic acid **487.P**, 27*P*, 1995

The association of thirst, sodium appetite, and vasopressin release with c-*fos* expression in the rat forebrain after intracereboventricular injections of angiotensin II, angiotensin-(1–7) or carbachol **487.P**, 29*P*, 1995

Intracellular sodium regulation in myocytes isolated from different regions of rabbit ventricle **487.P**, 133*P*, 1995

Effect of insulin on Na^+,K^+-ATPase in rat collecting duct **488**, 171, 1995

The importance of sodium for anoxic transmission damage in rat hippocampal slices: mechanisms of protection by lidocaine **489**, 557, 1995

Increased sodium appetite in apparent mineralocorticoid excess induced by glycyrrhizic acid in rat depends on the adrenal cortex **489.P**, 89*P*, 1995

The pump-leak parallelism in sodium-absorbing epithelial cells: some recent insights **489.P**, 9*S*, 1995

Sodium–calcium exchange

The role of the Na^+–Ca^{2+} exchanger in the rate-dependent increase in contraction in guinea-pig ventricular myocytes **482**, 555, 1995

Effects of β-adrenergic stimulation on the Na^+–K^+ pump and Na^+–Ca^{2+} exchanger in isolated guinea-pig ventricular myocytes **483.P**, 12*P*, 1995

The role of Na^+–Ca^{2+} exchange current (i_{NaCa}) in electrical restitution in isolated ferret ventricular myocytes **483.P**, 12*P*, 1995

Intracellular calcium and its sodium-independent regulation in voltage-clamped snail neurones **484**, 533, 1995

Kinetic properties of the sodium–calcium exchanger in rat brain synaptosomes **485**, 349, 1995

H_2O_2-induced chloride currents are indicative of an endogenous Na^+–Ca^{2+} exchange mechanism in *Xenopus* oocytes **486**, 123, 1995

Estimate of net calcium fluxes and sarcoplasmic reticulum calcium content during systole in rat ventricular myocytes **486**, 581, 1995

Phosphoarginine stimulation of Na^+–Ca^{2+} exchange in squid axons – a new pathway for metabolic regulation? **487**, 57, 1995

Roles of L-type Ca^{2+} channel and reverse Na^+–Ca^{2+} exchange in triggering intracellular Ca^{2+} release in isolated guinea-pig myocytes **487.P**, 14*P*, 1995

Na^+–Ca^{2+} exchange in amphibian skeletal muscle fibres **487.P**, 160*P*, 1995

Extracellular osmotic pressure modulates sodium–calcium exchange in isolated guinea-pig ventricular myocytes **488**, 293, 1995

Species differences in the activity of the Na^+–Ca^{2+} exchanger in mammalian cardiac myocytes **488**, 623, 1995

Na^+ current and Ca^{2+} release from the sarcoplasmic reticulum during action potentials in guinea-pig ventricular myocytes **489**, 1, 1995

Calcium may enter neonatal rat muscle fibres by Na^+–Ca^{2+} exchange to cause twitch potentiation **489.P**, 69*P*, 1995

Sodium channel

Expression and distribution of sodium channels in short- and long-term denervated rodent skeletal muscles **483**, 109, 1995

Action potential propagation and propagation block by GABA in rat posterior pituitary nerve terminals **483**, 597, 1995

Functional availability of sodium channels modulated by cytosolic free Ca^{2+} in cultured mammalian neurons (N1E-115) **484**, 307, 1995

Inactivation of the cardiac Na^+ channels in guinea-pig ventricular cells through the open state **485**, 581, 1995

On the blockade of neuronal Na^+ and K^+ conductances by the Ca^{2+} channel antagonist Ro 405967 **485.P**, 49*P*, 1995

Action potential generation in rat slow- and fast-twitch muscles **486**, 401, 1995

Single voltage-activated Na^+ and K^+ channels in the somata of rat motoneurones **487**, 91, 1995

Different effects on gating of three myotonia-causing mutations in the inactivation gate of the human muscle sodium channel **487**, 107, 1995

The time constants of motor and sensory axons in human peripheral nerve **487.P**, 47*P*, 1995

Gating and amplitude of guinea-pig ventricular i_{K1} is modified by extracellular Na^+ **487.P**, 133*P*, 1995

Effects of internal trypsin and papain on tetrodotoxin-resistant sodium currents (TTX-r I_{Na}) in small cells isolated from adult (200–350 g) rat dorsal root ganglia (DRG) **487.P**, 184*P*, 1995

Single channel analysis of two types of tetrodotoxin-resistant sodium channels in small cells isolated from adult rat (200–350 g) dorsal root ganglia (DRG) **487.P**, 184*P*, 1995

Incorporation of cation channels from purified apical membrane of fetal guinea-pig lung type II cells into planar lipid bilayers **487.P**, 195*P*, 1995

Labile sodium current expression in *Xenopus* embryonic myocytes **487.P**, 199*P*, 1995

Kinetic characterization of rat brain type IIA sodium channel α-subunit stably expressed in a somatic cell line **488**, 633, 1995

Electrophysiological characterization of a TTX-sensitive Na^+ current in the highly metastatic MAT-LyLu rat prostate cancer cell line **489.P**, 50*P*, 1995

On the voltage-dependent ion channel complement of the neonatal rat O-2A progenitor *in vitro* **489.P**, 55*P*, 1995

Sodium current

Tetrodotoxin-resistant persistent Na^+ current underlying pacemaker potentials of fish gonadotrophin-releasing hormone neurones **482**, 1, 1995

Dopamine D_1 receptor modulates the voltage-gated sodium current in rat striatal neurones through a protein kinase A **483**, 95, 1995

Effects of intracellular calcium on sodium current density in cultured neonatal rat cardiac myocytes **483**, 307, 1995

Control of the amiloride-sensitive Na^+ current in mouse salivary ducts by intracellular anions is mediated by a G protein **487**, 549, 1995

Slow inactivation of persistent sodium current in mouse neocortical neurones *in vitro* **487.P**, 53*P*, 1995

Hypoxia potentiates persistent sodium current in isolated rat ventricular myocytes **489.P**, 143*P*, 1995

Sodium–hydrogen exchange

Structure/function studies of mammalian Na–H exchangers – an update **482.P**, 1*S*, 1995

Modulation of Na^+–H^+ exchange by altered cell volume in perfused rat mandibular salivary gland **487**, 185, 1995

Sodium–potassium ATPase

Inactivation of pig kidney Na^+–K^+-ATPase by fluorescein 5′-isothiocyanate: further evidence for two ATP sites **482.P**, 42*P*, 1995

Autoradiographic localization of Na^+–K^+-ATPase in bovine chondrocytes; correlation of density with tissue $[Na^+]$ **489.P**, 65*P*, 1995

The insulin-sensitive pools of the GLUT4 glucose transporter and the α_2-subunit of the Na^+–K^+-ATPase in rat skeletal muscle are immunologically and biophysically distinct **489.P**, 128*P*, 1995

Sodium–potassium pump

Effects of β-adrenergic stimulation on the Na^+–K^+ pump and Na^+–Ca^{2+} exchanger in isolated guinea-pig ventricular myocytes **483.P**, 12*P*, 1995

Change of Na^+ pump current reversal potential in sheep cardiac Purkinje cells with varying free energy of ATP hydrolysis **484**, 605, 1995

Sodium pump

Inactivation of pig kidney Na^+–K^+-ATPase by fluorescein 5′-isothiocyanate: further evidence for two ATP sites **482.P**, 42*P*, 1995

Sodium restriction

A micropuncture study of renal tubular lithium reabsorption in sodium-depleted rats **483**, 473, 1995

Sodium transport

Evidence for a novel isoform of Na^+–glucose transport in sheep tracheal epithelium *in vitro* **482.P**, 6*P*, 1995

Soleus muscle

The water distribution and electrolyte concentrations in soleus muscles of hypothyroid rats **482.P**, 25*P*, 1995

Insulin-mediated activation of glycogen synthase in isolated mouse muscle requires mitochondrial respiration **483.P**, 77*P*, 1995

L-type calcium channel blockade enhances functional muscle recovery following partial denervation of neonatal rat soleus muscle **487.P**, 161*P*, 1995

Safety factor for neuromuscular transmission in rat isolated soleus muscle **489.P**, 150*P*, 1995

Somatosensory system

Evidence that the fronto-parietal N_{30}–P_{30} component of the somatosensory evoked potential (SEP) in man is generated in the sensorimotor cortex **483.P**, 157*P*, 1995

Somatostatin

The mechanism of inhibitory action of secretin on gastric acid secretion in conscious rats **488**, 501, 1995

Spectral analysis

A method for comparison of several coherence estimates from independent experiments **487.P**, 76*P*, 1995

Power spectral analysis of the cardiac response to sustained systemic isocapnic hypoxia in man **487.P**, 171*P*, 1995

Spermine

Intracellular spermine confers rectification on rat calcium-permeable AMPA and kainate receptors **486**, 297, 1995

Spike-triggered averaging

Post-spike facilitation of neck EMG by cat tectoreticulospinal neurones during orienting movements **482**, 455, 1995

Spinal cord

Organization of neuronal systems mediating presynaptic inhibition of group II muscle afferents in the cat **483**, 443, 1995

Interneurones mediating presynaptic inhibition of group II muscle afferents in the cat spinal cord **483**, 461, 1995

Confocal microscopic and ultrastructural analysis of contacts between serotoninergic axons and electrophysiologically characterized dorsal horn spinocerebellar tract cells in the cat **483.P**, 36*P*, 1995

Topographical organization of spinal neurones in group II reflex pathways of the anaesthetized rat **483.P**, 37*P*, 1995

Low frequency, repetitive stimulation of high threshold primary afferents results in the temporal summation of excitatory currents recorded from rat dorsal horn neurones *in vitro* **483.P**, 56*P*, 1995

Responses to multi-pulse magnetic stimulation of spinal nerve roots mapped over the sacrum in man **483.P**, 127*P*, 1995

The effects of NK1 and NK2 receptor antagonists on the sensitization of STT cells following acute inflammation in the anaesthetized primate **483.P**, 152*P*, 1995

NK_2-tachykinin receptors and prolonged, stimulus-evoked facilitation of a withdrawal reflex in the decerebrated and spinalized rabbit **483.P**, 153*P*, 1995

Functional expression of the tachykinin NK_1 receptor by floor plate cells in the embryonic rat spinal cord and brainstem **486**, 139, 1995

Ankle extensor group I afferents excite extensors throughout the hindlimb during fictive locomotion in the cat **487**, 197, 1995

Effects of stimulation of hindlimb flexor group II afferents during fictive locomotion in the cat **487**, 211, 1995

Disynaptic group I excitation of synergist ankle extensor motoneurones during fictive locomotion in the cat **487**, 527, 1995

Connections of expiratory bulbospinal neurones in the anaesthetized cat before and after axotomy **487.P**, 67*P*, 1995

Evoked changes in the excitability of presynaptic terminals of cat midlumbar premotor interneurones **487.P**, 71*P*, 1995

The effect of changes in static hip position on the flexion reflex in motor complete spinal cord injured humans **487.P**, 75*P*, 1995

Very slow postsynaptic currents recorded from deep dorsal horn neurones in adult mouse spinal cord *in vitro* **487.P**, 215*P*, 1995

c-*fos* expression is induced by noxious and non-noxious stimulation in the neonatal rat spinal cord **487.P**, 215*P*, 1995

Excitatory actions of the NK-1 agonist [Sar^9, Met(O$_2$)^9]-substance P on rat dorsal horn neurones *in vitro* displaying heterogeneous firing properties **487.P**, 217*P*, 1995

Kinetic characterization of the voltage-gated currents possessed by *Xenopus* embryo spinal neurons **489**, 473, 1995

Excitability changes of somatic and viscero-somatic nociceptive reflexes in the decerebrate–spinal rabbit: role of NMDA receptors **489**, 545, 1995

Plasticity of spinal cord after crush, and of hippocampus after injection of neuron suspensions **489.P**, 7*P*, 1995

Spinal sensory neuron numbers in the spontaneously hypertensive rat (SHR) **489.P**, 7*P*, 1995

Synchronization between motor cortex and spinal motoneuronal pool during the performance of a maintained motor task in man **489**, 917, 1996

Spinal cord neurone

Modulation by zinc ions of native rat and recombinant human inhibitory glycine receptors **483**, 613, 1995

Spinal interneurone

Synaptic excitation in the thoracic spinal cord from expiratory bulbospinal neurones in the cat **484**, 201, 1995

Reciprocal inhibition between wrist flexors and extensors in man: a new set of interneurones? **487**, 221, 1995

Spinal reflex

Ankle extensor group I afferents excite extensors throughout the hindlimb during fictive locomotion in the cat **487**, 197, 1995

Effects of stimulation of hindlimb flexor group II afferents during fictive locomotion in the cat **487**, 211, 1995

The inherent variability of the soleus H reflex in man **487.P**, 73*P*, 1995

Non-invasive electrophysiological experiments in man: what have they added to our knowledge of spinal reflex pathways? **487.P**, 224*P*, 1995

Spinocerebellar tract

Heterogeneity of contraction-induced effects in neurons of the cat dorsal spinocerebellar tract **487**, 761, 1995

Splanchnic blood flow

Splanchnic arterial reflexes may contribute to control of vascular resistance in the anaesthetized dog **483.P**, 144*P*, 1995

Squid

Ionic currents in branchial heart myocytes of the squid, *Alloteuthis subulata* and *Loligo forbesi* **489.P**, 66*P*, 1995

Discrimination of coupled muscle fibre populations in the skin of squids (*Loligo vulgaris* and *L. opalescens*) following unilateral nerve section **489.P**, 134*P*, 1995

Squid axon

Phosphoarginine stimulation of Na^+–Ca^{2+} exchange in squid axons – a new pathway for metabolic regulation? **487**, 57, 1995

Stellate cell

Synaptic integration in layer IV of the ferret striate cortex **483**, 183, 1995

Steroid hormone

Non-genomic activation of K_{ATP} channels in human colon by oestradiol **489.P**, 122*P*, 1995

Modulation of rat colonic protein kinase C (PKC) activity by steroid hormones **489.P**, 123*P*, 1995

Stimulation

A computer-controlled, varying stimulus train pattern stimulator with digital recorder and display system for use in anaesthetized humans **483.P**, 4*P*, 1995

Effects of β-adrenergic stimulation on the Na^+–K^+ pump and Na^+–Ca^{2+} exchanger in isolated guinea-pig ventricular myocytes **483.P**, 12*P*, 1995

Low frequency stimulation induces depotentiation of long-term potentiation, but not long-term depression, in the rat hippocampal CA1 *in vivo* **483.P**, 68*P*, 1995

Lateral tilt of body segments in response to galvanic vestibular stimulation in man **489.P**, 30*P*, 1995

Stress

Effects of stress agents on the induction of a MSP23-like anti-oxidant protein in cultured human vascular smooth muscle cells **483.P**, 138*P*, 1995

Influence of oestradiol on pulsatile luteinizing hormone secretion during insulin-induced hypoglycaemia in female rats **489.P**, 179*P*, 1995

Stretch

The effects of mechanical loading and changes of length on single guinea-pig ventricular myocytes **482**, 93, 1995

cAMP accelerates the decay of stretch-activated inward currents in guinea-pig urinary bladder myocytes **482**, 143, 1995

The effects of stretching isolated rat ventricular myocytes on $[Ca^{2+}]_i$ and a^i_{Na} **483.P**, 17*P*, 1995

Arachidonic acid activation of a new family of K^+ channels in cultured rat neuronal cells **484**, 643, 1995

Stretch-induced enhancement of contractions in uterine smooth muscle of rats **486**, 373, 1995

Effect of manipulation of potassium concentration on stretch-induced arrhythmia in the isolated Langendorff rabbit heart **487.P**, 140*P*, 1995

Stretch-induced peptide hormone synthesis and release in rat heart: role of stretch-activated ion channels **487.P**, 143*P*, 1995

Stretch-induced electrophysiological changes in rat atrial myocytes **487.P**, 147*P*, 1995

Intracellular calcium and force in single mouse muscle fibres following repeated contractions with stretch **488**, 25, 1995

Injury to muscle fibres after single stretches of passive and maximally stimulated muscles in mice **488**, 459, 1995

Anti-arrhythmic action of streptomycin in the ventricle of the isolated, Langendorff perfused guinea-pig heart **489.P**, 166*P*, 1995

The effect of Cytochalasin B on stretch-induced arrhythmia in the Langendorff perfused isolated rabbit heart **489.P**, 166*P*, 1995

Stretch reflex

After-effects on stiffness and stretch reflexes of human finger flexor muscles attributed to muscle thixotropy **482**, 215, 1995

Reduced servo-control of fatigued human finger extensor and flexor muscles **485**, 865, 1995

Ipsilateral cortical stimulation inhibited the long-latency response to stretch in the long finger flexors in humans **488**, 821, 1995

Stretch-activated channel

Mechanosensitive calcium entry in renal A6 cells **482.P**, 21*P*, 1995

Effect of streptomycin on atrioventricular (AV) conduction in the isolated Langendorff perfused guinea-pig heart **487.P**, 148*P*, 1995

Mechanosensitive calcium increase in isolated porcine chondrocytes **489.P**, 112*P*, 1995

Stretch-activated potassium channel

Stretch activation of a toad smooth muscle K^+ channel may be mediated by fatty acids **484**, 331, 1995

Strychnine

Glycine induces two distinct membrane currents in neonatal rat sympathetic preganglionic neurones *in vitro* **483**, 385, 1995

Role of fast inhibitory synaptic mechanisms in respiratory rhythm generation in the maturing mouse **484**, 505, 1995

Submandibular gland

Involvement of nitric oxide (NO) in the control of protein secretion by the submandibular gland in the anaesthetized cat **483.P**, 180*P*, 1995

Differential secretion of proteins by rat submandibular acini and granular ducts on graded autonomic nerve stimulations **485**, 503, 1995

Amplification of the thapsigargin-evoked increase in $[Ca^{2+}]_i$ by acetylcholine in acutely isolated mouse submandibular acinar cells **487.P**, 23*P*, 1995

Submandibular responses to stimulation of the parasympathetic innervation in the presence of an inhibitor of nitric oxide (NO) synthesis in anaesthetized cats **487.P**, 118*P*, 1995

Submucous plexus

Electrophysiological characterization of enteric neurones in the isolated submucous plexus of porcine jejunum: implications for neural control of ion secretion **482.P**, 47*P*, 1995

Substance P

Substance P effects on blood flow, fluid transport and vasoactive intestinal polypeptide release in the feline small intestine **483**, 727, 1995

Functional expression of the tachykinin NK_1 receptor by floor plate cells in the embryonic rat spinal cord and brainstem **486**, 139, 1995

Role of nitric oxide in tachykinin-induced increase in potential difference of rabbit tracheal mucosa **488**, 115, 1995

Substantia nigra

A sulphonylurea-sensitive potassium conductance regulated by intracellular adenosine triphosphate in rat substantia nigra zona reticulata neurones **483.P**, 68*P*, 1995

Gramicidin-perforated patch recording: GABA response in mammalian neurones with intact intracellular chloride **484**, 77, 1995

Succinate dehydrogenase

Nerve-dependent regulation of succinate dehydrogenase in junctional and extrajunctional compartments of rat muscle fibres **484**, 155, 1995

Sulfhydryl
Modulation of calcium-activated non-selective cation channel activity by nitric oxide in rat brown adipose tissue **486**, 59, 1995

Superior cervical ganglion
GABA-mediated synaptic transmission in rat sympathetic preganglionic neurones innervating the superior cervical ganglion **489.P**, 157*P*, 1995

Superior colliculus
N-methyl-D-aspartate (NMDA) receptors and cortical influences on visual responses in the superior colliculus (SC) of the anaesthetized cat **485.P**, 11*P*, 1995
Muscarinic receptor blockade affects the development of spatially tuned auditory responses in the guinea-pig superior colliculus **485.P**, 12*P*, 1995
The external nucleus of the inferior colliculus is important for the construction of a map of auditory space in the superior colliculus of the guinea-pig **485.P**, 12*P*, 1995

Suprachiasmatic nucleus
An unusual rhythm of neuronal discharge activity in the guinea-pig suprachiasmatic nuclei (SCN) brain slice over 24 h **483.P**, 57*P*, 1995
Responsiveness of hamster suprachiasmatic neurones to optic nerve stimulation at different times of day **487.P**, 48*P*, 1995
A rapidly activating type of outward rectifier K^+ current and A-current in rat suprachiasmatic nucleus neurones **488**, 339, 1995

Supraoptic neurone
Osmoresponsiveness of supraoptic neurones in anaesthetized hyponatraemic and normonatraemic rats **483.P**, 46*P*, 1995
Evidence for excitatory connections between oxytocin cells in the lactating rat **483.P**, 47*P*, 1995
Chemical mediators of spinal inhibition of rat sympathetic neurones on stimulation in the nucleus tractus solitarii **486**, 483, 1995
Calbindin-D_{28k}: role in determining intrinsically generated firing patterns in rat supraoptic neurones **488**, 601, 1995
P_2 purinoceptor-mediated depolarization of rat supraoptic neurosecretory cells *in vitro* **489**, 805, 1995

Supraoptic nucleus
Effects of neurotensin on rat supraoptic nucleus neurones *in vitro* **482**, 373, 1995
Regulation of spontaneous phasic firing of rat supraoptic vasopressin neurones *in vivo* by glutamate receptors **484**, 415, 1995
Electrophysiological evidence for mutual excitation of oxytocin cells in the supraoptic nucleus of the rat hypothalamus **485**, 485, 1995
Transient outward current in adult rat supraoptic neurones with slice patch-clamp technique: inhibition by angiotensin II **485**, 87, 1995
Voltage-gated calcium currents in the magnocellular neurosecretory cells of the rat supraoptic nucleus **486**, 571, 1995
GABA-induced facilitation of the periodic bursting activity of oxytocin neurones in suckled rats **488**, 103, 1995
Electrophysiological differences between oxytocin and vasopressin neurones recorded from female rats *in vitro* **488**, 701, 1995
Vasopressin controls magnocellular vasopressin neurones via V_1-type receptors in the rat **489.P**, 184*P*, 1995

Surface potential
The effects of lyotropic anions on electric field-induced guidance of cultured frog nerves **486**, 229, 1995

Sweat duct
Acid–base transport by the basolateral membrane of the reabsorptive duct of the human sweat gland studied *in vitro* **482.P**, 2*P*, 1995

Sweat gland
Regulation of transepithelial ion transport by extracellular ATP in cultured equine sweat gland epithelia **489.P**, 105*P*, 1995

Sweat rate
Baroreceptor modulation of cutaneous vasodilator and sudomotor responses to thermal stress in humans **483**, 537, 1995

Swimming
A role for GABAergic neurotransmission during swimming in *Xenopus laevis* larvae **483.P**, 186*P*, 1995
Possible limitations of speed and size of swimming fish schools, based on oxygen consumption of herring, *Clupea harengus*, measured at different swimming speeds **483.P**, 192*P*, 1995
Impairment of sustained swimming performance of brown trout (*Salmo trutta*) exposed to sub-lethal copper in soft acidic water **483.P**, 197*P*, 1995
Experimentally derived model for the locomotor pattern generator in the *Xenopus* embryo **489**, 489, 1995

Sympathetic ganglion
In vivo activity of B- and C-neurones in the paravertebral sympathetic ganglia of the bullfrog **485**, 797, 1995

Sympathetic nerve
Inhibitory effect of sympathetic stimulation on activities of masseter muscle spindles and the jaw jerk reflex in rats **483**, 239, 1995
Effects of Ca^{2+} and K^+ channel blockers on nerve impulses recorded from guinea-pig postganglionic sympathetic nerve terminals **489**, 389, 1995
The effect of sympathetic nerve stimulation on upper airway resistance in the anaesthetized rat **489.P**, 161*P*, 1995

Sympathetic nerve activity
Evidence for a critical role of nitric oxide in the tonic excitation of rabbit renal sympathetic preganglionic neurones **482**, 401, 1995
Baroreceptor influence on the relationships between discharges of different sympathetic nerves of the cat **482**, 687, 1995
Recovery of sympathetic efferent activity following stimulation of coronary and carotid baroreceptors in anaesthetized dogs **489.P**, 160*P*, 1995

Sympathetic nervous system
Role of nitric oxide in the tonic excitation of renal sympathetic preganglionic neurones in the anaesthetized rabbit **483.P**, 92*P*, 1995
Effect of noxious stimulation on sympathetic vasoconstrictor outflow to human muscles **489**, 885, 1995
ω-conotoxin GVIA-resistant neurotransmitter release can be modulated through presynaptic α_2-adrenoceptors in the guinea-pig isolated vas deferens **489.P**, 132*P*, 1995

Sympathetic neurone
The slow Ca^{2+}-activated K^+ current, I_{AHP}, in the rat sympathetic neurone **483**, 15, 1995
Analysis of the firing patterns of single identified sympathetic preganglionic neurones in the upper thoracic spinal cord of anaesthetized rats **483.P**, 99*P*, 1995
Characteristics of sympathetic unit activity supplying the lateral tail vein in the anaesthetized rat **483.P**, 103*P*, 1995
Potassium currents in rat prevertebral and paravertebral sympathetic neurones: control of firing properties **485**, 319, 1995
Target-derived factors regulate the expression of Ca^{2+}-activated K^+ currents in developing chick sympathetic neurones **486**, 605, 1995
Medullary-evoked EPSPs in neonatal rat sympathetic preganglionic neurones *in vitro* **487**, 453, 1995
Phenotype-specific expression of T-type calcium channels in neurons of the major pelvic ganglion of the adult male rat **489**, 363, 1995
Inhibition of potassium M-channels by intracellular calcium in membrane patches from rat sympathetic cells **489.P**, 60*P*, 1995
Effects of ATP and adenosine on sympathetic preganglionic neurones in a neonatal rat brainstem–spinal cord preparation **489.P**, 154*P*, 1995
Evidence for a direct pathway between hypothalamic paraventricular neurones and spinal sympathetic preganglionic neurones projecting to the stellate ganglion in the rat **489.P**, 164*P*, 1995

Sympathetic postganglionic neurone
Blood volume expansion and hyperthermia influence a sympathetic rhythm recorded from the caudal ventral artery of the anaesthetized rat **489.P**, 160*P*, 1995

Sympathetic preganglionic neurone
Evidence for a critical role of nitric oxide in the tonic excitation of rabbit renal sympathetic preganglionic neurones **482**, 401, 1995
Glycine induces two distinct membrane currents in neonatal rat sympathetic preganglionic neurones *in vitro* **483**, 385, 1995
Identification of discrete sympathetic functional pathways in the central nervous system **483.P**, 101*P*, 1995
Descending synaptic inputs to rat sympathetic preganglionic neurones in a longitudinal spinal cord slice preparation **489.P**, 157*P*, 1995
GABA-mediated synaptic transmission in rat sympathetic preganglionic neurones innervating the superior cervical ganglion **489.P**, 157*P*, 1995

Synapse
Potentiation of Ca^{2+} transients in the presynaptic terminals of goldfish retinal bipolar cells **482**, 7, 1995
Cellular basis of temporal synaptic signalling: an *in vitro* electrophysiological study in rat auditory thalamus **483**, 167, 1995
Ca^{2+} regulation in the presynaptic terminals of goldfish retinal bipolar cells **483**, 79, 1995
Effect of neonatal nerve injury on synapse elimination in mice with slow Wallerian degeneration (C57Bl/6/Wld^s) **483.P**, 57*P*, 1995

Electrophysiological and pharmacological evidence for a glutamatergic presynaptic feedback control of primary afferents by motoneurons in the crayfish *Procambarus clarkii, in vitro* **483.P**, 187*P*, 1995
Contributions of human long-wave and middle-wave cones to motion detection **485**, 221, 1995
The non-specific ion channel in *Torpedo ocellata* fused synaptic vesicles **485**, 683, 1995
Fluorescence measurements of endocytosis and exocytosis in the synaptic terminal of dissociated bipolar cells of the goldfish retina **485.P**, 49*P*, 1995
Presynaptic metabotropic glutamatergic regulation of inhibitory synapses in rat cerebellar slices **486**, 163, 1995
Pyramid-to-interneurone connections can be mediated by multiple synaptic contacts in slices of rat neocortex **487.P**, 52*P*, 1995
A comparison of spontaneous glutamate-mediated synaptic currents in neurones of layer II and layer V of the rat entorhinal cortex *in vitro* **487.P**, 63*P*, 1995
Single axon pyramid–pyramid EPSPs in area CA1 of the rat hippocampus *in vitro* **487.P**, 64*P*, 1995
Functional diversity of spindle afferent synapses on motoneurons **487.P**, 224*P*, 1995
Statistics of quantal secretion during long trains of sympathetic nerve impulses in mouse vas deferens **489**, 171, 1995
Calcium in the nerve terminals of chick ciliary ganglia during facilitation, augmentation and potentiation **489**, 637, 1995
Potentiation of neurotransmitter release by activation of presynaptic glutamate receptors at developing neuromuscular synapses of *Xenopus* **489**, 813, 1995
An organotypic slice culture preparation of the trigeminal motor nucleus and surrounding regions **489.P**, 8*P*, 1995
Non-NMDA receptor occupancy during transmission at rat cerebellar mossy fibre–granule cell synapses with only one functional release site **489.P**, 16*P*, 1995

Synapse formation
Tyrosine phosphorylation during synapse formation between identified leech neurons **485**, 775, 1995

Synaptic current
Single-channel conductance of synaptically activated $GABA_A$ receptors in rat cerebellar granule cells in slices **483.P**, 60*P*, 1995
Inhibition of ACh release at an *Aplysia* synapse by neurotoxic phospholipases A_2: specific receptors and mechanisms of action **489**, 29, 1995

Synaptic inhibition
Role of fast inhibitory synaptic mechanisms in respiratory rhythm generation in the maturing mouse **484**, 505, 1995

Synaptic integration
Synaptic integration in layer IV of the ferret striate cortex **483**, 183, 1995

Synaptic plasticity
Associative EPSP–spike potentiation induced by pairing orthodromic and antidromic stimulation in rat hippocampal slices **484**, 689, 1995

Synaptic potential
The difference in shape of spontaneous and uniquantal evoked synaptic potentials in frog muscle **482**, 641, 1995
In vivo activity of B- and C-neurones in the paravertebral sympathetic ganglia of the bullfrog **485**, 797, 1995
Different types of ganglion cell in the cardiac plexus of guinea-pigs **486**, 453, 1995
Excitatory synaptic potentials dependent on metabotropic glutamate receptor activation in guinea-pig hippocampal pyramidal cells **487**, 663, 1995

Synaptic transmission
Adenosinergic modulation of respiratory neurones and hypoxic responses in the anaesthetized cat **483**, 769, 1995
Variation in postsynaptic potential amplitude at synapses between neurones in the ocellar pathway of the locust, *Schistocerca gregaria* **483.P**, 188*P*, 1995
Synaptic excitation of individual rat cerebellar granule cells *in situ*: evidence for the role of NMDA receptors **484**, 397, 1995
Dantrolene inhibits long-term depression and depotentiation of synaptic transmission in the dentate gyrus of rat hippocampal slices **487.P**, 55*P*, 1995
Tyrosine kinase inhibitors block long-term depression (LTD) of AMPA receptor-mediated synaptic transmission in rat cerebellar slices **487.P**, 55*P*, 1995
Synaptic transmission, hypoxia and adenosine in the isolated neonatal rat spinal cord **489.P**, 23*P*, 1995
Post-tetanic potentiation in isolated preparations of chronically disused, reinnervated rat skeletal muscle **489.P**, 78*P*, 1995

Synaptic vesicle
The non-specific ion channel in *Torpedo ocellata* fused synaptic vesicles **485**, 683, 1995

Synaptosome
Kinetic properties of the sodium–calcium exchanger in rat brain synaptosomes **485**, 349, 1995

Synchronization
Short term synchronization of human motor units and their responses to transcranial magnetic stimulation **483**, 511, 1995
A computer simulation for investigation of the contribution of presynaptic synchrony to post-spike facilitation in spike-triggered averages of rectified EMG **483.P**, 28*P*, 1995
Common frequency components identified from correlations between magnetic recordings of cortical activity and the electromyogram in man **483.P**, 35*P*, 1995
Organization of inputs to motoneurone pools in man **485**, 245, 1995
GABAergic interneurones can pace rat hippocampal principal cell activity through perisomatic synapses *in vitro* **487.P**, 53*P*, 1995

Tachykinin
Tachykinin receptor-induced increases in $[Ca^{2+}]_i$ in Chinese hamster ovary cells expressing human NK-3 receptors are caused by Ca^{2+} release from phospholipid-sensitive intracellular stores **482.P**, 39*P*, 1995
NK_2-tachykinin receptors and prolonged, stimulus-evoked facilitation of a withdrawal reflex in the decerebrated and spinalized rabbit **483.P**, 153*P*, 1995
Tachykinins as mediators of slow EPSPs in guinea-pig gall bladder ganglia: involvement of neurokinin-3 receptors **485**, 513, 1995
Tachykininergic slow depolarization of motoneurones evoked by descending fibres in the neonatal rat spinal cord **485**, 787, 1995
Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurones **486**, 769, 1995
Role of nitric oxide in tachykinin-induced increase in potential difference of rabbit tracheal mucosa **488**, 115, 1995

Tail current
Excessive repolarization-dependent calcium currents induced by strong depolarizations in rat skeletal myoballs **489**, 41, 1995

Taurine
Taurine and rabbit proximal convoluted tubule: basolateral electrogenic transport and inhibition of K^+ conductance **482.P**, 4*P*, 1995
Volume-sensitive taurine transport in bovine articular chondrocytes **484**, 755, 1995
Activation of a novel organic solute transporter in mammalian red blood cells **489**, 755, 1995

Temperature
The effect of temperature reduction on isolated myotonic rat muscle **482.P**, 28*P*, 1995
The effects of raising body or hypothalamic temperature on ventilation in the anaesthetized rat **483.P**, 96*P*, 1995
Thermal strain of intermittent and continuous exercise at 10 and 35 °C in man **483.P**, 124*P*, 1995
The effect of temperature on the rate-dependent decrease of the L-type Ca^{2+} current in isolated rat ventricular myocytes **487.P**, 145*P*, 1995
Effects of temperature on the visco-elasticity of intact, relaxed, fast (rat) muscle fibres **487.P**, 153*P*, 1995
Temperature effects on membrane potential and input resistance in rat hypothalamic neurones **488**, 407, 1995
Effects of ambient temperature on the capacity to perform prolonged exercise in man **489.P**, 35*P*, 1995

Tendon organ
Heterogeneity of contraction-induced effects in neurons of the cat dorsal spinocerebellar tract **487**, 761, 1995
The distribution of calretinin in muscle receptors of the cat **487.P**, 77*P*, 1995

Tension
Tension responses to ramp stretch in resting intact slow twitch rat muscle fibres **483.P**, 80*P*, 1995

Tetraethylammonium
Influence of permeating ions on potassium channel block by external tetraethylammonium **486**, 267, 1995
Tetrodotoxin
Subthreshold oscillations and resonant frequency in guinea-pig cortical neurons: physiology and modelling **483**, 621, 1995
Thalamus
Stimulation and recording from the nucleus ventralis intermedius (Vim) in a patient with Parkinson's disease **483.P**, 32*P*, 1995
Modulation by different $GABA_B$ receptor types of voltage-activated calcium currents in rat thalamocortical neurones **485**, 29, 1995
Motor effects of stimulating the human cerebellar thalamus **489**, 287, 1995
Thapsigargin
Effects of thapsigargin on unloaded cell shortening in guinea-pig ventricular myocytes **483.P**, 16*P*, 1995
Thapsigargin blocks plasmalemmal voltage-operated calcium channels in isolated mouse DRG neurones **483.P**, 64*P*, 1995
Thermoregulation
Shifts of thermoeffector thresholds in heat-acclimated rats **483**, 491, 1995
Influence of ambient temperature, following triiodothyronine treatment, on metabolic adaptation in Caesarean section-delivered lambs **483.P**, 98*P*, 1995
Effect of ambient temperature on extra-uterine adaptation in near-term lambs delivered by Caesarean section **483.P**, 99*P*, 1995
The effect of whole-body and local temperature on the hand skin vascular responses to posture and deep breaths in man **483.P**, 125*P*, 1995
Cardiovascular and thermoregulatory adjustments associated with flying and diving in the free-ranging blue-eyed shag, *Phalacrocorax atriceps* **483.P**, 193*P*, 1995
Warm and cold signals from the preoptic area: which contribute more to the control of shivering in rats? **485**, 195, 1995
Thermoregulation is unlikely to produce a local generation of low frequency rhythms in heart rate and blood pressure in man **487.P**, 170*P*, 1995
Effects of hypothalamic thermal stimuli on sympathetic neurones innervating skin and skeletal muscle of the cat hindlimb **488**, 139, 1995
Thermogenesis associated with spontaneous activity: an important component of thermoregulatory needs in rats **488**, 779, 1995
Thrombin
The K^+ channels activated during regulatory volume decrease (RVD) are distinct from those activated by Ca^{2+}-mobilizing agonists in Ehrlich mouse ascites tumour cells **482.P**, 12*P*, 1995
Thyroid hormone
The effects of thyroid hormones on oxygen and glucose metabolism in the sheep fetus during late gestation **482**, 203, 1995
Influence of ambient temperature, following triiodothyronine treatment, on metabolic adaptation in Caesarean section-delivered lambs **483.P**, 98*P*, 1995
Maturation of rat renal phosphate transport: effect of triiodothyronine **488**, 449, 1995
Thyroid hormone mediates the acute phase of muscle degeneration in the dystrophin-deficient *mdx* mouse **489.P**, 149*P*, 1995
Thyrotrophin-releasing hormone
Control of Ca^{2+} entry into rat lactotrophs by thyrotrophin-releasing hormone **486**, 349, 1995
Changes in intracellular calcium in response to thyrotropin-releasing hormone and dopamine in lactotrophs from lactating rats **487.P**, 11*P*, 1995
Tooth
Inhibitory jaw reflexes evoked by different forms of mechanical stimulation of teeth in man **483.P**, 31*P*, 1995
Calcium influx and extrusion measured in odontoblasts acutely isolated from rat incisors **487.P**, 23*P*, 1995
The effect of removing the growing end (root-resection) of incisor teeth in rats on the relationship between eruption rates and lengths of the teeth **487.P**, 102*P*, 1995
Toxin
Characterization of Ca^{2+} channel currents in cultured rat cerebellar granule neurones **482**, 493, 1995
Supraoptic nucleus pertussis toxin-sensitive G proteins are involved in morphine dependence of rat oxytocin neurones *in vivo* **489.P**, 179*P*, 1995
Trachea
Evidence for a novel isoform of Na^+–glucose transport in sheep tracheal epithelium *in vitro* **482.P**, 6*P*, 1995
A proton pump contributes to acid secretion by sheep tracheal epithelium **482.P**, 27*P*, 1995
Role of nitric oxide in non-adrenergic, non-cholinergic relaxation and modulation of excitatory neuroeffector transmission in the cat airway **483**, 225, 1995
Transient outward current
Transient outward current in adult rat supraoptic neurones with slice patch-clamp technique: inhibition by angiotensin II **485**, 87, 1995
Activation mechanism of Ca^{2+}-sensitive transient outward current in rabbit ventricular myocytes **486**, 593, 1995
Osmo- and mechanosensitivity of the transient outward K^+ current in a mammalian neuronal cell line **489**, 419, 1995
Transmitter
Pre- and postsynaptic glutamate receptors at a giant excitatory synapse in rat auditory brainstem slices **488**, 387, 1995
Actions of vasodilator nerves on arteriolar smooth muscle and neurotransmitter release from sympathetic nerves in the guinea-pig small intestine **489**, 849, 1995
Transmitter release
Effects of testosterone on synaptic efficacy at neuromuscular junctions in a sexually dimorphic muscle of male frogs **483**, 141, 1995
Effects of Ca^{2+} channel blockers on transmitter release and presynaptic currents at the frog neuromuscular junction **486**, 695, 1995
Transplantation
Cardiovascular (CV) responses to a high fat (HF) and high carbohydrate (HC) meal in orthotopic cardiac transplant (CT) recipients **483.P**, 120*P*, 1995
Transport
Inhibition of IGF-1-stimulated glucose and System A amino acid transport in L6 rat skeletal muscle cells: effects of Wortmannin (WM) and Rapamycin (RAP) **482.P**, 5*P*, 1995
Alterations of L-arginine transport in uraemic patients on regular haemodialysis **482.P**, 27*P*, 1995
Comparison of CaCo-2 and HT2-18C_1 colonic cell lines as models for the prediction of *in vivo* drug absorption **482.P**, 34*P*, 1995
Photolysis-dependent irreversible inhibition by *p*-nitro-L-phenylalanine of amino acid transport system *asc* in pig erythrocytes **482.P**, 40*P*, 1995
Uptake of clavulanic acid across rat jejunal segments *in vitro* **482.P**, 41*P*, 1995
Uptake of hypoxanthine by human vascular endothelial cells *in vitro* **482.P**, 47*P*, 1995
The role of Q/PS heterogeneity in controlling capillary transport **483.P**, 2*S*, 1995
Dipeptide transport and hydrolysis in isolated loops of rat small intestine: effects of stereospecificity **484**, 173, 1995
Characteristics of Na^+–Ca^{2+} exchange in frog skeletal muscle **486**, 615, 1995
Both organic cation–proton antiport and non-ionic diffusion contribute to the transport of metoprolol in renal epithelial LLC-PK1 cell monolayers **487.P**, 27*P*, 1995
N-Monomethyl-L-arginine (L-NMMA) transport in red cells from uraemic patients **487.P**, 98*P*, 1995
Cationic amino acid transport in activated human lymphocytes following transfection with antisense oligonucleotides to H13 and 4F2 genes **487.P**, 100*P*, 1995
Muco-ciliary clearance in humans at altitude **487.P**, 106*P*, 1995
A ligand-gated chloride current mediated by human excitatory amino acid transporters **487.P**, 191*P*, 1995
Two cationic amino acid transporters expressed in pancreatic β-cells **487.P**, 192*P*, 1995
Compartment ablation analysis of the insulin-responsive glucose transporter (GLUT4) in 3T3-L1 adipocytes **487.P**, 211*P*, 1995
Amino acid transporter gene expression in the immortalized keratinocyte cell line LSDM3 **487.P**, 212*P*, 1995
Choline transport in HL-60 cells **489.P**, 98*P*, 1995
Modification of human red cell passive membrane transport by classical transport inhibitors **489.P**, 101*P*, 1995
Effects on dipeptide transport of reducing the pH in the lumen of rat small intestine, *in vitro* **489.P**, 105*P*, 1995
Na^+-independent lysine transport in human intestinal epithelial (Caco-2) cells **489.P**, 107*P*, 1995
Uptake of *myo*-inositol by pre-implantation rabbit blastocysts *in vitro* **489.P**, 124*P*, 1995

Transport kinetics
Kinetic properties of the sodium–calcium exchanger in rat brain synaptosomes **485**, 349, 1995
Transpyloric flow
Mechanics of pulsatile transpyloric flow in the pig **488**, 193, 1995
Trapezoid body
Pre- and postsynaptic whole-cell recordings in the medial nucleus of the trapezoid body of the rat **489**, 825, 1995
Tremor
Frequency peaks of tremor and electromyogram during isometric contraction of human first dorsal interosseous may reflect a rhythmicity of central commands **485.P**, 53*P*, 1995
Motor effects of stimulating the human cerebellar thalamus **489**, 287, 1995
Trigeminal nucleus
Ultrastructural evidence for GABA-mediated presynaptic control of glutamate release in the rat trigeminal motor nucleus **483.P**, 36*P*, 1995
An organotypic slice culture preparation of the trigeminal motor nucleus and surrounding regions **489.P**, 8*P*, 1995
Troponin
TnI phosphorylation does not increase the rate of relaxation following photolysis of diazo-2 in skinned ventricular trabeculae from guinea-pig **487.P**, 123*P*, 1995
Tension-dependent changes of the intracellular Ca^{2+} transients in ferret ventricular muscles **489**, 617, 1995
Tumour
Inhibition of long-term potentiation by tumour necrosis factor in the rat dentate gyrus *in vitro* **489.P**, 6*P*, 1995
Uraemia
Membrane transport alterations in uraemia **489.P**, 17*S*, 1995
Urinary bladder
Intracellular Ca^{2+} release via inositol trisphosphate (IP_3) and Ca^{2+}-induced Ca^{2+} release (CICR) in human cultured bladder smooth muscle cells **483.P**, 115*P*, 1995
Different actions of carbachol, histamine, bombesin and neuropeptide Y on isolated human detrusor muscle **483.P**, 117*P*, 1995
Urine
Acceleration of puberty onset in female mice by male urinary proteins **486**, 517, 1995
Uterus
Purinergic receptor-mediated increases in intracellular Ca^{2+} in single isolated epithelial cells of the human uterine tube **482.P**, 45*P*, 1995
Stretch-induced enhancement of contractions in uterine smooth muscle of rats **486**, 373, 1995
Gestational differences in the ability of L-arginine to inhibit contractions of isolated rat uterine smooth muscle **487.P**, 89*P*, 1995
The effects of graded reductions of uterine blood flow on spontaneous contractions and intracellular pH (pH_i) **489.P**, 133*P*, 1995
Vagal afferent
The role of central 5-HT_3 receptors in the modulation of the response to upper airway stimulation in the anaesthetized rabbit **489.P**, 156*P*, 1995
The effects of bicuculline and strychnine on the activity of dorsal vagal preganglionic neurones that respond to vagus nerve stimulation: an *in vivo* ionophoretic study in anaesthetized rats **489.P**, 158*P*, 1995
Vagal neurone
Dorsal medullary neurones activated by stimulation of the cardiac vagal branch of the anaesthetized rat, and their behaviour during the pulmonary chemoreflex **483.P**, 89*P*, 1995
Colocalization of ATP and nicotinic ACh receptors in the identified vagal preganglionic neurone of rat **489**, 519, 1995
Exercise and diving, two conflicting stimuli influencing cardiac vagal tone in man **489**, 603, 1995
Vagotomy
Effect of anaesthesia, CO_2 and vagotomy on the respiratory function of chickens **483.P**, 184*P*, 1995
Vagus
Central control of respiration and the heart in the anaesthetized agamid lizard, *Uromastyx microlipes* **483.P**, 6*P*, 1995
Cardiac vagal responses in seventy-six human subjects of varying physical activity **483.P**, 120*P*, 1995
Cisplatin stimulates 5-hydroxytryptamine-sensitive mesenteric afferents in the jejunum of the urethane-anaesthetized rat **487.P**, 35*P*, 1995
Ileal *E. coli* STa activates jejunal but not colonic fluid secretion by a vagal reflex in the rat *in vivo* **487.P**, 36*P*, 1995
Is cardiac pain ever signalled through the vagus? **489.P**, 38*P*, 1995
The effect of age on three human cardiac vagal responses **489.P**, 38*P*, 1995
Vagus nerve
Lung congestion augments the responses of cells in the rapidly adapting receptor pathway to cigarette smoke in rabbit **484**, 189, 1995
Heart rate responses to selective stimulation of cardiac vagal C fibres in anaesthetized cats, rats and rabbits **489**, 203, 1995
Vas deferens
Repletion of calcium stores sensitive to noradrenaline in the rat vas deferens **487.P**, 18*P*, 1995
Statistics of quantal secretion during long trains of sympathetic nerve impulses in mouse vas deferens **489**, 171, 1995
ω-conotoxin GVIA-resistant neurotransmitter release can be modulated through presynaptic α_2-adrenoceptors in the guinea-pig isolated vas deferens **489.P**, 132*P*, 1995
Vascular endothelium
Uptake of hypoxanthine by human vascular endothelial cells *in vitro* **482.P**, 47*P*, 1995
17β-Oestradiol-induced enhancement of acetylcholine- and bradykinin-mediated relaxation in isolated small mesenteric arteries from prepubertal female rats **487.P**, 86*P*, 1995
Vascular permeability
Transcellular gaps in microvascular walls of frog and rat when permeability is increased by perfusion with the ionophore A23187 **488**, 427, 1995
Vascular smooth muscle
Factors controlling changes in intracellular Ca^{2+} concentration produced by noradrenaline in rat mesenteric artery smooth muscle cells **482**, 247, 1995
Vasodilatation and smooth muscle membrane potential changes in arterioles from the guinea-pig small intestine **482**, 661, 1995
Neuropeptide Y-induced modulation of cyclic adenosine monophosphate and contractile responses in porcine isolated blood vessels **483.P**, 111*P*, 1995
The endogenous histidyl dipeptide carnosine is vasoactive as a conjugate with zinc in rabbit saphenous vein **483.P**, 112*P*, 1995
The effect of ATP on Ca^{2+}-induced Ca^{2+} release (CICR) in cultured human vascular smooth muscle cells **483.P**, 114*P*, 1995
Effects of stress agents on the induction of a MSP23-like anti-oxidant protein in cultured human vascular smooth muscle cells **483.P**, 138*P*, 1995
Efficacy of peak Ca^{2+} currents (I_{Ca}) as trigger of sarcoplasmic reticulum Ca^{2+} release in myocytes from the guinea-pig coronary artery **484**, 287, 1995
Role of membrane potential in endothelium-dependent relaxation of guinea-pig coronary arterial smooth muscle **484**, 469, 1995
Extracellular and intracellular alkalinization and the constriction of rat cerebral arterioles **484**, 743, 1995
Nitric oxide hyperpolarizes rabbit mesenteric arteries via ATP-sensitive potassium channels **486**, 47, 1995
Dependence of force on length at constant cross-bridge phosphorylation in the swine carotid media **488**, 729, 1995
Apamin-sensitive K^+ channels mediate an endothelium-dependent hyperpolarization in rabbit mesenteric arteries **489**, 723, 1995
Actions of vasodilator nerves on arteriolar smooth muscle and neurotransmitter release from sympathetic nerves in the guinea-pig small intestine **489**, 849, 1995
Vasculature
Interpretation of morphometric data on placental vasculature by mathematical model parameters **483.P**, 95*P*, 1995
Transcellular gaps in the endothelium of rat venules after perfusion with either A23187 or histamine **483.P**, 140*P*, 1995
The production of CO_2, measured by a transcutaneous technique, as an index of tissue adaptability to ischaemia **483.P**, 143*P*, 1995
Effects of anaesthesia on periodic changes in limb circumference (volumotion, Vm) in patients with vascular disease **483.P**, 148*P*, 1995
Gap junctional communication in the arteriolar wall: transforming cellular activity into vascular function **483.P**, 6*S*, 1995
The isolated dual perfused rat liver preparation: a new model for the study of the control of hepatic vascular tone **487.P**, 42*P*, 1995
Redox regulation of pulmonary vascular tone: a central role for potassium channels **487.P**, 11*S*, 1995
Pulmonary vascular remodelling in neonatal pulmonary hypertension **487.P**, 12*S*, 1995
Pulmonary endothelial nitric oxide (NO) in health and disease **487.P**, 13*S*, 1995

Vasoactive intestinal polypeptide
Effect of ionizing radiation on vasoactive intestinal peptide-sensitive adenylate cyclase and receptors in membranes isolated from porcine intestine **482.P**, 37*P*, 1995
Substance P effects on blood flow, fluid transport and vasoactive intestinal polypeptide release in the feline small intestine **483**, 727, 1995
Vagal control of nitric oxide and vasoactive intestinal polypeptide release in the regulation of gastric relaxation in rat **484**, 481, 1995

Vasoconstriction
Effect of baseline vascular tone on vasomotor responses in cat lip **482**, 679, 1995
Blunted hypoxic pulmonary vasoconstriction with short-term chronic hypoxia in isolated rat lungs **487.P**, 110*P*, 1995
Effects of hypothalamic thermal stimuli on sympathetic neurones innervating skin and skeletal muscle of the cat hindlimb **488**, 139, 1995

Vasodilatation
Vasodilatation and smooth muscle membrane potential changes in arterioles from the guinea-pig small intestine **482**, 661, 1995
Analysis of responses observed in mesenteric microcirculation of the rat during systemic hypoxia **482**, 669, 1995
Effect of baseline vascular tone on vasomotor responses in cat lip **482**, 679, 1995
The role of adenosine in cerebral cortical vasodilatation induced by acute systemic hypoxia in normoxic and chronically hypoxic rats under anaesthesia **487.P**, 174*P*, 1995
Role of nitric oxide in exercise hyperaemia during prolonged rhythmic handgripping in humans **488**, 259, 1995
The role of adenosine in mediating vasodilatation in mesenteric circulation of the rat in acute and chronic hypoxia **489**, 225, 1995
Actions of vasodilator nerves on arteriolar smooth muscle and neurotransmitter release from sympathetic nerves in the guinea-pig small intestine **489**, 849, 1995

Vasomotor reflex
Effect of baseline vascular tone on vasomotor responses in cat lip **482**, 679, 1995

Vasopressin
Increased GABA concentrations alter mRNA expression of a $GABA_A$ receptor α-subunit in rat cerebral cortex but not supraoptic nucleus (SON) **483.P**, 50*P*, 1995
Regulation of spontaneous phasic firing of rat supraoptic vasopressin neurones *in vivo* by glutamate receptors **484**, 415, 1995
Vasopressin stimulation of Ca^{2+} mobilization, two bivalent cation entry pathways and Ca^{2+} efflux in A7r5 rat smooth muscle cells **485**, 455, 1995
Acetylcholine and prostaglandins may mediate the effects of melatonin on vasopressin release in the rat **485.P**, 52*P*, 1995
Bright light influences vasopressin and cortisol secretion in man **485.P**, 52*P*, 1995
The association of thirst, sodium appetite, and vasopressin release with c-*fos* expression in the rat forebrain after intracereboventricular injections of angiotensin II, angiotensin-(1–7) or carbachol **487.P**, 29*P*, 1995
Electrophysiological differences between oxytocin and vasopressin neurones recorded from female rats *in vitro* **488**, 701, 1995
Synaptic control of rat supraoptic neurones during osmotic stimulation of the organum vasculosum lamina terminalis *in vitro* **489**, 567, 1995
Carbon monoxide modulates neurohypophysial hormone release from the rat hypothalamus *in vitro* **489.P**, 177*P*, 1995

Vein
Characteristics of sympathetic unit activity supplying the lateral tail vein in the anaesthetized rat **483.P**, 103*P*, 1995
Interstitial fluid transport through wall tissue of isolated rabbit arteries and veins **483.P**, 146*P*, 1995
A fall in the intracellular concentration of glutamine and glutamate in human saphenous vein during surgical preparation for coronary artery bypass grafting **487.P**, 91*P*, 1995
Immunoreactive endothelin-1 (ET-1) and ET-1 receptors in porcine venous arterial grafts **489.P**, 158*P*, 1995

Venous pressure
Capillary pressure during and after incremental venous pressure elevation in man **485**, 213, 1995

Ventilation
Imagination of dynamic exercise produced ventilatory responses which were more apparent in competitive sportsmen **482**, 713, 1995
The effects of raising body or hypothalamic temperature on ventilation in the anaesthetized rat **483.P**, 96*P*, 1995
An assessment of central–peripheral ventilatory chemoreflex interaction using acid and bicarbonate infusions in humans **485**, 561, 1995
Comparison of arterial potassium and ventilatory dynamics during sinusoidal work rate variation in man **485**, 571, 1995
Effects of P_{CO_2} on voluntary control of ventilation in humans **487.P**, 107*P*, 1995
Precognition affects the ventilatory response to an increase in exercise intensity following hypocapnic hyperventilation in man **487.P**, 108*P*, 1995
Dynamic models of the human ventilatory response to sustained hypoxia **487.P**, 109*P*, 1995
Improved accuracy in measuring minute ventilation using two pneumotachographs in humans **487.P**, 114*P*, 1995
Ventilatory response to atrial natriuretic peptide (ANP) in anaesthetized normoxic and chronically hypoxic rats **487.P**, 177*P*, 1995
Influence of hypoxic duration and posthypoxic inspired O_2 concentration on short term potentiation of breathing in humans **488**, 803, 1995
Effects of lower body negative pressure on the cardiovascular and respiratory responses to handgrip exercise in man **489.P**, 39*P*, 1995

Ventricle
Urinary bladder distension: its effects on carotid baroreceptor reflex left ventricular inotropic response in the dog **489**, 857, 1995

Ventricular cell
Differences in the inotropic responses of cells isolated from the sub-epicardium, mid-wall and sub-endocardium of the canine ventricle to ACh **483.P**, 8*P*, 1995
Inactivation of the cardiac Na^+ channels in guinea-pig ventricular cells through the open state **485**, 581, 1995
An acetazolamide-sensitive inward chloride pump in rat ventricle *in vitro* **489.P**, 98*P*, 1995

Ventricular myocyte
Electrical and mechanical characteristics of guinea-pig ventricular myocytes from apical epicardium and basal endocardium **483.P**, 8*P*, 1995
Electrical and mechanical characteristics of guinea-pig left ventricular midmyocardial myocytes compared with surface myocytes **483.P**, 9*P*, 1995
Spontaneous and thiol group-induced changes in ATP-sensitivity of K_{ATP} channels from isolated guinea-pig ventricular myocytes **483.P**, 10*P*, 1995
The role of Na^+–Ca^{2+} exchange current (i_{NaCa}) in electrical restitution in isolated ferret ventricular myocytes **483.P**, 12*P*, 1995
Calcium influx through L-type calcium channels provides the major trigger for calcium-induced calcium release in guinea-pig ventricular myocytes **483.P**, 14*P*, 1995
The density of L-type calcium current in isolated adult rabbit ventricular myocytes in short term culture **483.P**, 14*P*, 1995
Inhibition of excitation–contraction coupling in guinea-pig isolated ventricular myocytes by an antagonist of cyclic ADP-ribose **483.P**, 17*P*, 1995
The introduction of trypsin into the sarcoplasm of isolated guinea-pig ventricular myocytes eliminates the inhibition of the L-type Ca^{2+} current caused by BDM **483.P**, 19*P*, 1995
Pacemaker current i_f in adult canine cardiac ventricular myocytes **485**, 469, 1995
Contrasting effects of nickel and E4031 on components of delayed rectifier potassium current in guinea-pig ventricular myocytes **485.P**, 43*P*, 1995
β-Adrenergic and cholinergic modulation of the inwardly rectifying K^+ current in guinea-pig ventricular myocytes **486**, 647, 1995
β-Adrenergic and cholinergic modulation of inward rectifier K^+ channel function and phosphorylation in guinea-pig ventricle **486**, 661, 1995
Measurement of cytosolic calcium transients in myocytes isolated from guinea-pig ventricle **487.P**, 7*P*, 1995
Time course of calcium influx during the cardiac action potential recorded from isolated guinea-pig ventricular myocytes **487.P**, 18*P*, 1995
Possible mechanism of L-type calcium channel blockade by gadolinium in isolated guinea-pig ventricular myocytes **487.P**, 129*P*, 1995
Gating and amplitude of guinea-pig ventricular i_{K1} is modified by extracellular Na^+ **487.P**, 133*P*, 1995
Effects of lactate on calcium regulation mechanisms in isolated guinea-pig ventricular myocytes **487.P**, 138*P*, 1995
Effects of HOE 694, a novel inhibitor of Na^+–H^+ exchange, on intracellular pH regulation in guinea-pig ventricular myocytes **487.P**, 147*P*, 1995
Control of sarcoplasmic reticulum calcium release during calcium loading in isolated rat ventricular myocytes **488**, 267, 1995

Influence of 8-Br cGMP on basal and isoprenaline-stimulated L-type calcium currents in guinea-pig isolated ventricular myocytes **489.P**, 167*P*, 1995

Ventrolateral medulla

22–26 Hz oscillations in neurones of the ventrolateral medulla oblongata in anaesthetized rats **487.P**, 172*P*, 1995

Tonic influence of the caudal ventrolateral medulla on the rostral ventrolateral medulla in anaesthetized spontaneously hypertensive and normotensive Wistar Kyoto rats **487.P**, 180*P*, 1995

Vestibular system

Apoptosis of the neurons in the vestibular nuclei in the adult mouse is induced by prolonged rotation of the home cage **483.P**, 34*P*, 1995

Neck muscle responses to abrupt free fall of the head: comparison of normal with labyrinthine-defective human subjects **489**, 911, 1995

Vibration

Effect of vibration on antagonist muscle coactivation during progressive fatigue in humans **485**, 857, 1995

Bilateral asymmetry of vibration-induced errors of human wrist movements in patients with asymmetrical parkinsonism **489.P**, 31*P*, 1995

Vibrissa

Chloroquine specifically impairs Merkel cell receptors in isolated rat sinus hairs **483.P**, 154*P*, 1995

Selective phototoxic destruction of quinacrine-loaded Merkel cells is neither selective nor complete **483.P**, 159*P*, 1995

Videofluoroscopy

Mechanics of pulsatile transpyloric flow in the pig **488**, 193, 1995

Visceral nociception

Excitability changes of somatic and viscero-somatic nociceptive reflexes in the decerebrate–spinal rabbit: role of NMDA receptors **489**, 545, 1995

Vision

Human muscle spindle afferent activity in relation to visual control in precision finger movements **482**, 225, 1995

Effects of subject–object distance on visual responses of neurons in a chick memory system **483.P**, 40*P*, 1995

Diurnal variation in the b-wave component of the human electroretinogram (ERG) **483.P**, 42*P*, 1995

Entoptic visualization of macular pigment **485.P**, 4*P*, 1995

Non-retinotopic visual area with a putative motion map in extrastriate cortex of the anaesthetized cat **485.P**, 9*P*, 1995

Photopic and scotopic spatiotemporal frequency responses of retinal ganglion cells of the urethane-anaesthetized cat **485.P**, 10*P*, 1995

Orthogonal suppression in receptive fields of complex neurones in striate cortex of anaesthetized cats **485.P**, 11*P*, 1995

Two models for the representation of edge-blur in humans by visual spatial filters **485.P**, 19*P*, 1995

Parallel processing of contour- and depth-related information in human visual cortex **485.P**, 24*P*, 1995

Human perception of spatial phase in natural images **485.P**, 25*P*, 1995

The pattern of fixations made during visual search of 2-D images by humans **485.P**, 25*P*, 1995

Paralysis of accommodation is ineffective at preventing form deprivation myopia in the marmoset *Callithrix jacchus jacchus* **485.P**, 26*P*, 1995

Differential ocular growth of infant marmoset (*Callithrix jacchus jacchus*) induced by optical anisometropia combined with alternating occlusion **485.P**, 27*P*, 1995

Long-range dichoptic interactions in human vision around a pathological retinal scotoma **485.P**, 27*P*, 1995

Monocular diplopia with visual perseveration in a human subject **485.P**, 28*P*, 1995

A new abnormality of human vision: spreading inhibition elicited by moving stimuli **489.P**, 10*P*, 1995

Spatial summation in visual receptive fields of complex cells in anaesthetized cat striate cortex **489.P**, 11*P*, 1995

Visual cortex

Responsiveness of cat area 17 after monocular inactivation: limitation of topographic plasticity in adult cortex **482**, 589, 1995

Synaptic integration in layer IV of the ferret striate cortex **483**, 183, 1995

Human perceptual learning in identifying the oblique orientation: retinotopy, orientation specificity and monocularity **483**, 797, 1995

Can calcarine cortex be bypassed in a human visual reaction time? **483.P**, 42*P*, 1995

Comparison of current–discharge relationships of pyramidal neurones from the visual cortex: *in vitro* and in the anaesthetized cat **485.P**, 10*P*, 1995

Orthogonal suppression in receptive fields of complex neurones in striate cortex of anaesthetized cats **485.P**, 11*P*, 1995

Verification of human visual evoked potentials (VEPs) elicited by gratings containing tritanopic pairs of hues **485.P**, 22*P*, 1995

Is interocular suppression in the visual cortex of the anaesthetized cat orientation selective? **485.P**, 24*P*, 1995

Human perception of spatial phase in natural images **485.P**, 25*P*, 1995

Orientation selectivity of surround inhibition in area 17 of the anaesthetized cat **485.P**, 29*P*, 1995

Recurrent unitary EPSPs evoked in anatomically identified inhibitory interneurones of the cat visual cortex *in vitro* **487.P**, 51*P*, 1995

High degree of self-innervation by GABAergic basket cells in the visual cortex of the cat as revealed *in vitro* **487.P**, 63*P*, 1995

The representation of the visual field in the visual cortex of anaesthetized albino ferrets **489.P**, 10*P*, 1995

Visual stimulus

Post-spike facilitation of neck EMG by cat tectoreticulospinal neurones during orienting movements **482**, 455, 1995

Vitamin

Effects of vitamin E deficiency on autonomic neuroeffector mechanisms in the rat caecum, vas deferens and urinary bladder **487**, 773, 1995

Voltage clamp

The slow Ca^{2+}-activated K^+ current, I_{AHP}, in the rat sympathetic neurone **483**, 15, 1995

The voltage dependence of contraction is modified by stimulation frequency in isolated guinea-pig ventricular myocytes **483.P**, 18*P*, 1995

Chloride currents across the membrane of mammalian skeletal muscle fibres **484**, 355, 1995

Contribution of ATP-sensitive potassium channels to the electrophysiological effects of adenosine in guinea-pig atrial cells **484**, 629, 1995

Inactivation of the cardiac Na^+ channels in guinea-pig ventricular cells through the open state **485**, 581, 1995

Subunit regulation of the neuronal α_{1A} Ca^{2+} channel expressed in *Xenopus* oocytes **485**, 619, 1995

Voltage gating

Voltage- and Ca^{2+}-dependence of membrane currents recorded from isolated thymic nurse cells of BALB/c mouse **482.P**, 26*P*, 1995

Properties of voltage-gated chloride channels of the ClC gene family **482.P**, 19*S*, 1995

Voltage-dependent calcium channel

Antisense depletion of β-subunits modulates the biophysical and pharmacological properties of neuronal calcium channels **482**, 481, 1995

NaF-induced modulation of voltage-operated calcium channels in CA1 neurons from rat hippocampus **483.P**, 64*P*, 1995

Voltage-gated channel

Characterization of single voltage-gated Na^+ and Ca^{2+} channels in apical dendrites of rat CA1 pyramidal neurons **487**, 67, 1995

Voltage-gated potassium channel

Hypoxic and metabolic regulation of voltage-gated K^+ channels in pulmonary arterial smooth muscle cells **487.P**, 10*S*, 1995

Volume

Volume-activated chloride channels in rat parotid acinar cells **484**, 677, 1995

Characterization of a volume-sensitive chloride current in osteoblast-like (ROS 17/2.8) cells **485**, 671, 1995

Protocols for determining chondrocyte volume *in situ* from three dimensional confocal images **487.P**, 3*P*, 1995

Comparison of a mercury strain gauge with an optoelectronic volumeter to record human arm swelling rates in venous occlusion plethysmography (VOP) **487.P**, 181*P*, 1995

Changes in blood volume distribution during orthostasis and at presyncope in humans **489.P**, 37*P*, 1995

Renal functional responses to saline volume expansion in normal and streptozotocin-induced diabetic anaesthetized rats **489.P**, 90*P*, 1995

Regulation and expression of volume-activated Cl^- channels in mouse pancreatic duct cells are independent of CFTR **489.P**, 115*P*, 1995

Volume regulation

Volume regulatory properties of porcine articular chondrocytes measured in cartilage explants using confocal microscopy **482.P**, 12*P*, 1995

Volume-activated chloride currents associated with the multidrug resistance P-glycoprotein **482.P**, 31*S*, 1995

Cation regulation of anion current activated by cell swelling in two types of human epithelial cancer cells **483**, 549, 1995
Two functionally distinct swelling-activated K^+ transport pathways in eel erythrocytes **483.P**, 181*P*, 1995
Volume-sensitive taurine transport in bovine articular chondrocytes **484**, 755, 1995
Volume regulation in a toad epithelial cell line: role of coactivation of K^+ and Cl^- channels **487**, 367, 1995
Swelling-activated transport of diverse solutes in a human cancer cell line **487.P**, 96*P*, 1995
Involvement of proteins of the band 3 (AE) family in passive taurine transport **487.P**, 97*P*, 1995
Volume regulation in cells of the RINm5F insulin-secreting cell line **487.P**, 197*P*, 1995
A voltage-gated chloride channel in ascidian embryos modulated by both the cell cycle clock and cell volume **488**, 689, 1995
A volume-activated anion conductance in insulin-secreting cells **489.P**, 64*P*, 1995
Swelling-activated Cl^- channels in the human neuroblastoma cell line CHP-100 **489.P**, 77*P*, 1995
Regulatory volume increase in acinar cells isolated from the rat lacrimal gland involves Na^+–K^+–$2Cl^-$ co-transport **489.P**, 117*P*, 1995
Role of phospholipase A_2, leukotrienes, and calcium in volume regulation in Ehrlich ascites tumour cells **489.P**, 11*S*, 1995

Voluntary contraction

Spatial differences in fatigue-associated electromyographic behaviour of the human first dorsal interosseus muscle **483**, 499, 1995
Changes in pennation with joint angle and muscle torque: *in vivo* measurements in human brachialis muscle **484**, 523, 1995
Changes in the effect of magnetic brain stimulation accompanying voluntary dynamic contraction in man **484**, 777, 1995

Walking

Physiological cost index and self-selected walking speed **487.P**, 181*P*, 1995
Stimulus for long latency reflexes during human locomotion **489.P**, 32*P*, 1995
Energy costs of walking in soccer players **489.P**, 43*P*, 1995

Water

The water distribution and electrolyte concentrations in soleus muscles of hypothyroid rats **482.P**, 25*P*, 1995
Comparison of water turnover rates in men undertaking prolonged exercise and in sedentary men **483.P**, 123*P*, 1995
Concentrations of Na^+ and Cl^- in transplacental ultrafiltrate in sheep **487**, 159, 1995
Mechanisms of water transport in the proximal convoluted tubule (PCT) of the anaesthetized rat **489.P**, 94*P*, 1995
The laxative action of paraffin **489.P**, 111*P*, 1995
Phagocyte-derived lumenal superoxide induces water secretion in rat colon *in vivo* **489.P**, 129*P*, 1995
Cell biology of mutated aquaporin-2 proteins in autosomal recessive nephrogenic diabetes insipidus **489.P**, 16*S*, 1995

Whole-cell current

Change of Na^+ pump current reversal potential in sheep cardiac Purkinje cells with varying free energy of ATP hydrolysis **484**, 605, 1995

Wrist

Homonymous and heteronymous excitation among motoneurone pools of the human forearm **487.P**, 71*P*, 1995

Xenopus

Influence of expression of a mammalian K^+ channel, Kv1·1, on the electrical development of *Xenopus laevis* embryonic cells **483.P**, 66*P*, 1995
A monovalent cationic conductance that is blocked by extracellular divalent cations in *Xenopus* oocytes **484**, 593, 1995
H_2O_2-induced chloride currents are indicative of an endogenous Na^+–Ca^{2+} exchange mechanism in *Xenopus* oocytes **486**, 123, 1995
Chimeric L-type Ca^{2+} channels expressed in *Xenopus laevis* oocytes reveal role of repeats III and IV in activation gating **486**, 131, 1995
Labile sodium current expression in *Xenopus* embryonic myocytes **487.P**, 199*P*, 1995
Functional role of follicular cells in the generation of osmolarity-dependent Cl^- currents in *Xenopus* follicles **488**, 351, 1995
Kinetic characterization of the voltage-gated currents possessed by *Xenopus* embryo spinal neurons **489**, 473, 1995
Ca^{2+} current enhancement by $\alpha 2/\delta$ and β subunit in *Xenopus* oocytes: contribution of changes in channel gating and $\alpha 1$ protein level **489**, 55, 1995
The C-terminal fragment of the Alzheimer's disease β-amyloid precursor protein is a potent inducer of membrane currents in *Xenopus* oocytes **489.P**, 66*P*, 1995
Insensitivity of $GABA_A$ receptors to hydrostatic pressure when expressed in *Xenopus* oocytes **489.P**, 76*P*, 1995
Anion permeability of human recombinant $GABA_A$-gated chloride channels expressed in *Xenopus* oocytes **489.P**, 80*P*, 1995
Inhibition studies using 2-trifluoromethyl-L-histidine (TFMH) reveal multiple components of arginine transport expressed in NBAT-cRNA-injected oocytes **489.P**, 125*P*, 1995

Zinc

Modulation by zinc ions of native rat and recombinant human inhibitory glycine receptors **483**, 613, 1995
The endogenous histidyl dipeptide carnosine is vasoactive as a conjugate with zinc in rabbit saphenous vein **483.P**, 112*P*, 1995
Zinc potentiation of neurotransmission and inhibition of background cationic conductance in rat cultured hippocampal neurones **484**, 447, 1995
The effect of histidine and cysteine on zinc influx into rat and human erythrocytes **489**, 73, 1995

THE JOURNAL OF PHYSIOLOGY

ANNUAL INDEX 1995

Annual Author and Subject Indexes

to Volumes 482 – 489 of

The Journal of Physiology
Proceedings of the Physiological Society

(January – December 1995)

CONTENTS

Author index: Papers	1
Author index: Proceedings	31
Subject index	91

CAMBRIDGE
UNIVERSITY PRESS

0022-3751(1995)489*;1-K